


Program 25


shall program

1.square



The screenshot shows a terminal window with a dark blue background. The prompt is 'kali@kali:~'. The user has run 'nano heloo.ssh' and 'chmod +x heloo.ssh'. Then, they run './heloo.ssh'. The program prompts 'enter a number:' and the user enters '2'. The program outputs 'Square=4'. On the right side of the terminal, there is a sidebar with a 'WIRESHARK TIPS & TRICKS' section and a 'Contents' table of contents.

```
kali@kali:~  
$ nano heloo.ssh  
$ chmod +x heloo.ssh  
$ ./heloo.ssh  
enter a number:  
2  
Square=4  
$
```



The screenshot shows the same terminal window, but now the file 'heloo.ssh' is open in the nano editor. The code is as follows:

```
#!/bin/bash  
echo "enter a number:"  
read n  
square=$((n*n))  
echo "Square=$square"
```

The bottom of the terminal shows a status bar with various icons and a 'Read 5 Lines' indicator.

2.biggest number

```
Session Actions Edit View Help
$ nano biggest.ssh
(kali@kali:~)$ chmod +x biggest.ssh
(kali@kali:~)$ ./biggest.ssh
Enter a number:
10
Enter second number:
25
Enter third number:
15
./biggest.ssh: 7: if[: not found
./biggest.ssh: 8: Syntax error: "then" unexpected
(kali@kali:~)$ nano biggest.ssh
(kali@kali:~)$ chmod +x biggest.ssh
(kali@kali:~)$ ./biggest.ssh
Enter a number:
10
Enter second number:
25
Enter third number:
15
./biggest.ssh: 7: if[: not found
./biggest.ssh: 8: Syntax error: "then" unexpected
(kali@kali:~)$ nano biggest.ssh
(kali@kali:~)$ chmod +x biggest.ssh
(kali@kali:~)$ ./biggest.ssh
Enter a number:
10
Enter second number:
25
Enter third number:
12
Biggest number:12
(kali@kali:~)$
```

```
GNU nano 2.8.0 biggest.ssh
#!/bin/bash
echo "Enter a number:"
read a
echo "Enter second number:"
read b
echo "Enter third number:"
read c
if [ $a -ge $b ] && [ $a -ge $c ]
then
    biggest=$a
elif [ $b -ge $a ] && [ $b -ge $c ]
then
    biggest=$b
else
    biggest=$c
fi
echo "Biggest number:$biggest"
```