



PowerShell во имя добра

КУЛАКОВ АНАТОЛИЙ






Cygwin



BASH
THE BOURNE-AGAIN SHELL



VBS



I just heard a double-click. Somebody must be in trouble!

rmmdir rm
man more cd ps
env mv echo cp
mkdir ls pwd
kill cat popd
pushd diff
set



```
Get-ChildItem -Path "$sourceDir" -Filter "*.cs" -Recurse |  
  
Where-Object -FilterScript { -not $PSItem.IsReadOnly } |  
  
Sort-Object -Property FullName |  
  
select-Object -Property  
    @{  
        Name = "RelativePath";  
        Expression = { Resolve-Path $PSItem.FullName -Relative }  
    }, FullName |  
  
ForEach-Object -Process  
    {  
        $PSItem.RelativePath;  
        Set-ItemProperty -Path $PSItem.FullName -Name IsReadOnly -value $false  
    } |  
  
Set-Content -Path (Join-Path -Path $sourceDir -ChildPath "log.txt")
```


```
ls $sourceDir *.cs -r |  
? {-not $_.IsReadOnly} |  
sort FullName |  
select @{N="Rel";E={rvpa $_.FullName -r}}, FullName |  
% {$_ .Rel;sp $_.FullName IsReadOnly $false} |  
sc (join-path $sourceDir "log.txt")
```

```
ls "$sourceDir" -Filter "*.cs" -Recurse |  
  
where { -not $_.IsReadOnly } |  
  
sort FullName |  
  
select @{  
    Name = "RelativePath";  
    Expression = { Resolve-Path $_.FullName -Relative } },  
    FullName |  
  
foreach {  
    $_.RelativePath;  
    Set-ItemProperty $_.FullName IsReadOnly $false } |  
  
Set-Content (Join-Path $sourceDir "log.txt")
```

Диски

- Alias
- FileSystem
- Certificate
- Environment
- Function
- Variable
- Registry
- WSMAN
- GithubFS
- Dropbox
- MSSQL
- FTP
- E-Mail
- Active Directory
- ...

ЧТО ЕЩЁ?



Microsoft®
SQL Server



КОНТАКТЫ

- Anatoly.Kulakov@outlook.com
- twitter.com/KulakovT
- github.com/AnatolyKulakov
- SpbDotNet.org

