Data Quality Assessment Malnourished Children Aged 6–59 Months Without Edema and With Complications Treated (Phase 1).

Autogenerated data summary from dataReporter

Doubata Dramane Marius COULIBALY

2026-07-12 21:02:05.320114

Data report overview

The dataset examined has the following dimensions:

Feature	Result
Number of observations	1342
Number of variables	37

Checks performed

The following variable checks were performed, depending on the data type of each variable:

	character	factor	labelled	haven labelled	numeric	integer	logical	Date
Identify miscoded missing values	×	×	×	×	×	×		×
Identify prefixed and suffixed whitespace	×	×	×	×				
Identify levels with < 6 obs.	×	×	×	×				
Identify case issues	×	×	×	×				
Identify misclassified numeric or integer variables	×	×	×	×				
Identify outliers					×	×		×

Please note that all numerical values in the following have been rounded to 2 decimals.

Summary table


	Variable class	# unique values	Missing observations	Any problems?
nonresponse_p1	logical	2	0.00 %	
age_month	numeric	49	0.00 %	
age_group	character	2	0.00 %	
gender	factor	2	0.00 %	
locality	factor	3	0.89 %	
vaccination_status	factor	3	57.38 %	
is_breastfed	factor	3	69.52 %	
admission_type	factor	3	3.28 %	
edema_incident	logical	2	0.00 %	
prop_whz_error_p1	numeric	4	2.31 %	×
length_tubefeeding	numeric	17	0.00 %	×
phase_length	integer	24	0.00 %	×
is_death_in_phase	logical	3	61.48 %	
death_day1_in_phase	logical	3	0.89 %	
nutri_treat_p1	factor	5	0.07 %	
f75_to_f75f	logical	2	0.00 %	
prop_familymeals_p1	numeric	18	0.00 %	×
prop_food_intolerance_p1	numeric	3	65.35 %	
prop_f75x_freq_less_p1	numeric	8	41.36 %	×
prop_f75x_freq_more_p1	numeric	6	41.36 %	×
prop_f75x_qty_less_p1	numeric	29	1.12 %	×
prop_f75x_qty_more_p1	numeric	46	1.12 %	
prop_f75x_adh_less_p1	numeric	52	1.12 %	
prop_f75x_adh_more_p1	numeric	33	1.12 %	×
morbidite	numeric	7	0.00 %	
has_shock	logical	3	5.29 %	
has_gastroenteritis	logical	3	5.29 %	
has_pneumonia	logical	3	5.29 %	
has_tuberculosis	logical	3	5.29 %	
has_digestive_candidiasis	logical	3	5.29 %	
has_hiv	logical	3	5.29 %	
has_severe_malaria	logical	2	0.00 %	
has_neuro_malaria	logical	3	5.29 %	
has_severe_anaemia	logical	3	5.29 %	
has_other_anemia	logical	3	5.29 %	
discharge_type_p1	factor	4	61.48 %	
prop_f75x_adh_less_level_p1	factor	3	1.12 %	

Variable list

nonresponse_p1

Non-response to treatment in Phase 1

Feature	Result
Variable type	logical
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	“FALSE”




---

age_month

Age (Month)


Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	49
Median	15
1st and 3rd quartiles	10; 22
Min. and max.	6; 59



age_group

Age group


Feature	Result
Variable type	character
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	"[6;25["



gender

Gender


Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	“Male”
Reference category	Male



locality

Locality


Feature	Result
Variable type	factor
Number of missing obs.	12 (0.89 %)
Number of unique values	2
Mode	“Rural”
Reference category	Urban



vaccination_status

Vaccination status


Feature	Result
Variable type	factor
Number of missing obs.	770 (57.38 %)
Number of unique values	2
Mode	“Up to date”
Reference category	Up to date



is_breastfed

Breastfeeding status


Feature	Result
Variable type	factor
Number of missing obs.	933 (69.52 %)
Number of unique values	2
Mode	“Yes”
Reference category	Yes



admission_type

Type admission

Feature	Result
Variable type	factor
Number of missing obs.	44 (3.28 %)
Number of unique values	2
Mode	“New admission”
Reference category	New admission




---

edema_incident

Incident edema

Feature	Result
Variable type	logical
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	“FALSE”




---

prop_whz_error_p1

WHZ error proportion (p1)

- Note that this variable is treated as a factor variable below, as it only takes a few unique values.

Feature	Result
Variable type	numeric
Number of missing obs.	31 (2.31 %)
Number of unique values	3
Mode	“1”
Reference category	0




- Note that the following levels have at most five observations: “0.5”.

---

length_tubefeeding

Tube feeding duration

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	17
Median	0
1st and 3rd quartiles	0; 0
Min. and max.	0; 19




- Note that the following possible outlier values were detected: “1”, “2”, “3”, “4”, “5”, . . . , “12”, “14”, “16”, “17”, “19” (6 values omitted).

---

phase_length

Phase length

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	24
Median	4
1st and 3rd quartiles	2; 6
Min. and max.	1; 33




- Note that the following possible outlier values were detected: “24”, “26”, “33”.

---

is_death_in_phase

Death in phase

Feature	Result
Variable type	logical
Number of missing obs.	825 (61.48 %)
Number of unique values	2
Mode	“NA”




---

death_day1_in_phase

Death on day 1 (P1)

Feature	Result
Variable type	logical
Number of missing obs.	12 (0.89 %)
Number of unique values	2
Mode	“FALSE”




---

nutri_treat_p1

Nutritional treatment (P1)

Feature	Result
Variable type	factor
Number of missing obs.	1 (0.07 %)
Number of unique values	4
Mode	“F75”
Reference category	F75



f75_to_f75f

F75 to F75F transition


Feature	Result
Variable type	logical
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	“FALSE”



prop_familymeals_p1

Family meals proportion (P1)

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	18
Median	0
1st and 3rd quartiles	0; 0
Min. and max.	0; 1



- Note that the following possible outlier values were detected: “0.04”, “0.06”, “0.09”, “0.11”, “0.12”, . . . , “0.57”, “0.67”, “0.75”, “0.83”, “1” (7 values omitted).


---

prop_food_intolerance_p1

Food intolerance proportion (P1)

- Note that this variable is treated as a factor variable below, as it only takes a few unique values.

Feature	Result
Variable type	numeric
Number of missing obs.	877 (65.35 %)
Number of unique values	2
Mode	“1”
Reference category	0




---

prop_f75x_freq_less_p1

F75 frequency below target (P1)

Feature	Result
Variable type	numeric
Number of missing obs.	555 (41.36 %)
Number of unique values	7
Median	0
1st and 3rd quartiles	0; 0
Min. and max.	0; 1



- Note that the following possible outlier values were detected: “0.25”, “0.33”, “0.4”, “0.5”, “0.67”, “1”.


---

prop_f75x_freq_more_p1

F75 frequency above target (P1)

- Note that this variable is treated as a factor variable below, as it only takes a few unique values.

Feature	Result
Variable type	numeric
Number of missing obs.	555 (41.36 %)
Number of unique values	5
Mode	“0”
Reference category	0



- Note that the following levels have at most five observations: “0.2”, “0.33”, “0.5”, “1”.


---

prop_f75x_qty_less_p1

F75 quantity below target (P1)

Feature	Result
Variable type	numeric
Number of missing obs.	15 (1.12 %)
Number of unique values	28

Feature	Result
Median	0
1st and 3rd quartiles	0; 0
Min. and max.	0; 1




- Note that the following possible outlier values were detected: “0.08”, “0.1”, “0.12”, “0.14”, “0.17”, . . . , “0.8”, “0.83”, “0.86”, “0.89”, “1” (17 values omitted).

---

prop_f75x_qty_more_p1

F75 quantity above target (P1)

Feature	Result
Variable type	numeric
Number of missing obs.	15 (1.12 %)
Number of unique values	45
Median	0
1st and 3rd quartiles	0; 0.5
Min. and max.	0; 1




---

prop__f75x__adh__less__p1

F75 adherence below target (P1)


Feature	Result
Variable type	numeric
Number of missing obs.	15 (1.12 %)
Number of unique values	51
Median	0.25
1st and 3rd quartiles	0; 0.5
Min. and max.	0; 1



prop_f75x_adh_more_p1

F75 adherence above target (P1)

Feature	Result
Variable type	numeric
Number of missing obs.	15 (1.12 %)
Number of unique values	32
Median	0
1st and 3rd quartiles	0; 0
Min. and max.	0; 1




- Note that the following possible outlier values were detected: “0.05”, “0.06”, “0.08”, “0.09”, “0.1”, . . . , “0.75”, “0.76”, “0.8”, “0.83”, “1” (21 values omitted).

morbidite

Morbidity burden

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	7
Median	2
1st and 3rd quartiles	1; 3
Min. and max.	0; 6




---

has_shock

Shock

Feature	Result
Variable type	logical
Number of missing obs.	71 (5.29 %)
Number of unique values	2
Mode	“FALSE”




---

has_gastroenteritis

Gastroenteritis


Feature	Result
Variable type	logical
Number of missing obs.	71 (5.29 %)
Number of unique values	2
Mode	“TRUE”



has_pneumonia

Pneumonia


Feature	Result
Variable type	logical
Number of missing obs.	71 (5.29 %)
Number of unique values	2
Mode	“TRUE”



has_tuberculosis

Tuberculosis


Feature	Result
Variable type	logical
Number of missing obs.	71 (5.29 %)
Number of unique values	2
Mode	“FALSE”



has_digestive_candidiasis

Digestive candidiasis


Feature	Result
Variable type	logical
Number of missing obs.	71 (5.29 %)
Number of unique values	2
Mode	“FALSE”



has_hiv

HIV

Feature	Result
Variable type	logical
Number of missing obs.	71 (5.29 %)
Number of unique values	2
Mode	“FALSE”




---

has_severe_malaria

Severe malaria

Feature	Result
Variable type	logical
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	“FALSE”




---

has_neuro_malaria

Neurological malaria


Feature	Result
Variable type	logical
Number of missing obs.	71 (5.29 %)
Number of unique values	2
Mode	“FALSE”



has_severe_anaemia

Severe anemia


Feature	Result
Variable type	logical
Number of missing obs.	71 (5.29 %)
Number of unique values	2
Mode	“FALSE”



has_other_anemia

Other anemia


Feature	Result
Variable type	logical
Number of missing obs.	71 (5.29 %)
Number of unique values	2
Mode	“FALSE”



discharge_type_p1

Type of discharge (P1)


Feature	Result
Variable type	factor
Number of missing obs.	825 (61.48 %)
Number of unique values	3
Mode	“Recovered/Transferred”
Reference category	Recovered/Transferred



prop_f75x_adh_less_level_p1

F75 adherence below target (P1)

Feature	Result
Variable type	factor
Number of missing obs.	15 (1.12 %)
Number of unique values	2
Mode	“]0;100]”
Reference category	0



Report generation information:

- Created by: Doubata (username: `DELL`).
- Report creation time: dim. juil. 12 2026 21:02:06
- Report was run from directory: `C:/Users/DELL/Documents/CREN/crenMalnutrition`
- dataReporter v1.0.5 [Pkg: 2025-04-13 from standard (@1.0.5)]
- R version 4.6.1 (2026-06-24 ucrt).
- Platform: x86_64-w64-mingw32/x64(Africa/Ouagadougou).
- Function call: `makeDataReport(data = cohort_p1_data_c659_noedema, output = "html", render = FALSE, file = here::here("reports", "dq_cohort_p1_c659_noedema.Rmd"), replace = TRUE)`