User guide

ภาษาไทย · Operational status

Contents

1. Open and sign in 2. Navigation and categories 3. Groups 4. Invitations 5. Activities and approval 6. Reminders

1. Open and sign in

Visit https://calendar.toomtoom.online/. Non-members of public groups see general holidays/observances. Sign in with Google or Discord to join/create groups. Private groups require membership; a copied URL is not permission. Calendar roles never grant server control-panel access.

2. Navigation and categories

Desktop has a left sidebar. On mobile, open it with ☐; close with ×, an outside tap, or by choosing a page. Category filters, theme and account actions are inside. The compact group control stays in the header. Choose month/week/list, Today, arrows or mobile swipes. Search filters displayed activities.

Every group includes general dates from the shared dataset without copying. Defaults are education, community, important days and holidays. Optional categories include public/substitute/bank holidays, Buddhist/holy days, royal observances, traditions, Thai/international dates and Islamic calendar. A category is a filter, not a guarantee of complete source data.

Member filters are stored per group in the database; guest filters and theme use browser storage. Display currently combines only the selected group's activities with general dates. Multi-group display remains pending.

3. Groups

Open the group control to create a group, join by invitation or switch groups. New groups are private. The current group is remembered. Owners/managers manage invitations and member roles. Editors can edit native published activities; members can submit and edit their own pending proposals.

4. Invitations

Select group → group menu → Manage group / Invite members. Choose one method:

- Link: create, copy and share the link yourself.

- Email: enter recipient, role and validity, then Send invitation. No additional checkbox. Configured SMTP is required. Failed sends report failure and retain a usable invitation link.

- Code: create and copy a join code.

Email invitations match the provider-verified address at sign-in. They do not fabricate accounts. CSV adds pending assignments without bulk emails. Existing memberships and suspensions are respected. Revoke unused invitations in history.

5. Activities and approval

Choose a date or Add activity. Enter title, description, dates, all-day or start/end times, category and color. Approval follows the group's manual/trusted/all policy. Check My activities for proposal status. Managers review pending submissions. Policy changes apply to new proposals, not old pending records.

Imported general dates are read-only for members. Fix them at the source; corrections become visible to all groups on their next fetch. Native activities remain in their group.

6. Reminders

My settings provides notification categories, lead time and all-day time. Display and reminder categories are separate. All-day reminders occur the previous day at 12:00 and on the date at the configured time, default 07:00, Asia/Bangkok. Manager settings control review notifications.

Device notification permission is separate. The inbox remains available when system Push/badging is unsupported. Delivery depends on server uptime, permission and browser/device support. See NOTIFICATIONS.md and CURRENT-STATUS.md for verified limits.

Shared general calendar / วันหัวไปชุดกลาง

Storage

events.data_scope is shared or group. Imported publicHoliday/systemHoliday occurrences are shared; native submissions and imported custom activities remain group-scoped. Migration retained the original 548 rows and IDs, reclassifying 542 without inserting copies.

Shared rows keep their legacy storage group_id for compatibility, but reading them does not depend on that group's visibility. User-created events never become shared just because their category is holiday. Private activities still require group authorization.

Read flow

Shared published rows (one dataset) ----+

+--> publishedEvents() --> filters --> calendar

Authorized selected-group rows --------+

src/events/published.js combines disjoint scopes with UNION ALL; the original group does not receive duplicate general dates. Partial indexes cover shared dates and group/date queries. Four reusable prepared queries cover group inclusion and optional date overlap.

Web reminders query today/tomorrow, reuse membership preferences and deduplicate overlapping multi-day rows by ID. Discord jobs use the same reader and expose delivery fields only. Categories, channel bindings and delivery dedupe remain separate per group.

Updating

The importer upserts stable occurrence IDs and scope. A general-date correction updates one row; all groups see it on their next fetch. Missing upstream rows are intentionally retained. Creating groups does not copy the dataset. A fresh local demo has samples, not authoritative dates; configure the source URL for real data.

Simultaneous multi-group display is pending; when implemented it must deduplicate shared IDs. Never share a live SQLite file between hosts or put database files in browser assets/Git.

ภาษาไทย

วันกลางเก็บครั้งเดียว กิจกรรมผู้ใช้แยกกลุ่มตามเดิม ใช้ query รวมตอนอ่าน ไม่ clone ตาราง และมี index ช่วยค้นหา
การแก้วันกลางเปลี่ยนรายการเดียวแล้วทุกกลุ่มอ่านค่าล่าสุด จำนวน 542 เป็นสถานะตอนย้าย ไม่ใช่จำนวนที่บังคับไว้
วันกลางไม่ขึ้นกับสิทธิ์กลุ่ม CS SKRU แต่ข้อมูลส่วนตัวของแต่ละกลุ่มยังต้องตรวจสิทธิ์ก่อนอ่าน

Current status / สถานะปัจจุบัน

Updated 10 October 2026. This is the operational reference when older learning examples differ.

Repository and process boundaries

Repository / Application / Runtime

DoubleP987/tutel-hub / Music/radio and private server panel; legacy Calendar adapter / Existing homeserver/Oracle bot services

DoubleP987/tutel-calendar / Calendar website, OAuth, groups, invitations, general dates and job APIs / homeserver tutel-calendar.service

The applications do not share environment files, SQLite files, sessions or OAuth secrets. The Discord application "Tutel Calendar" supplies web OAuth. A separate Discord calendar bot process has not been started; production reminders still use the original TutelBot.

Deployed

- HTTPS calendar.toomtoom.online through outbound Cloudflare Tunnel; no inbound router port required.

- Google/Discord login, verified identity-based linking, group memberships and invitations.

- Compact group popup and collapsible left sidebar on mobile. It closes after selecting a page; categories, theme and account actions are inside it.

- One-action email invitations using server SMTP. Link/code invitations are for copying. CSV adds pending invitations without bulk delivery.

- General dates stored once: 542 shared occurrences and 6 group-specific at migration, 548 total retained. Counts are a snapshot, not a quota.

- Indexed shared/group queries and reusable prepared statements. Creating groups copies no events.

- Web reminders and Discord job generation use the same reader, with group-specific settings. Production Discord worker activation remains pending.

Visibility and preferences

Non-members of public groups see shared general dates only. Members see the selected group's activities plus shared dates. Private groups require membership. Shared dates do not depend on the original CS SKRU group's visibility.

Signed-in category filters are saved per group in membership preferences; guests use browser storage. Defaults: education, community, important days and holidays. Islamic is an optional category; no unsupported dates are fabricated.

Pending: simultaneous multi-group display and explicit Discord-link activity viewing requested separately. These are not implemented by the shared-date update.

Known limits

- The legacy Discord scheduler/publisher and one-way snapshot import remain active. New native web activities do not yet reach that scheduler.

- The private panel bridge exists in source, but production cutover is pending.

- SMTP is configured; actual invitation email receipt has not been verified. Device Push/badging also remain unverified end-to-end.

- Netlify redirect deployment is blocked by account credits. Vercel redirects preserve legacy API endpoints.

- Website hosting does not fail over to Oracle. Bot election is separate.

- Records missing from later source snapshots are preserved; deletion reconciliation needs an explicit policy.

Deployment locations and backups

Application: /home/doublep/tutel-calendar/app. SQLite: /home/doublep/tutel-calendar/data/calendar.sqlite. Secrets remain in the server .env and private tunnel token file, outside Git.

Consistent backups: /home/doublep/tutel-calendar/backups/groups-20261010-101849 and /home/doublep/tutel-calendar/backups/shared-calendar-20261010.

ภาษาไทย

สอง repo แยกรันและแยกข้อมูล เว็บจริงมี sidebar และวันทั้วไปชุดกลางแล้ว กิจกรรมเฉพาะกลุ่มไม่ปนกัน บัญชี Calendar ไม่มีสิทธิคุมเครือง การแยก repo ไม่ได้เริมบอท Discord ใหม่ ส่วนแสดงหลายกลุ่มพร้อมกัน ลิงก์ Discord แบบเฉพาะกลุ่ม และการเปิด worker แจ้งเตือนใหม่ยังเป็นงานค้าง การขึน Git ไม่ได้เปิดระบบเหล่านีอัตโนมัติ