


Deployment Guide

SalesForce <--> Google Sheets | Data Synchronization

Sync Process Overview



Overview:

The Salesforce.com – Google Sheets Data Synchronization app allows Sales teams to export their Sales data from Salesforce to a Google Sheet, update the data for multiple records in one sheet and have those updates reflected back in Salesforce automatically. Required fields and picklist values are respected in Google sheets, saving time and avoiding pollution of your Salesforce environment with dirty data.

Export Process:

- 1) SFCD sends export request to the Heroku server.
- 2) Heroku performs OAuth request for both SF and Google.
- 3) Heroku retrieves data from SFDC.
- 4) Heroku create/update Google Sheet document.
- 5) Heroku attaches Google Web App script to Google Sheet.

Update Process:

- 1) Google Sheet triggers the Web App when document is updated.
- 2) Google Web App sends notification to Heroku.
- 3) Heroku retrieves modified data from Google Sheet.
- 4) Heroku sends data update request to SFDC.
- 5) Heroku updates Google Sheet with success/error message from SFDC.

Heroku Sync Proxy

This is a node.js server that acts as a broker between salesforce.com and Google Sheets. It handles all the export and update requests, manages credentials, and displays progress to the user during exports. The source code (and an up-to-date version of this document) can be found on GitHub:

<https://github.com/TractionOnDemand/TractionSyncProxy>

SalesForce Exporter

This is primarily a Lightning component that sits on the Opportunity page layout. It makes a POST to the Heroku app to initiate a ListView export.

Google Web App

This web app detects change events on the Google Sheet and sends notifications to the Heroku app when such changes occur.

Step by Step Deployment Instructions

Heroku Setup

1) Install Heroku Command Line Tools:

- a) <https://devcenter.heroku.com/articles/heroku-cli>
- b) Download and Install

REFERENCE

Heroku Architecture

Features

Command Line

Deployment

Troubleshooting

Collaboration

Security

Support

Accounts & Billing

Organization Accounts

Heroku CLI

Last updated 10 January 2017


Table of Contents

- Download and install
- Getting started
- Staying up to date
- Technical details
- Uninstalling the Heroku CLI
- Legacy Ruby CLI

- c)
- d) Select your Operating System
- e) Run the installation
 - i) Note: you may have to run the installation as the Admin user of your computer

2) Create a Heroku account.

- a) <https://signup.heroku.com/login>



The screenshot shows the Heroku sign-up page. At the top, there's a purple header with the Heroku logo and a 'Log in' link for existing users. Below the header, the main text says 'Sign up for free and experience Heroku today'. The page is divided into two columns. The left column contains three sections: 'Free account' (describing the ability to create apps and connect databases), 'Your app platform' (describing the platform for app management and scaling), and 'Deploy now' (describing the ease of deployment). The right column contains a sign-up form with fields for 'First name*', 'Last name*', 'Email Address*', 'Company name', 'Country*', and 'Primary Development Language*'. There is also a checkbox for 'I'm not a robot' and a 'CREATE FREE ACCOUNT' button at the bottom.

- b)

- 3) Create a new Heroku App <https://dashboard.heroku.com/new>.
Refer to the official Heroku documentation for detailed help: <https://devcenter.heroku.com>

Jump to Favorites, Apps, Pipelines, Spaces...

Create New App

App Name (optional)
Leave blank and we'll choose one for you.

Runtime Selection
Your app can run in your choice of region in the Common Runtime.

United States

Create App

- a)
b) On the Settings tab, record the Domain of your new app.
This will be referred to as <HEROKU_APP_URL> throughout this document.
- 4) Add PostgreSQL to the Heroku app
- a) From the 'Resources' tab, enter 'Postgres' into the Add-ons search and select 'Heroku Postgres' from the search results.

Personal apps > google-sheets-int2

Overview Resources Deploy Metrics Activity Access Settings

Free Dynos Upgrade to Hobby...

web npm start \$0.00

Add-ons

Quickly add add-ons from Elements

Heroku Postgres :: Database Hobby Dev Free

Estimated Monthly Cost \$0.00

- b)
c) Pick your plan name and click the 'Provision' button.
• Eg. Pick "Hobby Dev" and click "Provision"
d) Click into the new Postgres Database: "Heroku Postgres :: Database"
e) From the new datastore page, scroll down and click the 'View Credentials' button.

postgresql-dimensional-37782

SERVICE heroku-postgresql PLAN hobby-dev BILLING APP google-sheets-int2 [open in dashboard](#) ↗
LAST UPDATE a few seconds ago [refresh](#) ↻

Health

✓ Available

PRIMARY Yes VERSION 9.6.1 CREATED 6 hours ago MAINTENANCE Unsupported ROLLBACK Unsupported

Utilization

0 of 20

CONNECTIONS

0 of 10,000

ROWS ✓ IN COMPLIANCE

7.2 MB

DATA SIZE

0

TABLES

Use the [Heroku CLI](#) to access your logs from the command line: `heroku logs --tail --ps postgres --app google-sheets-int2`

Backups

Capture your first Postgres backup

Backups are archives of an entire database stored in a single file.

[Capture a Backup](#)

Administration

Database Credentials

Get credentials for manual connections to this database.

[View Credentials...](#)

- f)
g) The URI value is the <DATABASE_URL>

5) Setup Environment Variables.

- a) From the settings tab, click 'Reveal Config Vars'


- b)

c) add a new variable for the following KEY = VALUE pair
 NODE_PATH = ./server

6) Install Git on your local machine, if not already installed.

a) <https://git-scm.com/download/>

b) Select your Operating System and download.



c)
 d) Run the setup wizard.

7) Install node.js, if not already installed.

a) In a browser, go to: <https://nodejs.org/en/download/>

b) Select your Operating System and download.


Windows Installer (.msi)	32-bit	64-bit
Windows Binary (.exe)	32-bit	64-bit
macOS Installer (.pkg)	64-bit	
macOS Binaries (.tar.gz)	64-bit	
Linux Binaries (x86/x64)	32-bit	64-bit
Linux Binaries (ARM)	ARMv6	ARMv7
Source Code	ARMv8	
	node-v6.9.4.tar.gz	

c)

d) Run the setup wizard.

8) Checkout the node.js server from GitHub.

a) Open the new Git bash console that you installed.



b)

c) Navigate to the folder where you want to copy the node.js server

d) Type in the command prompt:

git clone <https://github.com/TractionOnDemand/TractionSyncProxy.git>

9) CD into the repo directory

a) Type in the command prompt:

cd TractionSyncProxy

10) Add heroku as a remote.

a) Type in the command prompt:

git remote add heroku https://git.heroku.com/<HEROKU_APP_NAME>.git

b) If you are a windows user, you may be asked to authenticate. You must authenticate from the command prompt, rather than the Git bash console.

i) Open the command prompt cmd.exe

ii) Navigate to the TractionSyncProxy directory you created.

iii) Type the command:

heroku login

11) Push to your heroku app.

a) Type in the command prompt:

git push heroku


12) Run the database setup.

- a) Use the URL that you copied from step 3a) above.
- b) Open the URL in a browser: <HEROKU_APP_URL>/pg/setup_db
- c) optionally disable the setup in ./router/pg.js to prevent setup from running again.
(will need to commit/push the change).

salesforce.com Setup

13) Install the Managed Package.


- <https://login.salesforce.com/packaging/installPackage.apexp?p0=04t50000000RXpc>
- Click to install for all users.
- You will be prompted to Approve Third-Party Access:



-
-
-
- d)
- e) Select Yes, grant access... and click "Continue"

14) Add the Custom Setting default value for the Heroku Endpoint URL.

- Go to: Setup -> Develop -> Custom Settings Google Sheet Sync (Manage)



b) | Custom Settings

c) Add a new default organization level value:

Endpoint URL = <HEROKU_APP_URL>/salesforce
(e.g. [https:// your-heroku-app-name.herokuapp.com/salesforce](https://your-heroku-app-name.herokuapp.com/salesforce))

15) Add the Heroku App as a Connected App in Salesforce

a) Setup -> Create -> Apps -> Connected Apps (New).

b) Enable OAuth Settings.

i) Provide a name for the connected app (you can use your app name).

ii) Enter your email address

iii) Callback URL = <HEROKU_APP_URL>/salesforce/oauth

iv) Selected OAuth Scopes

- Full access (full)

- Perform requests on your behalf at any time (refresh_token, offline_access)

c) Record the 'Consumer Key' and 'Consumer Secret' for the next step.

16) Back on your Heroku app, add the following environment variables:

a) Heroku > Settings > click "Reveal Config Vars"

SF_LOGIN_URL = https://login.salesforce.com/services/oauth2

SF_REDIRECT_URI = <HEROKU_APP_URL>/salesforce/oauth

* note that you must include the "https://" in the URI

SF_KEY = use the 'Consumer Key' from the previous step.

SF_SECRET = use the 'Consumer Secret' from the previous step.

17) Update the 'Heroku Sync' Remote Site settings with your Heroku App URL

a) In Salesforce go to: Setup -> Security Controls > Remote Site Settings -> Heroku Sync -> Edit

Remote Site URL = <HEROKU_APP_URL>

18) Add the 'List View Exporter' Lightning component to the Opportunity page layout

a) Switch to Lightning Experience if not already enabled.

i) Click on your name at the top of the screen.

ii) Select "Switch to Lightning Experience"


b) Go to an Opportunity record page.

- c) Click on the Gear icon at the top of the page -> Select "Edit Page"
- d) If you have not already done so, you will have to register a custom domain in order to add the custom lightning component.
 - i) Click on "Deploy My Domain" on the left navigation bar under "Custom"
 - ii) Enter a domain name.
 - iii) You will have to wait until the domain is registered.
 - iv) Navigate back to the Opportunity Record page.
 - v) Click to Edit the page
 - vi) Click on "Deploy My Domain" again.
 - vii) Click on "Deploy to users".
- e) Drag/Drop the ListViewExporter component onto the Opportunity page layout.
 - i) Navigate back to the Opportunity Record page.
 - ii) Click to Edit the page
 - iii) Drag the "List View Exporter" component onto the page layout.
 - iv) Click Save
 - v) Click "Activate"
 - vi) Select "Assign this page as the default record page" > Save
 - vii) Click Save
- f) (optional) set the components configurable text labels.
- g) Click "Save".

Google Web App Setup

19) Create a project:


- open the Developer Console: <https://console.developers.google.com>
- select 'Create project' from the menu dropdown.



-
- Enter a project name then click 'Create' (this might take a few minutes)

20) Enable Drive API and Sheets API

a)



b)

21) Click 'Credentials' from the nav menu.

22) Setup Credentials

- On the Credentials tab, select 'OAuth client ID' from the 'Create credentials' dropdown.
- Select 'Web application'

- c) Enter a name for the web application
- d) Set the 'Authorized JavaScript Origins: <HEROKU_APP_URL>
 - i) This may not be required.
- e) Set the 'Authorized redirect URI' to: <HEROKU_APP_URL>/google/callback
- f) Click Create
- g) Record the Client ID and Client Secret.
(referred to as <GOOGLE_CLIENT_ID> and <GOOGLE_CLIENT_SECRET> in this document).


23) On the 'OAuth consent screen' tab, enter all appropriate fields

- a) Enter the Product name shown to users
- b) Click Save

24) Create a new Google Doc on your Google Drive.

- a) Navigate to drive.google.com
- b) Click "New" > select "Google Doc"

25) From the Tools menu, select 'Script editor...'



- a)
- b) This will open a Google doc called "Code.js"

26) Copy/paste the contents of <GIT_PROJECT_FOLDER>/webapp/google_sync_apps.gs into the Code.js Google Doc


- a) Remove the current text from the file and replace with the text from the google_sync_apps.gs file.

27) Save the project: File -> Save

- a) You will be asked to provide a name for the doc.
- b) Eg. SFDC Script Doc

28) Add the Heroku app URL to Script Properties:


- File -> Project Properties
- Click on the "Script Properties" tab



- on the "Script properties" tab, add a new row with the following Property = Value:
(remove any trailing slash from the URL)
HEROKU_APP_URL = <HEROKU_APP_URL>

29) Publish the app:

- Click on the "Publish" tab and select "Deploy as web app"



- Select the following preferences:

- i) Project version = New
- ii) Execute the app as: User accessing the web app
- iii) Who has access to the app: Anyone

Deploy as web app

Current web app URL: [Disable web app](#)
 https://script.google.com/macros/s/AKfycbxzVai0k4W_c
 Test web app for your latest code.

Please read this carefully. It's not the usual yada yada.

Project version:
 1

Execute the app as:
 Me (dmenelson@gmail.com)

You need to authorize the script before distributing the URL.

Who has access to the app:
 Anyone

Update Cancel Help

- d)
- e) Click to review your permissions in the prompt that asks for permission to access your data on google.
 - i) Click to Allow

30) Copy the web app URL (referred to as <GOOGLE_WEBAPP_URL>) for entering into Heroku as a Config variable in the next steps.

31) In your Heroku app, you will add additional Configuration Variables:

- a) Go into your Heroku app in a browser
 - i) Click on the Settings tab
 - ii) Click on "Reveal Config Vars"
 - iii) Create a new Config variable: GOOGLE_CLIENT_ID
- b) Go to the Google Developer Console in another tab in your browser
 - i) Click on the Credentials tab
 - ii) Click on your Oauth 2.0 app credentials
 - iii) Copy the Google Client ID
- c) In the Heroku app, paste the Google Client ID into the Config variable
 - i) Click "Add"
 - ii) Create a new Config variable: GOOGLE_CLIENT_SECRET
 - iii) In the Google Developer console copy the Client secret and paste it as the value in the config variable.
- d) In the Heroku app, click to "Add" another Config variable: GOOGLE_CALLBACK_URL

- i) In the Google Developer console copy the “Authorized redirect URIs” and paste into the GOOGLE_CALLBACK_URL in the latest Heroku Config variable.
- e) Click to “Add” another Config Variable: GOOGLE_WEBAPP_URL
 - i) Paste the Google WebApp URL that you copied from the document app deployment into the GOOGLE_WEBAPP_URL in the Heroku config variables.
- f) You should now have the following 4 additional config variables set in Heroku:

GOOGLE_CLIENT_ID	=	<GOOGLE_CLIENT_ID>
GOOGLE_CLIENT_SECRET	=	<GOOGLE_CLIENT_SECRET>
GOOGLE_CALLBACK_URL	=	<HEROKU_APP_URL>/google/callback
GOOGLE_WEBAPP_URL	=	<GOOGLE_WEBAPP_URL>

Congratulations!!

You have now successfully configured the apps. To use the app:


32) Open your Salesforce org.

33) Go into an Opportunity

Negotiation/Review

Closed

✓ Mark Stage as Complete


 Opportunity List View Export


Select List


All Opportunities

View List

Export to Google


 Contact Roles (0)

 Products (0)

 Notes & Attachments (0)

34)

- 35) Select the list view to export and click on the “Export to Google” button
- 36) Note that several permission screens will be displayed.
- 37) You will have to accept to Leave Salesforce.



- 38)
- 39) Click Continue
- 40) You may have to select your Google Account to generate the Google Sheet in, if you have multiple accounts.
- 41) Select the appropriate account.
- 42) You will then have to click to review permissions of the Google App in order to access data on your Google account.


SFDC Sheet Int Script Doc

Created by dmenelson@gmail.com

SFDC Sheet Int Script Doc needs your permission to access your data on Google.



- 43)
- 44) Click “Review Permissions”
- 45) You will then have to allow the Google App to view and manage your spreadsheets in Google Drive, etc.



46)

47) Click "Allow"

48) A workflow will then be displayed indicating what is taking place.

- a) Create Google Sheet
- b) Write Data to Sheet
- c) Open Google Sheet



Creating Google sheet document with name: Opportunity Pipeline

49)

50) Once this has completed a new Google Sheet will open containing all of the Opportunities from the List View that you selected to export.

Salesforce - All Opportunities ☆													
File Edit View Insert Format Data Tools Add-ons Help All changes saved in Drive													
<div> <div> \$ % .0 .00 123 </div> <div> Arial 10 B I A </div> <div> </div> <div> </div> </div>													
	A	B	C	D	E	F	G	H	I	J	K	L	M
1	Id	Name	Account Name	Amount	CloseDate	StageName	Owner Alias	CreatedDate	LastModifiedDate	SystemModstamp	sync_status	sync_key	sync_message
2	006410000083C	Acme - 1,200 W	Acme	\$140,000.00	11/05/2014	Value Proposit	DNels	Tue Jan 17 19:1	Tue Jan 17 19:1	Tue Jan 17 19:16:35 GMT 2017			
3	006410000083C	Acme - 200 W	Acme	\$20,000.00	03/06/2015	Prospecting	DNels	Tue Jan 17 19:1	Tue Jan 17 19:1	Tue Jan 17 19:16:35 GMT 2017			
4	006410000083C	Acme - 600 W	Acme	\$70,000.00	01/01/2015	Needs Analysis	DNels	Tue Jan 17 19:1	Tue Jan 17 19:1	Tue Jan 17 19:16:35 GMT 2017			
5	006410000083C	Global Media - 4	Global Media	\$40,000.00	12/04/2014	Id. Decision M	DNels	Tue Jan 17 19:1	Tue Jan 17 19:1	Tue Jan 17 19:16:35 GMT 2017			
6	006410000066H	License Purchas	DocuSign Inc.	\$270,000.00	02/10/2017	Prospecting	DNels	Tue Jan 17 22:3	Tue Jan 17 22:3	Thu Jan 19 11:2	Synced		
7	006410000083C	salesforce.com -	salesforce.com	\$100,000.00	11/05/2014	Negotiation/Re	DNels	Tue Jan 17 19:1	Tue Jan 17 19:1	Tue Jan 17 19:16:35 GMT 2017			
8	006410000083C	salesforce.com -	salesforce.com	\$20,000.00	01/03/2015	Value Proposit	DNels	Tue Jan 17 19:1	Tue Jan 17 19:1	Tue Jan 17 19:16:35 GMT 2017			
9	006410000083C	salesforce.com -	Global Media	\$50,000.00	10/03/2014	Closed Won	DNels	Tue Jan 17 19:1	Tue Jan 17 19:1	Tue Jan 17 19:16:35 GMT 2017			
10	006410000083C	salesforce.com -	Global Media	\$500,000.00	10/03/2014	Closed Won	DNels	Tue Jan 17 19:1	Tue Jan 17 19:1	Tue Jan 17 19:16:35 GMT 2017			
11													

- 51) You can now edit each of the Opportunity records inline and all of the changes will be pushed back into Salesforce!
- Picklist values will be presented according to your fields in Salesforce
 - Validation rules will be respected when attempting to make changes.
 - When a record is updated the “sync_status” field/column will be updated to indicate that the changes have been synced back to Salesforce.