

Getting started
Layout
Content

Components
Alerts
Badge
Breadcrumb
Buttons
Button group
Card
Carousel
Collapse
Dropdowns
Forms
Input group
Jumbotron
List group
Modal
Navs
Navbar
Pagination
Popovers

Cards

Bootstrap's cards provide a flexible and extensible content container with multiple variants and options.


About

A **card** is a flexible and extensible content container. It includes options for headers and footers, a wide variety of content, contextual background colors, and powerful display options. If you're familiar with Bootstrap 3, cards replace our old panels, wells, and thumbnails. Similar functionality to those components is available as modifier classes for cards.

Example

Cards are built with as little markup and styles as possible, but still manage to deliver a ton of control and customization. Built with flexbox, they offer easy alignment and mix well with other Bootstrap components. They have no `margin` by default, so use [spacing utilities](#) as needed.

Below is an example of a basic card with mixed content and a fixed width. Cards have no fixed width to start, so they'll naturally fill the full width of its parent element. This is easily customized with our various [sizing options](#).


[Copy](#)

```
<div class="card" style="width: 18rem;">
  
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```

Content types

Cards support a wide variety of content, including images, text, list groups, links, and more. Below are examples of what's supported.

Body

The building block of a card is the `.card-body`. Use it whenever you need a padded section within a card.

This is some text within a card body.

[Copy](#)

```
<div class="card">
  <div class="card-body">
    This is some text within a card body.
  </div>
</div>
```

Titles, text, and links

Card titles are used by adding `.card-title` to a `<h1>` tag. In the same way, links are added and placed next to each other by adding `.card-link` to an `<a>` tag.

Subtitles are used by adding a `.card-subtitle` to a `<h2>` tag. If the `.card-title` and the `.card-subtitle` items are placed in a `.card-body` item, the card title and subtitle are aligned nicely.

About
Example
Content types
Body
Titles, text, and links
Images
List groups
Kitchen sink
Header and footer
Sizing
Using grid markup
Using utilities
Using custom CSS
Text alignment
Navigation
Images
Image caps
Image overlays
Card styles
Background and color
Border
Mixins utilities
Card layout
Card groups
Card decks
Card columns

Card title

Card subtitle

Some quick example text to build on the card title and make up the bulk of the card's content.

[Card link](#) [Another link](#)

Copy

```
<div class="card" style="width: 18rem;">  
  <div class="card-body">  
    <h5 class="card-title">Card title</h5>  
    <h6 class="card-subtitle mb-2 text-muted">Card subtitle</h6>  
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>  
    <a href="#" class="card-link">Card link</a>  
    <a href="#" class="card-link">Another link</a>  
  </div>  
</div>
```

Images

.card-img-top places an image to the top of the card. With .card-text, text can be added to the card. Text within .card-text can also be styled with the standard HTML tags.

Image cap

Some quick example text to build on the card title and make up the bulk of the card's content.

Copy

```
<div class="card" style="width: 18rem;">  
    
  <div class="card-body">  
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>  
  </div>  
</div>
```

List groups

Create lists of content in a card with a flush list group.

Cras justo odio

Dapibus ac facilisis in

Vestibulum at eros

Copy

```
<div class="card" style="width: 18rem;">  
  <ul class="list-group list-group-flush">  
    <li class="list-group-item">Cras justo odio  
    <li class="list-group-item">Dapibus ac facilisis in  
    <li class="list-group-item">Vestibulum at eros  
  </ul>  
</div>
```

Featured

Cras justo odio

Dapibus ac facilisis in

Vestibulum at eros


Copy

```
<div class="card" style="width: 18rem;">  
  <div class="card-header">  
    Featured  
  </div>  
  <ul class="list-group list-group-flush">  
    <li class="list-group-item">Cras justo odio  
    <li class="list-group-item">Dapibus ac facilisis in  
    <li class="list-group-item">Vestibulum at eros  
  </ul>  
</div>
```

```
</div>
```

Kitchen sink

Mix and match multiple content types to create the card you need, or throw everything in there. Shown below are image styles, blocks, text styles, and a list group—all wrapped in a fixed-width card.



```
<div class="card" style="width: 18rem;">

##### Card title



Some quick example text to build on the card title and make up the bulk of the card's content.



- Cras justo odio
- Dapibus ac facilisis in
- Vestibulum at eros



Card linkAnother link


```

Copy

Header and footer

Add an optional header and/or footer within a card.

Featured

Special title treatment

With supporting text below as a natural lead-in to additional content.

[Go somewhere](#)

```
<div class="card">

Featured



### Special title treatment



With supporting text below as a natural lead-in to additional content.



Go somewhere


```

Copy

Card headers can be styled by adding `.card-header` to `<h*>` elements.

Featured

Special title treatment

With supporting text below as a natural lead-in to additional content.

[Go somewhere](#)

```
<div class="card">
  <div class="card-header">Featured</div>
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional content.</p>
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```

Copy

Quote

 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer posuere erat a ante.

 — Someone famous in *Source Title*

```
<div class="card">
  <div class="card-header">
    Quote
  </div>
  <div class="card-body">
    <blockquote class="blockquote mb-0">
      <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer posuere erat a ante.</p>
      <footer class="blockquote-footer">Someone famous in <cite title="Source Title">Source Title</cite></footer>
    </blockquote>
  </div>
</div>
```

Copy

Featured

Special title treatment

With supporting text below as a natural lead-in to additional content.

[Go somewhere](#)

2 days ago

```
<div class="card text-center">
  <div class="card-header">
    Featured
  </div>
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional content.</p>
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
  <div class="card-footer text-muted">
    2 days ago
  </div>
</div>
```

Copy

Sizing

Cards assume no specific `width` to start, so they'll be 100% wide unless otherwise stated. You can change this as needed with custom CSS, grid classes, grid Sass mixins, or utilities.

Using grid markup

Using the grid, wrap cards in columns and rows as needed.

Special title treatment

With supporting text below as a natural lead-in to additional content.

[Go somewhere](#)

Special title treatment

With supporting text below as a natural lead-in to additional content.

[Go somewhere](#)

```
<div class="row">
  <div class="col-sm-6">
    <div class="card">
      <div class="card-body">
        <h5 class="card-title">Special title treatment</h5>
        <p class="card-text">With supporting text below as a natural lead-in to additional content.</p>
        <a href="#" class="btn btn-primary">Go somewhere</a>
      </div>
    </div>
    <div class="col-sm-6">
```

Copy

```
<div class="card">
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional content.</p>
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
</div>
```

Using utilities

Use our handful of [available sizing utilities](#) to quickly set a card's width.

Card title
With supporting text below as a natural lead-in to additional content.
[Button](#)

Card title
With supporting text below as a natural lead-in to additional content.
[Button](#)

```
<div class="card w-75">
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional content.</p>
    <a href="#" class="btn btn-primary">Button</a>
  </div>
</div>

<div class="card w-50">
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional content.</p>
    <a href="#" class="btn btn-primary">Button</a>
  </div>
</div>
```

Copy

Using custom CSS

Use custom CSS in your stylesheets or as inline styles to set a width.

Special title treatment
With supporting text below as a natural lead-in to additional content.
[Go somewhere](#)

```
<div class="card" style="width: 18rem;">
  <div class="card-body">
    <h5 class="card-title">Special title treatment</h5>
    <p class="card-text">With supporting text below as a natural lead-in to additional content.</p>
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```

Copy

Text alignment

You can quickly change the text alignment of any card—in its entirety or specific parts—with our [text align classes](#).

Special title treatment
With supporting text below as a natural lead-in to additional content.
[Go somewhere](#)

Special title treatment
With supporting text below as a

natural lead-in to additional content.

[Go somewhere](#)

Special title treatment

With supporting text below as a natural lead-in to additional content.

[Go somewhere](#)

```
<div class="card" style="width: 18rem;">

##### Special title treatment



With supporting text below as a natural lead-in to additional content.

Go somewhere


```

```
<div class="card text-center" style="width: 18rem;">

##### Special title treatment



With supporting text below as a natural lead-in to additional content.

Go somewhere


```

```
<div class="card text-right" style="width: 18rem;">

##### Special title treatment



With supporting text below as a natural lead-in to additional content.

Go somewhere


```

Copy

Navigation

Add some navigation to a card's header (or block) with Bootstrap's [nav components](#).

Active Link Disabled

Special title treatment

With supporting text below as a natural lead-in to additional content.

[Go somewhere](#)

```
<div class="card text-center">

- Active
- Link
- Disabled



##### Special title treatment



With supporting text below as a natural lead-in to additional content.

Go somewhere


```

Copy

Active Link Disabled

Special title treatment

With supporting text below as a natural lead-in to additional content.

[Go somewhere](#)

```
<div class="card text-center">
```

Copy

```

<ul class="nav nav-pills card-header-pills">
  <li class="nav-item">
    <a class="nav-link active" href="#">Active</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="#">Link</a>
  </li>
  <li class="nav-item">
    <a class="nav-link disabled" href="#">Disabled</a>
  </li>
</ul>
</div>
<div class="card-body">
  <h5 class="card-title">Special title treatment</h5>
  <p class="card-text">With supporting text below as a natural lead-in to additional content.</p>
  <a href="#" class="btn btn-primary">Go somewhere</a>
</div>
</div>


```

Images

Cards include a few options for working with images. Choose from appending "image caps" at either end of a card, overlaying images with card content, or simply embedding the image in a card.

Image caps


Similar to headers and footers, cards can include top and bottom "image caps"—images at the top or bottom of a card.



Card title

This is a wider card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.

Last updated 3 mins ago



```


<div class="card mb-3">
  
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.</p>
    <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
  </div>
</div>
<div class="card">
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.</p>
    <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
  </div>
  
</div>

```

Copy

Image overlays

Turn an image into a card background and overlay your card's text. Depending on the image, you may or may not need additional styles or utilities.



```
<div class="card bg-dark text-white">
  
  <div class="card-img-overlay">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This card also includes a small image via the <img> tag.</p>
    <p class="card-text">Last updated 3 mins ago</p>
  </div>
</div>
```








Copy

Card styles

Cards include various options for customizing their backgrounds, borders, and color.

Background and color

Use [text and background utilities](#) to change the appearance of a card.



Header

Dark card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Copy

```

<div class="card text-white bg-primary mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Primary card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card text-white bg-secondary mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Secondary card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card text-white bg-success mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Success card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card text-white bg-danger mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Danger card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card text-white bg-warning mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Warning card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card text-white bg-info mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Info card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card bg-light mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Light card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card text-white bg-dark mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Dark card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
  
```

Conveying meaning to assistive technologies

Using color to add meaning only provides a visual indication, which will not be conveyed to users of assistive technologies – such as screen readers. Ensure that information denoted by the color is either obvious from the content itself (e.g. the visible text), or is included through alternative means, such as additional text hidden with the `.sr-only` class.

Border

Use [border utilities](#) to change just the `border-color` of a card. Note that you can put `.text-{color}` classes on the parent `.card` or a subset of the card's contents as shown below.

Header

Primary card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Secondary card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Success card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Danger card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Warning card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Info card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Light card title

Some quick example text to build on the card title and make up the bulk of the card's content.

Header

Dark card title

Some quick example text to build on the card title and make up the bulk of the card's content.

```

<div class="card border-primary mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body text-primary">
    <h5 class="card-title">Primary card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card border-secondary mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body text-secondary">
    <h5 class="card-title">Secondary card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card border-success mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body text-success">
    <h5 class="card-title">Success card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card border-danger mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body text-danger">
    <h5 class="card-title">Danger card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card border-warning mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body text-warning">
    <h5 class="card-title">Warning card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>


```

Copy

```
<div class="card-header">Header</div>
<div class="card-body text-warning">
  <h5 class="card-title">Warning card title</h5>
  <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
</div>
<div class="card border-info mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body text-info">
    <h5 class="card-title">Info card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card border-light mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body">
    <h5 class="card-title">Light card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
<div class="card border-dark mb-3" style="max-width: 18rem;">
  <div class="card-header">Header</div>
  <div class="card-body text-dark">
    <h5 class="card-title">Dark card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
</div>
```

Mixins utilities

You can also change the borders on the card header and footer as needed, and even remove their background-color with `.bg-transparent`.



```
<div class="card border-success mb-3" style="max-width: 18rem;">
  <div class="card-header bg-transparent border-success">Header</div>
  <div class="card-body text-success">
    <h5 class="card-title">Success card title</h5>
    <p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p>
  </div>
  <div class="card-footer bg-transparent border-success">Footer</div>
</div>
```

Copy

Card layout

In addition to styling the content within cards, Bootstrap includes a few options for laying out series of cards. For the time being, **these layout options are not yet responsive**.

Card groups

Use card groups to render cards as a single, attached element with equal width and height columns. Card groups use `display: flex;` to achieve their uniform sizing.

315x180	315x180	315x180
Card title This is a wider card with supporting text below as a natural lead-in to additional content. This content is a little bit longer. <small>Last updated 3 mins ago</small>	Card title This card has supporting text below as a natural lead-in to additional content. <small>Last updated 3 mins ago</small>	Card title This is a wider card with supporting text below as a natural lead-in to additional content. This card has even longer content than the first to show that equal height action. <small>Last updated 3 mins ago</small>

```
<div class="card-group">
  <div class="card">
    
    <div class="card-body">
      ...
    </div>
  </div>
  <div class="card" style="width: 150px;">
    ...
  </div>
</div>
```

Copy

```

<ns class="card-title">Card title</ns>
<p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This
<p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
</div>
</div>
<div class="card">

<div class="card-body">
<h5 class="card-title">Card title</h5>
<p class="card-text">This card has supporting text below as a natural lead-in to additional content.</p>
<p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
</div>
</div>
<div class="card">

<div class="card-body">
<h5 class="card-title">Card title</h5>
<p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This
<p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
</div>
</div>
</div>

```

When using card groups with footers, their content will automatically line up.

 315x180	 315x180	 315x180
Card title This is a wider card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.	Card title This card has supporting text below as a natural lead-in to additional content.	Card title This is a wider card with supporting text below as a natural lead-in to additional content. This card has even longer content than the first to show that equal height action.
Last updated 3 mins ago	Last updated 3 mins ago	Last updated 3 mins ago

```

<div class="card-group">
<div class="card">

<div class="card-body">
<h5 class="card-title">Card title</h5>
<p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This
</div>
<div class="card-footer">
<small class="text-muted">Last updated 3 mins ago</small>
</div>
</div>
<div class="card">

<div class="card-body">
<h5 class="card-title">Card title</h5>
<p class="card-text">This card has supporting text below as a natural lead-in to additional content.</p>
</div>
<div class="card-footer">
<small class="text-muted">Last updated 3 mins ago</small>
</div>
</div>
<div class="card">


<div class="card-body">
<h5 class="card-title">Card title</h5>
<p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This
</div>
<div class="card-footer">
<small class="text-muted">Last updated 3 mins ago</small>
</div>
</div>
</div>

```

Copy

Card decks

Need a set of equal width and height cards that aren't attached to one another? Use card decks.



<h3>Card title</h3> <p>This is a longer card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.</p> <p>Last updated 3 mins ago</p>	<h3>Card title</h3> <p>This card has supporting text below as a natural lead-in to additional content.</p> <p>Last updated 3 mins ago</p>	<h3>Card title</h3> <p>This is a wider card with supporting text below as a natural lead-in to additional content. This card has even longer content than the first to show that equal height action.</p> <p>Last updated 3 mins ago</p>
---	---	--

```
<div class="card-deck">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a longer card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.</p>
      <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
    </div>
  </div>
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This card has supporting text below as a natural lead-in to additional content.</p>
      <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
    </div>
  </div>
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This content is even longer than the first card.</p>
      <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
    </div>
  </div>
</div>
```

Just like with card groups, card footers in decks will automatically line up.

 <p>Card title</p> <p>This is a wider card with supporting text below as a natural lead-in to additional content. This content is a little bit longer.</p> <p>Last updated 3 mins ago</p>	 <p>Card title</p> <p>This card has supporting text below as a natural lead-in to additional content.</p> <p>Last updated 3 mins ago</p>	 <p>Card title</p> <p>This is a wider card with supporting text below as a natural lead-in to additional content. This card has even longer content than the first to show that equal height action.</p> <p>Last updated 3 mins ago</p>
---	--	---


Copy

```
<div class="card-deck">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This
      </div>
    <div class="card-footer">
      <small class="text-muted">Last updated 3 mins ago</small>
    </div>
  </div>
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This card has supporting text below as a natural lead-in to additional content.</p>
    </div>
    <div class="card-footer">
      <small class="text-muted">Last updated 3 mins ago</small>
    </div>
  </div>
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This
    </div>
    <div class="card-footer">
      <small class="text-muted">Last updated 3 mins ago</small>
    </div>
  </div>
```

Card columns

Cards can be organized into Masonry-like columns with just CSS by wrapping them in `.card-columns`. Cards are built with CSS `column` properties instead of flexbox for easier alignment. Cards are ordered from top to bottom and left to right.

Heads up! Your mileage with card columns may vary. To prevent cards breaking across columns, we must set them to `display: inline-block` as `column-break-inside: avoid` isn't a bulletproof solution yet.



```
<div class="card-columns">
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title that wraps to a new line</h5>
      <p class="card-text">This is a longer card with supporting text below as a natural lead-in to additional content. This card has supporting text below as a natural lead-in to additional content. This card has supporting text below as a natural lead-in to additional content.</p>
    </div>
  </div>
  <div class="card p-3">
    <blockquote class="blockquote mb-0 card-body">
      <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer posuere erat a ante.</p>
      <footer class="blockquote-footer">
        <small class="text-muted">
          Someone famous in <cite title="Source Title">Source Title</cite>
        </small>
      </footer>
    </blockquote>
  </div>
  <div class="card">
    
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This card has supporting text below as a natural lead-in to additional content.</p>
      <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
    </div>
  </div>
  <div class="card bg-primary text-white text-center p-3">
    <blockquote class="blockquote mb-0">
      <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer posuere erat.</p>
      <small>
        Someone famous in <cite title="Source Title">Source Title</cite>
      </small>
    </small>
    <small>
      Someone famous in <cite title="Source Title">Source Title</cite>
    </small>
  </div>
  <div class="card text-center">
    <div class="card-body">
      <h5 class="card-title">Card title</h5>
      <p class="card-text">This card has supporting text below as a natural lead-in to additional content.</p>
      <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
    </div>
  </div>
  <div class="card">
    
  </div>
  <div class="card p-3 text-right">
    <blockquote class="blockquote mb-0">
      <n>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer posuere erat a ante.</n>
    </blockquote>
  </div>
</div>
```

```
<div><small>Last updated 3 mins ago</small><br/>
<blockquote>
  <small class="text-muted">Someone famous in <cite title="Source Title">Source Title</cite>
  </small>
</blockquote>
</div>
<div class="card">
  <div class="card-body">
    <h5 class="card-title">Card title</h5>
    <p class="card-text">This is a wider card with supporting text below as a natural lead-in to additional content. This
      <p class="card-text"><small class="text-muted">Last updated 3 mins ago</small></p>
  </div>
</div>
</div>
```

Card columns can also be extended and customized with some additional code. Shown below is an extension of the `.card-columns` class using the same CSS we use—CSS columns—to generate a set of responsive tiers for changing the number of columns.

```
.card-columns {
  @include media-breakpoint-only(lg) {
    column-count: 4;
  }
  @include media-breakpoint-only(xl) {
    column-count: 5;
  }
}
```

Copy