Calc_Sun code

Project home: https://github.com/DouglasAllen/calc_sun

C extension

```
#include <ruby.h>
#ifndef DBL2NUM
# define DBL2NUM(dbl) rb_float_new(dbl)
#endif
#define R2D 57.295779513082320876798154814105
#define D2R 0.017453292519943295769236907684886
#define M2PI M PI * 2.0
#define INV24 1.0 / 24.0
#define INV360 1.0 / 360.0
#define DJ00 2451545.0
// static ID id_status;
static VALUE
t_init(VALUE self)
  return self;
}
static VALUE
func_rev12(VALUE self, VALUE vx)
  double x = NUM2DBL(vx);
  return DBL2NUM(x - 24.0 * floor(x * INV24 + 0.5));
}
static VALUE
func_mean_anomally(VALUE self, VALUE vd)
{
  double d = NUM2DBL(vd);
  double vma =
  fmod(
   (357.5291 +
    0.98560028 * d
    ) * D2R, M2PI);
```

```
return DBL2NUM(vma);
}
static VALUE
func eccentricity(VALUE self, VALUE vd)
 double d = NUM2DBL(vd);
 double ve =
 0.016709 -
 1.151e-9 * d;
 return DBL2NUM(ve);
}
static VALUE
func_equation_of_center(VALUE self, VALUE vd)
{
  double vma =
  NUM2DBL(func_mean_anomally(self, vd));
  double ve =
  NUM2DBL(func_eccentricity(self, vd));
  double ve2 = ve * 2.0;
  double vesqr = ve * ve;
 double vesqr54 = 5.0 / 4.0 * vesqr;
  double vecube12 = (vesqr * ve) / 12.0;
 double veoc =
 ve2 * sin(vma) +
 vesqr54 * sin(2 * vma) +
  vecube12 * (13.0 * sin(3 * vma) - 3.0 * sin(vma));
  return DBL2NUM(veoc);
}
static VALUE
func_true_anomally(VALUE self, VALUE vd)
  double vma =
  NUM2DBL(func_mean_anomally(self, vd));
  double veoc =
 NUM2DBL(func_equation_of_center(self, vd));
 double vta = vma + veoc;
 return DBL2NUM(vta);
}
static VALUE
func_mean_longitude(VALUE self, VALUE vd)
```

```
double d = NUM2DBL(vd);
  double vml =
  fmod(
   (280.4664567 +
    0.9856473601037645 * d
   ) * D2R, M2PI);
 return DBL2NUM(vml);
}
static VALUE
func eccentric anomally(VALUE self, VALUE vd)
{
 double ve =
  NUM2DBL(func_eccentricity(self, vd));
 double vml =
 NUM2DBL(func_mean_longitude(self, vd));
 double vea =
 vml + ve * sin(vml) * (1.0 + ve * cos(vml));
 return DBL2NUM(vea);
}
static VALUE
func_obliquity_of_ecliptic(VALUE self, VALUE vd)
 double d = NUM2DBL(vd);
 double vooe =
 (23.439291 - 3.563E-7 * d) * D2R;
 return DBL2NUM(vooe);
}
static VALUE
func_longitude_of_perihelion(VALUE self, VALUE vd)
  double d = NUM2DBL(vd);
  double vlop =
 fmod(
   (282.9404 +
    4.70935e-05 * d
   ) * D2R, M2PI);
 return DBL2NUM(vlop);
}
static VALUE
func xv(VALUE self, VALUE vd)
```

```
double vea =
  NUM2DBL(func_eccentric_anomally(self, vd));
 double ve =
 NUM2DBL(func_eccentricity(self, vd));
 double vxv = cos(vea) - ve;
 return DBL2NUM(vxv);
}
static VALUE
func yv(VALUE self, VALUE vd)
 double vea =
 NUM2DBL(func eccentric anomally(self, vd));
 double ve =
 NUM2DBL(func_eccentricity(self, vd));
double vyv =
 sqrt(1.0 - ve * ve) * sin(vea);
 return DBL2NUM(vyv);
}
static VALUE
func_true_longitude(VALUE self, VALUE vd)
 double vta =
 NUM2DBL(func_true_anomally(self, vd));
 double vlop =
 NUM2DBL(func_longitude_of_perihelion(self, vd));
 double vtl =
 fmod(vta + vlop, M2PI);
 return DBL2NUM(vt1);
}
static VALUE
func_rv(VALUE self, VALUE vd)
 double vxv =
 NUM2DBL(func_xv(self, vd));
 double vyv =
 NUM2DBL(func_yv(self, vd));
 double vrv =
 sqrt(vxv * vxv + vyv * vyv);
 return DBL2NUM(vrv);
}
static VALUE
```

```
func ecliptic x(VALUE self, VALUE vd)
  double vrv =
  NUM2DBL(func_rv(self, vd));
  double vtl =
  NUM2DBL(func_true_longitude(self, vd));
 double vex = vrv * cos(vtl);
 return DBL2NUM(vex);
}
static VALUE
func_ecliptic_y(VALUE self, VALUE vd)
  double vrv =
  NUM2DBL(func_rv(self, vd));
 double vtl =
  NUM2DBL(func_true_longitude(self, vd));
 double vey = vrv * sin(vtl);
 return DBL2NUM(vey);
}
static VALUE
func_right_ascension(VALUE self, VALUE vd)
  double vey =
  NUM2DBL(func_ecliptic_y(self, vd));
  double vooe =
  NUM2DBL(func_obliquity_of_ecliptic(self, vd));
  double vex =
  NUM2DBL(func_ecliptic_x(self, vd));
 double vra =
  fmod(atan2(vey * cos(vooe), vex) + M2PI, M2PI);
  return DBL2NUM(vra * R2D / 15.0);
}
static VALUE
func_declination(VALUE self, VALUE vd)
  double vex =
  NUM2DBL(func_ecliptic_x(self, vd));
  double vey =
  NUM2DBL(func_ecliptic_y(self, vd));
  double vooe =
  NUM2DBL(func_obliquity_of_ecliptic(self, vd));
  double ver = sqrt(vex * vex + vey * vey);
```

```
double vz = vey * sin(vooe);
 double vdec = atan2(vz, ver);
 return DBL2NUM(vdec);
}
static VALUE
func sidetime(VALUE self, VALUE vjd)
 double vd = NUM2DBL(vjd);
 double vst =
 fmod(
   (180 + 357.52911 + 282.9404) +
   (0.985600281725 + 4.70935E-5) * vd, 360.0);
 return DBL2NUM(vst / 15.0);
}
static VALUE
func_local_sidetime(VALUE self, VALUE vjd, VALUE vlon)
 double vst = NUM2DBL(func_sidetime(self, vjd));
 double vlst = NUM2DBL(vlon) / 15.0 + 12.0 + vst;
 return DBL2NUM(fmod(vlst, 24.0));
}
static VALUE
func_dlt(VALUE self, VALUE vd, VALUE vlat)
{
 double vsin_alt = sin(-0.8333 * D2R);
 double vlat_r = NUM2DBL(vlat) * D2R;
 double vcos_lat = cos(vlat_r);
 double vsin_lat = sin(vlat_r);
 double vooe =
 NUM2DBL(func_obliquity_of_ecliptic(self, vd));
 double vtl =
 NUM2DBL(func_true_longitude(self, vd));
 double vsin_dec = sin(vooe) * sin(vtl);
 double vcos_dec =
 sqrt( 1.0 - vsin_dec * vsin_dec );
 double vdl =
 acos(
   (vsin_alt - vsin_dec * vsin_lat) /
   (vcos_dec * vcos_lat));
 double vdla = vdl * R2D;
 double vdlt = vdla / 15.0 * 2.0;
  return DBL2NUM(vdlt);
```

```
}
static VALUE
func_diurnal_arc(VALUE self, VALUE vjd, VALUE vlat)
  double dlt = NUM2DBL(func_dlt(self, vjd, vlat));
 double da = dlt / 2.0;
 return DBL2NUM(da);
}
static VALUE
func_t_south(VALUE self, VALUE vjd, VALUE vlon)
  double lst = NUM2DBL(func_local_sidetime(self, vjd, vlon));
  double ra = NUM2DBL(func_right_ascension(self, vjd));
 double vx = 1st - ra;
  double vt = vx - 24.0 * floor(vx * INV24 + 0.5);
  return DBL2NUM(12 - vt);
}
static VALUE
func_t_rise(VALUE self, VALUE vjd, VALUE vlon, VALUE vlat)
 double ts = NUM2DBL(func_t_south(self, vjd, vlon));
 double da = NUM2DBL(func_diurnal_arc(self, vjd, vlat));
  return DBL2NUM(ts - da);
}
static VALUE
func_t_set(VALUE self, VALUE vjd, VALUE vlon, VALUE vlat)
  double ts = NUM2DBL(func_t_south(self, vjd, vlon));
 double da = NUM2DBL(func_diurnal_arc(self, vjd, vlat));
 return DBL2NUM(ts + da);
}
static VALUE
func_t_mid_day(VALUE self, VALUE vjd, VALUE vlon, VALUE vlat)
 double tr = NUM2DBL(func_t_rise(self, vjd, vlon, vlat));
 double ts = NUM2DBL(func_t_set(self, vjd, vlon, vlat));
 return DBL2NUM((tr + ts) / 2.0);
}
void Init_calc_sun(void)
```

```
VALUE cCalcSun =
rb_define_class("CalcSun", rb_cObject);
rb_define_method(cCalcSun, "initialize", t_init, 0);
rb define method(cCalcSun,
"reverse_12", func_rev12, 1);
rb define method(cCalcSun,
"mean_anomally", func_mean_anomally, 1);
rb define method(cCalcSun,
"eccentricity", func_eccentricity, 1);
rb define method(cCalcSun,
"equation_of_center", func_equation_of_center, 1);
rb define method(cCalcSun,
"true_anomally", func_true_anomally, 1);
rb define method(cCalcSun,
"mean_longitude", func_mean_longitude, 1);
rb define method(cCalcSun,
"eccentric_anomally", func_eccentric_anomally, 1);
rb define method(cCalcSun,
"obliquity_of_ecliptic", func_obliquity_of_ecliptic, 1);
rb define method(cCalcSun,
"longitude_of_perihelion", func_longitude_of_perihelion, 1);
rb_define_method(cCalcSun,
"xv", func_xv, 1);
rb_define_method(cCalcSun,
"yv", func_yv, 1);
rb_define_method(cCalcSun,
"true_longitude", func_true_longitude, 1);
rb_define_method(cCalcSun,
"rv", func_rv, 1);
rb_define_method(cCalcSun,
"ecliptic_x", func_ecliptic_x, 1);
rb_define_method(cCalcSun,
"ecliptic_y", func_ecliptic_y, 1);
rb_define_method(cCalcSun,
"right_ascension", func_right_ascension, 1);
rb_define_method(cCalcSun,
"declination", func_declination, 1);
rb_define_method(cCalcSun,
"sidereal_time", func_sidetime, 1);
rb_define_method(cCalcSun,
"local_sidereal_time", func_local_sidetime, 2);
rb_define_method(cCalcSun,
"dlt", func_dlt, 2);
rb_define_method(cCalcSun,
```

```
"diurnal_arc", func_diurnal_arc, 2);
rb_define_method(cCalcSun,
  "t_south", func_t_south, 2);
rb_define_method(cCalcSun,
  "t_rise", func_t_rise, 3);
rb_define_method(cCalcSun,
  "t_set", func_t_set, 3);
rb_define_method(cCalcSun,
  "t_mid_day", func_t_mid_day, 3);
}
```

```
$> bundle exec rake compile
```

Example usage code

```
require 'benchmark'
lib = File.expand_path('../lib', __FILE__)
$LOAD_PATH.unshift(lib) unless $LOAD_PATH.include?(lib)
require 'calc_sun'
cs = CalcSun.new
require 'date'
DJ00 = DateTime.parse('2000-01-01T12:00:00').jd
lat = 41.95
lon = -88.75
day = Date.parse('2016-12-25')
jd = day.jd - DJ00 - lon / 360.0
rise = cs.t_rise(jd, lon, lat)
midday = cs.t_mid_day(jd, lon, lat)
set = cs.t_set(jd, lon, lat)
printf("\n")
printf("\tSun rises \t\t\t : %2.0f:%02.0f UTC\n",
       rise.floor, (rise % 1 * 60.0).floor)
printf("\tSun midday \t\t\t : %2.0f:%02.0f UTC\n",
       midday.floor, ((midday % 1.0) * 60).floor)
printf("\tSun sets \t\t\t : %2.0f:%02.0f UTC\n",
       set.floor, (set % 1 * 60.0).floor)
n = 1_{000}000
```

```
Benchmark.bm(7) do |x|
  x.report('rise:') { n.times { ; cs.t_rise(jd, lon, lat); } }
  x.report('midday:') { n.times { ; cs.t_mid_day(jd, lon, lat); } }
  x.report('set:') { n.times { ; cs.t_set(jd, lon, lat); } }
end
```

```
$> ruby sunriset.rb
```

```
Sun rises : 13:21 UTC
Sun midday : 17:55 UTC
Sun sets : 22:29 UTC

user system total real
rise: 3.968000 0.000000 3.968000 ( 4.195124)
midday: 7.829000 0.000000 7.829000 ( 8.258836)
set: 3.984000 0.000000 3.984000 ( 4.076902)
```

Test code

```
require 'rubygems'
gem 'minitest'
require 'minitest/autorun'
require 'test/unit'
lib = File.expand_path('../../lib', __FILE__)
$LOAD_PATH.unshift(lib) unless $LOAD_PATH.include?(lib)
require 'calc_sun'
require 'date'
# class TestCalcSun < MiniTest::Test</pre>
class TestCalcSun100 < Test::Unit::TestCase</pre>
 def setup
   @t = CalcSun.new
   @t ajd = 0.0
   @t_lat = 0.0
   @t_lon = 0.0
  end
 def test mean anomally
   assert_equal(
     6.240059966692,
      @t.mean_anomally(@t_ajd).round(12)
    )
  end
  def test_eccentricity
```

```
assert_equal(
    0.016709,
    @t.eccentricity(@t ajd)
  )
end
def test_equation_of_center
 assert_equal(
    -0.001471380867,
   @t.equation_of_center(@t_ajd).round(12)
  )
end
def test_true_anomally
 assert_equal(
   6.238588585825,
   @t.true_anomally(@t_ajd).round(12)
  )
end
def test_mean_longitude
  assert_equal(
   4.895063110817,
   @t.mean_longitude(@t_ajd).round(12)
  )
end
def test_eccentric_anomaly
 assert_equal(
   4.878582250862,
   @t.eccentric_anomally(@t_ajd).round(12)
  )
end
def test_obliquity_of_ecliptic
 assert_equal(
    0.409092802283,
    @t.obliquity_of_ecliptic(@t_ajd).round(12)
  )
end
def test_xv
  assert_equal(
    0.148720277673,
    @t.xv(@t_ajd).round(12)
```

```
end
 def test_yv
    assert_equal(
      -0.986083974099,
     @t.yv(@t_ajd).round(12)
    )
  end
  def test_longitude_of_perihelion
   assert_equal(
     4.93824156691,
     @t.longitude_of_perihelion(@t_ajd).round(12)
    )
  end
 def test_true_longitude
   assert_equal(
     4.893644845555,
     @t.true_longitude(@t_ajd).round(12)
    )
  end
 def test_rv
   assert_equal(
     0.997235842199,
     @t.rv(@t_ajd).round(12)
    )
 end
end
class TestCalcSun200 < Test::Unit::TestCase</pre>
 def setup
   @t = CalcSun.new
   @t_ajd = 0.0
   @t_lat = 0.0
   @t_lon = 0.0
 end
 def test_ecliptic_x
   assert_equal(
     0.17976672602,
      @t.ecliptic_x(@t_ajd).round(12)
```

```
end
def test_ecliptic_y
  assert_equal(
    -0.980899204395,
   @t.ecliptic_y(@t_ajd).round(12)
  )
end
def test_right_ascension
 assert_equal(
   18.753078192426,
   @t.right_ascension(@t_ajd).round(12)
  )
end
def test_declination
 assert_equal(
   -0.372949956542,
   @t.declination(@t_ajd).round(12)
  )
end
def test_sidereal_time
  assert_equal(
   6.6979673333333,
   @t.sidereal_time(@t_ajd).round(12)
  )
end
def test_local_sidereal_time
 assert_equal(
   18.6979673333333,
    @t.local_sidereal_time(@t_ajd, @t_lon).round(12)
  )
end
def test_dlt
 assert_equal(
   12.120732161881,
   @t.dlt(@t_ajd, @t_lat).round(12)
  )
end
```

```
def test diurnal arc
 assert_equal(
   6.06036608094,
   @t.diurnal_arc(@t_ajd, @t_lat).round(12)
  )
end
def test_t_south
 assert_equal(
   12.055110859092,
   @t.t_south(@t_ajd, @t_lon).round(12)
 )
end
def test t rise
 assert_equal(
   5.994744778152,
   @t.t_rise(@t_ajd, @t_lon, @t_lat).round(12)
  )
end
def test_t_mid_day
 assert_equal(
   12.055110859092,
   @t.t_mid_day(@t_ajd, @t_lon, @t_lat).round(12)
  )
end
def test t set
 assert_equal(
   18.115476940033,
   @t.t_set(@t_ajd, @t_lon, @t_lat).round(12)
  )
end
def test_rise_time
 rise = @t.t_rise(@t_ajd, @t_lon, @t_lat).round(12)
 assert_equal(
   "Sun rises \t\t\t : 5:59 UTC",
   "Sun rises \t\t\t : #{rise.floor}:#{(rise % 1 * 60.0).floor} UTC"
  )
end
def test_midday_time
  midday = @t.t_mid_day(@t_ajd, @t_lon, @t_lat).round(12)
```

```
assert_equal(
    "Sun mid day \t\t\t : 12:3 UTC",
    "Sun mid day \t\t\t : #{midday.floor}:#{((midday % 1.0) * 60).floor} UTC"
)
end

def test_set_time
    set = @t.t_set(@t_ajd, @t_lon, @t_lat).round(12)
    assert_equal(
    "Sun sets \t\t\t : 18:6 UTC",
    "Sun sets \t\t\t : #{set.floor}:#{(set % 1 * 60.0).floor} UTC"
)
end
end
```

```
$> ruby test/test_calc_sun.rb
```

```
Finished in 0.010992 seconds.

-----

27 tests, 27 assertions, 0 failures, 0 errors, 0 pendings, 0 omissions, 0 notifications

100% passed

-----

2456.33 tests/s, 2456.33 assertions/s
Run options: --seed 19314

# Running:

Finished in 0.000929s, 0.0000 runs/s, 0.0000 assertions/s.

0 runs, 0 assertions, 0 failures, 0 errors, 0 skips
```