Header: 14.3.2018 Page 1/8

An h1 header

Tab	ام م ا	content:
Tab	e or	content.

- Write a todo list
- An h2 header
- Here's a code sample:
 - o An h3 header
- Headline 2
 - Headline 3
 - Headline 4
 - Headline 5
 - Headline 6
 - o External image
 - Local image
- Testing some HTML code

Paragraphs are separated by a blank line.

New line... Some changes... 😊

2nd paragraph. *Italic*, **bold**, and **monospace**. Itemized lists look like:

- this one
- that one
- the other one

Note that — not considering the asterisk — the actual text content starts at 4-columns in.

Convert arrows like --> or ==> to → or ⇒

```
--> →
<-- ←
<--> ↔
<--> ↔
<--> ↔
==> ⇒
<== ←
<==> ↔
```

Block quotes are written like so.

They can span multiple paragraphs, if you like.

Use 3 dashes for an em-dash. Use 2 dashes for ranges (ex., "it's all in chapters 12–14"). Three dots ... will be converted to an ellipsis. Unicode is supported. ©

Write a todo list

- Step 1
- Step 1
- Step 1

Footer: 14.3.2018 Page 1/8

Header: 14.3.2018 Page 2/8 An h2 header

Here's a numbered list:

1. first item

2. second item3. third item

Here's a code sample:

```
#!/bin/bash

###### CONFIG
ACCEPTED_HOSTS="/root/.hag_accepted.conf"
BE_VERBOSE=false

if [ "$UID" -ne 0 ]
then
    echo "Superuser rights required"
    exit 2
fi

genApacheConf(){
    echo -e "# Host ${HOME_DIR}$1/$2 :"
}
```

(which makes copying & pasting easier). You can optionally mark the delimited block for Pandoc to syntax highlight it:

```
import time
# Quick, count to ten!
for i in range(10):
    # (but not *too* quick)
    time.sleep(0.5)
    print i
```

Footer: 14.3.2018 Page 2/8

Header: 14.3.2018 Page 3/8 An h3 header

Now a nested list:

- 1. First, get these ingredients:
 - carrots
 - o celery
 - lentils
- 2. Boil some water.
- 3. Dump everything in the pot and follow this algorithm:

```
find wooden spoon
uncover pot
stir
cover pot
balance wooden spoon precariously on pot handle
wait 10 minutes
goto first step (or shut off burner when done)
```

Do not bump wooden spoon or it will fall.

Notice again how text always lines up on 4-space indents (including that last line which continues item 3 above).

Here's a link to a website.

Move the following to next page with <div class="page-break"></div>.

Footer: 14.3.2018 Page 3/8

Header: 14.3.2018 Page 4/8
Some Headlines.

Headline 1

Headline 2

Headline 3

Headline 4

Headline 5

Headline 6

Footer: 14.3.2018 Page 4/8

Header: 14.3.2018 Page 5/8 Tables can look like this:

Lorem ipsum	Lorem ipsum	Lorem ipsum dolor
Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.		hello world
Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.		hello world
Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.	lorem ipsum dolor	hello world

Footer: 14.3.2018 Page 5/8

Header: 14.3.2018 Page 6/8

External image

![external image](http://placehold.it/900x250/000/FFF)



Local image

Local image with relative path.

![local image](example.png)



Footer: 14.3.2018 Page 6/8

Header: 14.3.2018 Page 7/8

And note that you can backslash-escape any punctuation characters which you wish to be displayed literally, ex.: `foo`, *bar*, etc.

Anbei testen wir ein paar Umlaute und Sonderzeichen...

Äußerst schön verändert

Footer: 14.3.2018 Page 7/8

Header: 14.3.2018 Page 8/8 Testing some HTML code

Image with relative path...



Image external...

900 x 250

Footer: 14.3.2018 Page 8/8