Vita lab

Blood Results
Mr.Guillaume William
22 Jan 2026

BP 114/78 mmHg , PR 65 bpm , BMI 24.3

Vita lab

Patient Name : MR. WILLIAM GUILLAUME

Sex : Male DOB : 21 Aug 1990 Age : 35 Y 5 M 1 D

Address/Ref.No. : Lollana Clinic(Credit)(C2E/LG)/CN.00003388

Doctor : ไม่ระบุแพทย์

MRN. : 10A-26-010363

Lab No. : 10260220208

Requested Date : 22 Jan 2026 13:17

Collected Date/Time : 22 Jan 2026

Received Date/Time : 22 Jan 2026 14:27

Test Name	Result	Unit	Reference Range
(*)Complete Blood Count			
Specimen.....:	EDTA blood		
Total WBC.....:	5.88	*10^3/mm3	(4.00-10.00)
Red Blood Cells.....:	4.94	*10^6/mm3	(4.50-5.90)
Hemoglobin(Hb).....:	14.8	g/dL	(13.0-18.0)
Hematocrit(HCT).....:	41.4	%	(40.0-54.0)
Mean Cell Volume.....:	83.8	fL	(80.0-100.0)
Mean Cell Hemoglobin.....:	30.0	pg	(26.0-34.0)
Mean Cell Hb Concentration....:	35.7	g/dL	(31.0-37.0)
RBC Distribution Width.....:	12.0	%	(9.0-15.0)
RBC Morphology.....:	No significant morphological abnormality seen.		
WBC Differential			
Neutrophils.....:	60.4	%	(46.5-75.0)
	3552	/mm3	(2000-7500)
Lymphocytes.....:	28.4	%	(12.0-44.0)
	1670	/mm3	(1500-4000)
Monocytes.....:	10.2	%	(0.0-11.2)
	600	/mm3	(200-1000)
Eosinophils.....:	0.7	%	(0.0-9.5)
	41	/mm3	(40-700)
Basophil.....:	0.3	%	(0.0-2.5)
	18	/mm3	(0-200)
Platelet Count.....:	257	10^3/mm3	(150-450)
Mean Platelet Volume.....:	11.1	fL	(6.0-12.0)
Platelet Comment.....:	Adequate		

Red Blood cell ,White blood cell , platelets- normal

Vita lab

Patient Name : MR. WILLIAM GUILLAUME

Sex : Male DOB : 21 Aug 1990 Age : 35 Y 5 M 1 D

Address/Ref.No. : Lollana Clinic(Credit)(C2E/LG)/CN.00003388

Doctor : ไม่ระบุแพทย์

MRN. : 10A-26-010363

Lab No. : 10260220208

Requested Date : 22 Jan 2026 13:17

Collected Date/Time : 22 Jan 2026

Received Date/Time : 22 Jan 2026 14:27

Test Name	Result	Unit	Reference Range
(*)Glucose(Fasting)			
Specimen.....:	Serum		
Glucose(Fasting).....:	85	mg/dL	(70-99)
(*)Blood urea nitrogen			
Specimen.....:	Serum		
Blood Urea Nitrogen.....:	**20.90 H**	mg/dL	(8.90-20.60)
(*)Creatinine(plus eGFR)			
Specimen.....:	Serum		
Creatinine.....:	1.13	mg/dL	(0.73-1.18)
eGFR (African-American).....:	97.06	ml/min/1.73 m2	
eGFR (Non African-American)...:	83.74	ml/min/1.73 m2	
eGFR for Thai.....:	92.80	ml/min/1.73 m2	
eGFR.....:	86.93	ml/min/1.73 m2	
eGFR Comment :	Calculated by CKD - EPI formula according to National kidney foundation recommendation. (2021) This equation should only be used for patients 18 and older.		
(*)AST (Aspartate Transaminase)			
Specimen.....:	Serum		
AST(Aspartate Transaminase)...:	31	U/L	(5-34)
(*)ALT (Alanine Transaminase)			
Specimen.....:	Serum		
ALT(Alanine Transaminase).....:	43	U/L	(0-45)

Fasting Glucose - normal

BUN -slightly higher than normal , Cr - normal (kidney function)

AST , ALT (liver function) - normal

Vita lab

Patient Name : MR. WILLIAM GUILLAUME

Sex : Male DOB : 21 Aug 1990 Age : 35 Y 5 M 1 D

Address/Ref.No. : Lollana Clinic(Credit)(C2E/LG)/CN.00003388

Doctor : ไม่ระบุแพทย์

MRN. : 10A-26-010363

Lab No. : 10260220208

Requested Date : 22 Jan 2026 13:17

Collected Date/Time : 22 Jan 2026

Received Date/Time : 22 Jan 2026 14:27

Test Name	Result	Unit	Reference Range

(*)Lipid set (Chol, Tri, HDL, LDL)

Specimen.....:	Serum		
Cholesterol.....:	187	mg/dL	(<200)
Triglyceride.....:	60	mg/dL	(<150)
HDL-Cholesterol.....:	44	mg/dL	(>40)
LDL Direct.....:	127	mg/dL	(<130)

(*)Vitamin D (25-Hydroxy vitamin D total)

Vitamin D(25-OH Vitamin D Total):	33.00	ng/mL	(30.00-100.00)

Reference range .....:
- <20 ng/mL : Vitamin D deficiency
- 20-29 ng/mL : Vitamin D insufficiency
- 30-100 ng/mL : Vitamin D sufficiency
- 100-150 ng/mL : Vitamin D too high
- >150 ng/mL : Vitamin D toxicity

An Endocrine Society CLinical Practice Guideline, Journal of Clinical Endocrinology & Metabolism, July 2011, 96(7):1911-1930

Method.....: Chemiluminescent microparticle immunoassay (CMIA)

(*)Magnesium

Specimen.....:	Serum		
Magnesium(Mg).....:	2.4	mg/dL	(1.6-2.6)

(*) Zinc in Blood (ICP-MS)

Specimen.....:	EDTA plasma		
Zinc in Blood.....:	917.47	ug/L	(551.00-925.00)
Zinc in Blood.....:	91.75	ug/dL	(55.10-92.50)

Reference range.....: Non-occupationally exposed person: 551.00 - 925.00 ug/L
Occupationally exposed person: < 2,100.00 ug/L

Method: ICP-MS

Chol ,HDL ,TG , LDL - normal
vitamin D - normal
Zinc , Magnesium - normal

Vita lab

Patient Name : MR. WILLIAM GUILLAUME

Sex : Male DOB : 21 Aug 1990 Age : 35 Y 5 M 1 D

Address/Ref.No. : Lollana Clinic(Credit)(C2E/LG)/CN.00003388

Doctor : ไม่ระบุแพทย์

MRN. : 10A-26-010363

Lab No. : 10260220208

Requested Date : 22 Jan 2026 13:17

Collected Date/Time : 22 Jan 2026

Received Date/Time : 22 Jan 2026 14:27

Test Name	Result	Unit	Reference Range
(*)C-Reactive Protein High Sens.			
C-Reactive Protein(High Sens).....	0.96	mg/L	(0.00-5.00)
Reference Range.....	Coronary vascular disease risk assessment according to AHA/CDC recommendation.		
	< 1.0	mg/L	Low risk
	1.0-3.0	mg/L	Average risk
	> 3.0	mg/L	High risk
(*)Ferritin			
Ferritin.....	129.5	ng/mL	(15.0-200.0)
(*)Folic Acid			
Folic Acid (Serum).....	13.20	ng/mL	(3.10-20.50)
(*)Vitamin B12			
Vitamin B12.....	821.0	pg/mL	(187.0-883.0)

CRP - normal

Ferritin , folic acid , B12 - normal

Vita lab

Patient Name:	**WILLIAM GUILLAUME**	**Address/Ref.No:**	**Lollana Clinic(Credit)(C2E/LG)/C**
Age: 35	**Sex:** M	**Location/Ward:**	**(CS) Bio Molecular Lab**
MRN:	**10A-26-010363**	**Lab No:**	**10260220209**
Requested Date:	**22/01/2026**	**CollectedDate/Time:**	**22/01/2026**
Received Date/Time:	**22/01/2026 14:22**	**Doctor:**	**ไม่ระบุแพทย์**
Barcode			

Coenzyme Q10

YOU — Low normal | Moderate | Excellent

Result	Level	Reference Range	Unit
1.77	**Excellent**	**0.46 - 1.85**	**µM**

The result shows excellent Coenzyme Q10 level in blood. Coenzyme Q10 has important role of energy providing to the body. Moreover, Coenzyme Q10 is associated with Vitamin C in order to stimulate Vitamin E to be more efficiency as an antioxidant. You can take more Coenzyme Q10 under your doctor's advice. High level of coenzyme Q10 has slightly affect to the body. Anyway some symptoms are reported to be found in patient including stomachache, anorexia, queasiness and diarrhea.

beta-Cryptoxanthin

YOU — Low Normal | Moderate | Excellent

Result	Level	Reference Range	Unit
0.22	**Moderate**	**0.05 - 0.50**	**µM**

The result show moderate beta-Cryptoxanthin level. Beta-Cryptoxanthin has several significant functions for human health, including roles in antioxidant defense, cell-to-cell communication and bone health. Most importantly, beta-Cryptoxanthin is a precursor of vitamin A, which is an essential nutrient needed for eyesight, growth, development and immune response. Good sources of beta-Cryptoxanthin are butternut squash, persimmon, chili pepper, tangerine and papaya.

Lycopene

YOU — Low Normal | Moderate | Excellent

Result	Level	Reference Range	Unit
0.94	**Excellent**	**0.10 - 1.25**	**µM**

The result of Lycopene level is excellent. Lycopene is the efficient biological substance in order to prevent the tissue damage from oxidation of singlet oxygen. The studies show the persons who consume the high Lycopene food or have high Lycopene blood level have low risk for cancer, especially prostate cancer.

alpha-Carotene

YOU — Low Normal | Moderate | Excellent

Result	Level	Reference Range	Unit
0.08	**Low Normal**	**0.02 - 0.34**	**µM**

The result shows low normal alpha-Carotene level. Currently, there is no reliable information that specifies the effect from having low normal alpha-Carotene blood level to body. Due to the few study, low normal level of alpha-Carotene is affected from consuming less fruit and vegetable. The study relates to the fact that almost nutrients from vegetable and fruit is significantly importance to protect from the vascular disease, especially other type of cancer.

beta-Carotene

YOU — Low Normal | Moderate | Excellent

Result	Level	Reference Range	Unit
0.55	**Moderate**	**0.10 - 1.10**	**µM**

The result shows moderate beta-Carotene level. Beta-Carotene is an antioxidant molecule that changes into Vitamin A. Some study in smoker group which treat with beta-Carotene supplement found the slightly increased of lung cancer risk. According to previous data, the suggestion is that consuming the fruit or vegetable with high beta-Carotene level is better than consuming only beta-Carotene substance. Beta-carotene is major found in carrot and orange-yellow fruit.

Vita lab

Patient Name:	**WILLIAM GUILLAUME**	**Address/Ref.No:**	**Lollana Clinic(Credit)(C2E/LG)/C**
Age: 35	**Sex:** M	**Location/Ward:**	**(CS) Bio Molecular Lab**
MRN:	**10A-26-010363**	**Lab No:**	**10260220209**
Requested Date:	**22/01/2026**	**CollectedDate/Time:**	**22/01/2026**
Received Date/Time:	**22/01/2026 14:22**	**Doctor:**	**ไม่ระบุแพทย์**
Barcode			

YOU

Low Normal | Moderate | Excellent

Result	Level	Reference Range	Unit
2.09	**Moderate**	**0.80 - 2.90**	**µM**

Vitamin A (Retinol)

The result shows moderate vitamin A (retinol) level. Vitamin A is essential for immunology system, vision and epithelium cell growth. In case of the body changed beta-carotene to be vitamin A in few amounts, the direct vitamin A intake is needed. You should have the mix vitamin supplement with vitamin A 5,000 IU daily (according to USRDA) in order to get the right level of vitamin as the body needs. Vitamin A is major found in milk, beef, fish, and chicken liver.

YOU

Low Normal | Moderate | Excellent

Result	Level	Reference Range	Unit
0.65	**Low Normal**	**0.50 - 6.20**	**µM**

Vitamin E (gamma-Tocopherol)

The result shows low normal vitamin E (gamma-Tocophero) level. According to researches, gamma-Tocopherol level is associated with antioxidant in peroxynitrite. However, there is the reports indicated the patient with heart disease tends to have low normal level of gamma-Tocopherol. You can boost the gamma-Tocopherol level from food supplements, which consists of mixed tocopherol that extracts from oil soybean. Moreover, gamma-Tocopherol are found in wheat germ, grain and other beans.

YOU

Low Normal | Moderate | Excellent

Result	Level	Reference Range	Unit
33.87	**Excellent**	**8.00 - 42.00**	**µM**

Vitamin E (alpha-Tocopherol)

The result shows excellent level of Vitamin E (alpha-Tocopherol). Vitamin E, one of the fat-soluble antioxidant found most in blood. The major role of vitamin E is to inhibit the oxidation of LDL (bad cholesterol). The oxidation of LDL will induce the cardiovascular risk. Vitamin C also aid for maintaining the condition of vitamin E to be active as antioxidant. You can take more vitamin E under your doctor's advice. Extremely high doses may accumulate to toxic levels.

YOU

Low Normal | Moderate | Excellent

Result	Level	Reference Range	Unit
0.81	**Excellent**	**0.15 - 0.92**	**µM**

Lutein + Zeaxanthin

The result shows excellent Lutein+Zeaxanthin level. Lutein and Zeaxanthin are the predominant carotenoids accumulated in the retina of eyes. Numerous studies have identified Lutein and Zeaxanthin to be essential components for eye health in terms of reducing risk of age-related macular degeneration (AMD) and cataracts. They also have important antioxidant functions in our body. Good sources of Lutein and Zeaxanthin are green leafy vegetables and egg yolks.

YOU

Low Normal | Moderate | Excellent

Result	Level	Reference Range	Unit
49.00	**Moderate**	**22.71 - 85.17**	**µM**

Vitamin C (Ascorbic acid)

The result shows moderate Vitamin C (Ascorbic acid) level. Vitamin C is an excellent water-soluble antioxidant, which is essential for stimulating vitamin E to work as antioxidant. You should regularly have the food supplement with vitamin C 10-15 mg per pound of body weight per day. Vitamin C can easily be damaged if stored improperly. The food that contains the high amount of vitamin C is broccoli, brussel sprouts, blackcurrant, parsley, and guava.