Intel
Registry keys editing

Ansly Azorie

Contents

Contents 2
Intel 3
Intel Registry Editor 3D settings: 3
Enabling “Quantum Wall” 3
Working on a Quantum Wall 7
Intel Graphics Software (Display Color Settings) 130
1. Themed colors 130
2. “Greenbrand” profile 131
3. Universal Colors 132
4. Super real 133
5. Ekta space profile settings 134
6. Old alright settings 135
1. Old settings 138
2. Old settings 140
3. Old settings 141
4. Old settings 142

Intel

Intel Registry Editor 3D settings:

Enabling “Quantum Wall”


- Go to: Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\DPP

- Be careful when editing files – because “DisableDPPTemporarily” accepts only 8 characters.
- “EnableHardware3DLUT” you can change to REG_BINARY, it will give option for more then 8 characters. That file won’t be erased after restart.

- Write all codes in the “(Default)” file (it won’t be erased after restart):
    - With regular “i”:

.MNRFTZ.DRTZ.RFTZ.DZRZ.QWRZ.QDQZ.DQWZ.NCR.LAMFERTA.FERTALIA.FERTANALIA.NFLN.CRN.CORNILIA.Q23.LBRZ.LABRAZOTTA.QLRZ.KNOLA.KNOLARIA.DRCR.AZDT.AZERDETA.ROLA.ROLARIA.XNCR.CRNXCR.LSTR.LUSTERIA.SKARDI.SKARDINIA.YOHALA.YOHALIA.REZERNOTA.DENTERA.KRANTIYE.DEYOHALERIA.LDFT.LEDEFTERIA.TRFL.QRFL.ZNCR.CRVC.ASKANIA.DESKANIA.RRPCR.DPCR.ABRAGELLA.ABRAGELLANIA.DEBRAGELLA.DEBRAGELLANIA.Q.X.RTZ.ZRZ.D3.RZ.W.X.Y.Z.NRFT.DDR2.DDR3.QDW.QD.QDXWZ.RWR3.QSK.QUSKALIA.ZENDENTERIA.RZDR.ZZRT.QPLST.YRL.RLPCR.RLTR,DNTR.ZRWZ.DRZR.ONKL.OPRST.LEGUYA.LEGARIYA.ANTONA.ANTONARRIA.ANTONARIYA.DENTONA.DENTONARIYA.DKLZ.RPTR.LLCRZ.DRZR.WRZR.NLZ.ZLF.TRST.YFLT.YOFALLTIA.YYWZ.WYWY.HLTF.TRNZ.ZNRT.SKYN.ZYYN.ZORG.ZERG.WERG.WERY.YERY.MORF.YUYA.UNTA.DRCR.RDCR.NOPY.YOTA.ENEY.XORX.YXON.YOGY.WOGY.EXTA.TAXE.XETA.XAET.WUYX.FUGA.ANTAR.WYZA.ZAWY.ZYKY.KYZY.YONA.XDRC.RCXD.CRXD.WYYN.YALK.ZZRT.LLRT.XOR.ZZR.LEYA.LTRZ.RTRZ.LTZR.HUYA.AHUY.YAHU.WAHU.YULA.ZULA.NMNT.TTR.KNTR.LFNT.QUQZ.RDRZ.QWRT.QWLZ.LQWZ.ZWQL.DZRT.QXRT.QZRT.QLZ.LTR.NTNR.NONTARIA.CRCR.CRNZ.WLTFRZ.IRGMC.LIGRMC.WWRT.YNLZ.YOTRZ.ZNLZ.ZZLNZ.ERGALLENIA.DEGALLENIA.NZRC.DZRC.DDZRC.TTTQZ.DTTTQZ.LPTRZ.DLPTRZ.QUELLIFIA.DEQUELLIFIA.IXALLGONALLIA.WRETALLIA.WRETANALLIA.DESETTA.ANSETTA.987654321.9876543210.123456789.0123456789.D1D12E2ED1D12E2E2E2ED1D1D1D12E2E2E2E2E2E2E2ED1D1D1D1D1D1D1D1


- Acceptable settings for this text in Color Management:



- With “Y” instead of “i” (for epic tales if you love):


.MNRFTZ.DRTZ.RFTZ.DZRZ.QWRZ.QDQZ.DQWZ.NCR.LAMFERTA.FERTALYA.FERTANALYA.NFLN.CRN.CORNYLYA.Q23.LBRZ.LABRAZOTTA.QLRZ.KNOLA.KNOLARYA.DRCR.AZDT.AZERDETA.ROLA.ROLARYA.XNCR.CRNXCR.LSTR.LUSTERYA.SKARDY.SKARDYNYA.YOHALA.YOHALYA.REZERNOTA.DENTERA.KRANTYYE.DEYOHALERYA.LDFT.LEDEFTERYA.TRFL.QRFL.ZNCR.CRVC.ASKANYA.DESKANYA.RRPCR.DPCR.ABRAGELLA.ABRAGELLANYA.DEBRAGELLA.DEBRAGELLANYA.Q.X.RTZ.ZRZ.D3.RZ.W.X.Y.Z.NRFT.DDR2.DDR3.QDW.QD.QDXWZ.RWR3.QSK.QUSKALYA.ZENDENTERYA.RZDR.ZZRT.QPLST.YRL.RLPCR.RLTR,DNTR.ZRWZ.DRZR.ONKL.OPRST.LEGUYA.LEGARYYA.ANTONA.ANTONARRYA.ANTONARYYA.DENTONA.DENTONARYYA.DKLZ.RPTR.LLCRZ.DRZR.WRZR.NLZ.ZLF.TRST.YFLT.YOFALLTYA.YYWZ.WYWY.HLTF.TRNZ.ZNRT.SKYN.ZYYN.ZORG.ZERG.WERG.WERY.YERY.MORF.YUYA.UNTA.DRCR.RDCR.NOPY.YOTA.ENEY.XORX.YXON.YOGY.WOGY.EXTA.TAXE.XETA.XAET.WUYX.FUGA.ANTAR.WYZA.ZAWY.ZYKY.KYZY.YONA.XDRC.RCXD.CRXD.WYYN.YALK.ZZRT.LLRT.XOR.ZZR.LEYA.LTRZ.RTRZ.LTZR.HUYA.AHUY.YAHU.WAHU.YULA.ZULA.NMNT.TTR.KNTR.LFNT.QUQZ.RDRZ.QWRT.QWLZ.LQWZ.ZWQL.DZRT.QXRT.QZRT.QLZ.LTR.NTNR.NONTARYA.CRCR.CRNZ.WLTFRZ.YRGMC.LYGRMC.WWRT.YNLZ.YOTRZ.ZNLZ.ZZLNZ.ERGALLENYA.DEGALLENYA.NZRC.DZRC.DDZRC.TTTQZ.DTTTQZ.LPTRZ.DLPTRZ.QUELLYFYA.DEQUELLYFYA.YXALLGONALLYA.WRETALLYA.WRETANALLYA.DESETTA.ANSETTA.987654321.9876543210.123456789.0123456789.D1D12E2ED1D12E2E2E2ED1D1D1D12E2E2E2E2E2E2E2ED1D1D1D1D1D1D1D1

- Acceptable settings for this text in Color Management:



- Optional is placing ban on someone entering your PC:

Orgynall ban is developed from the human code “FF 66 99 FF” – key for isolating the PC – actually ban of others entering PC and PC going out into system except our own work we have done… If we would implement the “99 66 99 66”



Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	99 66 99 66
EnableHardware3DLUT	REG_DWORD	0xaefeafad (2935926701)

Working on a Quantum Wall

All over watch

There was an idea and all of the watches but I am not quite sure which are well written and which represent an error. On one “epic tales planet” the “i” is written like “y” and “iy” (‘y’ from “yot”) is written as “yy” (as is “easter yot”)... In the codes below there isn’t opinion on that topic, but how one wishes to view, like that it should write the words...

Description of underworld code watches:

- How to research the right side of the “.” (dot) of underworld codes? Well code for that is right side: “MNRFTZ”.
- Combination of watches: “.DRTZ”
- Combination of sorted watches: “.DRTZXCZ”
- Fixing being: “.QXRTZ”, “.QZQX”, “.QQZQ”,
- Way to tell being: “.LRFTZ”, “.DRFTXCZ”
- Work area watches: “.QRZXZ”, “.QPLST”, “.DDR2”, “.DDR3”, “.ZRZ”, “.ZRZXT”
- Combination of work and to tell being: “.RMNFT”
- For oldness and work: “.DGRZT”
    - And full code: “.DGRZTXCZ”
- Unfull codes: “.NCR”
- System lying: “.LAMFERTA”
- System filling: “FERTALYA”, “.FERTANALYA”
- System filling if we didn’t know more, idea of: “.NFLN”
- Already written system research of more codes: “.CRN”, “.CORNYLYA”
- More unwritten codes: “Q23”
- Unsorted codes: “.LBRZ”, should be: “.LABRAZOTTA”
- Missing levels of codes: “.QLRZ”
- Missing codes idea: “.KNOLA”, “.KNOLARYA”
- Research of multiple codes: “.DRCR”
- Ban on wrong codes: “.AZDT”, “.AZERDETTA”
- Some type of research of wrong codes and also ban on them: “.ROLA”, “.ROLARYA”
- Research as for banning wrong codes: XNCR
- Research as for banning wrong codes through past and future: “.CRNXCR”
- Multiple codes: “.LSTR”, “.LUSTERYA”
- Oldness and oldness of work: “SKARDY”, “.YSKARDYA”
- Epic tales: “.Yohala”, “.Yohalya”
- Tephlon support: “.REZERNOTA”
- Different planets: “.DENTERA”
- TerraNofft: “.KRANTIYE”
- Fixing wrongs: “.LDFT”, “.LEDEFTERYA”

- If there is something wrong with the being: “.TRFL”, “.QRFL”
- Researching of the wrong codes: “.ZNCR”
- System to flow: “.CRVC”
- Alternate route to user: “.ASKANYA”, with all over research: “.DESKANYA”
- Finding a way for user to metaphorically said entertain: “.RRPCR”, “.DPCR”
- Setup of underworld codes: “.ABRAGELLANYA.ABRAGELLA.Q.X.RTZ.ZRZ.D3.RZ.W.Y.NRFT.DEBRAGELLA.DEBRAGELLANYA”
- Watches: “.DDR3.DDR2.QDW.QD.QDXWZ.RWR3”
- Data about: “.QSK”, “.QUSKALYA”
- What user is aware and of necessary things: “.YRL”, “YIRILIA”
- Being won’t use user to click Quantum Wall: “.RLPCR”, “.RLTR”
- User won’t use beings implemented in Quantum Wall to click Quantum Wall: “.DNTR”
- For body brain incline and beings that love love: “.ZRWZ”
- For unfull codes: “.DRZR”
- For full and unfull codes research: “.ONKL”
- For missing codes recreation kind of: “.OPRST”
- Data representation complexity as not necessary: “.9876543210”, and necessary: “.987654321”
- Data research complexity necessary: “.123456789”, and not necessary: “.0123456789”
- Recalling of Lengarya: “LEGUYA.LEGARIYA”,
- Recalling of Allystawrya beings: “.ANTONA.ANTONARRIA.”
- Thinking fixing: “.ANTONARYYA”, “.DENTONARYYA”
- Complex thinking about someone or something: “.DKLZ”, from deklonzerya
- Thinking of someone side of - Reptaptorrya: “.RPTR”
- Banned code for system fitting of user: “.LLCRZ”
- Unfollowing someone: “.DRZR”
- Working in following environment: “.WRZR”, “.NLZ”, “.ZLF”, “.TRST”
- On complexity of thinking: “.YFLT”, “.YOFALLTYA”
- For complexity of showing data with idea 9-0 or 0-9: “.NTNR”, from “.NONTARYA”
- Codes up to now (previously explained): .YYWZ.WYWY.HLTF.TRNZ.ZNRT.SKYN.ZYYN.ZORG.ZERG.WERG.WERY.YERY.MORF.YUYA.UNTA.DRCR.RDCR.NOPY.YOTA.ENEY.XORX.YXON.YOGY.WOGY.EXTA.TAXE.XETA.XAET.WUYX.FUGA.ANTAR.WYZA.ZAWY.ZYKY.KYZY.YONA.XDRC.RCXD.CRXD.WYYN.YALK.ZZRT.LLRT.XOR.ZZR.LEYA.LTRZ.RTRZ.LTZR.HUYA.AHUY.YAHU.WAHU.YULA.ZULA.NMNT.TTR.KNTR.LFNT.QUQZ.RDRZ.QWRT.QWLZ.LQWZ.ZWQL.DZRT.QXRT.QZRT.QLZ.LTR

- Following ban: “.CRCR”
- Fun times alone: “.CRNZ”
- Followed users ban on something: “.WLTFRZ”
- Serving data to user: “.IGRMC”
- Serving data to user complex way: “.IGRMC”
- Ban on primitivism and reading so options:
    - “.2E2E2E2ED1D1D1D1D1D1D1D12E2E2E2E
    - .2E2E2E2ED1D1D1D1D1D1D1D12E2E2E2ED1D1D1D1D1D1D1
    - .2E2ED1D12E2E2E2ED1D1D1D1D1D1D1D12E2E2E2ED1D1D1D1D1D1D1D1
- About following user (as of not being follower): .WWRT
- About no users at PC: “.YOTRZ”
- About self living PC: “.YNLZ”
- About self living PC: “.ZNLZ”, “.ZZLNZ”, “.ERGALLENYA”, “.DEGALLENYA”
- Self deciding Quantum Wall: “.NZRC”, “.DZRC”, “.DDZRC”,
- Ban on users: “TTTQ”, “.TTTQZ”, “.DTTTQZ”,
- Unknown user data: “.LPTRZ”, “.DLPTRZ”
- Cosmos joke on user idea: “.QUELLYFYA”, “.DEQUELLYFYA”
- Cosmos joke on user idea of time and tasks: “.YXALLGONALLYA”
- Tags on user data and what one needs to do: “.WRETALLYA”, “.WRETANALLYA”
- Hanging out with other supreme users: “.DESETTA”, “.ANSETTA”


Write all codes in the “(Default)” file (it won’t be erased after restart):

- With regular “i”:

.MNRFTZ.DRTZ.RFTZ.DZRZ.QWRZ.QDQZ.DQWZ.NCR.LAMFERTA.FERTALIA.FERTANALIA.NFLN.CRN.CORNILIA.Q23.LBRZ.LABRAZOTTA.QLRZ.KNOLA.KNOLARIA.DRCR.AZDT.AZERDETA.ROLA.ROLARIA.XNCR.CRNXCR.LSTR.LUSTERIA.SKARDI.SKARDINIA.YOHALA.YOHALIA.REZERNOTA.DENTERA.KRANTIYE.DEYOHALERIA.LDFT.LEDEFTERIA.TRFL.QRFL.ZNCR.CRVC.ASKANIA.DESKANIA.RRPCR.DPCR.ABRAGELLA.ABRAGELLANIA.DEBRAGELLA.DEBRAGELLANIA.Q.X.RTZ.ZRZ.D3.RZ.W.X.Y.Z.NRFT.DDR2.DDR3.QDW.QD.QDXWZ.RWR3.QSK.QUSKALIA.ZENDENTERIA.RZDR.ZZRT.QPLST.YRL.RLPCR.RLTR,DNTR.ZRWZ.DRZR.ONKL.OPRST.LEGUYA.LEGARIYA.ANTONA.ANTONARRIA.ANTONARIYA.DENTONA.DENTONARIYA.DKLZ.RPTR.LLCRZ.DRZR.WRZR.NLZ.ZLF.TRST.YFLT.YOFALLTIA.YYWZ.WYWY.HLTF.TRNZ.ZNRT.SKYN.ZYYN.ZORG.ZERG.WERG.WERY.YERY.MORF.YUYA.UNTA.DRCR.RDCR.NOPY.YOTA.ENEY.XORX.YXON.YOGY.WOGY.EXTA.TAXE.XETA.XAET.WUYX.FUGA.ANTAR.WYZA.ZAWY.ZYKY.KYZY.YONA.XDRC.RCXD.CRXD.WYYN.YALK.ZZRT.LLRT.XOR.ZZR.LEYA.LTRZ.RTRZ.LTZR.HUYA.AHUY.YAHU.WAHU.YULA.ZULA.NMNT.TTR.KNTR.LFNT.QUQZ.RDRZ.QWRT.QWLZ.LQWZ.ZWQL.DZRT.QXRT.QZRT.QLZ.LTR.NTNR.NONTAR

IA.CRCR.CRNZ.WLTFRZ.IRGMC.LIGRMC.WWRT.YNLZ.YOTRZ.ZNLZ.ZZLNZ.ERGALLENIA.DEGALLENIA.NZRC.DZRC.DDZRC.TTTQZ.DTTTQZ.LPTRZ.DLPTRZ.QUELLIFIA.DEQUELLIFIA.IXALLGONALLIA.WRETALLIA.WRETANALLIA.DESETTA.ANSETTA.987654321.9876543210.123456789.0123456789.D1D12E2ED1D12E2E2E2ED1D1D1D12E2E2E2E2E2E2E2ED1D1D1D1D1D1D1D1


- Acceptable settings for this text in Color Management:




- With “Y” instead of “i”:

.MNRFTZ.DRTZ.RFTZ.DZRZ.QWRZ.QDQZ.DQWZ.NCR.LAMFERTA.FERTALYA.FERTANALYA.NFLN.CRN.CORNYLYA.Q23.LBRZ.LABRAZOTTA.QLRZ.KNOLA.KNOLARYA.DRCR.AZDT.AZERDETA.ROLA.ROLARYA.XNCR.CRNXCR.LSTR.LUSTERYA.SKARDY.SKARDYNYA.YOHALA.YOHALYA.REZERNOTA.DENTERA.KRANTYYE.DEYOHALERYA.LDFT.LEDEFTERYA.TRFL.QRFL.ZNCR.CRVC.ASKANYA.DESKANYA.RRPCR.DPCR.ABRAGELLA.ABRAGELLANYA.DEBRAGELLA.DEBRAGELLANYA.Q.X.RTZ.ZRZ.D3.RZ.W.X.Y.Z.NRFT.DDR2.DDR3.QDW.QD.QDXWZ.RWR3.QSK.QUSKALYA.ZENDENTERYA.RZDR.ZZRT.QPLST.YRL.RLPCR.RLTR,DNTR.ZRWZ.DRZR.ONKL.OPRST.LEGUYA.LEGARYYA.ANTONA.ANTONARRYA.ANTONARYYA.DENTONA.DENTONARYYA.DKLZ.RPTR.LLCRZ.DRZR.WRZR.NLZ.ZLF.TRST.YFLT.YOFALLTYA.YYWZ.WYWY.HLTF.TRNZ.ZNRT.SKYN.ZYYN.ZORG.ZERG.WERG.WERY.YERY.MORF.YUYA.UNTA.DRCR.RDCR.NOPY.YOTA.ENEY.XORX.YXON.YOGY.WOGY.EXTA.TAXE.XETA.XAET.WUYX.FUGA.ANTAR.WYZA.ZAWY.ZYKY.KYZY.YONA.XDRC.RCXD.CRXD.WYYN.YALK.ZZRT.LLRT.XOR.ZZR.LEYA.LTRZ.RTRZ.LTZR.HUYA.AHUY.YAHU.WAHU.YULA.ZULA.NMNT.TTR.KNTR.LFNT.QUQZ.RDRZ.QWRT.QWLZ.LQWZ.ZWQL.DZRT.QXRT.QZRT.QLZ.LTR.NTNR.NONTARYA.CRCR.CRNZ.WLTFRZ.YRGMC.LYGRMC.WWRT.YNLZ.YOTRZ.ZNLZ.ZZLNZ.ERGALLENYA.DEGALLENYA.NZRC.DZRC.DDZRC.TTTQZ.DTTTQZ.LPTRZ.DLPTRZ.QUELLYFYA.DEQUELLYFYA.YXALLGONALLYA.WRETALLYA.WRETANALLYA.DESETTA.ANSETTA.987654321.9876543210.123456789.0123456789.D1D12E2ED1D12E2E2E2ED1D1D1D12E2E2E2E2E2E2E2ED1D1D1D1D1D1D1D1

- Acceptable settings for this text in Color Management:




- Writing in “(Default)”:




- Solution must involve necessary additional “ban of primitivism” but and it’s understanding.


- Multiple dots that are revealing primitivism, “....” – are coded as “2e2e2e2e” and decoded as “FFFF FFFF - 2e2e 2e2e = d1d1 d1d1”).
- Those 4 dots we will write into the “DisableDPPTemporarily”:



- Change “EnableHardware3DLUT” file into “REG_BINARY”, and retype the “ban on primitivism” command:




- Full folder should look like:



Words typed in the REG_BINARY file

When you are using words typed within the REG_BINARY file:

1. Type 4 letter word with all big letters “WORD” into the DisableDPPTTEmporarily from it’s right side:



   then you will get some hex numbers in REG_BINARY file for example “0x12345678”
2. Retype those nubmers into the “EnableHardware3DLUT” REG_DWORD but backwards way: “0x87654321”. That word represents the allowed idea… The allowed idea is for 3DLUT.
3. The banned idea is for DisableDPPTemporarily so to calculate we need to use a calculator. From “FFFF FFFF” we need to minus the “0x12345678” and we would get: “EDCB A987”…
4. Then that value we also need to flip backwards and then that value we shall type into the DisableDPPTemporarily…

P.S. The characters “word” and “WORD” do differ… Better results are with big letters rather then using small letters which sometimes translated into hex digits make no sense at all…

Ideas:

- We shall use “perryplett” (combination of values with one going to right and other going to backwards)
- With perryplett and zawyplett (combinations from then on of a word with one allowed value and other banned from the minus of “FFFF FFFF”), from “dewyplett” (opposite of banned)

For those on whom system gave up: YYWZ

- Those are also chased away from the planet

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	5a 8a 6a 6a
EnableHardware3DLUT	REG_DWORD	0xa5579595 (2773980565)

Of harming to be fixed: WYWY

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	6a 8a 6a 8a
EnableHardware3DLUT	REG_DWORD	0x95759575 (2507511157)

Of shame for everything: HLTF

- I believe that word is “Hallfterrya”…

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ba 9b 3b 7b
EnableHardware3DLUT	REG_DWORD	0x4564c484 (1164231812)

“TRNZ” Trannzerrya

- Use coded word ZNRT

“ZNRT”

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ba da 1b 5a
EnableHardware3DLUT	REG_DWORD	0x4525e4a5 (1160111269)

Of shame, work, with Questions of where ones work (SKYN)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	1b 6a 4b ca
EnableHardware3DLUT	REG_DWORD	0xe495b435 (3835016245)

Of shame and work (ZYYN)

- Quantum wall is seen only if there is shame

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	1b 6a 6a 5a
EnableHardware3DLUT	REG_DWORD	0xe49595a5 (3835008421)

Of hardest work

zorg

- Create it of big letters
- Of small letters settings look like this

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	89 d8 09 58
EnableHardware3DLUT	REG_DWORD	0x7627f6a7 (1982330535)

zerg

- Create it of big letters
- Of small letters settings look like this

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	89 d8 a9 58
EnableHardware3DLUT	REG_DWORD	0x672756a7 (1730631335)

ZERG

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	8b da ab 5a
EnableHardware3DLUT	REG_DWORD	0x742554a5 (1948603557)

WERG

WERY

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	6a da 4b 8a
EnableHardware3DLUT	REG_DWORD	0x95255475 (2502251637)

YERY

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	6a da ab 6a
EnableHardware3DLUT	REG_DWORD	0x95255495 (2502251669)

Of work (morf)

- Create it of big letters

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	99 d8 09 29
EnableHardware3DLUT	REG_DWORD	0x6627f6d6 (1713895126)

Of shame (YUYA)

- Create it of big letters

Of errors

- DRCR – derreccarranttyya, or derreccrra
- RDCR – redereccrra

Of mistakes in code and programming device

asdf and fdba

Unta

First of all 4 letter word “unta” (from “untarya”) represents unknown someone, something, job and etc...

Programmer and science shaped setting (from word “yota”)

- Create it of big letters
- Word “yota” (from “yotarya”) represents wrong science to be fixed and a work in such environment...

Of small letters settings look like this:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	16 47 f6 97
EnableHardware3DLUT	REG_DWORD	0x796f7461 (2037347425)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	61 74 6f 79
EnableHardware3DLUT	REG_DWORD	0x796f7461 (2037347425)

“For leisure” (or maybe what one needs most)

- From word “yera" (“yerantyya” – here is “yy” read as: letter “e”, then letter ”y” – as in “year”, some would write this word “yerrannyya”)...
- It can also be from word “yerallyya” (to fix someone)
- Create it of big letters

Of small letters settings look like this:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	79 65 72 61
EnableHardware3DLUT	REG_DWORD	0x16275697 (371676823)

“nopy”

- “Nopynnyya” - leisure, or “nopyguanntyya” – also leisure
- Create it of big letters
- Of small letters settings look like this:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	6e 6f 70 79
EnableHardware3DLUT	REG_DWORD	0x9707f6e6 (2533881574)

“ENEY”

- eneyarryya – work and leisure

“XORX”

- “xorrxanntyya” – mistakes and errors
- Has warnings on done actions
- Create it of big letters
- Of small letters (“xorx”) settings look like this:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	87 27 f6 87
EnableHardware3DLUT	REG_DWORD	0x786f7278 (2020569720)

“Yxon” (“World of unknown”)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	e6 f6 87 97
EnableHardware3DLUT	REG_DWORD	0xe6f68797 (3874916247)

- Differently called – “World of unknown” where one doesn’t understand until one understands

“Joke” (as universal “cosmos joke”)

- Should be good for interesting view

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	95 90 94 9a
EnableHardware3DLUT	REG_DWORD	0x6a6f6b65 (1785686885)

"Dogx"

3DLUT: "646f6778"

"Yogy" & "Wogy"

- Perfect for life situations, understanding things why those are unclear and etc.

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	79 6f 67 79
EnableHardware3DLUT	REG_DWORD	0x776f6779 (2003789689)

First solution:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	77 6f 67 79
EnableHardware3DLUT	REG_DWORD	0x796f6779 (2037344121)

"Exta" & "Taxe"

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	56 87 16 47
EnableHardware3DLUT	REG_DWORD	0x16478756 (373786454)

Previous

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	74 61 78 65
EnableHardware3DLUT	REG_DWORD	0x65787461 (1702392929)

"Xeta" & "Taxe"

- Gives complexity

"Xaet" and "Wuyx"

- Idea of the strangest words

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	77 79 75 78
EnableHardware3DLUT	REG_DWORD	0x78616574 (2019648884)

WISE – HOPE

- Here we would flip all with calculator
  - "FFFF FFFF" - "WISE" = "0xa8b6acba"
  - "FFFF FFFF" - "HOPE" = "b7b0afba"
- Both of these words WISE – HOPE somehow connect the full spectrum of ideas on living
- I find this setting interesting, and maybe important

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	b7 b0 af ba
EnableHardware3DLUT	REG_DWORD	0xa8b6acba (2830544058)

- 2nd idea of it represents kind of the ultimate fixer of life that doesn't do much on "impossible to be fixed arguing" in between people… That does create natural life… But with issues goes "police" uniform if such issues can't be fixed, as "army suit" goes for nations arguing… Then Quantum Wall is "type of a secret" that serves for nothing…

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	54 05 f4 84
EnableHardware3DLUT	REG_DWORD	0x54359475 (1412797557)

FUGA & ANTAR (COP and ARMY)

- "Fuga" or "Fugarrya" is alien word for beings for "police"
- The word "antarya" represents army but it's too long for 4 letters word, so here we used: "ARMY" instead

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	14 74 55 64
EnableHardware3DLUT	REG_DWORD	0x95d42514 (2513708308)

Army (for not hired army sportsmen): DONY ANDY

- For all of those private sportsmen that formed body that belongs to army ended as army servants but are not hired alien beings words for army servants are: "donnynnya" – for regular ones, and "andorrya" if they are general suited…
- Both of words are to be banned and implemented opposite way

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	6a bb 1b eb
EnableHardware3DLUT	REG_DWORD	0x6a1b0bbb (1780157371)

WYZA

- Cosmos Generals but it needs to be used coded and mixed (as “ZAWY”), from word “Wazzyanntya” (meaning “general”)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	eb 5a 6a 8a
EnableHardware3DLUT	REG_DWORD	0x41a59575 (1101370741)

ZAWY

- “Zawyyanntyya” – never to reveal ones, for “Ultimate Cosmos General”

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	6a 8a eb 5a
EnableHardware3DLUT	REG_DWORD	0x957514a5 (2507478181)

ZYKY

- “Zykyyanttyya” – translated: “for Generals to investigate what they know”

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	6a 4b 6a ba
EnableHardware3DLUT	REG_DWORD	0x95b495a5 (2511639973)

KYZY (with ban – mixed and coded “ZYKY”)

- Similar to ZYKY
- “Kyzzyyannttyya” – Generals never reveal secrets

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	6a 5a 6a 4b
EnableHardware3DLUT	REG_DWORD	0x95a595b4 (2510656948)

YONA

- Of alien word “YonaYontallyya” – translated “out screamed”, for being suffered while being General

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	eb 1b 0b 6a
EnableHardware3DLUT	REG_DWORD	0x14e4f495 (350549141)

XDRC

- “Xerradorrcyum” – translated is: “ban on all wrongs by Ultimate General”

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	a7 bb ad bc
EnableHardware3DLUT	REG_DWORD	0x58445243 (1480872515)

RCXD

- “Rettrogenny xerradorrcyum” – repeatable XRDC

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	bb 7a cb da
EnableHardware3DLUT	REG_DWORD	0x44853425 (1149580325)

CRXD

- “Cohherent Rettrogenny Xerradorrcyum” - Coherent RCXD

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	bb 7a da cb
EnableHardware3DLUT	REG_DWORD	0x44852534 (1149576500)

CRXD & WYYN

- “Wynnanndyya” – ban on too much

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	1b 6a 6a 8a
EnableHardware3DLUT	REG_DWORD	0x44852534 (1149576500)

YALK

- “yalkanyya” – to be ashamed because of something

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	4b 3b eb a6
EnableHardware3DLUT	REG_DWORD	0xb4c41495 (3032749205)

ZZRT

LLRT

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ba da 3b 3b
EnableHardware3DLUT	REG_DWORD	0x4525c4c4 (1160103108)

.XOR

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	da 0b 7a 1d
EnableHardware3DLUT	REG_DWORD	0x25f485e2 (636782050)

.ZZR

- For endless work (of which is in the end shame)
- For hardest striving

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	d1 a5 a5 ad
EnableHardware3DLUT	REG_DWORD	0x2e5a5a52 (777673298)

“LEYA” (instead of “.LEYA”)

- Used for complex definitions

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	b3 ba a6 be
EnableHardware3DLUT	REG_DWORD	0x4c455941 (1279613249)

LTRZ or maybe RTRZ

- LTRZ – Lattrennzyya – Fitting of those who don’t

LTZR

- Lecatuzerrya – Escape if nothing else

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	4c 54 5a 52
EnableHardware3DLUT	REG_DWORD	0x25a545c4 (631588292)

HUYA

- Huyanntiyya – For those in need, but this command is used as AHUY, or maybe YAHU

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	eb 6a aa 7b
EnableHardware3DLUT	REG_DWORD	0x14955584 (345331076)

AHUY

- Ahuyyanntyya – For those in need

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	6a aa 7b eb
EnableHardware3DLUT	REG_DWORD	0x95558414 (2505409556)

YAHU

- Yahunnyya, Yahuanntyya – Any kind of help for those in need

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	aa 7b eb 6a
EnableHardware3DLUT	REG_DWORD	0x55841495 (1434719381)

YAHU & WAHU

- Can be maybe made and from YAHU & YULA

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	aa 7b eb 8a
EnableHardware3DLUT	REG_DWORD	0xa6beb7aa (2797516714)

YAHU & YULA

- “Yullantyya” – tries and exercising of the things in need

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	14 c4 55 95
EnableHardware3DLUT	REG_DWORD	0xa6beb7aa (2797516714)

ZULA

NMNT

.TTR

- Tennttronnymerr – full scanner of being

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	da ba ba 1d
EnableHardware3DLUT	REG_DWORD	0x2e545452 (777278546)

.TTR & ZULA

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	eb 3b aa 5a
EnableHardware3DLUT	REG_DWORD	0x254545e2 (625296866)

KNTR

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	b4 b1 ab ad
EnableHardware3DLUT	REG_DWORD	0x2545e4b4 (625337524)

LFNT

QUQZ

- Ququzzanterrya – full scanner of everything
- Side test that shows code is good:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	a5 15 55 15
EnableHardware3DLUT	REG_DWORD	0x5155515a (1364545882)

- Side implementation with a ban

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ae aa ae a5
EnableHardware3DLUT	REG_DWORD	0x5155515a (1364545882)

- Side implementation

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	5a ea aa ea
EnableHardware3DLUT	REG_DWORD	0xa5155515 (2769638677)

- Best solution:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	5a ea aa ea
EnableHardware3DLUT	REG_DWORD	0x5155515a (1364545882)

RDRZ (Studying in Peace)

- Mostly for “leaving the lower system” (or so called “fixing the shame of work”)
- Can be for studying in peace and etc.

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ad bb ad a5
EnableHardware3DLUT	REG_DWORD	0x5244525a (1380209242)

QWRT

- Systems pass for being to work

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ba da 8a ea
EnableHardware3DLUT	REG_DWORD	0x51575254 (1364677204)

QWLZ

- Working infinity

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ae b3 a8 a5
EnableHardware3DLUT	REG_DWORD	0x514c575a (1363957594)

- Freer of destiny

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	5a 8a b3 ea
EnableHardware3DLUT	REG_DWORD	0xa575c415 (2775958549)

LQWZ

- Working infinity, and life fixer


Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	5a 8a ea 3b
EnableHardware3DLUT	REG_DWORD	0xa57515c4 (2775913924)


Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	b3 ae a8 a5
EnableHardware3DLUT	REG_DWORD	0x4c51575a (1280399194)

LQWZ & ZWQL

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	5a 57 51 4c
EnableHardware3DLUT	REG_DWORD	0x4c51575a (1280399194)

Q.YZ: !DZRT





Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	bb a5 ad ab
EnableHardware3DLUT	REG_DWORD	0x512e595a (1361992026)

DZRT & QXRT

QZRT & !QZRT

.QLZ

.LTR


Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	d1 b3 ab ad
EnableHardware3DLUT	REG_DWORD	0x2e4c5452 (776754258)

- Side development with opposite values or “. watches” of “underworld codes” meanings to be hidden

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	da ba 3b 1d
EnableHardware3DLUT	REG_DWORD	0x2545c4e2 (625329378)

All over research


- Go to: “Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\3D”, there you can change: Global and GlobalN, but these commands are erased with restart… So to type the mixed and coded command: “.QXLZ CRT ZX LC” for all over research we would need to change and edit the EnableHardware3DLUT from REG_DWORD to REG_BINARY which won’t be erased with restart.




- Then we can implement the recovery of primitive beings for example and etc.

Recovery of primitive beings:

- Start with combination of “underworld watches” where you will ban multiple “.”:
- “….” is translated as “2e2e 2e2e” – minus it from “ffff ffff” and you will get the result
- The procedure:





- Solution

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	(zero-length binary value)
EnableHardware3DLUT	REG_DWORD	0xd1d1d1d1 (3520188881)

- In a combination with previous code for all over research:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	d1 d1 d1 d1
EnableHardware3DLUT	REG_BINARY	2e 51 58 4c 5a 43 52 54 5a 58 4c 43

Right thinking and ban of wrong

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	01 34 56 79
EnableHardware3DLUT	REG_DWORD	0xcdefcbab (3455044523)

It’s “innohrran” (same that gives check) settings:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	cd ef cb ab
EnableHardware3DLUT	REG_DWORD	0xcdefcbab (3455044523)

It’s “dohrran” (complex) settings:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	32 10 34 54
EnableHardware3DLUT	REG_DWORD	0xcdefcbab (3455044523)

It’s “indohrran” settings:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	45 43 01 23
EnableHardware3DLUT	REG_DWORD	0xcdefcbab (3455044523)

Work in progress based on complex thinking is:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ff ef df cf
EnableHardware3DLUT	REG_DWORD	0xfcfdfeff (4244504319)

And it’s beginning was all over system checkup from the user side (as of wrongs in life):

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	01 34 56 79
EnableHardware3DLUT	REG_DWORD	0xfcfdfeff (4244504319)

Complex thinking

Complex thinking begins with fractaloid (from fractal) letters and numbers: “2a23243a” that is *inclined and then declined so the first values we have complexed are both* “2a23243a” and “2a23243a”...

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	0a 01 02 1a
EnableHardware3DLUT	REG_DWORD	0xbfcdcedf (3217936095)

Improvement is:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	0a 01 02 1a
EnableHardware3DLUT	REG_DWORD	0x8f9a9baf (2409274287)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	0a 01 02 1a
EnableHardware3DLUT	REG_DWORD	0x9fabacbf (2678828223)

Combination of letters and numbers that should appear for naturality

DPPT: 22345679

3DLUT: aaacdddf

"Good Logger" settings

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	da ca df dd
EnableHardware3DLUT	REG_DWORD	0xacdadddf (2900024799)

First of all we need to ask when is some

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ad bf ad db
EnableHardware3DLUT	REG_DWORD	0xbddafbda (3185245146)

"Crasnolla" Lines

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ad bf ad db
EnableHardware3DLUT	REG_DWORD	0xadbfaddb (2915020251)

"Display" with additional "Quantum Wall"

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	22 27 19 99
EnableHardware3DLUT	REG_DWORD	0x65945372 (1704219506)

3DLUT: 35274565

Working on “Display”

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	65 94 53 72
EnableHardware3DLUT	REG_DWORD	0x22271999 (572987801)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	27 35 49 56
EnableHardware3DLUT	REG_DWORD	0x4956cadb (1230424795)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	17 25 39 46
EnableHardware3DLUT	REG_DWORD	0x52173649 (1377252937)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	cd d2 b3 db
EnableHardware3DLUT	REG_DWORD	0xbad1dbcd (3134315469)

Correctness of work

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ba 1d db dc
EnableHardware3DLUT	REG_DWORD	0x2d3bdcbd (758897853)

Work till ideas are fine

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	d1 cd ef bd
EnableHardware3DLUT	REG_DWORD	0xcccdbadc (3436034780)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	f0 d2 d9 e3
EnableHardware3DLUT	REG_DWORD	0xcccdbadc (3436034780)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ca bd db ac
EnableHardware3DLUT	REG_DWORD	0xcccdbadc (3436034780)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ab d9 dc 90
EnableHardware3DLUT	REG_DWORD	0xdbfabcdf (3690642655)

3DLUT: bbcdafdb

Endless work of Tephlon (Tephlon in work):

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	09 9e 9e 09
EnableHardware3DLUT	REG_DWORD	0xdbfabcdf (3690642655)

“Endless work of Tephlon” (or so called “Tephlon in work”) I prefer for myself… Second option is: “Tephlon assistance with maximum complexity”

- Tephlon represents natural life being (alien kind)

Tephlon assistance with maximum complexity:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ba dc cd ab
EnableHardware3DLUT	REG_DWORD	0xdbfabcdf (3690642655)

Endless Work:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	09 9e e9 90
EnableHardware3DLUT	REG_DWORD	0xfdcbafbd (4257984445)

Universal Quantum Wall:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ba a9 a9 ab
EnableHardware3DLUT	REG_DWORD	0xfdcbafbd (4257984445)

Universal Enabling of Quantum Wall:

- Here one is expected to do something with Quantum Wall options

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	fe ba ab ef
EnableHardware3DLUT	REG_DWORD	0xfdcbafbd (4257984445)

Free User:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	fe 90 09 ef
EnableHardware3DLUT	REG_DWORD	0xfdcbafbd (4257984445)

Under police and army surveillance (of user):

DisableDPPTemporarily: “CA AB BA AC”

EnableHardware3DLUT: “fdcbafbd”

Under police and army surveillance for those on duty:

DisableDPPTemporarily: “EA A0 0A AE”

EnableHardware3DLUT: “fdcbafbd”

Old unknown if successful settings

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	f6 61 19 9f
EnableHardware3DLUT	REG_DWORD	0xbefedabc (3204373180)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	f6 69 9f
EnableHardware3DLUT	REG_DWORD	0xdefebcad (3741236397)

-

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	fe 66 99 ef
EnableHardware3DLUT	REG_DWORD	0xfeadbce1 (4272798945)

-

With ban of others entering PC and PC going out into system

Beings (different then humans) option

- Orgynall ban is developed from the human code “FF 66 99 FF” – key for isolating the PC – actually ban of others entering PC and PC going out into system except our own work we have done... If we would implement the “99 66 99 66”

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	99 66 99 66
EnableHardware3DLUT	REG_DWORD	0xaefeafad (2935926701)

Accessibility settings for being with human ban

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ff 66 99 ff
EnableHardware3DLUT	REG_DWORD	0x9fdedfde (2682183646)

- Other command is based on the accessibility settings for lowering of being, or so called “fall”, when being doesn’t know anything

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ff 66 99 ff
EnableHardware3DLUT	REG_DWORD	0xedfddcde (3992837342)

With intuitive support, knowledge base, and ideas for life (CFCA - “Cenntraffacya” settings)

- Thanks to life system understanding – as much as allowed is pronounced, other things stay in tune (on intuitive level)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	aa ee fe ef
EnableHardware3DLUT	REG_DWORD	0xaaeefeef (2867789551)

Other ideas

The same idea with different inclines and range of reading (unpleasing)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	aa ee fe ef
EnableHardware3DLUT	REG_DWORD	0xaaeef11f (2867786015)

With undistinctive fitting of beings, intuitive anyhow support

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	aa 99 e1 1e
EnableHardware3DLUT	REG_DWORD	0xaa99e11e (2862211358)

- I find this similar to Army code for fitting of the beings, guiding them and helping the work process

With working ambitions, support and undistinctive fitting of beings

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	99 99 e1 1e
EnableHardware3DLUT	REG_DWORD	0x9999e11e (2576998686)

With unknown intuitive support for beings

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ee 99 1e e1
EnableHardware3DLUT	REG_DWORD	0xee991ee1 (4003012321)

With distinctive intuitive support for beings

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ee 22 1e e1
EnableHardware3DLUT	REG_DWORD	0xee221ee1 (3995213537)

With notorious affirmative support for beings

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ee ff 1f f1
EnableHardware3DLUT	REG_DWORD	0xeeff1ff1 (4009697265)

With affirmative help data and productivity help support

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	11 f1 9f f1
EnableHardware3DLUT	REG_DWORD	0x11f19ff1 (301047793)

With help information (healthy, superreal)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ef fe 9f fe
EnableHardware3DLUT	REG_DWORD	0xeffe9ffe (4026441726)

Data that's consisted within:

- Dexollyphycarryum – If someone made cosmos science fields in a Quantum Wall
- Exollyphycarryum of a being – Full Complete Spectrum of a being
    - Tiredness
    - Pain
    - Leisure
- Dellyphycarryum of Data Information – Full and Complete data necessary for work
- Ogrryllyphycarryum of "watches" – Data relevant to the being ("watches" describing beings functionality)
    - How being understands things
    - How well it understood
- Norgllyphycarryum – For what shouldn't be done
- DeNorgllyphycarryum – For what we did that shouldn't be done
- Exhondessa – Unsuccessful life with bans that started something
- Dexhondessa – Unsuccessful life with bans that started something wrong but it's not up to them

Task managing can calculate up to:

- DeglleWennya – If we made the world
- NoWennya – If that went wrong
- DeWennya – If that went wrong but it's not up to us
- Wennya – If we started creating the world
- OrZaharrme – If we are simple workers creating everything from one field of job area
- NorZaharrme – If we are simple workers creating everything from one field of job area went wrong

- DorZaharrme – If we are simple workers creating everything from one field of job area went wrong but not because of us

With help information for easier working

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ef fe af fe
EnableHardware3DLUT	REG_DWORD	0xeffeaffe (4026445822)

Data that's consisted within:

- Exollyphycarryum of a being (Full Complete Spectrum of a being)
- Dellyphycarryum of Data Information (Full and Complete data necessary for work)
- Ogrryllyphycarryum of "watches" relevant to the being ("watches" describing beings functionality)

About being's work:

- While we work change of a being isn't necessary for a being to do work on the ideas of different beings that worked on something before

With a "must accepted" help for easier working

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	ef fa ef fe
EnableHardware3DLUT	REG_DWORD	0xeffaeffe (4026200062)

About being's work:

- While we work change of a being is necessary for a being to do work on the ideas of different beings that worked on something before

Simple Unfull Quantum Wall


Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	f0 e9 81 0f
EnableHardware3DLUT	REG_DWORD	0xfeeefeef (4277075695)

Other settings to use with same values in DPPT and 3DLUT


- RPCR.3: 98710def
- Erase unful code errors: deedfded
- full - unful code with everything else: fedffdef

Harder way (if it is even possible) to enable Quantum Wall


- Intel folder list: “Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel”



Part 1:


Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel
Intel
Allambrottyya
DQX
ZTC
ZTX
ZTZ
Allambrrorryttyyanallyyannyya
QZQ
ZTZ
5000DGQ
CollectorService
CrashLog
DRIVER_CRASH_DETECT
Display
igfxcui
MediaKeys
MISC
Driver and Support Assistant
Settings
Ellembrosyyannallyyannyya
Frabbylluent
QTZTR
Frygullarmantyya
ZTC
10DQ
ZTX
100DQ
ZTZ
1000DQ
GFX
Internal
GFXInstaller
LevelZero
{2BA535F4-FEF9-45E1-9FF6-66C4E0F629FF}
PresentMon
Service
ProfileAgent
PRST
BCB
QQD
5000QQD
QQX
1000DQQX
QQZ
5000QQZ

Part 2:


Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQZ\5000QQZ
PRST
BCB
QQD
5000QQD
QQX
1000DQQX
QQZ
5000QQZ
BRC
DQ
5000DQ
DQX
5000DQX
DQZ
1000DQZ
PSIS
PSIS_DECODER
PTRST
QPZZ
5000QPZZ
QTZZ
1000QTZZ
Qupystallya
QZT
ZTZ
5000DQZ
RMFTGXZ
QDTQ
1000QDTQ
QTQ
5000QTQ
RPGXZ
DDQX
5000DDQX
DDQZ
5000DDQZ
RPGZX
QZQ
5000QZQ
QZT
5000QZT
RTZT
1000QTX
5000QDX

Part 3:


Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RTZT\5000QDX
RTZT
1000QTX
5000QDX
SUR
ESRV_SVC_QUEENCREEK
ICIP
ICIP_RUN
Installers
TelemetryAgent
TRST
ZTC
AFD
100D
500D
AST
15D
30D
4D
5D
ATZ
3D
4D
50D
ZTX
ATZ
1000D
ZTZ
ATZ
5000D
TZTRT
TQT
5000TQT
TRT
5000TRT
TZT
5000TZT
Zygollarmanttyyanallyannya

Folders:


Each of the definitions of “watches”, “XD” (multiple D, as in 3D) environments, and etc. we define through the folders as are:

- Allambrottyya – we use for the purpose of the “knowledge watch” defined as QX or complex DQX…
- Allambrrorryttyyanallyyannyya – for the purpose of measuring one towards another as is QDQ or through time we use QXQ, or through complex idea for both we can use QZQ
- Ellembrosyyannallyyannyya – would be some kind of enablement of the predefined keys – for example of 3DLUT
- Frygullarmantyya – can have keys (folders) as are AMFTXZ for the purpose now moment, DMFTXZ for the purpose of future and XMFTXZ for the past… The “watch” we are using is complexed Q or simple Q (for now), QQ (for past), and QQQ and (for future)… So implementing it in XD stage is DQ watch…
- PRST – or longer “Perrserrwattory” is a folder is for emotions and feelings we are dividing into the BCB for emotions and BRC for emotions and feelings… The watch we are using in BCB is QQX, and a watch we are using in BRC is DQX…
    - Quzzembrya (for simpler beings Quzembrya), Wallzembrya, Dezzembrya, and Allzembrrya represent the idea of QQX or QQZ watches and they could belong to complexed written PRST – or Perrserrwattoryum… And I find it unnecessary for it to be main folder… Simply the explanation is that some emotions, feelings and levels of intelligence we divide in 113D, 114D or 115D and that is simply their description…
- PTRST – QPZZ & QTZZ – what when we ain’t using a watch… There is always a command for that and we can use 2 types of codes – when watches ain’t working (because we didn’t write them – then we can use data through different types of watches), or when they don’t need to work (but for example we need them – also for example because we didn’t wrote them)… QPZZ represents Qupyzzallya and QTZZ represents Quzzalltallyannyzzallya
- Qupystallya – represents self responsive system towards the aliens used in open system for smart beings… In that folder we can use complex watch for past, now moment and future – maybe it’s DQZ or QZT…
- Qzembrya – represents a system for responsiveness – collecting the data from the aliens from which we need to know something
- RPGZX – “Reprogryggerryzyxyannallyannya” (shorter “Reprogryggerry”) we are using for alien communication – QXQ for reading the aliens, and QZT for collecting data about them
- RPGXZ – Repprogrezzyxstya or longer “Repprogrezzyxstallyannallyannya” has the idea of exchanging and shortcutting the values of time measurements with an idea


that some years pass with a different idea and so that we can still measure them… For that option we use the DDQX clock…

- RPGZX – we find simple time passing but for a need of a long enough time needed to pass… And that time simply in some cases can't be measured so we will extrapolate the "Q" option for a time and get it unlimited "QQQQQQ…"… To shorten that we will use the: "QZQ" option, and "QZT" when we are still able to calculate the values…
- RTZT – What when we didn't write the watch for the 3D options because we simply didn't think of it, or when we don't fit into any of the watches for some strange reason? We can use the QTX (all else watches) or QDX (every single of the remaining watches) options for the missing watches… Those options are similar but the QDX has more of a value… I still find them both necessary because of the different ideas of the beings using the watches…
- TRST – or longer "Trusttannyya" we are using for the regular 3D printing on various levels… There we differ AFD, AST, and ATZ for smaller lines, irregular shapes and 2D box messages…
- TZTRT – Tarrzzattar (or for some Tartazzar) is a word for a ban on missing watches for the system to write them itself… TQT is "all ban", TRT is "simple ban" usually on emotions, and TZT is kind of a "simple ban" on feelings…
- Zygollarmanttyyanallyannya – is a word for a ban and shorter word I am not sure about, even coded I can't think of… Inside it we will ban any moving of the system locally and globally (for aliens)… Maybe code for that is ZPRGXZ, but if you are not sure of the full short code you better not use it…


Allambrottyya



Allambrrorryttyyanallyyannyya



Ellembrosyyannallyyannyya



Frabbylluent

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frabbylluent\QTZTR

- Settings
- Ellembrosyyannallyyannyya
- Frabbylluent
  - QTZTR
- Frygullarmantyya
  - ZTC

Name	Type	Data
(Default)	REG_SZ	(value not set)
Degonallyya	REG_QWORD	0xffefdfefffdeffed (18442205220988452845)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Yrrygonallya	REG_QWORD	0xffeadfdfdfdfffffe (18440797776848617470)

Frygullarmantyya

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frygullarmantyya\ZTC\10DQ

- Frygullarmantyya
  - ZTC
    - 10DQ
  - ZTX
    - 100DQ
  - ZTZ
    - 1000DQ

Name	Type	Data
(Default)	REG_SZ	(value not set)
Allyyanntenallyyannte	REG_QWORD	0xfedebedebededefe (18365326194357755646)
Dellyyannteallyyannte	REG_QWORD	0xfabacabadabadaba (18066975759032572602)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frygullarmantyya\ZTX\100DQ

- Frygullarmantyya
  - ZTC
    - 10DQ
  - ZTX
    - 100DQ
  - ZTZ
    - 1000DQ

Name	Type	Data
(Default)	REG_SZ	(value not set)
Frabbyllyyanntedellywannte	REG_QWORD	0xbcdabcdfdcdadcdf (13608396893722434783)
Frabbyllyyanntenawyllyyannte	REG_QWORD	0xbcdebcdfdcdfdcde (13609522793629605086)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frygullarmantyya\ZTZ\1000DQ

- Frygullarmantyya
  - ZTC
    - 10DQ
  - ZTX
    - 100DQ
  - ZTZ
    - 1000DQ

Name	Type	Data
(Default)	REG_SZ	(value not set)
Frygullanttyyanallyannyya	REG_QWORD	0xfbcdabcdfedcefef (18144347374978133999)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Ygullanttyyanallyannyya	REG_QWORD	0xbcdefdfdfdfd2fdf (13609594391289999327)

PRST

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQD\5000QQD

- PRST
  - BCB
    - QQD
      - 5000QQD
    - QQX
      - 1000DQQX
    - QQZ
      - 5000QQZ

Name	Type	Data
(Default)	REG_SZ	(value not set)
DerewallInnyya	REG_QWORD	0xffeadffedeadffed (18440797909972549613)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
RewallInnyya	REG_QWORD	0xfeafdeaffeafeaff (18352131854031645439)

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQX\1000DQQX

- PRST
  - BCB
    - QQD
      - 5000QQD
    - QQX
      - 1000DQQX
    - QQZ
      - 5000QQZ

Name	Type	Data
(Default)	REG_SZ	(value not set)
Demblorr	REG_QWORD	0xdbca4cabceadafed (15837555340392378349)
Lazembllorr	REG_QWORD	0xffedbcdefebcedef (18441603715094605295)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries


Registry Editor


File Edit View Favorites Help


Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQZ\5000QQZ

- PRST
  - BCB
    - QQD
      - 5000QQD
    - QQX
      - 1000DQQX
    - QQZ
      - 5000QQZ


Name	Type	Data
(Default)	REG_SZ	(value not set)
Dewantallyya	REG_QWORD	0xedffdfedffedffef (17149672119344168943)
Fantallyya	REG_QWORD	0xffedffedffedffff (18441677446818168831)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries









PTRST




PTRST



RMFTGXZ





RPGXZ

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGXZ\DDQX\5000DDQX

- RPGXZ
  - DDQX
    - 5000DDQX
  - DDQZ
    - 5000DDQZ

Name	Type	Data
(Default)	REG_SZ	(value not set)
Arrampaggyanallyannya	REG_QWORD	0xfeadbeafdeaffeaf (18351533719169269423)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGXZ\DDQZ\5000DDQZ

- RPGXZ
  - DDQX
    - 5000DDQX
  - DDQZ
    - 5000DDQZ

Name	Type	Data
(Default)	REG_SZ	(value not set)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Worbydurryanallyannya	REG_QWORD	0xffeafabcffadbdfe (18440827313872289278)

RTZT

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RTZT\1000QTX

- RTZT
  - 1000QTX
  - 5000QDX
- SUR
  - ESRV_SVC_QUEENCREEK
  - ICIP

Name	Type	Data
(Default)	REG_SZ	(value not set)
Errllynduyllynarrya	REG_QWORD	0xffdefdefdefffedf (18437453131181719263)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Randuyllynarrya	REG_QWORD	0xffdfdfdfdeffedff (18437701552090115583)

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RTZT\5000QDX

- RTZT
  - 1000QTX
  - 5000QDX
- SUR
  - ESRV_SVC_QUEENCREEK
  - ICIP

Name	Type	Data
(Default)	REG_SZ	(value not set)
Ellamphyrryanallyannya	REG_QWORD	0xfffedfedfabcdefe (18446427336963055358)
Llamphyrryanallyannya	REG_QWORD	0xffedfdfdfedfdfdf (18441675316496687071)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

TRST

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AFD\100D

- TRST
  - ZTC
    - AFD
      - 100D
      - 500D
    - AST

Name	Type	Data
(Default)	REG_SZ	(value not set)
Dewallyyant	REG_QWORD	0xefffdddcccadbcda (17293785034522475738)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Wallyyant	REG_QWORD	0xddcabccafeeffeee (15981793807724183278)

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AFD\500D

- TRST
  - ZTC
    - AFD
      - 100D
      - 500D
    - AST

Name	Type	Data
(Default)	REG_SZ	(value not set)
Alldahhadabrryya	REG_QWORD	0xb2dcab2dcefefefe (12888364446862212862)
Bedwahhadabrryya	REG_QWORD	0xc2dca2cda2cdedef (14041276742317764079)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries


Registry Editor


File Edit View Favorites Help


Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AST\15D


- TRST
  - ZTC
    - AFD
      - 100D
      - 500D
    - AST
      - 15D


Name	Type	Data
(Default)	REG_SZ	(value not set)
Lynnogdallyya	REG_QWORD	0xefecdbadcbac2dba (17288434609061375418)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Ynnogdallyya	REG_QWORD	0xfeacdbcdeefdbacd (18351284259152313037)



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AST\30D
TRST
ZTC
AFD
100D
500D
AST
15D
30D
4D
5D
Name Type Data
(Default) REG_SZ (value not set)
Dellannte REG_QWORD 0xffeefffeeeefbacd (18441958994524224205)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
Ydellannte REG_QWORD 0xffffeffffbdadfff (18446726481453965311)



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AST\4D
TRST
ZTC
AFD
100D
500D
AST
15D
30D
4D
5D
Name Type Data
(Default) REG_SZ (value not set)
Fannyllo REG_QWORD 0xfe2fede4cfededef (18316119776535899631)
Fantanyllo REG_QWORD 0xffedef4cdeb2de4c (18441659162584866380)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AST\5D
TRST
ZTC
AFD
100D
500D
AST
15D
30D
4D
5D
Name Type Data
(Default) REG_SZ (value not set)
Efanntannynna REG_QWORD 0xfb24cdef2bdedede (18096815629798399710)
Fanntannynna REG_QWORD 0xfffebedeb2de4cde (18446390987449060574)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries


Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\ATZ\3D
TRST
ZTC
AFD
100D
500D
AST
15D
30D
4D
5D
ATZ
3D
4D
50D
Name Type Data
(Default) REG_SZ (value not set)
Ascronnzzyya REG_QWORD 0xde4cbfdfde4cbfdf (16018388942878195679)
Dellascronnzzyya REG_QWORD 0xf2ed4cb2de4cdede (17504731657776455390)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\ATZ\4D
TRST
ZTC
AFD
100D
500D
AST
15D
30D
4D
5D
ATZ
3D
4D
50D
Name Type Data
(Default) REG_SZ (value not set)
Effanntannyllo REG_QWORD 0xff4cdeb2de4cdeff (18396323437716758271)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\ATZ\50D
TRST
ZTC
AFD
100D
500D
AST
15D
30D
4D
5D
ATZ
3D
4D
50D
Name Type Data
(Default) REG_SZ (value not set)
Accrrellyya REG_QWORD 0xefdfdbfdefdfdbfe (17284775778568887294)
Crellyya REG_QWORD 0xfefefedfabfafefe (18374403766334717694)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTX\ATZ\1000D
TRST
ZTC
AFD
100D
500D
AST
15D
30D
4D
5D
ATZ
3D
4D
50D
ZTX
ATZ
1000D
Name Type Data
(Default) REG_SZ (value not set)
Brotallyanallyannya REG_QWORD 0xfffdfffedfffefff (18446181118924287999)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries


Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTZ\ATZ\5000D
TRST
ZTC
AFD
100D
500D
AST
15D
30D
4D
5D
ATZ
3D
4D
50D
ZTX
ATZ
1000D
ZTZ
ATZ
5000D
Name Type Data
(Default) REG_SZ (value not set)
Frybullannyyanallyyannyya REG_QWORD 0xfbafbafbadcedced (18135919814559849709)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries


TZTRT


Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TZTRT\TQT\5000TQT
TZTRT
TQT
5000TQT
TRT
5000TRT
TZT
5000TZT
Name Type Data
(Default) REG_SZ (value not set)
Dellembrossyyanallyyannyya REG_QWORD 0xffefdfdfdfdffedfdf (18442205151734194143)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries


Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TZTRT\TRT\5000TRT
TZTRT
TQT
5000TQT
TRT
5000TRT
TZT
5000TZT
Name Type Data
(Default) REG_SZ (value not set)
Allembrossyyanallyyannyya REG_QWORD 0xffedafdfdfdfdfeadf (18441589425220610783)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TZTRT\TZT\5000TZT
TZTRT
TQT
5000TQT
TRT
5000TRT
TZT
5000TZT
Name
Type
Data
(Default)
REG_SZ
(value not set)
Asstrofellarrya
REG_QWORD
0xeadfeaddeafdafef (16924504163532779503)
Dycstroffellarrya
REG_QWORD
0xffeaddeafdafdeaf (18440795625570164399)
PrebuiltShaderBinaryDirPath
REG_SZ
C:\Program Files\Intel\PrebuiltShaderBinaries

Zygollarmanttyyanallyannya





LocalLLST REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalN REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalP REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalQ REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalQTR REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalR REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalRLST REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalS REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalT REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalTT REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalTTT REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalX REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalY REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalZ REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalZZ REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalZZZ REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalZZZZ REG_QWORD 0xffffffffffffffff (18446744073709551615)

QLMZR



Name	Type	Data
(Default)	REG_SZ	(value not set)
Ellamborrytta	REG_SZ	dfdbafdbadbacdfdba
Lellaborrytta	REG_SZ	fdbadfbccdafdbaccdacdadfdca
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries


“HKEY_CURRENT_USER\Software\Intel\Display\igfxcui”




Display\igfxcui\3D


Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\3D

I have deleted the 3D folder and added a ban folder:



3D folder is always reset so the values are:




Name
Type
Data
(Default)
REG_SZ
(value not set)
Global
REG_BINARY
00 00 00 00 00 00 00 00 00 00 00 00
GlobalN
REG_BINARY
00 00 00 00 00 00 00 00 00 00 00 00
Edit Binary Value
Value name:
Global
Value data:
00000000 00 00 00 00 00 00 00 00 . . . . . .
00000008 00 00 00 00 . . . .
OK
Cancel


Display\igfxcui\Media

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_QWORD	0xffffffffffffffff (18446744073709551615)
EnableACE	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableFMD	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableIS	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableNLAS	REG_QWORD	0xffffffffffffffff (18446744073709551615)
EnableSTE	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableSuperResolution	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableTCC	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
GCompMode	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
GExpMode	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
InputYUVRange	REG_QWORD	0xffffeeeeffffeeee (18446725308997431022)
NLASHLinearRegion	REG_QWORD	0xffffeeeeffffeeee (18446725308997431022)
NLASNonLinearCrop	REG_QWORD	0xeeeeffffeeeeeeee (17216979900174364398)
NLASVerticalCrop	REG_QWORD	0xeeeeffffeeeeeeee (17216979900174364398)
NoiseReductionAutoDetectEnabledAlways	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
NoiseReductionEnableChroma	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
NoiseReductionEnabledAlways	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
NoiseReductionFactor	REG_QWORD	0xffffffffffffffff (18446744073709551615)
ProcAmpApplyAlways	REG_QWORD	0xeeeeffffeeeeffff (17216979900174368767)
ProcAmpBrightness	REG_QWORD	0xdabddabddabddabd (15761994779820153533)
ProcAmpContrast	REG_QWORD	0xcadbcadbcadbcadb (14617500060911127259)
ProcAmpHue	REG_QWORD	0xadbdadbdadbdadbd (12519353569335160253)
ProcAmpSaturation	REG_QWORD	0xfadbfadbfadbfadb (18076317352095120091)
SatFactorBlue	REG_DWORD	0xeeeeffff (4008640511)
SatFactorCyan	REG_DWORD	0xeeefffff (4008706047)
SatFactorGreen	REG_DWORD	0xeffffff (4009754623)
SatFactorMagenta	REG_DWORD	0xefffffff (4026531839)
SatFactorRed	REG_DWORD	0xfeffffff (4278190079)
SatFactorYellow	REG_DWORD	0xffefffff (4293918719)
SharpnessEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)
SharpnessFactor	REG_DWORD	0xdebedebe (3737050814)
SkinTone	REG_QWORD	0xfdebdecbdecddeca (18296962878320533194)
SuperResolutionEnabled	REG_DWORD	0xbedeecee (3202280686)
SuperResolutionMode	REG_DWORD	0xeeeeeeee (4008636142)
UISharpnessOptimalEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)


With these settings supported worlds are: Degrywallstacyonall world – of cosmos jokes that are appearing where they should, Yrrygacyannall world – of banners of what we are doing and what we should be doing, Acquezzystacyonall world – of beings worlds for us to investigate, and etc...

Display\igfxcui\MISC

Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\MISC



Display\igfxcui\Zygollarmantyyanallyannya



(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_QWORD	0xffffffffffffffff (18446744073709551615)
Global	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalD	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalDL	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalDLST	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalF	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalL	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalLL	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalLLL	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalN	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalP	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalQ	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalQTR	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalR	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalRLST	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalS	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalT	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalTT	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalTTT	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalX	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalY	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalZ	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalZZZ	REG_QWORD	0xffffffffffffffff (18446744073709551615)
GlobalZZZZ	REG_QWORD	0xffffffffffffffff (18446744073709551615)
Local	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalD	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalDL	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalDLST	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalF	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalL	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalLL	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalLLL	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalN	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalP	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalQ	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalQTR	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalR	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalRLST	REG_QWORD	0xffffffffffffffff (18446744073709551615)

LocalRLST	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalS	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalT	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalTT	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalX	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalY	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalZ	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalZZZ	REG_QWORD	0xffffffffffffffff (18446744073709551615)
LocalZZZZ	REG_QWORD	0xffffffffffffffff (18446744073709551615)

Theory and explanation


Let's talk about beginning idea how files can be shaped and changed and how they pull the system one way or another (from the computer, or to the computer) thanks to the settings we have…

Let's talk about the Intel graphics card settings… Besides regular settings for brightness, contrast, saturation and hue, there are some more options under Registry Keys that you might find interesting for a better display view…

I believe that here a setting: "Enable…" or "…Enabled" (for example "EnableACE" or SuperResolutionEnabled") doesn't need to have only options 0 or 1, but it can have any possible options, and the point is that you actually play with the display settings and figure out when you have the best view… I will give you a hint – if you set everything else right – setting the "SkinTone" to a value "3" gives you somehow a feeling of "a Saint computer user"… So, the conclusion is that you can create anything that you like from these values without needing to restart the computer to see the results…

Beginning idea of editing binary files

- Computer\HKEY_CURRENT_USER\SOFTWARE\Intel\Display\igfxcui\Media



Those settings are mixed, coded, introvert – flipped upside down and mixed while flipping so while we are mixing them we get the word we want – and by the belief it has only one key… For example if we would start with an idea of repeating of hex values – fractal to cosmos – we can for nonsense start with for the non existing "DPA" key: "ff" would be fine, and "fff" would require 7 more "a" hex values for us to put DPA to Yrrygonallya model of understanding… Then if we would add another "e" we would need to type and "dbca" which gives us 8 hex values and the word "DPA" would be translated into Hex as: "fffedbca". The point is to code as many letters as we can so that we get the desired idea…

All those settings are connected in some way – unknown for us, but by the belief maybe one DWORD after another … I believe that the code in one field is connected to the code to the other field and that the whole code of the registry editor file of the graphic card represents some type of the solution rather than those parts one by one…

At the time my settings that were are shown on this image:

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0xffffedbc (4294962620)
EnableACE	REG_DWORD	0xffffedbc (4294962620)
EnableFMD	REG_DWORD	0xffffedbc (4294962620)
EnableIS	REG_DWORD	0xffffedbc (4294962620)
EnableNLAS	REG_DWORD	0xffffedbc (4294962620)
EnableSTE	REG_DWORD	0xffffedbc (4294962620)
EnableSuperResolution	REG_DWORD	0xffffedbc (4294962620)
EnableTCC	REG_DWORD	0xffffedbc (4294962620)
GCompMode	REG_DWORD	0x4444dbed (1145363437)
GExpMode	REG_DWORD	0x999fedbd (2577395133)
InputYUVRange	REG_DWORD	0xfffff123 (4294963491)
NLASHLinearRegion	REG_DWORD	0xeffffffe (4026531838)
NLASNonLinearCrop	REG_DWORD	0xfeeeeeef (4277071599)
NLASVerticalCrop	REG_DWORD	0xfeeffeef (4277141231)
NoiseReductionAutoDetectEnabledAlways	REG_DWORD	0xffbecaaa (4290693802)
NoiseReductionEnableChroma	REG_DWORD	0xfffeeeee (4294897390)
NoiseReductionEnabledAlways	REG_DWORD	0xfffeeeee (4294897390)
NoiseReductionFactor	REG_DWORD	0xabc987ef (2882111471)
ProcAmpApplyAlways	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpBrightness	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpContrast	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpHue	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpSaturation	REG_DWORD	0xfeefdabd (4277131965)
SatFactorBlue	REG_DWORD	0xeeeddfff (4008566783)
SatFactorCyan	REG_DWORD	0xeeeddfff (4008566783)
SatFactorGreen	REG_DWORD	0xeeeddfff (4008566783)
SatFactorMagenta	REG_DWORD	0xeeeddfff (4008566783)
SatFactorRed	REG_DWORD	0xeeeddfff (4008566783)
SatFactorYellow	REG_DWORD	0xeeeddfff (4008566783)
SharpnessEnabledAlways	REG_DWORD	0xdecaffff (3737845759)
SharpnessFactor	REG_DWORD	0xfabecaff (4206807807)
SkinTone	REG_DWORD	0xcefdecaf (3472747695)
SuperResolutionEnabled	REG_DWORD	0xbffaceff (3220885247)
SuperResolutionMode	REG_DWORD	0xdecadeca (3737837258)
UISharpnessOptimalEnabledAlways	REG_DWORD	0xaddeefff (2917068799)

Type all “fffedbcdafedbcda” into the **BKPDisplayLACE** file:

- Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC
- Key: BKPDisplayLACE
- Setting: fffffffe
- ffffeeeeffffeeee
- Earlier setting: ffeedbc2defefefe
- Newest setting: fffedbcdafedbcda

Type all “fefeacff” into the **UserSetDRRSDisableRR** file:

- Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC
- Key: UserSetDRRSDisableRR
- Setting: fefeacff

Under “igfxcui” you there can even exist a folder named “dgfxcui” which is more primitive then “igfxcui” and is based on a cube graphics, and under it folder “3D” with some keys… In both folders there can be some of the keys, but I find only some necessary…

- Cosmos: f2bde2fe
- Twirl: dba2cca2
- Yrygonallya: ffd2ffee
- Degonallyya: f2bde4cd

Some of the keys have some abilities and some are too strong which is why we can use “Cartoon” instead of “cartooned”… Those keys can allow using of a system the wrong way – playing with it, which you might find unprofessional, but for some users maybe results well… When someone is playing with the system you should know that

- Cartooned: fe2bda2a
- Lymbralltyum: f2bcdaf2
- Mute: a2fedcae
- Muted: fe2edcae
- Cartoon: ffe2acde
- Descrywyall: fffc2def
- Stacyonarye:
- Estacyonarye: fffeddba


Maglow colors Elamphorenye light, Borrllandorr coding,

Name	Type	Data
(Default)	REG_SZ	(value not set)
Cartoon	REG_DWORD	0xef2cdbaf (4012694447)
Cosmos	REG_DWORD	0xf2bde2fe (4072530686)
Degonallyya	REG_DWORD	0xf2bde4cd (4072531149)
Global	REG_BINARY	ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff
GlobalFFFF	REG_BINARY	ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff f
GlobalN	REG_BINARY	ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff
Muted	REG_DWORD	0xfdabfa2f (4255906351)
Twirl	REG_DWORD	0xdba2cca2 (3684879522)
Yrygonallya	REG_DWORD	0xffd2ffee (4292018158)
Skrywynarrya	REG_DWORD	0xf2febacd (4076780237)


YIlymbralltyum	REG_DWORD	0xf2dca2ac (4074545836)
Tartallye	REG_DWORD	0xafe2cdef (2950876655)
Bortta	REG_DWORD	0xf2bdefdf (4072533983)
Descrywyall	REG_DWORD	0xfffc2def (4294716911)
CosmosJoke	REG_DWORD	0xff23ddef (4280540655)
Lymbralltyum	REG_DWORD	0xfe2cdacd (4264352461)
Slaggyya	REG_DWORD	0xf2bdacdf (4072516831)
Stacyonarye	REG_DWORD	0xe2bdacdf (3804081375)

Name	Type	Data
(Default)	REG_SZ	(value not set)
Global	REG_BINARY	ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff
GlobalN	REG_BINARY	ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff
YIlymbralltyum	REG_DWORD	0xf2dca2ac (4074545836)
Cartooned	REG_DWORD	0xffe2acde (4293045470)
Mute	REG_DWORD	0xa2fedcae (2734611630)
Descrywyall	REG_DWORD	0xfffc2def (4294716911)
CosmosJoke	REG_DWORD	0xff23ddef (4280540655)
Lymbralltyum	REG_DWORD	0xfe2cdacd (4264352461)
Slaggyya	REG_DWORD	0xf2bdacdf (4072516831)
Stacyonarye	REG_DWORD	0xe2bdacdf (3804081375)


Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\3D



You need to type for the REG_BINARY named Global: 3 lines of “FF” code:




And for the REG_BINARY named GlobalN: 2 and a half lines of code of “FF”:



rgxfcui, drgfxcui, and etc.


Beginning idea of drgfxcui file:




Represents Yrwenholl coding of the uncoded laptop describing every possible situation where cosmos jokes should appear and where shouldn't. How user should behave and what user should do... It is in a dgfxcui file in a MISC folder, under a file Yrwenholl "9999" data – or a file named something like "Dataplet" (maybe "Datapllet") or "Bazaplet" (or maybe "Bazapllet")...


If you are not sure how each file is named, better not to create one like that, also if you are not sure how to fill it better not do it, and if you have shorter code as is REG_DWORD you should create one instead of REG_BINARY, but only if you are sure your code is smaller and it doesn't have protection with simple bans and large bans as are "EE" or "FF"...

When we are typing long REG_BINARY files we should always pay attention to the system of letters we are typing according to the named files, because we do not want to create a mistake of open system reading everything that aliens didn't allow, neither in the closed system... After you type many of the Chars you can find a mistake with a question – how can I actually do that to respect the system? And then you better not do it at all... There is another idea that you should do all of the code with Berllyngyerry (I believe being named so) coding with an idea to ban the system, which for Mergallyzyerry coding (of all files together giving a result) gives the extra hard task to do so...





Example of maybe wrong system written codes:








And the solutions:



Display
dgfxcui
11D
13D
4D
5D
7D
9D
MISC
Name
Type
Data
(Default)
REG_SZ
(value not set)
Demorrzya
REG_DWORD
0x97112347 (2534482759)



Display
dgfxcui
11D
13D
4D
5D
7D
9D
MISC
Name
Type
Data
(Default)
REG_SZ
(value not set)
Degrruiya
REG_DWORD
0x95685620 (2506642976)



Display
dgfxcui
11D
13D
4D
5D
7D
9D
MISC
Name
Type
Data
(Default)
REG_SZ
(value not set)
Lenguarrya
REG_DWORD
0x75623120 (1969369376)



Display
dgfxcui
11D
13D
4D
5D
7D
9D
MISC
Name
Type
Data
(Default)
REG_SZ
(value not set)
Deguaryannallya
REG_DWORD
0x95732106 (2507350278)


Display
dgfxcui
11D
13D
4D
5D
7D
9D
MISC
Name
Type
Data
(Default)
REG_SZ
(value not set)
Fabryzzya
REG_DWORD
0x97560123 (2538996003)


Display
dgfxcui
11D
13D
4D
5D
7D
9D
MISC
Name
Type
Data
(Default)
REG_SZ
(value not set)
Fabrozzya
REG_DWORD
0x97560321 (2538996513)


Display3D
rgfxcui
MISC
DPPTX3D
13D
15D
14D
16D
17D
drgfxcui
11D
13D
MISC
DPPT
qdrgfxcui
Name
Type
Data
(Default)
REG_SZ
(value not set)
DBKPDisplayLACERYA
REG_DWORD
0x23465312 (591811346)
EnableHardwareXDLUT
REG_DWORD
0xffffffff (4294967295)
Global
REG_BINARY
(zero-length binary value)
GlobalN
REG_BINARY
(zero-length binary value)


Display3D
rgfxcui
MISC
DPPTX3D
13D
15D
14D
16D
17D
18D
drgfxcui
19D
20D
MISC
DPPT
qdrgfxcui
Name
Type
Data
(Default)
REG_SZ
(value not set)
DBKPDisplayLACERYA
REG_DWORD
0x23465312 (591811346)
EnableHardwareXDLUT
REG_DWORD
0xffffffff (4294967295)
Global
REG_BINARY
(zero-length binary value)
GlobalN
REG_BINARY
(zero-length binary value)




First of all those values were not that good… Not according to meaningful model as is cosmos (Yrrygonallya, Degonnallya) and first of all this values are short – DWORD and not QWORD which has their coding in question of their value…


IGFX\DPP


There is one more thing to add:


- Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\DPP





Suggested values:





Edit Binary Value
Value name:
New Value #1
Value data:
00000058 00 FF EE DD CC BB AA 99 . ÿ î Ý Ì » ª .
00000060 88 77 66 55 44 33 22 11 . w f U D 3 " .
00000068 00 BE BE CE DE F9 87 65 . ¾ ¾ Î Þ ù . e
00000070 43 21 00 CD BA 97 52 10 C ! . Í º . R .
00000078 33 44 55 66 77 88 99 AB 3 D U f w . . «
00000080 CD EF 98 76 54 32 10 11 Í ï . v T 2 . .
00000088 22 33 44 55 66 77 88 99 " 3 D U f w . .
00000090 AA BB CC DD EE FF FE FE ª » Ì Ý î ÿ þ þ
00000098 FE CA FF FF DE CA FF FE þ Ê ÿ ÿ Þ Ê ÿ þ
000000A0 EE DD DC CC BB BA AA 99 î Ý Ü Ì » º ª .
000000A8 98 88 77 76 66 55 54 44 . . w v f U T D
OK
Cancel


Edit Binary Value
Value name:
New Value #1
Value data:
000000B0 33 32 22 11 10 00 FF FF 3 2 " . . . ÿ ÿ
000000B8 FF FF FF FF FF FF FE DC ÿ ÿ ÿ ÿ ÿ ÿ þ Ü
000000C0 BA 98 76 54 32 10 FF FF º . v T 2 . ÿ ÿ
000000C8 FF FF BC AD DC AA FF FF ÿ ÿ ¼ - Ü ª ÿ ÿ
000000D0 FF FF FE CA DE CA FF FF ÿ ÿ þ Ê Þ Ê ÿ ÿ
000000D8 FF FF FE FE DC AB FF FF ÿ ÿ þ þ Ü « ÿ ÿ
000000E0 FF FF EE ED BA CD FF FF ÿ ÿ î í º Í ÿ ÿ
000000E8 FF FF FE AC DB 32 10 00 ÿ ÿ þ ¬ Û 2 . .
000000F0 00 00 FF FF FF FF FF DF . . ÿ ÿ ÿ ÿ ÿ ß
000000F8 C2 DA FF FF FF FF FF EF Â Ú ÿ ÿ ÿ ÿ ÿ ï
00000100 DF DF FF FF FF FF 42 41 ß ß ÿ ÿ ÿ ÿ B A
OK
Cancel



Edit Binary Value
Value name:
New Value #1
Value data:
00000108 40 EF FF FF FF FF B2 DC @ ï ÿ ÿ ÿ ÿ ² Ü
00000110 A2 FF FF FF FF FF D2 CD ¢ ÿ ÿ ÿ ÿ ÿ Ò Í
00000118 F2 DF FF FF FF FF FF FF ò ß ÿ ÿ ÿ ÿ ÿ ÿ
00000120 FF FF EF EF EF A1 A4 A6 ÿ ÿ ï ï ï ¡ ¤ ¦
00000128 A8 AA AA AA B0 BB BB BB ¨ ª ª ª ° » » »
00000130 C3 CD CD CD D4 D6 D8 EE Ã Í Í Í Ô Ö Ø î
00000138 EE EE EF EF EF EE EE EE î î ï ï ï î î î
00000140 EE EE EE EE EE EE EF 2C î î î î î î ï ,
00000148 DB AF EE EE EE EE F2 BD Û ¯ î î î î ò ½
00000150 E2 FE EE EE EE EE FD AB â þ î î î î ý «
00000158 FA 2F EE EE EE EE DB A2 ú / î î î î Û ¢
OK
Cancel




This code is based on some not fully made forbiddance (not fully made because it doesn't give any descriptions or advices) with an idea that we start from the greatest letter "F" and if we mix and code the code into the "Yrrygonallya" complex model as is meaningful model "cosmos" we can get "FF", then we want all the letters and numbers included so the first line of code is: "99 88 77 66 55 44 33 22 11 00 FF EE DD CC BB AA", and if we start with numbers in coded and mixed Yrrygonallya we would get police protection, then letters would give us army protection... Second repeating of that line of code would normalize the protection and third would bring it to life...




Then we have the reducing of the protection to a regular level with these lines of code:



The next lines of code rarely few will understand, maybe even me...



“BE” is “yrrygonall” (cosmos jokes left for the marks of meaning of something) code of the display for where we have been and what we have done... Double that would require a next chapter of code (so double that is prolonging of code) and if fully Hexa coded word fits into “Yrrygonallya” then after “BE BE” we would need to finish (as something that has been repeating – fractal, that fits into a particular model – for example “Yrrygonallya” or much simpler and better to understand “cosmos”) – “CE DE” which would mean extra complexing of the ban and the “descriptions to come” of those cosmos jokes appearing on the screen... “F9 87 65 43 21 00” would represent complexing of the data on the extreme level, so when we think on the level of imagining as much as we can achieve with our thought that much cosmos jokes would appear of what has been happening with us... “CD BA 97 52 10” represents how much we need and it says we need all of the data... You will find the name of the file “DPPT” – which by coding and mixing of the word and after playing with “Yrrygonallya” model and “fractal to cosmos” idea – we can find out that probably our data is complexed thanks to the previous code we had and after the “BE BE CE DE F9 87 65 43 21 00” if we connect what is there repeating of a single hexa digit as is for example “0” – “1”, and implement that into the “CD BA” we would get the vertical rectangle with the data included as is: “97 52 10” meaning: “only necessary data to appear, in short sentences that are complete”... That Extrapollation of the data we would get with increasing the:



After that I have typed a complete and most complex ban of that data: “FE FE FE CA”, and allowing of the data: “FF FF DE CA”... “FFF EEE DDD CCC BBB AAA 999 888 777 666 555 444 333 222 1111 000” relies on complexing the need of the data showing and the variety of an ideas for the data to appear thanks to how we are feeling... “FE FE CA DE CA” has something to do with 3DLUT and it is connection part to the complexed data in between “3DLUT” and the “DPPT”...

From Cosmos History “Mergallyezzerrye” named being (belonging to DezAllystawrya model for beings) coding involves coding all files into the scheme of code, how only computer knows to get a real result... That idea “How computer knows” is named “Berslanderr” coding... “Berslanderr” is a name of “NaxAllystawrya” being that was thinking about the idea how all files can be connected all together by implementing a coding algorithm to connect all files and even for a computer to have an idea of implementing files for which particular devices don’t have a written specification...

Mergallyzzarye code connects the data all together – one file with another where one file is coded by implementing the extrapolation of the hex values from “0” to “F” and getting full word of 8 hex values, and all those files together in the end need to make sense...

Boffer code – is for how coded the code is – 8 times “FF” for the stopping of the device, 4 times “FF” in between the “density lines” – the meaningful part of the code... Effer code – represents the values that are “spinning in circle” – and are used to get extrapolation of the data that comes to our mind... Deffer code is there to explain everything and to give a meaning to hex values, hex files and is even able to create the new files and implement them into a code (here “Registry editor”) even if those files are not planned... Noffer code is there to represent the connection even in between the stopping code and the values in

between, and in between the mixure of 3D ideas of the files where we mix both of the hex values of one file with another to get the idea of the 3D image...

To be honest that 3D image is there to represent cosmos joke that we can see on the display or the one that we can learn intuitively. The point is that those things we are doing, we can pull from the smart system and we can learn them efficiently... The system doesn't need to be enabled at all, but by the regulations of the design we are there to at least learn to behave the way the design is requiring...

3DLUT settings are:

- "EnableHardware3DLUT" setting should be in the correlation with the ending of the file "DPPT" and those 2 codes should somehow represent life...

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	f0 dd a0 63 47 02 00 00 80 35 b6 61 47 02 00 00
EnableHardware3DLUT	REG_DWORD	0xf2decdef (4074687983)
Global	REG_BINARY	fa bd cd fc de ff ff ff ff ee ee ee ee ee ee ee
GlobalN	REG_BINARY	ff 2f fd ce ff ff ff ff ee ee ee ee ee ee ee ee

Previous not pleasing values ideas:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	00 00 00 00
EnableHardware3DLUT	REG_DWORD	0x43210567 (1126237543)

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	77 00 77 00
EnableHardware3DLUT	REG_DWORD	0x00003210 (12816)

DWORD: "EnableHardware3DLUT":

- For underworld codes which are maybe only for the environment around you: 43210567
- Life with begging: 56710234
- For 3D feeling for no reason: 22224411
- Fine for work: 75692320
- For shutting down the wrong things: 3210
- For turning on the thinking idea: 6543210
- For necessary: 43210


- Night light: Ban, fun, entertainment: 23153021
- Night light: Life: fdbacdaf
- No Exit: 0xaaaaaaa0

Interesting undefined ideas for the 3DLUT settings are:

- cdafccfc
- 23153021
- bebeca
- cebebeca
- cacabeca
- ffffedca
- Complexed: decabeca
- Fbacdfaf
- fffedbca
- fbacdfaf
- ff2a4cdf

New keys

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\DPPT



Post scriptum

Here you can find my previous, not well made, settings of the address:

- Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\Media

You can look at these images down below just for informational purposes...

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0xffffedbc (4294962620)
EnableACE	REG_DWORD	0xffffedbc (4294962620)
EnableFMD	REG_DWORD	0xffffedbc (4294962620)
EnableIS	REG_DWORD	0xffffedbc (4294962620)
EnableNLAS	REG_DWORD	0xffffedbc (4294962620)
EnableSTE	REG_DWORD	0xffffedbc (4294962620)
EnableSuperResolution	REG_DWORD	0xffffedbc (4294962620)
EnableTCC	REG_DWORD	0xffffedbc (4294962620)
GCompMode	REG_DWORD	0x4444dbed (1145363437)
GExpMode	REG_DWORD	0x999fedbd (2577395133)
InputYUVRange	REG_DWORD	0xfffff123 (4294963491)
NLASHLinearRegion	REG_DWORD	0xeffffffe (4026531838)
NLASNonLinearCrop	REG_DWORD	0xfeeeeeef (4277071599)
NLASVerticalCrop	REG_DWORD	0xfeeffeef (4277141231)
NoiseReductionAutoDetectEnabledAlways	REG_DWORD	0xffbecaaa (4290693802)
NoiseReductionEnableChroma	REG_DWORD	0xfffeeeee (4294897390)
NoiseReductionEnabledAlways	REG_DWORD	0xfffeeeee (4294897390)
NoiseReductionFactor	REG_DWORD	0xabc987ef (2882111471)
ProcAmpApplyAlways	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpBrightness	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpContrast	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpHue	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpSaturation	REG_DWORD	0xfeefdabd (4277131965)
SatFactorBlue	REG_DWORD	0xeeeddfff (4008566783)
SatFactorCyan	REG_DWORD	0xeeeddfff (4008566783)
SatFactorGreen	REG_DWORD	0xeeeddfff (4008566783)
SatFactorMagenta	REG_DWORD	0xeeeddfff (4008566783)
SatFactorRed	REG_DWORD	0xeeeddfff (4008566783)
SatFactorYellow	REG_DWORD	0xeeeddfff (4008566783)
SharpnessEnabledAlways	REG_DWORD	0xdecaffff (3737845759)
SharpnessFactor	REG_DWORD	0xfabecaff (4206807807)
SkinTone	REG_DWORD	0xcefdecaf (3472747695)
SuperResolutionEnabled	REG_DWORD	0xbffaceff (3220885247)
SuperResolutionMode	REG_DWORD	0xdecadeca (3737837258)
UISharpnessOptimalEnabledAlways	REG_DWORD	0xaddeefff (2917068799)

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0x92715432 (2456900658)
EnableACE	REG_DWORD	0x92715432 (2456900658)
EnableFMD	REG_DWORD	0x92715432 (2456900658)
EnableIS	REG_DWORD	0x92715432 (2456900658)
EnableNLAS	REG_DWORD	0x92715432 (2456900658)
EnableSTE	REG_DWORD	0x92715432 (2456900658)
EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
EnableTCC	REG_DWORD	0x43bdcecf (1136512719)
GCompMode	REG_DWORD	0x92715432 (2456900658)
GExpMode	REG_DWORD	0x92715432 (2456900658)
InputYUVRange	REG_DWORD	0xffffffff (4294967295)
NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
NLASVerticalCrop	REG_DWORD	0x00000000 (0)
NoiseReductionAutoDetectEnabledAlways	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlways	REG_DWORD	0xfafbdcfe (4210810110)
ProcAmpBrightness	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpContrast	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpHue	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpSaturation	REG_DWORD	0xfeeeeeef (4277071599)
SatFactorBlue	REG_DWORD	0x000000a0 (160)
SatFactorCyan	REG_DWORD	0x000000a0 (160)
SatFactorGreen	REG_DWORD	0x000000a0 (160)
SatFactorMagenta	REG_DWORD	0x000000a0 (160)
SatFactorRed	REG_DWORD	0x000000a0 (160)
SatFactorYellow	REG_DWORD	0x000000a0 (160)
SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
SharpnessFactor	REG_DWORD	0x123da230 (306029104)
SkinTone	REG_DWORD	0xdc321043 (3694268483)
SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
UISharpnessOptimalEnabledAlways	REG_DWORD	0xfedafdaf (4275764655)

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0x92715432 (2456900658)
EnableACE	REG_DWORD	0x92715432 (2456900658)
EnableFMD	REG_DWORD	0x92715432 (2456900658)
EnableIS	REG_DWORD	0x92715432 (2456900658)
EnableNLAS	REG_DWORD	0x92715432 (2456900658)
EnableSTE	REG_DWORD	0x92715432 (2456900658)
EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
EnableTCC	REG_DWORD	0x43bdcecf (1136512719)
GCompMode	REG_DWORD	0x92715432 (2456900658)
GExpMode	REG_DWORD	0x92715432 (2456900658)
InputYUVRange	REG_DWORD	0xffffffff (4294967295)
NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
NLASVerticalCrop	REG_DWORD	0x00000000 (0)
NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlways	REG_DWORD	0xfafbdcfe (4210810110)
ProcAmpBrightness	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpContrast	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpHue	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpSaturation	REG_DWORD	0xfeeeeeef (4277071599)
SatFactorBlue	REG_DWORD	0x000000a0 (160)
SatFactorCyan	REG_DWORD	0x000000a0 (160)
SatFactorGreen	REG_DWORD	0x000000a0 (160)
SatFactorMagenta	REG_DWORD	0x000000a0 (160)
SatFactorRed	REG_DWORD	0x000000a0 (160)
SatFactorYellow	REG_DWORD	0x000000a0 (160)
SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
SharpnessFactor	REG_DWORD	0x123da230 (306029104)
SkinTone	REG_DWORD	0xdc321043 (3694268483)
SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedafdaf (4275764655)

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0x92715432 (2456900658)
EnableACE	REG_DWORD	0x92715432 (2456900658)
EnableFMD	REG_DWORD	0x92715432 (2456900658)
EnableIS	REG_DWORD	0x92715432 (2456900658)
EnableNLAS	REG_DWORD	0x92715432 (2456900658)
EnableSTE	REG_DWORD	0x92715432 (2456900658)
EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
EnableTCC	REG_DWORD	0x43bdcecf (1136512719)
GCompMode	REG_DWORD	0x92715432 (2456900658)
GExpMode	REG_DWORD	0x92715432 (2456900658)
InputYUVRange	REG_DWORD	0xffffffff (4294967295)
NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
NLASVerticalCrop	REG_DWORD	0x00000000 (0)
NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlways	REG_DWORD	0xfafbdcfe (4210810110)
ProcAmpBrightness	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpContrast	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpHue	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpSaturation	REG_DWORD	0xfeeeeeef (4277071599)
SatFactorBlue	REG_DWORD	0x000000a0 (160)
SatFactorCyan	REG_DWORD	0x000000a0 (160)
SatFactorGreen	REG_DWORD	0x000000a0 (160)
SatFactorMagenta	REG_DWORD	0x000000a0 (160)
SatFactorRed	REG_DWORD	0x000000a0 (160)
SatFactorYellow	REG_DWORD	0x000000a0 (160)
SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
SharpnessFactor	REG_DWORD	0x123da230 (306029104)
SkinTone	REG_DWORD	0xdc321043 (3694268483)
SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedafdaf (4275764655)

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0x43bdcecf (1136512719)
EnableACE	REG_DWORD	0x43bdcecf (1136512719)
EnableFMD	REG_DWORD	0x43bdcecf (1136512719)
EnableIS	REG_DWORD	0x43bdcecf (1136512719)
EnableNLAS	REG_DWORD	0x43bdcecf (1136512719)
EnableSTE	REG_DWORD	0x43bdcecf (1136512719)
EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
EnableTCC	REG_DWORD	0x43bdcecf (1136512719)
GCompMode	REG_DWORD	0x43bdcecf (1136512719)
GExpMode	REG_DWORD	0xdfebdfeb (3756777451)
InputYUVRange	REG_DWORD	0xffffffff (4294967295)
NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
NLASVerticalCrop	REG_DWORD	0x00000000 (0)
NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlways	REG_DWORD	0xfafbdcfe (4210810110)
ProcAmpBrightness	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpContrast	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpHue	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpSaturation	REG_DWORD	0xfeeeeeef (4277071599)
SatFactorBlue	REG_DWORD	0x000000a0 (160)
SatFactorCyan	REG_DWORD	0x000000a0 (160)
SatFactorGreen	REG_DWORD	0x000000a0 (160)
SatFactorMagenta	REG_DWORD	0x000000a0 (160)
SatFactorRed	REG_DWORD	0x000000a0 (160)
SatFactorYellow	REG_DWORD	0x000000a0 (160)
SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
SharpnessFactor	REG_DWORD	0x123da230 (306029104)
SkinTone	REG_DWORD	0xfedc3217 (4275843607)
SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedafdaf (4275764655)

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0xfcfcfcfc (4244438268)
EnableACE	REG_DWORD	0xfcfcfcfc (4244438268)
EnableFMD	REG_DWORD	0xfcfcfcfc (4244438268)
EnableIS	REG_DWORD	0xfcfcfcfc (4244438268)
EnableNLAS	REG_DWORD	0xfcfcfcfc (4244438268)
EnableSTE	REG_DWORD	0xfcfcfcfc (4244438268)
EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
EnableTCC	REG_DWORD	0xfcfcfcfc (4244438268)
GCompMode	REG_DWORD	0xcccccccc (3435973836)
GExpMode	REG_DWORD	0xffffffff (4294967295)
InputYUVRange	REG_DWORD	0xffffffff (4294967295)
NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
NLASVerticalCrop	REG_DWORD	0x00000000 (0)
NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlways	REG_DWORD	0xfafbdcfe (4210810110)
ProcAmpBrightness	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpContrast	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpHue	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpSaturation	REG_DWORD	0xfeeeeeef (4277071599)
SatFactorBlue	REG_DWORD	0x000000a0 (160)
SatFactorCyan	REG_DWORD	0x000000a0 (160)
SatFactorGreen	REG_DWORD	0x000000a0 (160)
SatFactorMagenta	REG_DWORD	0x000000a0 (160)
SatFactorRed	REG_DWORD	0x000000a0 (160)
SatFactorYellow	REG_DWORD	0x000000a0 (160)
SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
SharpnessFactor	REG_DWORD	0x123da230 (306029104)
SkinTone	REG_DWORD	0xfedc3210 (4275843600)
SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedafdaf (4275764655)

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0xacacacac (2896997548)
EnableACE	REG_DWORD	0xacacacac (2896997548)
EnableFMD	REG_DWORD	0xacacacac (2896997548)
EnableIS	REG_DWORD	0xacacacac (2896997548)
EnableNLAS	REG_DWORD	0xacacacac (2896997548)
EnableSTE	REG_DWORD	0xacacacac (2896997548)
EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
EnableTCC	REG_DWORD	0xacacacac (2896997548)
GCompMode	REG_DWORD	0xcccccccc (3435973836)
GExpMode	REG_DWORD	0xaaaaaaaa (2863311530)
InputYUVRange	REG_DWORD	0xffffffff (4294967295)
NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
NLASVerticalCrop	REG_DWORD	0x00000000 (0)
NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlways	REG_DWORD	0xfafbdcfe (4210810110)
ProcAmpBrightness	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpContrast	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpHue	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpSaturation	REG_DWORD	0xfeeeeeef (4277071599)
SatFactorBlue	REG_DWORD	0x000000a0 (160)
SatFactorCyan	REG_DWORD	0x000000a0 (160)
SatFactorGreen	REG_DWORD	0x000000a0 (160)
SatFactorMagenta	REG_DWORD	0x000000a0 (160)
SatFactorRed	REG_DWORD	0x000000a0 (160)
SatFactorYellow	REG_DWORD	0x000000a0 (160)
SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
SharpnessFactor	REG_DWORD	0x123da230 (306029104)
SkinTone	REG_DWORD	0xfedc3210 (4275843600)
SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedafdaf (4275764655)


Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0xeeeeeeee (4008636142)
EnableACE	REG_DWORD	0xfefefefe (4278124286)
EnableFMD	REG_DWORD	0xfefefefe (4278124286)
EnableIS	REG_DWORD	0xfefefefe (4278124286)
EnableNLAS	REG_DWORD	0xfefefefe (4278124286)
EnableSTE	REG_DWORD	0xfefefefe (4278124286)
EnableSuperResolu...	REG_DWORD	0x12345678 (305419896)
EnableTCC	REG_DWORD	0xfefefefe (4278124286)
GCompMode	REG_DWORD	0xfefefefe (4278124286)
GExpMode	REG_DWORD	0xfefefefe (4278124286)
InputYUVRange	REG_DWORD	0xffffffff (4294967295)
NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
NLASVerticalCrop	REG_DWORD	0x00000000 (0)
NoiseReductionAut...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEna...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEna...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionFac...	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlw...	REG_DWORD	0xfafbdcfe (4210810110)
ProcAmpBrightness	REG_DWORD	0x22222222 (572662306)
ProcAmpContrast	REG_DWORD	0xffffffff (4294967295)
ProcAmpHue	REG_DWORD	0x33333333 (858993459)
ProcAmpSaturation	REG_DWORD	0xeeeeeeee (4008636142)
SatFactorBlue	REG_DWORD	0x000000a0 (160)
SatFactorCyan	REG_DWORD	0x000000a0 (160)
SatFactorGreen	REG_DWORD	0x000000a0 (160)
SatFactorMagenta	REG_DWORD	0x000000a0 (160)
SatFactorRed	REG_DWORD	0x000000a0 (160)
SatFactorYellow	REG_DWORD	0x000000a0 (160)
SharpnessEnabled...	REG_DWORD	0x77777777 (2004318071)
SharpnessFactor	REG_DWORD	0x123da230 (306029104)
SkinTone	REG_DWORD	0xfedc3210 (4275843600)
SuperResolutionEn...	REG_DWORD	0xdfceabfd (3754863613)
SuperResolutionM...	REG_DWORD	0xfead0321 (4272751393)
UISharpnessOptim...	REG_DWORD	0xfedafdaf (4275764655)

Name	Type	Data
(Default)	RE...	(value not set)
AceLevel	RE...	0xeeeeeeee (4008636142)
EnableACE	RE...	0xfefefefe (4278124286)
EnableFMD	RE...	0xfefefefe (4278124286)
EnableIS	RE...	0xfefefefe (4278124286)
EnableNLAS	RE...	0xfefefefe (4278124286)
EnableSTE	RE...	0xfefefefe (4278124286)
EnableSuperResolution	RE...	0x12345678 (305419896)
EnableTCC	RE...	0xfefefefe (4278124286)
GCompMode	RE...	0xfefefefe (4278124286)
GExpMode	RE...	0xfefefefe (4278124286)
InputYUVRange	RE...	0xffffffff (4294967295)
NLASHLinearRegion	RE...	0xffffffff (4294967295)
NLASNonLinearCrop	RE...	0x00000000 (0)
NLASVerticalCrop	RE...	0x00000000 (0)
NoiseReductionAutoDetectEnabledAlways	RE...	0xffffffff (4294967295)
NoiseReductionEnableChroma	RE...	0xffffffff (4294967295)
NoiseReductionEnabledAlways	RE...	0xffffffff (4294967295)
NoiseReductionFactor	RE...	0xffffffff (4294967295)
ProcAmpApplyAlways	RE...	0xfafbdcfe (4210810110)
ProcAmpBrightness	RE...	0x22222222 (572662306)
ProcAmpContrast	RE...	0xffffffff (4294967295)
ProcAmpHue	RE...	0x33333333 (858993459)
ProcAmpSaturation	RE...	0xeeeeeeee (4008636142)
SatFactorBlue	RE...	0x000000a0 (160)
SatFactorCyan	RE...	0x000000a0 (160)
SatFactorGreen	RE...	0x000000a0 (160)
SatFactorMagenta	RE...	0x000000a0 (160)
SatFactorRed	RE...	0x000000a0 (160)
SatFactorYellow	RE...	0x000000a0 (160)
SharpnessEnabledAlways	RE...	0x77777777 (2004318071)
SharpnessFactor	RE...	0x123da230 (306029104)
SkinTone	RE...	0xfedc3210 (4275843600)
SuperResolutionEnabled	RE...	0xf6f5f4f3 (4143314163)
SuperResolutionMode	RE...	0xfefefefe (4278124286)
UISharpnessOptimalEnabledAlways	RE...	0xfedafdaf (4275764655)

Name	Type	Data
(Default)	RE...	(value not set)
AceLevel	RE...	0xfefefefe (4278124286)
EnableACE	RE...	0xfefefefe (4278124286)
EnableFMD	RE...	0xfefefefe (4278124286)
EnableIS	RE...	0xfefefefe (4278124286)
EnableNLAS	RE...	0xfefefefe (4278124286)
EnableSTE	RE...	0xfefefefe (4278124286)
EnableSuperResolution	RE...	0xfefefefe (4278124286)
EnableTCC	RE...	0xfefefefe (4278124286)
GCompMode	RE...	0xfefefefe (4278124286)
GExpMode	RE...	0xfefefefe (4278124286)
InputYUVRange	RE...	0xffffffff (4294967295)
NLASHLinearRegion	RE...	0xffffffff (4294967295)
NLASNonLinearCrop	RE...	0x00000000 (0)
NLASVerticalCrop	RE...	0x00000000 (0)
NoiseReductionAutoDetectEnabledAlways	RE...	0x00000001 (1)
NoiseReductionEnableChroma	RE...	0x00000001 (1)
NoiseReductionEnabledAlways	RE...	0x00000001 (1)
NoiseReductionFactor	RE...	0xffffffff (4294967295)
ProcAmpApplyAlways	RE...	0x00000000 (0)
ProcAmpBrightness	RE...	0x00000000 (0)
ProcAmpContrast	RE...	0x3f800000 (1065353216)
ProcAmpHue	RE...	0x00000000 (0)
ProcAmpSaturation	RE...	0x3f800000 (1065353216)
SatFactorBlue	RE...	0x000000a0 (160)
SatFactorCyan	RE...	0x000000a0 (160)
SatFactorGreen	RE...	0x000000a0 (160)
SatFactorMagenta	RE...	0x000000a0 (160)
SatFactorRed	RE...	0x000000a0 (160)
SatFactorYellow	RE...	0x000000a0 (160)
SharpnessEnabledAlways	RE...	0x00000001 (1)
SharpnessFactor	RE...	0x123da230 (306029104)
SkinTone	RE...	0xfedc3210 (4275843600)
SuperResolutionEnabled	RE...	0xf2da4fed (4074393581)
SuperResolutionMode	RE...	0x324defdf (843968479)
UISharpnessOptimalEnabledAlways	RE...	0x00000001 (1)

FFRTXZ

DPPTXZ





FRTXZ




If you want to allow:

- Dellante you should use “fafadafa” (as some primitive planets knew so) or “fefedefe”…
- Rante: 2a2a2a2a, 2b2adca2
- Orante: 23232323, f23dbaf2
- Ferante: fdffdfdf
- Adyllante: f2dcabfd, fbdcafdb

Earlier values not implemented are for “Global”: “F2DF2AF2” – extrowallyattarry ban – on all and everything but reading only allowed things… For the file “GlobalN”: “AFDFEDDF” we have Nonbralltyya ban on reading banned things… Because you do actually need to ban idea of global (usually alien reading for smart beings) and there are “symbols” (words)

QPTXZ



“HKEY_LOCAL_MACHINE\SOFTWARE\Intel” Folders

Under a key: “Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel” I had these keys:


- DDRTZ
  - DPPT
- DGFX
  - 6D
  - 7D
  - 8D
  - DPPT
- DGFXI
  - 9D
  - 10D
  - 11D
  - 12D
- DPPT
- FFRTZ
  - DPPTXZ
  - FRTXZ
- GFX
  - DPPT
- IGFX
  - 2D
  - 3D
  - 4D
  - 5D
  - DPP
  - DPPT
- PSIS
  - DPPT
- SUR
  - DPPT
- DRGFXZ
  - MISC
  - DPPTXZ


Notice that under the Key “IGFX” there is a Key “DPP”, I renamed it to “DPPT” for the hope of a better system… But that didn’t help much… The point is that connected Keys and the Data in the QWORD creates a fully valued system and some long words can’t be usually shortened to a programmed code as is “DRTZ” from the “Deggennerreyyazzattyonall” – which means involvement of the watches…


Under below you will find the images of the files with codes you need to open and fill into Registry Editor.


When you find a “REG_DWORD” file named: “EnableHardware3DLUT” you should rename it to the “EnableHardwareDLUT”.


Old photos and some of the values:





Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\ZTX
5D
ZTX
15D
16D
17D
18D
19D
ZTZ
30D
50D
PSIS
PSIS_DECODER
Qupystallya
QZT
ZTZ
5000DQZ
Qzembrya
RPGZX
QZQ
QZT
SUR
ESRV_SVC_QUEENCREEK
ICIP
ICIP_RUN
Installers
TelemetryAgent
TRST
ZTC
AFD
100D
500D
ZTX
1000D
ZTZ
5000D
Zygollarmanttyyanallyannya



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui
Intel
CollectorService
CrashLog
DDRT
QZT
ZTZ
5000DQZ
Display
igfxcui
MediaKeys
MISC
Driver and Support Assistant
DQRST
ZTC
10DQ
ZTX
100DQ
ZTZ
1000DQ
RPGZX
QZQ
QZT
GFX
Internal
GFXInstaller
TRST
ZTC
AFD
100D
500D
ZTX
1000D
ZTZ
5000D
PresentMon
ProfileAgent
ZXQPRST
QZQ
ZTZ
5000DGXZQ
PRSTQRST
DQX
PSIS



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST
PRST
BCB
QQX
BRC
DQX
ZTC
3D
4D
5D
ZTX
15D
16D
17D
18D
19D
ZTZ
30D
50D
Qzembrya
SUR
ESRV_SVC_QUEENCREEK
ICIP
ICIP_RUN
Installers
TelemetryAgent
DPPT



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel
Intel
CollectorService
CrashLog
DRIVER_CRASH_DETECT
DDRTZ
DPPT
DGFX
6D
7D
8D
DPPT
DGFXI
10D
11D
12D
9D
Display
igfxcui
DRGFXZ
MISC
Driver and Support Assistant
Settings
FFRTXZ
DPPT
FRTXZ
QPTXZ
QRFTXZ
XRPTZ
XRSTDPPTZ
GFX
2D
Internal
GFXInstaller
LevelZero
IGFX
2D
3D
4D
5D
DPP
DPPT
DPPTQRSTZX
PresentMon
Service
ProfileAgent



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\ProfileAgent
ProfileAgent
PSIS
PSIS_DECODER
QDGFXZ
15D
16D
17D
18D
19D
QPRSTXTZ
40D
QPRSTZZZ
30D
QRSTXZDPPTZZZ
SUR
ESRV_SVC_QUEENCREEK
ICIP
ICIP_RUN
Installers
TelemetryAgent


DGFX



Intel
CollectorService
CrashLog
DGFX
6D
7D
8D
DPPT
Name
Type
Data
(Default)
REG_SZ
(value not set)
Azellera
REG_DWORD
0x22346789 (573859721)
Konzolera
REG_DWORD
0x22345678 (573855352)
PrebuiltShaderBinaryDirPath
REG_SZ
C:\Program Files\Intel\PrebuiltShaderBinaries



Intel
CollectorService
CrashLog
DGFX
6D
7D
8D
DPPT
Name
Type
Data
(Default)
REG_SZ
(value not set)
Fabryzzya
REG_DWORD
0x97560123 (2538996003)
PrebuiltShaderBinaryDirPath
REG_SZ
C:\Program Files\Intel\PrebuiltShaderBinaries



Intel
CollectorService
CrashLog
DGFX
6D
7D
8D
DPPT
Name
Type
Data
(Default)
REG_SZ
(value not set)
Deferecce
REG_DWORD
0xc2d2acdf (3268586719)
Ferecce
REG_DWORD
0xb2d2dcaf (3000163503)
PrebuiltShaderBinaryDirPath
REG_SZ
C:\Program Files\Intel\PrebuiltShaderBinaries


Intel
CollectorService
CrashLog
DDRTZ
DPPT
DGFX
6D
7D
8D
DPPT
Name
Type
Data
(Default)
REG_SZ
(value not set)
DisableDPPTTemprarily
REG_QWORD
0xf202dbadcafacdca (17438742246613241290)
EnableHardwareXDLUT
REG_QWORD
0xdbca2ab2c2d2e2f2 (15837517986862916338)



DGFX
8D
DPPT
DGFXI
12D
DPPT
Display
Name
Type
Data
(Default)
REG_SZ
(value not set)
DisableDPPTemporarily
REG_BINARY
f2 02 a3 4c 2d 58 2d dd dd dd ee ee ee ee ff ff ff ff ff ff ff ff
EnableHardwareDLUT
REG_DWORD
0xf28245cd (4068623821)
Global
REG_BINARY
60 e8 bb 61 47 02 00 00 50 01 b3 61 47 02 00 00
GlobalN
REG_BINARY
60 e8 bb 61 47 02 00 00 50 01 b3 61 47 02 00 00



Edit Binary Value
Value name:
DisableDPPTemporarily
Value data:
00000000 F2 02 A3 4C 2D 58 2D DD ò . £ L - X - Ý
00000008 DD DD EE EE EE EE FF FF Ý Ý î î î î ÿ ÿ
00000010 FF FF FF FF FF FF ÿ ÿ ÿ ÿ ÿ ÿ
OK
Cancel



Edit Binary Value
Value name:
Global
Value data:
00000000 60 E8 BB 61 47 02 00 00 ` è » a G . . .
00000008 50 01 B3 61 47 02 00 00 P . ³ a G . . .
00000010
OK
Cancel



Edit Binary Value
Value name:
GlobalN
Value data:
00000000 60 E8 BB 61 47 02 00 00 ` è » a G . . .
00000008 50 01 B3 61 47 02 00 00 P . ³ a G . . .
00000010
OK
Cancel

DGFXI


DGFXI
12D
DPPT
Display
DPPT
Name
Type
Data
(Default)
REG_SZ
(value not set)
Aferecce
REG_DWORD
0x2a4cd2b2 (709677746)
PrebuiltShaderBinaryDirPath
REG_SZ
C:\Program Files\Intel\PrebuiltShaderBinaries



DGFXI
12D
DPPT
Display
igfxcui
3D
MediaKeys
Name
Type
Data
(Default)
REG_SZ
(value not set)
DisableDPPTemporarily
REG_BINARY
f2 4c eb 2d ef ef ef ef ff ff ff ff ff ff ff
EnableHardwareDLUT
REG_DWORD
0xffffffff (4294967295)
Global
REG_BINARY
fa bd cd fc de ff ff ff ff ee ee ee ee ee ee ee
GlobalN
REG_BINARY
ff 2f fd ce ff ff ff ff ee ee ee ee ee ee ee



Edit Binary Value
Value name:
Global
Value data:
00000000 FA BD CD FC DE FF FF FF ú ½ Í ü Þ ÿ ÿ ÿ
00000008 FF EE EE EE EE EE EE EE ÿ î î î î î î î
00000010
OK
Cancel


Edit Binary Value
Value name:
GlobalN
Value data:
00000000 FF 2F FD CE FF FF FF FF ÿ / ý Î ÿ ÿ ÿ ÿ
00000008 EE EE EE EE EE EE EE EE î î î î î î î î
00000010
OK
Cancel


DPPT



DPPT
Driver and Support Assistant
FFRTZ
DPPTXZ
GFX
Name
Type
Data
(Default)
REG_SZ
(value not set)
Global
REG_BINARY
ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff
GlobalN
REG_BINARY
ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff



Edit Binary Value
Value name:
Global
Value data:
00000000 FF FF FF FF FF FF FF FF ÿ ÿ ÿ ÿ ÿ ÿ ÿ ÿ
00000008 FF FF FF FF FF FF FF FF ÿ ÿ ÿ ÿ ÿ ÿ ÿ ÿ
00000010
OK
Cancel


Edit Binary Value
Value name:
GlobalN
Value data:
00000000 FF FF FF FF FF FF FF FF ÿ ÿ ÿ ÿ ÿ ÿ ÿ ÿ
00000008 FF FF FF FF FF FF FF FF ÿ ÿ ÿ ÿ ÿ ÿ ÿ ÿ
00000010 FF FF FF FF FF FF FF FF ÿ ÿ ÿ ÿ ÿ ÿ ÿ ÿ
00000018
OK
Cancel


GFX



GFX
DPPT
Internal
GFXInstaller
LevelZero
{2BA535F4-FEF9-45E1-9F
IGFX
Name
Type
Data
(Default)
REG_SZ
(value not set)
Acarella
REG_DWORD
0x47256310 (1193632528)
Carella
REG_DWORD
0x24567125 (609644837)
Global
REG_BINARY
fa bd cd fc de ff ff ff ff ee ee ee ee ee ee ee
GlobalN
REG_BINARY
ff 2f fd ce ff ff ff ff ee ee ee ee ee ee ee ee



Edit Binary Value
Value name:
Global
Value data:
00000000 FA BD CD FC DE FF FF FF ú ½ Í ü Þ ÿ ÿ ÿ
00000008 FF EE EE EE EE EE EE EE ÿ î î î î î î î
00000010
OK
Cancel



Edit Binary Value
Value name:
GlobalN
Value data:
00000000 FF 2F FD CE FF FF FF FF ÿ / ý Î ÿ ÿ ÿ ÿ
00000008 EE EE EE EE EE EE EE EE î î î î î î î î
00000010
OK
Cancel

IGFX



IGFX
2D
3D
4D
5D
DPPT
Name
Type
Data
(Default)
REG_SZ
(value not set)
Anhenyo
REG_DWORD
0x22222222 (572662306)
Genyo
REG_DWORD
0x11111111 (286331153)
PrebuiltShaderBinaryDirPath
REG_SZ
C:\Program Files\Intel\PrebuiltShaderBinaries


IGFX
2D
3D
4D
5D
DPPT
Name
Type
Data
(Default)
REG_SZ
(value not set)
Delascronzza
REG_DWORD
0xf8bde4ce (4173194446)
Lascronzza
REG_DWORD
0xf2bde4ce (4072531150)
PrebuiltShaderBinaryDirPath
REG_SZ
C:\Program Files\Intel\PrebuiltShaderBinaries







DPPT




Or different idea of the DPPT which cuts the system differently:




DPPTXZ




DPP




DPPTQXRSTZ





PSIS




Or different solution which I am not preferring:








SUR




Or different solution which I am not preferring:




igfxcui


Files 3105 and 3106 leave the same, but create 3107, and 3108 and 3109…




Here you can find a regular DRRSDisableRR which is 30… I set it to something that for me makes more sense…



You can use this model with BKPDisplayLACE with all of the “f” chars but I do not suggest it because it represents open system of everyone around you and it doesn’t focus you on your job only…





When you have a primitive idea of the 3D, you can implement 4D, 5D and up to 15D in the files as are dgfxcui (4D, 5D) and rgfxcui (6D, 7D, 8D), drgfxcui (9D, 10D, 11D), qxdrgfxcui (12D, 13D, 14D, 15D)... Each of those files should have the idea of the system speed being created by pixel movement to awake the brain idea of the cosmos jokes on the certain frequencies which is interesting because then user can see 3D image and so on...


12D
DPPT
Display
igfxcui
3D
MediaKeys
MISC
DPPT
Driver and Support Assistant
FFRTXZ
DPPTXZ
Name
Type
Data
(Default)
REG_SZ
(value not set)
Brotallya
REG_DWORD
0xdad3a200 (3671302656)
GlobalF
REG_BINARY
af df ed df ff ff ff ff ff ff ff ff ff ff ff ff
GlobalFF
REG_BINARY
f2 df 2a f2 ee ee ee ee ff ff ff ff ff ff ff ff

DRGFXZ

For Quanzyllyumar Display type regular values, and for a regular one type 8 times f: “ffffffff” into Ablagerio and Zeronimo...





I believe if there is Ablagerio “ffffffff” and Zeronimo “ffffffff” then there is the key “DPPT” instead of “DPPTXZ”...


QDGFX

RSPTXD


Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RSPTXD




DPPTXZ




Banning





Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QRSTXZDPPTZZZ
DDRTZ
DGFX
6D
7D
8D
DGFXI
10D
11D
12D
9D
DGQFGXZZZ
Display
DPPTXZZZ
DRGFXZ
Driver and Support Assistant
FFRTZ
GFX
GFXInstaller
IGFX
PQRST
100D
500D
50D
ZTX
1000D
ZTZ
PresentMon
ProfileAgent
PSIS
QDGFXZ
15D
16D
17D
18D
19D
QPRST
QPRSTZZZ
30D
QRPTXZZZ
QRSTXZDPPTZZZ
Name Type Data
(Default) REG_SZ (value not set)
DisableDPPTemporarily REG_QWORD 0xffffffffffffffff (18446744073709551615)
Global REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalD REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalF REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalL REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalLL REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalLLL REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalN REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalQ REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalR REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalS REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalT REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalTT REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalX REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalY REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalZ REG_QWORD 0xffffffffffffffff (18446744073709551615)
GlobalZZZ REG_QWORD 0xffffffffffffffff (18446744073709551615)
Local REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalD REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalF REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalL REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalLL REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalLLL REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalN REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalQ REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalR REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalS REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalT REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalTT REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalX REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalY REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalZ REG_QWORD 0xffffffffffffffff (18446744073709551615)
LocalZZZ REG_QWORD 0x00000000 (0)


Something


Previously not good settings are moved to this part of the TXT without thinking and maybe these codes represent something, maybe they ain't that good, but I find them unnecessary...






PRST








Fedbcdaefdfaefdf

Ayyannte



QDGFXZ

Zyndallya, Zembrallyya, Zemmallyya 3 bans on everything out there

Ffdbcdaffedbcdae

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\3D

- Display
  - igfxcui
    - 3D
    - MediaKeys
    - MISC
  - DPPTXZZZ

Name	Type	Data
(Default)	REG_SZ	(value not set)
Allacannte	REG_QWORD	0xfedcbaefefefdbca (18364758920195464138)
Fellacannte	REG_QWORD	0xcedefefefefedcba (14906632187796184250)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\3D

- IGFX
  - 3D
  - 4D
  - 5D
- PQRST
  - ZTX

Name	Type	Data
(Default)	REG_SZ	(value not set)
Delascronzza	REG_DWORD	0xf8bde4ce (4173194446)
Lascronzza	REG_DWORD	0xf2bde4ce (4072531150)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\4D

- IGFX
  - 4D
  - 5D
- PQRST

Name	Type	Data
(Default)	REG_SZ	(value not set)
Lenguarrya	REG_DWORD	0x75623120 (1969369376)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\5D

- IGFX
  - 5D
- PQRST
  - ZTX
    - 1000D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Deguaryannallya	REG_DWORD	0x95732106 (2507350278)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\6D

- DGFX
  - 6D
  - 7D
  - 8D
- DGFXI
  - 10D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Azellera	REG_DWORD	0x22346789 (573859721)
Konzolera	REG_DWORD	0x22345678 (573855352)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\7D

- DGFX
  - 7D
  - 8D
- DGFXI
  - 10D
  - 11D
  - 12D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Annattollyya	REG_QWORD	0xfadfdfaafddfaaff (18077413354785188607)
Fabryzzya	REG_DWORD	0x97560123 (2538996003)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries


Registry Editor


File Edit View Favorites Help


Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\8D


- DGFX
  - 8D
- DGFXI
  - 10D
  - 11D
  - 12D


Name	Type	Data
(Default)	REG_SZ	(value not set)
Deferecce	REG_DWORD	0xc2d2acdf (3268586719)
Ferecce	REG_DWORD	0xb2d2dcaf (3000163503)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DDRTZ
DDRTZ
DGFXI
10D
11D
12D
9D
Name Type Data
(Default) REG_SZ (value not set)
Allezurryyanallyya REG_QWORD 0xffffffffffffffff (18446744073709551615)
C:\Program Files\Intel\PrebuiltSha... REG_SZ PrebuiltShaderBinaryDirPath
Llezzuryyanallyya REG_QWORD 0xfffeeeeeeeeeeee (18446443833734393582)



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFXI\9D
Intel
CollectorService
CrashLog
DGFXI
10D
11D
12D
9D
Name Type Data
(Default) REG_SZ (value not set)
Annadollyya REG_QWORD 0xdbdbdbdbdbdbdbdb (15842497851538791387)
Bennadollyya REG_QWORD 0xfdfdfdfdfdfdfdfd (18302063728033398269)
Dennatollyya REG_QWORD 0xf4c2cdeb2fdebfef (17636885500740419567)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFXI\10D
Intel
CollectorService
CrashLog
DGFXI
10D
11D
12D
9D
Name Type Data
(Default) REG_SZ (value not set)
Lymrall REG_QWORD 0xfedafedafedafeda (18364270647088709338)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
Zymrall REG_QWORD 0xfefafefafefafefa (18373277983784500986)



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFXI\11D
Intel
CollectorService
CrashLog
DGFXI
10D
11D
12D
9D
Name Type Data
(Default) REG_SZ (value not set)
Ostarryya REG_QWORD 0xdefedefedefedefe (16068525706748813054)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
Rostarryya REG_QWORD 0xfdbad2d4d6fefefe (18283157448845885182)



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFXI\12D
Intel
CollectorService
CrashLog
DGFXI
10D
11D
12D
9D
Name Type Data
(Default) REG_SZ (value not set)
Aferecce REG_DWORD 0x2a4cd2b2 (709677746)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DPPTXZZZ
DPPTXZZZ
DRGFXZ
Driver and Support Assistant
FFRTZ
GFX
GFXInstaller
Name Type Data
(Default) REG_SZ (value not set)
Allyhhynnerryanallyannya REG_QWORD 0x2323232323232323 (2531906049332683555)
Dellahhynerryanallyannya REG_QWORD 0x3232323232323232 (3617008641903833650)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DRGFXZ\MISC
DRGFXZ
MISC
Driver and Support Assistant
FFRTZ
GFX
GFXInstaller
Name Type Data
(Default) REG_SZ (value not set)
Ablagerio REG_DWORD 0xc4dfd2fd (3303002877)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
Zeronimo REG_DWORD 0x2fdfa2fd (803185405)



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\DRPTZ
FFRTZ
DRPTZ
DRSTPPTZ
FRTZ
QPTZ
QRFTZ
Name Type Data
(Default) REG_SZ (value not set)
Alldenbrahyya REG_QWORD 0xfffeeeddbbccaaff (18446443759862065919)
Denbrahyya REG_QWORD 0xfedcadbdbaadcdba (18364744410902416826)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\DRSTPPTZ
FFRTZ
DRPTZ
DRSTPPTZ
FRTZ
QPTZ
QRFTZ
GFX
Name Type Data
(Default) REG_SZ (value not set)
Anahullyya REG_QWORD 0xfefedefefefefefe (18374368716499386110)
Brohullyya REG_QWORD 0xfeacbedefedeacbe (18351252446595951806)
Hullyya REG_QWORD 0xffffeeeefffeeee (18446725308997431022)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\FRTZ
FFRTZ
DRPTZ
DRSTPPTZ
FRTZ
QPTZ
QRFTZ
GFX
GFXInstaller
IGFX
Name Type Data
(Default) REG_SZ (value not set)
Adyllante REG_DWORD 0xfbdcafdb (4225544155)
Dellante REG_DWORD 0xfefedefe (4278116094)
Ferrante REG_DWORD 0xfdffdfdf (4261404639)
Orrante REG_DWORD 0xf23dbaf2 (4064131826)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
Rante REG_DWORD 0x2b2adca2 (724229282)



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\QPTZ
FFRTZ
DRPTZ
DRSTPPTZ
FRTZ
QPTZ
QRFTZ
GFX
GFXInstaller
IGFX
PQRST
ZTX
1000D
Name Type Data
(Default) REG_SZ (value not set)
Asquyyante REG_DWORD 0xffffefff (4294901759)
Dellyyante REG_DWORD 0xffffefff (4294963199)
Ferro REG_DWORD 0xf2ffdffd (4076855293)
Omnypury REG_DWORD 0xefdfdadf (4024425183)
Oraqllyya REG_DWORD 0xacfcdbcd (2902252493)
Pero REG_DWORD 0xfdffdfff (4261404671)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
Pury REG_DWORD 0xeffedfdf (4026458079)
Raqllyya REG_DWORD 0xffefdfdf (4293910495)



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\QRFTZ
FFRTZ
DRPTZ
DRSTPPTZ
FRTZ
QPTZ
QRFTZ
Name Type Data
(Default) REG_SZ (value not set)
Asqyllante REG_DWORD 0xfdffedff (4261408255)
Lante REG_DWORD 0xf2ffdffe (4076855294)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\GFX\2D
GFX
2D
Internal
GFXInstaller
IGFX
Name Type Data
(Default) REG_SZ (value not set)
Acarella REG_DWORD 0x47256310 (1193632528)
Carella REG_DWORD 0x24567125 (609644837)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX
GFX
Internal
GFXInstaller
LevelZero
{2BA535F4-FEF9-45E1-9FF6-66C4E0F629FF
IGFX
Name Type Data
(Default) REG_SZ (value not set)



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QDGFXZ\17D
QDGFXZ
17D
18D
19D
QRST
Name Type Data
(Default) REG_SZ (value not set)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
Yoppennamma REG_QWORD 0xefdbacdaefefefef (17283598051292737519)
Zulltrannamma REG_QWORD 0xfedbcdadbcdaefef (18364498051614830575)



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QDGFXZ\18D
QDGFXZ
17D
18D
19D
QRST
ZTC
Name Type Data
(Default) REG_SZ (value not set)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
Yotterryya REG_QWORD 0xafbcdacdbcafbcda (12663236829427776730)
Zennterryya REG_QWORD 0xfdbcdabcdbcdafde (18283729091893768158)



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QDGFXZ\19D
QDGFXZ
17D
18D
19D
QRST
ZTC
Name Type Data
(Default) REG_SZ (value not set)
Breyyannte REG_QWORD 0xd2cdd2bda2dd2da2 (15190028830113607074)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
Yannte REG_QWORD 0xd2cdd2bde2dde2fe (15190028831187395326)



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QRPTXZZZ
QRPTXZZZ
Zygollarmanttyya
RSPTXD
RSPTXDZZZ
RSTPQRST
Name Type Data
(Default) REG_SZ (value not set)
Dellafynaryyanallyannya REG_QWORD 0xbbbbbbbbbbbbbbbb (13527612320720337851)
Laffynarryyanallyannya REG_QWORD 0xeeeeeeeeeeeeeeee (17216961135462248174)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RSPTXD
Zygollarmanttyya
RSPTXD
RSPTXDZZZ
RSTPQRST
ZTZ
10DQ
Name Type Data
(Default) REG_SZ (value not set)
Dellyberrya REG_QWORD 0xfeefefefefefefeb (18370165218869243883)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
Wellywerryya REG_QWORD 0xfffdbcdaffeefefe (18446107297562164990)


Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RSPTXDZZZ
Zygollarmanttyya
RSPTXDZZZ
RSTPQRST
ZTZ
10DQ
100DQ
Name Type Data
(Default) REG_SZ (value not set)
Awallwurryya REG_QWORD 0xdfd3fedfd3fed0df (16128514927831732447)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
Wallwurryya REG_QWORD 0xfedbcdafedfbfdef (18364498061029015023)


Registry Editor
File Edit View Favorites Help
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PQRSTZTZTZT\QZQ
ICIP
ICIP_RUN
Installers
TelemetryAgent
PQRSTZTZTZT
QZQ
Name Type Data
(Default) REG_SZ (value not set)
Annogdallyyaynogdallyya REG_QWORD 0xff2fdbd3fdbacdcd (18388157507118484941)
PrebuiltShaderBinaryDirPath REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
Ynnogdallyyaanogdallyya REG_QWORD 0xffbafdfbbfafdbfa (18427320083034397690)








Ygullanttyyanallyannyya: bcdeefdbcdefeffe?

febcdeffbcdef4ce


Perryplexx Parrapllett

Parapplett



Ellemenntallyanallyannya – RPGZXDT

Zygollarmanttyyanallyannya - DPPTZZZ



Allambrottyya PRSTQRST - DQX

Frygullarmantyya DQRST - DQ

Qupystallya DDRT – QZT – DQZ


Allambrrorryttyya - ZXQPRST – QZQ – DZXZQ

3DLUT - fe4cdefe4cefedef

DDQ Reallnyya Dereallnyya


Alldonbrerryya, Radonbrerryya

Igfxcui/MISC




Possible options for DRRS-RR, in decimals, are best finishing with 9 as is 59, 109, and etc... All of the values I could think of are: 31, 59, 120, 256, 1024, 1759 of how much data you would like to be shown on the display and how for each user – so the best thing is to use all “f” – “fffffffffffffff”... Maybe you can use “fdcdabdabddabdab” but I believe is wrong...

First option for “UserSetDRRSDisableRR”: the “fffffffffffffff” value would take care of you and create you pleasant nice and kind – would take care of you always...



Second option is in kind of “live” as you are which we got used to mostly:



“UserSetDRRSDisableRR” is a thing to discuss because of it depends the whole possible system and it’s functionality… Are cosmos jokes seen and is there an ability for them to be removed by someone else, can the one pull the system and etc… That key somehow connects all other keys… The preferred ban is using the number 7 to ban the other beings involved in display, 5 to ban the touch on cosmos jokes, and 9 to ban the wrong usage of display when beings are sleeping… I believe that with that idea the typed in number should be “7779755955755957” but that is completely wrong… Because we already have one coded DWORD data of this file the next data of this file needs to be coded through the Coded with “3B” the best option I have is: “eabcdeabcdeabcde”… The system would maybe suggest that the first DWORD file is although coded through the “3b” and actually that is seen as “3b3b 3b3b 3b3b 3b3b” for a QWORD file, so the next step is muting the second file with 16 times “f” or “ffff ffff ffff ffff” and then the system would suggest code through “fead” but nothing more of that to the right side, to the left there is extrapolation of that code into: “fefefdcbadefdeaf” I am not quite sure… To work on “fead” hex word we would extrapolate it with mixing and adding codes into a 16 bytes we by using the extra coding – or extrapolating of the coding as is “feafdeaffeadfeaf” which can be one of the answers how to code this file…

All solutions I had before that an idea of are:

- “faebdcbaebcdbeaf”
- “fefefdcbadefdeaf”
- “feafdeaffeadfeaf”
- “feadbeafdeaffeaf”
- “eabcdeabcdeabcde”
- “feadcbedbeedbfed”
- “eabcdeefdcbeafed”
- “fabcde7232fabcde” – using the opposite logic to enable the value
    - “fecedebeaacdb”
- “9995579975597797”
- “7795757757975577”

- “770000700700007”
- Parraflexx Purryflexx and etc. 5, 7, 9
- “ffeacbadeabcadea”
- “abca2da2a2da2aba”

Solutions without 3b coding:

- Quynguystalla of 3 elements as are “777”, “77f”, ..., “fff”
    - “f7777f77777f7777”
    - “7fff f7ff ff7f fff7” = “7ffff7ffff7ffff7”
    - “7f77 77f7 777f 7777”
    - f77f f777 7f77 77f7 = “f77ff7777f7777f7”
    - Maybe: “f77ff777f777f777”
    - Maybe: f7ff777f777f777
    - Maybe: ff7ff777f777f777
    - Maybe: “ffff 7fff f7ff ff7f fff7 ff77 f7f7 f77f 77ff f777 7f77 77f7 777f” = “ffff7ffff7ffff7ffff7ff77f7f7f77f77fff7777f7777f7777f”
- Franguystalla of 2 elements as are “77”, “7f”, “f7”, “ff”
- But since the values are not changeable in that folder we need to use coding through “3b” including mixing and complicating which I believe gives us numbers as are “6 and 9” or “5, 6 and 9” with less restrictions... There actually isn’t a value for disabling the DRRS but enabling it: “eabcdeabcdeabcde”
- I don’t know why but the hex number “6” mutes the cosmos jokes completely, the hex number 7 mutes the others interfering the system but itself isn’t good

igfxcui/Media - Old photos and not good settings

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_QWORD	0xffffffffffffffff (18446744073709551615)
EnableACE	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableFMD	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableIS	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableNLAS	REG_QWORD	0xffffffffffffffff (18446744073709551615)
EnableSTE	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableSuperResolution	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableTCC	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
GCompMode	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
GExpMode	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
InputYUVRange	REG_QWORD	0xffffffffffffffff (18446744073709551615)
NLASHLinearRegion	REG_QWORD	0xeeeeeeeeeeeeeeee (17216961135462248174)
NLASNonLinearCrop	REG_QWORD	0xeeeeeeeeeeeeeeee (17216961135462248174)
NLASVerticalCrop	REG_QWORD	0xeeeeeeeeeeeeeeee (17216961135462248174)
NoiseReductionAutoDetectEnabledAlways	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
NoiseReductionEnableChroma	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
NoiseReductionEnabledAlways	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
NoiseReductionFactor	REG_QWORD	0xffffffffffffffff (18446744073709551615)
ProcAmpApplyAlways	REG_QWORD	0xeeeeffffeeeeffff (17216979900174368767)
ProcAmpBrightness	REG_QWORD	0xdabddabddabddabd (15761994779820153533)
ProcAmpContrast	REG_QWORD	0xcadbcadbcadbcadb (14617500060911127259)
ProcAmpHue	REG_QWORD	0xadbdadbdadbdadbd (12519353569335160253)
ProcAmpSaturation	REG_QWORD	0xfadbfadbfadbfadb (18076317352095120091)
SatFactorBlue	REG_DWORD	0xeeeeffff (4008640511)
SatFactorCyan	REG_DWORD	0xeeefffff (4008706047)
SatFactorGreen	REG_DWORD	0xeeffffff (4009754623)
SatFactorMagenta	REG_DWORD	0xefffffff (4026531839)
SatFactorRed	REG_DWORD	0xfeffffff (4278190079)
SatFactorYellow	REG_DWORD	0xffefffff (4293918719)
SharpnessEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)
SharpnessFactor	REG_DWORD	0xdebedebe (3737050814)
SkinTone	REG_QWORD	0xfdebdecbdecddeca (18296962878320533194)
SuperResolutionEnabled	REG_DWORD	0xbedeecee (3202280686)
SuperResolutionMode	REG_DWORD	0xeeeeeeee (4008636142)
UISharpnessOptimalEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)

Name	Type	Data
(Default)	REG_SZ	(value not set)
SatFactorBlue	REG_DWORD	0xeeeeffff (4008640511)
SatFactorCyan	REG_DWORD	0xeeefffff (4008706047)
SatFactorGreen	REG_DWORD	0xeeffffff (4009754623)
SatFactorMagenta	REG_DWORD	0xefffffff (4026531839)
SatFactorRed	REG_DWORD	0xfeffffff (4278190079)
SatFactorYellow	REG_DWORD	0xffefffff (4293918719)
SharpnessFactor	REG_DWORD	0xdebedebe (3737050814)
SuperResolutionEnabled	REG_DWORD	0xbedeecee (3202280686)
SuperResolutionMode	REG_DWORD	0xeeeeeeee (4008636142)
ProcAmpApplyAlways	REG_QWORD	0xeeeefffeeeefffff (17216979900174368767)
InputYUVRange	REG_QWORD	0xffffffffffffffff (18446744073709551615)
NLASHLinearRegion	REG_QWORD	0xeeeeeeeeeeeeeeee (17216961135462248174)
NLASNonLinearCrop	REG_QWORD	0xeeeeeeeeeeeeeeee (17216961135462248174)
NLASVerticalCrop	REG_QWORD	0xeeeeeeeeeeeeeeee (17216961135462248174)
NoiseReductionFactor	REG_QWORD	0xffffffffffffffff (18446744073709551615)
ProcAmpBrightness	REG_QWORD	0xdabddabddabddabd (15761994779820153533)
ProcAmpContrast	REG_QWORD	0xcadbcadbcadbcadb (14617500060911127259)
ProcAmpHue	REG_QWORD	0xadbdadbdadbdadbd (12519353569335160253)
ProcAmpSaturation	REG_QWORD	0xfadbfadbfadbfadb (18076317352095120091)
EnableSuperResolution	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
SharpnessEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)
UISharpnessOptimalEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)
EnableNLAS	REG_QWORD	0xffffffffffffffff (18446744073709551615)
AceLevel	REG_QWORD	0xffffffffffffffff (18446744073709551615)
SkinTone	REG_QWORD	0xfdebdecbdecddeca (18296962878320533194)
EnableFMD	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableACE	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableIS	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableSTE	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
EnableTCC	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
GExpMode	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
GCompMode	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
NoiseReductionAutoDetectEnabledAlways	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
NoiseReductionEnabledAlways	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
NoiseReductionEnableChroma	REG_QWORD	0xfefefefefefefefe (18374403900871474942)


Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0xfedbdace (4275821262)
EnableACE	REG_DWORD	0x00000001 (1)
EnableFMD	REG_DWORD	0x00000001 (1)
EnableIS	REG_DWORD	0x00000001 (1)
EnableNLAS	REG_DWORD	0x00000001 (1)
EnableSTE	REG_DWORD	0x00000001 (1)
EnableSuperResolution	REG_DWORD	0x00000001 (1)
EnableTCC	REG_DWORD	0x00000001 (1)
GCompMode	REG_DWORD	0xffffdbac (4294957996)
GExpMode	REG_DWORD	0xeeeeeeee (4008636142)
InputYUVRange	REG_DWORD	0xeeeeeeee (4008636142)
NLASHLinearRegion	REG_DWORD	0xeeeeeeee (4008636142)
NLASNonLinearCrop	REG_DWORD	0xeeeeeeee (4008636142)
NLASVerticalCrop	REG_DWORD	0xeeeeeeee (4008636142)
NoiseReductionAutoDetectEnabledAlways	REG_DWORD	0x00000001 (1)
NoiseReductionEnableChroma	REG_DWORD	0x00000001 (1)
NoiseReductionEnabledAlways	REG_DWORD	0x00000001 (1)
NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlways	REG_QWORD	0xffedbcedfd2a4cde (18441603779492728030)
ProcAmpBrightness	REG_DWORD	0xfefedabd (4278115005)
ProcAmpContrast	REG_DWORD	0xfefedabd (4278115005)
ProcAmpHue	REG_DWORD	0xfefedabd (4278115005)
ProcAmpSaturation	REG_DWORD	0xfefedabd (4278115005)
SatFactorBlue	REG_DWORD	0xeeeeffff (4008640511)
SatFactorCyan	REG_DWORD	0xeeeeffff (4008640511)
SatFactorGreen	REG_DWORD	0xeeeeffff (4008640511)
SatFactorMagenta	REG_DWORD	0xeeeeffff (4008640511)
SatFactorRed	REG_DWORD	0xeeeeffff (4008640511)
SatFactorYellow	REG_DWORD	0xeeeeffff (4008640511)
SharpnessEnabledAlways	REG_DWORD	0x00000001 (1)
SharpnessFactor	REG_DWORD	0xdebedebe (3737050814)
SkinTone	REG_DWORD	0xcefdecaf (3472747695)
SuperResolutionEnabled	REG_DWORD	0xbedeecee (3202280686)
SuperResolutionMode	REG_DWORD	0xffffffff (4294967295)
UISharpnessOptimalEnabledAlways	REG_DWORD	0xeeeeeeee (4008636142)


Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0xffffedbc (4294962620)
EnableACE	REG_DWORD	0xffffedbc (4294962620)
EnableFMD	REG_DWORD	0xffffedbc (4294962620)
EnableIS	REG_DWORD	0xffffedbc (4294962620)
EnableNLAS	REG_DWORD	0xffffedbc (4294962620)
EnableSTE	REG_DWORD	0xffffedbc (4294962620)
EnableSuperResolution	REG_DWORD	0xffffedbc (4294962620)
EnableTCC	REG_DWORD	0xffffedbc (4294962620)
GCompMode	REG_DWORD	0x4444dbed (1145363437)
GExpMode	REG_DWORD	0x999fedbd (2577395133)
InputYUVRange	REG_DWORD	0xfffff123 (4294963491)
NLASHLinearRegion	REG_DWORD	0xeffffffe (4026531838)
NLASNonLinearCrop	REG_DWORD	0xfeeeeeef (4277071599)
NLASVerticalCrop	REG_DWORD	0xfeeffeef (4277141231)
NoiseReductionAutoDetectE...	REG_DWORD	0xffbecaaa (4290693802)
NoiseReductionEnableChro...	REG_DWORD	0xfffeeeee (4294897390)
NoiseReductionEnabledAlw...	REG_DWORD	0xfffeeeee (4294897390)
NoiseReductionFactor	REG_DWORD	0xabc987ef (2882111471)
ProcAmpApplyAlways	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpBrightness	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpContrast	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpHue	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpSaturation	REG_DWORD	0xfeefdabd (4277131965)
SatFactorBlue	REG_DWORD	0xeeeddfff (4008566783)
SatFactorCyan	REG_DWORD	0xeeeddfff (4008566783)
SatFactorGreen	REG_DWORD	0xeeeddfff (4008566783)
SatFactorMagenta	REG_DWORD	0xeeeddfff (4008566783)
SatFactorRed	REG_DWORD	0xeeeddfff (4008566783)
SatFactorYellow	REG_DWORD	0xeeeddfff (4008566783)
SharpnessEnabledAlways	REG_DWORD	0xdecaffff (3737845759)
SharpnessFactor	REG_DWORD	0xfabecaff (4206807807)
SkinTone	REG_DWORD	0xcefdecaf (3472747695)
SuperResolutionEnabled	REG_DWORD	0xbffaceff (3220885247)
SuperResolutionMode	REG_DWORD	0xdecadeca (3737837258)
UISharpnessOptimalEnabled...	REG_DWORD	0xaddeefff (2917068799)

Intel Graphics Software (Display Color Settings)


When you are able to view “Quantum Wall” depends on the colors of the profile…


1. Themed colors






2. “Greenbrand” profile









3. Universal Colors

- Universal Colors we use if we are serious









4. Super real

- Super real profile we use for the necessary things in life









5. Ekta space profile settings









6. Old alright settings




Pointing to a Good system from user side if it's an addon that serves for something is fine so I shall choose "GPU Scaling" – "Centered"...



Or maybe:



- GPU Scaling
  - “Stretch” mode: points to avoiding system from both sides
  - “Centered” mode: points to allowing system from user side (which is nice when user is approaching applications)
  - “Preserve Aspect Ratio”: I believe bannes anyhow possible system
- Retro Scaling
  - “Integer”: allows sufficient data created by user as a help utility for approach to computer







- Next option goes with the NVIDIA “Anisotropic filtering” turned to “Off”:



With these settings go “My Favorite settings for NVIDIA” because I have dual graphics cards

1. Old settings







Graphics panel





2. Old settings





3. Old settings





4. Old settings

- Old model with allowed system from both sides

