

# Intel and NVIDIA Registry keys editing

Processor registry keys

Graphic cards registry keys

Morse Peliyan

# Contents

|                                                                                           |    |
|-------------------------------------------------------------------------------------------|----|
| Contents .....                                                                            | 2  |
| Warning - Cooler .....                                                                    | 6  |
| How to speed up your Intel processor using Registry Keys .....                            | 8  |
| Checking processor speed .....                                                            | 8  |
| In case you need to edit Registry .....                                                   | 8  |
| Beginning speed of the processor .....                                                    | 9  |
| ControlSet001\Control\Power .....                                                         | 10 |
| Old settings .....                                                                        | 11 |
| EfficiencyClasses.....                                                                    | 13 |
| Residual energy .....                                                                     | 22 |
| StandbyActivationEnergy .....                                                             | 22 |
| WorkOnBehalf.....                                                                         | 22 |
| VetoPolicies .....                                                                        | 23 |
| EA .....                                                                                  | 23 |
| About PowerSettings.....                                                                  | 26 |
| PowerSettings .....                                                                       | 26 |
| Processor performance increase threshold .....                                            | 28 |
| Processor performance increase threshold for Processor Power Efficiency Class 1 .....     | 28 |
| Specify the minimum number of unparked cores/packages allowed .....                       | 29 |
| Specify the minimum number of unparked cores/packages allowed .....                       | 29 |
| Processor performance core parking min cores for Processor Power Efficiency Class 1 ..... | 29 |
| Processor performance decrease threshold .....                                            | 29 |
| Processor performance decrease threshold for Processor Power Efficiency Class 1 .....     | 29 |
| Hybrid containment zone important utility percentage .....                                | 30 |
| Processor Restriction Count.....                                                          | 30 |
| Initial performance for Processor Power Efficiency Class 1 when unparked.....             | 30 |
| Processor performance core parking concurrency threshold .....                            | 30 |
| Processor performance core parking increase time .....                                    | 30 |
| Processor energy performance preference policy .....                                      | 30 |

|                                                                                             |    |
|---------------------------------------------------------------------------------------------|----|
| Processor energy performance preference policy for Processor Power Efficiency Class 1 ..... | 31 |
| Processor energy performance preference policy for Processor Power Efficiency Class 2 ..... | 31 |
| Allow Throttle States .....                                                                 | 31 |
| Processor performance increase time for Processor Power Efficiency Class 1 .....            | 31 |
| Processor performance decrease policy .....                                                 | 31 |
| Graphic cards .....                                                                         | 36 |
| Checking processor speed .....                                                              | 36 |
| In case you need to edit Registry .....                                                     | 36 |
| Avalon.Graphics - HardwareAcceleration .....                                                | 36 |
| 1. Old settings .....                                                                       | 37 |
| 2. Old Settings 2 .....                                                                     | 37 |
| 3. Old settings that worked .....                                                           | 38 |
| 4. Old settings that made no point: .....                                                   | 38 |
| DirectX.....                                                                                | 40 |
| Old settings and unnecessary images:.....                                                   | 41 |
| Intel Graphics Software .....                                                               | 43 |
| 1. "Greenbrand" profile .....                                                               | 43 |
| 2. Universal Colors .....                                                                   | 44 |
| 3. Super real .....                                                                         | 45 |
| 4. Ekta space profile settings.....                                                         | 46 |
| 5. Old alright settings .....                                                               | 47 |
| 1. Old settings .....                                                                       | 51 |
| 2. Old settings .....                                                                       | 53 |
| 3. Old settings .....                                                                       | 54 |
| 4. Old settings .....                                                                       | 55 |
| "GraphicDrivers" Key.....                                                                   | 56 |
| Default (Windows) Values.....                                                               | 57 |
| inetcpl.cpl.....                                                                            | 59 |
| Intel graphics settings: .....                                                              | 60 |
| Enabling "Quantum Wall" idea .....                                                          | 60 |

|                                                                                |     |
|--------------------------------------------------------------------------------|-----|
| “HKEY_CURRENT_USER\Software\Intel\Display\igfxcui” .....                       | 80  |
| Theory and explanation .....                                                   | 86  |
| Beginning idea of editing binary files.....                                    | 86  |
| “HKEY_LOCAL_MACHINE\SOFTWARE\Intel” Folders .....                              | 116 |
| Igfxcui/MISC .....                                                             | 146 |
| igfxcui/Media - Old photos and not good settings .....                         | 149 |
| NVIDIA.....                                                                    | 153 |
| Checking processor speed .....                                                 | 153 |
| CoProcManager .....                                                            | 153 |
| 1. Satisfying solution: .....                                                  | 153 |
| 2. Old setting: .....                                                          | 155 |
| 3. Old setting: .....                                                          | 156 |
| 4. Old setting: .....                                                          | 158 |
| 5. Old setting: .....                                                          | 160 |
| 6. Previously not well created settings: .....                                 | 162 |
| 7. Other settings:.....                                                        | 164 |
| • Windows settings.....                                                        | 169 |
| NVIDIA Control Panel 3D settings .....                                         | 170 |
| Description .....                                                              | 170 |
| 1. My latest profile .....                                                     | 171 |
| 2. “Greenbrand” profile .....                                                  | 172 |
| 3. Ekta Space profile:.....                                                    | 175 |
| 4. Old settings: .....                                                         | 176 |
| 5. My old intuitive understood favorite settings.....                          | 178 |
| 6. Then “irregular” settings are: .....                                        | 181 |
| 7. With “Ambient Occlusion” settings turned to “Off” settings are: .....       | 184 |
| Color Mangement profiles .....                                                 | 187 |
| Find “Color Management” application: .....                                     | 187 |
| Click “All profiles”: .....                                                    | 187 |
| Click “Add” and find folder with all profiles, select them and add them: ..... | 188 |
| Go to Advanced settings: .....                                                 | 189 |
| Windows default profile, a bit edited is:.....                                 | 189 |

|                                                      |     |
|------------------------------------------------------|-----|
| Different beings universal profile is: .....         | 190 |
| A more human-like primitive profile is: .....        | 191 |
| My personal following color management idea is:..... | 192 |
| Result.....                                          | 196 |
| Special thanks .....                                 | 197 |

## Warning - Cooler

Increasing speed of the laptop CPU can overheat the laptop, so, without a good cooler below laptop will simply shut down because of overheating... I am suggesting you to buy at least:

[https://www.coolermaster.com/en-global/products/notepal-i300/?tab=tech\\_spec](https://www.coolermaster.com/en-global/products/notepal-i300/?tab=tech_spec)



### Specifications:

- Fan Dimensions (L x W x H) 160 x 160 x 15 mm / 6.3 x 6.3 x 0.6 inch
- Fan Speed 700–1400 RPM  $\pm$  150
- Fan Airflow 35 - 70 CFM

Laptop temperatures with this cooler always connected and working are:

| Open Hardware Monitor       |            |            |  |
|-----------------------------|------------|------------|--|
| File View Options Help      |            |            |  |
| Sensor                      | Value      | Max        |  |
| ORWELLIYADA                 |            |            |  |
| Dell 0H2F8K                 |            |            |  |
| 11th Gen Intel Core i7-1... |            |            |  |
| Clocks                      |            |            |  |
| Bus Speed                   | 99.4 MHz   | 99.4 MHz   |  |
| CPU Core #1                 | 4074.9 MHz | 4074.9 MHz |  |
| CPU Core #2                 | 1192.7 MHz | 4671.2 MHz |  |
| CPU Core #3                 | 4671.3 MHz | 4671.3 MHz |  |
| CPU Core #4                 | 1192.7 MHz | 4671.2 MHz |  |
| Temperatures                |            |            |  |
| CPU Core #1                 | 67.0 °C    | 87.0 °C    |  |
| CPU Core #2                 | 68.0 °C    | 88.0 °C    |  |
| CPU Core #3                 | 69.0 °C    | 86.0 °C    |  |
| CPU Core #4                 | 67.0 °C    | 94.0 °C    |  |
| CPU Package                 | 70.0 °C    | 94.0 °C    |  |
| Load                        |            |            |  |
| CPU Total                   | 13.7 %     | 22.3 %     |  |
| CPU Core #1                 | 24.6 %     | 31.7 %     |  |
| CPU Core #2                 | 10.0 %     | 25.0 %     |  |
| CPU Core #3                 | 12.3 %     | 15.3 %     |  |
| CPU Core #4                 | 7.7 %      | 19.6 %     |  |
| Powers                      |            |            |  |
| CPU Package                 | 13.8 W     | 15.6 W     |  |
| CPU Cores                   | 10.0 W     | 11.7 W     |  |
| CPU Graphics                | 0.0 W      | 0.2 W      |  |
| CPU DRAM                    | 0.0 W      | 0.0 W      |  |
| Generic Memory              |            |            |  |
| Load                        |            |            |  |
| Memory                      | 63.2 %     | 63.5 %     |  |
| Data                        |            |            |  |
| Used Memory                 | 9.9 GB     | 10.0 GB    |  |
| Available Memory            | 5.8 GB     | 5.8 GB     |  |
| NVIDIA NVIDIA GeForc...     |            |            |  |
| Clocks                      |            |            |  |
| GPU Core                    | 1531.0 MHz | 1531.0 MHz |  |
| GPU Memory                  | 3504.0 MHz | 3504.0 MHz |  |
| GPU Shader                  | 3062.0 MHz | 3062.0 MHz |  |
| Temperatures                |            |            |  |
| GPU Core                    | 0.0 °C     | 69.0 °C    |  |
| Load                        |            |            |  |
| GPU Core                    | 0.0 %      | 2.0 %      |  |
| GPU Frame Buffer            | 0.0 %      | 0.0 %      |  |
| GPU Video Engine            | 0.0 %      | 0.0 %      |  |
| GPU Bus Interface           | 0.0 %      | 1.0 %      |  |
| GPU Memory                  | 3.9 %      | 3.9 %      |  |

# How to speed up your Intel processor using Registry Keys

## Checking processor speed

First go to Task Manager and check the processor speed. If it does well you can edit registry values. First of all, I didn't need to change any Registry values because I didn't install anything on "Windows 10" from the DELL Power Manager, nor DELL Support, nor NVIDIA Drivers but it's Control Panel... With dual graphic cards Intel and NVIDIA, that I have, my laptop demands the NVIDIA Drivers not to be installed because when they are the processor speed falls below the first speed border – 1.69 GHz which creates my laptop operating system impossible to use, unless is maybe Windows 8, to make a joke... So without any of these programs I am able to use laptop fine...

## In case you need to edit Registry


In my example I have a laptop "Dell Vostro 5502" with processor "11th Gen Intel® Core™ i7-1165G7 @ 2.80GHz" working on up to 4.7 GHz where it is for some reason set to work on up to 1.69 GHz with a possible boost up to 2.7 GHz and later on 4.1 GHz (because for some reason Windows doesn't allow the full usage of the CPU)...

In Task Manager you will find this description about the processor:

|                     |          |
|---------------------|----------|
| Base speed:         | 1.69 GHz |
| Sockets:            | 1        |
| Cores:              | 4        |
| Logical processors: | 8        |
| Virtualization:     | Enabled  |
| L1 cache:           | 320 KB   |
| L2 cache:           | 5.0 MB   |
| L3 cache:           | 12.0 MB  |

First thing that I was asking is the 2 given options in the Registry Keys for "EfficiencyClass" when I can have 3 if processor is locked on 1.69... The other thing to consider here is enabled energy saver locking that processor on 1.69 GHz, and not on 2.7 GHz... That energy saver with Windows given options shall make this Intel CPU to work on 0.87 GHz and even slower on about 0.4 GHz when the greater CPU consumption and usage comes in place (for example when we open the browser that requires the usage of the GPUs)...

## Beginning speed of the processor




- To see the result of changing all Registry keys skip to the end of the file...
- Here in my case fixing of the problem required looking and at the NVIDIA co-processor settings which you will find later on in file...

## ControlSet001\Control\Power

First of all to avoid that we need to fix some Registry values and settings:

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power”



Here I would pay attention what does EnergyEstimationEnabled option... Leave it turned on, because, by some thinking – under the folder EnergyEstimation , but that is my choice...

| Name                            | Type      | Data                     |
|---------------------------------|-----------|--------------------------|
| (Default)                       | REG_SZ    | (value not set)          |
| Class1InitialUnparkCount        | REG_DWORD | 0x00000fff (4095)        |
| CustomizeDuringSetup            | REG_DWORD | 0x00000001 (1)           |
| EnableInputSuppression          | REG_DWORD | 0xffffacef (4294946031)  |
| EnergyEstimationEnabled         | REG_DWORD | 0xeefefefef (4008636143) |
| EnergySaverState                | REG_DWORD | 0x00000002 (2)           |
| EventProcessorEnabled           | REG_DWORD | 0xffffffff (4294967295)  |
| HiberFileSizePercent            | REG_DWORD | 0x00000064 (100)         |
| HibernateEnabledDefault         | REG_DWORD | 0x00000001 (1)           |
| IgnoreCsComplianceCheck         | REG_DWORD | 0x00000001 (1)           |
| LidReliabilityState             | REG_DWORD | 0x00000001 (1)           |
| MfBufferingThreshold            | REG_DWORD | 0x00000fef (4079)        |
| PerfCalculateActualUtilization  | REG_DWORD | 0xffffacef (4294946031)  |
| SourceSettingsVersion           | REG_DWORD | 0x00000003 (3)           |
| TimerRebaseThresholdOnDripsExit | REG_DWORD | 0x0000003c (60)          |

## Old settings


| Name                                                                                                              | Type      | Data                    |
|-------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)                       | REG_SZ    | (value not set)         |
|  Class1InitialUnparkCount        | REG_DWORD | 0x00000050 (80)         |
|  CustomizeDuringSetup            | REG_DWORD | 0x00000001 (1)          |
|  EnableInputSuppression          | REG_DWORD | 0xefffffff (4008636415) |
|  EnergyEstimationEnabled         | REG_DWORD | 0xfefeffff (4278124543) |
|  EnergySaverState                | REG_DWORD | 0x00000002 (2)          |
|  EventProcessorEnabled           | REG_DWORD | 0xefffffff (4008636415) |
|  HiberFileSizePercent            | REG_DWORD | 0x00000064 (100)        |
|  HibernateEnabledDefault         | REG_DWORD | 0x00000001 (1)          |
|  IgnoreCsComplianceCheck         | REG_DWORD | 0x00000001 (1)          |
|  LidReliabilityState             | REG_DWORD | 0x00000000 (0)          |
|  MfBufferingThreshold            | REG_DWORD | 0x00000000 (0)          |
|  PerfCalculateActualUtilization  | REG_DWORD | 0xefffffff (4008640511) |
|  SourceSettingsVersion           | REG_DWORD | 0x00000003 (3)          |
|  TimerRebaseThresholdOnDripsExit | REG_DWORD | 0x0000003c (60)         |

| Name                                                                                                               | Type      | Data                    |
|--------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)                       | REG_SZ    | (value not set)         |
|  Class1InitialUnparkCount       | REG_DWORD | 0x00000040 (64)         |
|  CustomizeDuringSetup           | REG_DWORD | 0x00000001 (1)          |
|  EnableInputSuppression         | REG_DWORD | 0xf2d4a2da (4074021594) |
|  EnergyEstimationEnabled        | REG_DWORD | 0xfadfdafd (4208974589) |
|  EnergySaverState               | REG_DWORD | 0x00000002 (2)          |
|  EventProcessorEnabled          | REG_DWORD | 0xfdfadfd (4261076954)  |
|  HiberFileSizePercent           | REG_DWORD | 0x00000064 (100)        |
|  HibernateEnabledDefault        | REG_DWORD | 0x00000001 (1)          |
|  IgnoreCsComplianceCheck        | REG_DWORD | 0x00000001 (1)          |
|  LidReliabilityState            | REG_DWORD | 0x00000001 (1)          |
|  MfBufferingThreshold           | REG_DWORD | 0x00000000 (0)          |
|  PerfCalculateActualUtilization | REG_DWORD | 0x00000001 (1)          |
|  SourceSettingsVersion          | REG_DWORD | 0x00000003 (3)          |
|  TimerRebaseThresholdOnDri...   | REG_DWORD | 0x0000003c (60)         |

| Name                                                                                                              | Type      | Data                    |
|-------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)                       | REG_SZ    | (value not set)         |
|  Class1InitialUnparkCount        | REG_DWORD | 0x00000050 (80)         |
|  CustomizeDuringSetup            | REG_DWORD | 0x00000001 (1)          |
|  EnableInputSuppression          | REG_DWORD | 0xfefefefe (4278124286) |
|  EnergyEstimationEnabled         | REG_DWORD | 0xfefe0000 (4278059008) |
|  EnergySaverState                | REG_DWORD | 0x00000002 (2)          |
|  EventProcessorEnabled           | REG_DWORD | 0xeeeeeeff (4008636159) |
|  HiberFileSizePercent            | REG_DWORD | 0x00000064 (100)        |
|  HibernateEnabledDefault         | REG_DWORD | 0x00000001 (1)          |
|  IgnoreCsComplianceCheck         | REG_DWORD | 0x00000001 (1)          |
|  LidReliabilityState             | REG_DWORD | 0x00000001 (1)          |
|  MfBufferingThreshold            | REG_DWORD | 0x00000000 (0)          |
|  PerfCalculateActualUtilization  | REG_DWORD | 0xfefefefe (4278124286) |
|  SourceSettingsVersion           | REG_DWORD | 0x00000003 (3)          |
|  TimerRebaseThresholdOnDripsExit | REG_DWORD | 0x0000003c (60)         |

## EfficiencyClasses

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\EnergyEstimation\CPU\EfficiencyClass\0



- I tried to set the processor to work on 11GHz but it worked only on Windows maximum speed (4.1 GHz and not 4.7 GHz):

PowerEnvelope: 2af8 (11000)

PowerCurve:

- FrequencyPercent: decimal: 70, 75, 90, 100, 110, 120
- PowerEnvelope: 2af8 (11000)

PowerEnvelope: 1770 (6000)

- FrequencyPercent: decimal: 85, 90, 95, 100, 110, 120
- PowerEnvelope: 1770 (6000)

P.S. Confirm the speed of processor at:

“Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\75b0ae3f-bce0-45a7-8c89-c9611c25e100\DefaultPowerSchemeValues” by typing in the values:

- ACSettingIndex: 2af8 (11000)
- DCSettingIndex: 2af8 (11000)

“Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\75b0ae3f-bce0-45a7-8c89-c9611c25e101\DefaultPowerSchemeValues”


- 2af8 (11000)

“Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\75b0ae3f-bce0-45a7-8c89-c9611c25e102\DefaultPowerSchemeValues\”


- 1770 (6000)
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\EnergyEstimation\CPU\EfficiencyClass\0\PowerCurve\0

Explanation for the values: FrequencyPercent is represented in decimals as a percentage, and PowerEnvelope is represented in HexaDecimal values but through the Decimal values – so for example if you type in the Decimal value “1000” you should see it as is written in HexaDecimal values, which translated gives us 4.096 GHz... You should notice one interesting thing that you can’t type in all of the Frequencies for the processor because in hexadecimal values you can write and letters A – F, so for example “A99” would be 2.713 GHz, and here you can write only numbers which means either you would need to agree to processor speed of (in Hexadecimal values) “999” or “1000”, which is translated: 2.457 GHz (for “999”) or 4.096 GHz (for “1000”)...


So my setting is:




| Name                                                                                                 | Type      | Data              |
|------------------------------------------------------------------------------------------------------|-----------|-------------------|
|  (Default)        | REG_SZ    | (value not set)   |
|  FrequencyPercent | REG_DWORD | 0x00000050 (80)   |
|  PowerEnvelope    | REG_DWORD | 0x000004b0 (1200) |




| Name                                                                                               | Type      | Data              |
|----------------------------------------------------------------------------------------------------|-----------|-------------------|
|  (Default)        | REG_SZ    | (value not set)   |
|  FrequencyPercent | REG_DWORD | 0x00000053 (83)   |
|  PowerEnvelope    | REG_DWORD | 0x000004b0 (1200) |




| Name             | Type      | Data              |
|------------------|-----------|-------------------|
| (Default)        | REG_SZ    | (value not set)   |
| FrequencyPercent | REG_DWORD | 0x00000055 (85)   |
| PowerEnvelope    | REG_DWORD | 0x000004b0 (1200) |



| Name             | Type      | Data              |
|------------------|-----------|-------------------|
| (Default)        | REG_SZ    | (value not set)   |
| FrequencyPercent | REG_DWORD | 0x0000005a (90)   |
| PowerEnvelope    | REG_DWORD | 0x000004b0 (1200) |




| Name             | Type      | Data              |
|------------------|-----------|-------------------|
| (Default)        | REG_SZ    | (value not set)   |
| FrequencyPercent | REG_DWORD | 0x0000005f (95)   |
| PowerEnvelope    | REG_DWORD | 0x000004b0 (1200) |




| Name             | Type      | Data              |
|------------------|-----------|-------------------|
| (Default)        | REG_SZ    | (value not set)   |
| FrequencyPercent | REG_DWORD | 0x00000064 (100)  |
| PowerEnvelope    | REG_DWORD | 0x000004b0 (1200) |

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\EnergyEstimation\CPU\EfficiencyClass\1




| Name                                                                                              | Type      | Data              |
|---------------------------------------------------------------------------------------------------|-----------|-------------------|
|  (Default)     | REG_SZ    | (value not set)   |
|  PowerEnvelope | REG_DWORD | 0x00001200 (4608) |




One solution I created for myself – I have retyped all values from the EfficiencyClass “0” into “1”...

Other unnecessary solution is something like this:


| Name                                                                                                 | Type      | Data              |
|------------------------------------------------------------------------------------------------------|-----------|-------------------|
|  (Default)        | REG_SZ    | (value not set)   |
|  FrequencyPercent | REG_DWORD | 0x00000041 (65)   |
|  PowerEnvelope    | REG_DWORD | 0x000004b0 (1200) |




| Name             | Type      | Data              |
|------------------|-----------|-------------------|
| (Default)        | REG_SZ    | (value not set)   |
| FrequencyPercent | REG_DWORD | 0x00000046 (70)   |
| PowerEnvelope    | REG_DWORD | 0x000004b0 (1200) |




| Name             | Type      | Data             |
|------------------|-----------|------------------|
| (Default)        | REG_SZ    | (value not set)  |
| FrequencyPercent | REG_DWORD | 0x00000055 (85)  |
| PowerEnvelope    | REG_DWORD | 0x000003e7 (999) |



| Name             | Type      | Data              |
|------------------|-----------|-------------------|
| (Default)        | REG_SZ    | (value not set)   |
| FrequencyPercent | REG_DWORD | 0x0000005a (90)   |
| PowerEnvelope    | REG_DWORD | 0x000004b0 (1200) |




| Name             | Type      | Data              |
|------------------|-----------|-------------------|
| (Default)        | REG_SZ    | (value not set)   |
| FrequencyPercent | REG_DWORD | 0x0000005f (95)   |
| PowerEnvelope    | REG_DWORD | 0x000004b0 (1200) |



| Name             | Type      | Data              |
|------------------|-----------|-------------------|
| (Default)        | REG_SZ    | (value not set)   |
| FrequencyPercent | REG_DWORD | 0x00000064 (100)  |
| PowerEnvelope    | REG_DWORD | 0x000004b0 (1200) |

## Residual energy

- New settings:
  - EnableInlineAccounting: ef (239)
- Old settings:



| Name                   | Type      | Data                   |
|------------------------|-----------|------------------------|
| (Default)              | REG_SZ    | (value not set)        |
| EnableInlineAccounting | REG_DWORD | 0x2a4cfdef (709688815) |

## StandbyActivationEnergy

| Name                      | Type      | Data              |
|---------------------------|-----------|-------------------|
| (Default)                 | REG_SZ    | (value not set)   |
| DropsPowerFloorMilliWatts | REG_DWORD | 0x00000064 (100)  |
| Policy                    | REG_DWORD | 0x00000fff (4095) |

## WorkOnBehalf


- New settings:
  - DisableWorkOnBehalfAttribution: ffffffff

- Old settings:

|                         |                                |           |                         |
|-------------------------|--------------------------------|-----------|-------------------------|
| Power                   | Name                           | Type      | Data                    |
| EnergyEstimation        | (Default)                      | REG_SZ    | (value not set)         |
| CPU                     | DisableWorkOnBehalfAttribution | REG_DWORD | 0xfaaddfaf (4205698991) |
| Display                 |                                |           |                         |
| ResidualEnergy          |                                |           |                         |
| StandbyActivationEnergy |                                |           |                         |
| Storage                 |                                |           |                         |
| TaggedEnergy            |                                |           |                         |
| WorkOnBehalf            |                                |           |                         |
| ModernSleep             |                                |           |                         |
| PDC                     |                                |           |                         |
| PowerRequestOverride    |                                |           |                         |
| PowerSettings           |                                |           |                         |
| Profile                 |                                |           |                         |
| SecurityDescriptors     |                                |           |                         |
| Sync                    |                                |           |                         |
| User                    |                                |           |                         |

## VetoPolicies

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC”



Laptop works faster if VetoPolicy options are turned off...

EA:PowerStateDischarging: fffffeac

EA:EnergySaverEngaged: fffffeac

Old settings:

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\Activators\28\VetoPolicy
  - EA:PowerStateDischarging: ffff ffff
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\Activators\Default\VetoPolicy
  - EA:EnergySaverEngaged: ffff ffff


## EA

- New settings

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |           |           |                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|----------------------------------------|
| Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\VetoPolicy\EA\{DDC4A1A9-7163-4072-878F-5416933D22D1}\{885D4A75-7CE6-4075-8AF0-2BFC82B62FE3}\{AAF91665-FAFF-449D-B47A-5E19B4ABB4E2}                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |           |           |                                        |
| <ul style="list-style-type: none"> <li>PDC           <ul style="list-style-type: none"> <li>28               <ul style="list-style-type: none"> <li>VetoPolicy                   <ul style="list-style-type: none"> <li>Default                       <ul style="list-style-type: none"> <li>VetoPolicy                           <ul style="list-style-type: none"> <li>EA                               <ul style="list-style-type: none"> <li>{DDC4A1A9-7163-4072-878F-5416933D22D1}                                   <ul style="list-style-type: none"> <li>{885D4A75-7CE6-4075-8AF0-2BFC82B62FE3}                                       <ul style="list-style-type: none"> <li>{AAF91665-FAFF-449D-B47A-5E19B4ABB4E2}</li> <li>{EC5C2F86-8FC5-4ACE-BC77-B29BF20276B0}</li> </ul> </li> <li>{EE8ED144-1D82-4B2E-B807-2082FE3D4AC7}</li> </ul> </li> </ul> </li> </ul> </li> </ul> </li> </ul> </li> </ul> </li> </ul> </li></ul> | Name      | Type      | Data                                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | (Default) | REG_SZ    | (db57eb61-1aa2-4906-9396-23e8b8024c32) |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Operator  | REG_DWORD | 0x00000001 (1)                         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Type      | REG_DWORD | 0x00002af8 (11000)                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Value     | REG_DWORD | 0xffffffff (4294967295)                |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |           |           |                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|----------------------------------------|
| Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\VetoPolicy\EA\{EE8ED144-1D82-4B2E-B807-2082FE3D4AC7}\{850FAEAE-3ADC-4CC6-BA5C-7F4151466500}\{CF69B873-5A0E-4F7E-AC84-8A185A47A85F}                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |           |           |                                        |
| <ul style="list-style-type: none"> <li>PDC           <ul style="list-style-type: none"> <li>28               <ul style="list-style-type: none"> <li>VetoPolicy                   <ul style="list-style-type: none"> <li>Default                       <ul style="list-style-type: none"> <li>VetoPolicy                           <ul style="list-style-type: none"> <li>EA                               <ul style="list-style-type: none"> <li>{DDC4A1A9-7163-4072-878F-5416933D22D1}                                   <ul style="list-style-type: none"> <li>{885D4A75-7CE6-4075-8AF0-2BFC82B62FE3}                                       <ul style="list-style-type: none"> <li>{AAF91665-FAFF-449D-B47A-5E19B4ABB4E2}</li> <li>{EC5C2F86-8FC5-4ACE-BC77-B29BF20276B0}</li> </ul> </li> <li>{EE8ED144-1D82-4B2E-B807-2082FE3D4AC7}                                       <ul style="list-style-type: none"> <li>{850FAEAE-3ADC-4CC6-BA5C-7F4151466500}                                           <ul style="list-style-type: none"> <li>{CF69B873-5A0E-4F7E-AC84-8A185A47A85F}</li> <li>{E4E90B30-BD23-4AEA-B44E-3777C9401354}</li> </ul> </li> </ul> </li> </ul> </li> </ul> </li> </ul> </li> </ul> </li> </ul> </li></ul></li></ul></li></ul> | Name      | Type      | Data                                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | (Default) | REG_SZ    | (db57eb61-1aa2-4906-9396-23e8b8024c32) |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Operator  | REG_DWORD | 0x00000001 (1)                         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Type      | REG_DWORD | 0x00002af8 (11000)                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Value     | REG_DWORD | 0xffffffff (4294967295)                |

- Old settings



I am not sure if these values represent the maximum speed of the processor but I have placed them all on maximum for my processor:

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\Veto Policy\EA\{DDC4A1A9-7163-4072-878F-5416933D22D1}\{885D4A75-7CE6-4075-8AF0-2BFC82B62FE3}\{AAF91665-FAFF-449D-B47A-5E19B4ABB4E2}
  - Type 4121 -> 4700
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\Veto Policy\EA\{DDC4A1A9-7163-4072-878F-5416933D22D1}\{885D4A75-7CE6-4075-8AF0-2BFC82B62FE3}\{EC5C2F86-8FC5-4ACE-BC77-B29BF20276B0}
  - Type 4106 -> 4700
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\Veto Policy\EA\{EE8ED144-1D82-4B2E-B807-2082FE3D4AC7}\{850FAEAE-3ADC-4CC6-BA5C-7F4151466500}\{CF69B873-5A0E-4F7E-AC84-8A185A47A85F}
  - Type 4106 -> 4700

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\Veto Policy\EA\{EE8ED144-1D82-4B2E-B807-2082FE3D4AC7}\{850FAEAE-3ADC-4CC6-BA5C-7F4151466500}\{E4E90B30-BD23-4AEA-B44E-3777C9401354}
  - Type 4145 -> 4700


You will notice that those folders – “keys” there is a value that has a DWORD named “Value” and that it is turned off, I have placed it to 0...

## About PowerSettings

- Intel processor updates know to reset PowerSettings options and is good to have some kind of a program for PowerSettings Registry Keys
- I do wonder how important those settings are and how much NVIDIA CoProcessor Manager settings intervene and mock the Intel Processor speed

## PowerSettings

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings”




Talking about PowerSettings you need to turn High Performance on, set graphics to work in High performance mode, to set CPU to work by High Performance if you wish on all 3 levels (3 different keys under “DefaultPowerSchemeValues” folder) – because it is unknown in Registry Editor which level is for “Best Battery Life” setting, which is “Balanced” setting, and which is for “Best (High) performance” setting... What I can conclude, for my processor and type of Windows that I have – key: “8c5e7fda-e8bf-4a96-9a85-a6e23a8c635c” represents the “High performance” mode and mostly from that key I have been copying to other two keys it’s own already set values... Some keys I have changed completely, adjusting values how I liked...

How this part of the registry works? First you will have a “key” (folder) where you will find options that you can implement under “keys” (folders) 0, 1, 2 and you will have a folder where you can implement those options named: “DefaultPowerSchemeValues” ... In those folders you can find the description and a “friendly name” (also a type of a description) of the current part of the Registry Keys... Each of the main folders named for example: “0”, “1” or “2” will have some type of a value that you can use later on... That value you will find under a DWORD (data) name “SettingValue”... The best setting whether it’s under folder “0”, “1” or “2” you can copy into the “AcSettingIndex” or “DcSettingIndex”, or “ProvAcSettingIndex” or “ProvDcSettingIndex”...

In cases where you don’t have options under keys (folders) “0”, “1”, “2”, you will have some type of a scale that you can implement... Maximum value of the scale you can find under the main folder and it’s DWORD named “ValueMax” and it’s possible minimum under a DWORD named “ValueMin”... Always take a look at: DWORD named ValueUnits that will have a description for example: “@%SystemRoot%\system32\powrprof.dll,-81,percent” – there the last word we can find is the word “percent” meaning you should implement in decimal numbers value from 0 to 100 representing some kind of a percentage of a usage for some of the situations...

Some of the settings that I have implemented are:

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00



Under power settings you will find the key: “54533251-82be-4824-96c1-47b60b740d00” with “Processor power settings” and you need to see each of the keys (folders) it has and to adjust them except time settings which I haven’t changed...

### Processor performance increase threshold

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\06cadf0e-64ed-448a-8927-ce7bf90eb35d”
- Value different 30, 60, 90

### Processor performance increase threshold for Processor Power Efficiency Class

1

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\06cadf0e-64ed-448a-8927-ce7bf90eb35e
- 60 – 90

### Specify the minimum number of unparked cores/packages allowed

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\0cc5b647-c1df-4637-891a-dec35c318583
  - Description: Specify the minimum number of unparked cores/packages allowed (in percentage).
  - Setting implemented: 64 (100)

### Specify the minimum number of unparked cores/packages allowed

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\1facfc65-a930-4bc5-9f38-504ec097bbc0
  - Description: Specify the minimum number of unparked cores/packages allowed (in percentage).
  - Setting implemented: 64 (100) – 10

### Processor performance core parking min cores for Processor Power Efficiency Class 1

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\0cc5b647-c1df-4637-891a-dec35c318584”
- 0

### Processor performance decrease threshold

- Specify the lower busy threshold that must be met before decreasing the processor's performance state (in percentage).
- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\12a0ab44-fe28-4fa9-b3bd-4b64f44960a6”
- 20 – 10 – 60 – 10

### Processor performance decrease threshold for Processor Power Efficiency Class 1

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\12a0ab44-fe28-4fa9-b3bd-4b64f44960a7
- 20 – 30

### Hybrid containment zone important utility percentage

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\12fd031f-53d2-4bf4-ac6d-c699fc9538c7”
- Specify the important utility percentage that once met, allow workload to move to no containment zone
- 0

### Processor Restriction Count

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\1a98ad09-af22-42ca-8e61-f0a5802c270a”
- Specify the restriction processor count for this QoS of threads.
- 0

### Initial performance for Processor Power Efficiency Class 1 when unparked

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\1facfc65-a930-4bc5-9f38-504ec097bbc0”
- 32 (50)

### Processor performance core parking concurrency threshold

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\2430ab6f-a520-44a2-9601-f7f23b5134b1”
- 61 (97), 61, 5f

### Processor performance core parking increase time

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\2ddd5a84-5a71-437e-912a-db0b8c788732”
- In time check intervals
- Same as before: 3, 7, 1

### Processor energy performance preference policy

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\36687f9e-e3a5-4dbf-b1dc-15eb381c6863”
- (33), (50) / 0, 0 / (70) / (60) / (25), (33)

## Processor energy performance preference policy for Processor Power Efficiency Class 1

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\36687f9e-e3a5-4dbf-b1dc-15eb381c6864\DefaultPowerSchemeValues\381b4222-f694-41f0-9685-ff5bb260df2e”
- (33), (50) / (0), (0) / (60), (60)

## Processor energy performance preference policy for Processor Power Efficiency Class 2

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\36687f9e-e3a5-4dbf-b1dc-15eb381c6864”
- (33), (50), (60)

## Allow Throttle States

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\3b04d4fd-1cc7-4f23-ab1c-d1337819c4bb
  - FriendlyName: Allow Throttle States
  - Setting implemented: 0 – Off

## Processor performance increase time for Processor Power Efficiency Class 1

- “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\4009efa7-e72d-4cba-9edf-91084ea8cbc3”
- 1

## Processor performance decrease policy

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\40fbefc7-2e9d-4d25-a185-0cfd8574bac6
  - FriendlyName: Processor performance decrease policy
  - Setting implemented: Single
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\40fbefc7-2e9d-4d25-a185-0cfd8574bac7
  - FriendlyName: Processor performance decrease policy for Processor Power Efficiency Class 1
  - Setting implemented: Single

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\447235c7-6a8d-4cc0-8e24-9eaf70b96e2b
  - Processor performance core parking parked performance state
  - Best option for the speed of processor: Lightest Performance State
  - My setting implemented: No preference
  - Some theory on that topic: Unused CPUs enter parked state and not to spend energy they can enter Deepest Performance state to save power and reduce the heat... Otherwise faster option is "Lightest Performance state"...
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\45bcc044-d885-43e2-8605-ee0ec6e96b59
  - FriendlyName: Processor performance boost policy
  - All Settings implemented: 0x64 (or Decimal: 100 (%))
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\465e1f50-b610-473a-ab58-00d1077dc418
  - FriendlyName: Processor performance increase policy
  - Setting implemented: Rocket
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\4e4450b3-6179-4e91-b8f1-5bb9938f81a1
  - FriendlyName: Processor duty cycling
  - Setting implemented: Allow processor duty cycling.
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\5d76a2ca-e8c0-402f-a133-2158492d58ad
  - Description: Specify if idle states should be disabled.
  - Setting implemented: Enable idle
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\6c2993b0-8f48-481f-bcc6-00dd2742aa06
  - FriendlyName: Processor idle threshold scaling
  - Setting implemented: Disable scaling
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\71021b41-c749-4d21-be74-a00f335d582b
  - Description: Specify the number of cores/packages to park when fewer cores are required.
  - Setting implemented: Ideal number of cores

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\75b0ae3f-bce0-45a7-8c89-c9611c25e100
  - FriendlyName: Maximum processor frequency
  - Setting implemented: Decimal value: 4700
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\75b0ae3f-bce0-45a7-8c89-c9611c25e101
  - FriendlyName: Maximum processor frequency for Processor Power Efficiency Class 1
  - Setting implemented: Decimal value: 2457
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\7f2f5cfa-f10c-4823-b5e1-e93ae85f46b5
  - FriendlyName: Heterogeneous policy in effect.
  - Setting implemented: Use heterogeneous policy 0

Don't forget to check options for Graphic card:

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\5FB4938D-1EE8-4b0f-9A3C-5036B0AB995C
  - FriendlyName: GPU preference policy
  - Setting implemented: No preference (because other setting I had was: Low Power)

Check Energy Saving settings:

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\DE830923-A562-41AF-A086-E3A2C6BAD2DA
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\DE830923-A562-41AF-A086-E3A2C6BAD2DA\5C5BB349-AD29-4ee2-9D0B-2B25270F7A81
  - FriendlyName: Energy Saver Policy
  - Setting implemented: User

Also, you can go back to processor settings and find the "Processor performance increase threshold" and "Processor performance decrease threshold" options, as I know I have changed some of the percentages, for example from 35 to 20 if is faster and from 45 to 50, but maybe I have pushed it above the edge or below the edge (I am not even sure)... Maybe those settings are fine by themselves...

My options there are in decimal values:

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\7b224883-b3cc-4d79-819f-8374152cbe7c
  - FriendlyName: Processor idle promote threshold
  - Setting implemented: 14 (20)
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\943c8cb6-6f93-4227-ad87-e9a3feec08d1
  - FriendlyName: Processor performance core parking over utilization threshold
  - Setting implemented: 1e (30)
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\06cadf0e-64ed-448a-8927-ce7bf90eb35d
  - FriendlyName: Processor performance increase threshold
  - Setting implemented: 0 (0)
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\06cadf0e-64ed-448a-8927-ce7bf90eb35e
  - FriendlyName: Processor performance increase threshold for Processor Power Efficiency Class 1
  - Setting implemented: 0 (0)
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\12a0ab44-fe28-4fa9-b3bd-4b64f44960a6
  - FriendlyName: Processor performance decrease threshold
  - Description: Specify the lower busy threshold that must be met before decreasing the processor's performance state (in percentage).
  - Setting implemented: 64 (100)
- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\12a0ab44-fe28-4fa9-b3bd-4b64f44960a7
  - FriendlyName: Processor performance decrease threshold
  - Description: Specify the lower busy threshold that must be met before decreasing the processor's performance state (in percentage).
  - Setting implemented: 64 (100)

There is also a setting for “Processor performance boost mode”:


- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\be337238-0d82-4146-a960-4f3749d470c7
  - Setting implemented: 5

Set System cooling policy:

- Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\94D3A615-A899-4AC5-AE2B-E4D8F634367F\1
  - Setting implemented: Increase fan speed before slowing the processor

Edit the option for Minimal Power Management:

- Computer\HKEY\_CURRENT\_USER\Control Panel\PowerCfg



Here, on my Windows, under a number 4 is:

| Name                                                                                            | Type   | Data                                                                       |
|-------------------------------------------------------------------------------------------------|--------|----------------------------------------------------------------------------|
|  (Default)   | REG... | (value not set)                                                            |
|  Description | REG... | This scheme keeps the computer on and optimizes it for high performance.   |
|  Name        | REG... | Minimal Power Management                                                   |
|  Policies    | REG... | 01 00 00 00 02 00 00 00 01 00 00 00 00 00 00 02 00 00 00 00 00 00 00 00 00 |

So just set in the PowerCfg string CurrentPowerPolicy: 4

# Graphic cards

## Checking processor speed

I will copy this text from processors part of the text:

First go to Task Manager and check the processor speed. If it does well you can edit registry values. First of all, I didn't need to change any Registry values because I didn't install anything on "Windows 10" from the DELL Power Manager, nor DELL Support, nor NVIDIA Drivers but it's Control Panel... With dual graphic cards Intel and NVIDIA, that I have, my laptop demands the NVIDIA Drivers not to be installed because when they are the processor speed falls below the first speed border – 1.69 GHz which creates my laptop operating system impossible to use, unless is maybe Windows 8, to make a joke... So without any of these programs I am able to use laptop fine...

## In case you need to edit Registry

This Laptop "Dell Vostro 5502" has also dual graphics cards - integrated "Intel® Iris® Xe Graphics" and "NVIDIA GeForce MX330"... It has 16GB of RAM memory, and 500 GB SSD hard drive...

There is a topic of a small and reducing processor speed thanks to the small "Bus" (an implemented cable for transferring the data in between the graphic card and the other chips), and that because of it (maybe set on 1.3 GHz) and the processor reduces it's speed...

## Avalon.Graphics - HardwareAcceleration

In Registry Editor add the keys into:

- "Computer\HKEY\_CURRENT\_USER\SOFTWARE\Microsoft\Avalon.Graphics"

| Name                                                                                               | Type      | Data                    |
|----------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)      | REG_SZ    | (value not set)         |
|  HDAcceleration | REG_DWORD | 0x000000c8 (200)        |
|  HDSpeed        | REG_DWORD | 0x00000bb8 (3000)       |
|  HDUpgrade      | REG_DWORD | 0x00001004 (4100)       |
|  HLAcceleration | REG_DWORD | 0x00000bb8 (3000)       |
|  HLSpeed        | REG_DWORD | 0x00000c1c (3100)       |
|  HLUpgrade      | REG_DWORD | 0x00000dac (3500)       |
|  HSAcceleration | REG_DWORD | 0x000000c8 (200)        |
|  HSSpeed        | REG_DWORD | 0x00000a8c (2700)       |
|  HSUpgrade      | REG_DWORD | 0x00000bb8 (3000)       |
|  HWAcceleration | REG_DWORD | 0x000000fa (250)        |
|  HWSpeed        | REG_DWORD | 0x00000dac (3500)       |
|  HWUpgrade      | REG_DWORD | 0x00001004 (4100)       |
|  Tiers          | REG_DWORD | 0x88889999 (2290653593) |

## 1. Old settings

| Name                                                                                             | Type      | Data                    |
|--------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)      | REG_SZ    | (value not set)         |
|  CCAcceleration | REG_DWORD | 0x000012c0 (4800)       |
|  CCSpeed        | REG_DWORD | 0x000012c0 (4800)       |
|  CCUpgrade      | REG_DWORD | 0x000012c0 (4800)       |
|  HDAcceleration | REG_DWORD | 0x00000f3c (3900)       |
|  HDSpeed        | REG_DWORD | 0x00001004 (4100)       |
|  HDUpgrade      | REG_DWORD | 0x00000a8c (2700)       |
|  HLAcceleration | REG_DWORD | 0x00000bb8 (3000)       |
|  HLSpeed        | REG_DWORD | 0x00000898 (2200)       |
|  HLUpgrade      | REG_DWORD | 0x00000960 (2400)       |
|  HSAcceleration | REG_DWORD | 0x00000a8c (2700)       |
|  HSSpeed        | REG_DWORD | 0x00000898 (2200)       |
|  HSUpgrade      | REG_DWORD | 0x00000960 (2400)       |
|  HWAcceleration | REG_DWORD | 0x000012c0 (4800)       |
|  HWSpeed        | REG_DWORD | 0x00001004 (4100)       |
|  HWUpgrade      | REG_DWORD | 0x000012c0 (4800)       |
|  Tiers          | REG_DWORD | 0x99999999 (2576980377) |

## 2. Old Settings 2

Maybe NVIDIA doesn't register graphic card when Tiers has all "e" numbers written, so this settings are quite arguable...

| Name                                                                                                     | Type      | Data                    |
|----------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)            | REG_SZ    | (value not set)         |
|  DisableHDDDowngrade  | REG_DWORD | 0x00000001 (1)          |
|  DisableHLDngrade     | REG_DWORD | 0x00000001 (1)          |
|  DisableHWDngrade     | REG_DWORD | 0x00000001 (1)          |
|  EnableHDAcceleration | REG_DWORD | 0x00000001 (1)          |
|  EnableHDUpgrade      | REG_DWORD | 0x00000001 (1)          |
|  EnableHLAcceleration | REG_DWORD | 0x00000001 (1)          |
|  EnableHLUpgrade      | REG_DWORD | 0x00000001 (1)          |
|  EnableHWAcceleration | REG_DWORD | 0x00000001 (1)          |
|  EnableHWUpgrade      | REG_DWORD | 0x00000001 (1)          |
|  HDSpeed              | REG_DWORD | 0xffff3500 (4294915328) |
|  HLSpeed              | REG_DWORD | 0xffff2700 (4294911744) |
|  HWSpeed              | REG_DWORD | 0xffff4800 (4294920192) |
|  Tiers                | REG_DWORD | 0xeeeeeeee (4008636142) |

### 3. Old settings that worked

| Name                                                                                                    | Type      | Data                    |
|---------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)             | REG_SZ    | (value not set)         |
|  EnableHWAacceleration | REG_DWORD | 0xffff40ac (4294918316) |
|  EnableHWUpgrade       | REG_DWORD | 0xffff40ac (4294918316) |
|  HWSpeed               | REG_DWORD | 0xffff40ac (4294918316) |
|  Tiers                 | REG_DWORD | 0xeeeeffff (4008640511) |

### 4. Old settings that made no point:

| Name                                                                                                    | Type      | Data                    |
|---------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)             | REG_SZ    | (value not set)         |
|  DisableHLDngrade      | REG_DWORD | 0xeeeeeeef (4008636143) |
|  DisableHWDngrade      | REG_DWORD | 0xffffffff (4294967295) |
|  EnableHDUpgrade       | REG_DWORD | 0xffff4800 (4294920192) |
|  EnableHLUpgrade       | REG_DWORD | 0xffff4000 (4294918144) |
|  EnableHWAacceleration | REG_DWORD | 0xffff4800 (4294920192) |
|  EnableHWUpgrade       | REG_DWORD | 0xffff4800 (4294920192) |
|  HDSpeed               | REG_DWORD | 0xffff4800 (4294920192) |
|  HLSpeed              | REG_DWORD | 0xffff4800 (4294920192) |
|  HWSpeed             | REG_DWORD | 0xffff4800 (4294920192) |
|  Tiers               | REG_DWORD | 0xffff4000 (4294918144) |

### \Avalon.Graphics

| Name                                                                                            | Type      | Data               |
|-------------------------------------------------------------------------------------------------|-----------|--------------------|
|  (Default)   | REG_SZ    | (value not set)    |
|  HWDowngrade | REG_DWORD | 0x00002800 (10240) |
|  HWUpgrade   | REG_DWORD | 0x00004800 (18432) |

I believe that the next solution makes no point:

| Name                                                                                                       | Type      | Data                    |
|------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)              | REG_SZ    | (value not set)         |
|  DisableHWAacceleration | REG_DWORD | 0xffffffff (4294967295) |
|  EnableHWAacceleration  | REG_DWORD | 0xffff24ac (4294911148) |

- I created REG\_DWORD named DisableHWAacceleration and set it to the value: ffffffff or f22afdfd
- I created REG\_DWORD named EnableHWAacceleration and set it to the value: ffff24ac, maybe wrong answers are: ffff2a4c, cbed2a4c, fade9a9c – but those codes we can use if we find the setting on our chips complex which we can find the association when we look at the title: Avalon.Graphics

- Maybe 2a4cd2da – last “a” is there maximum of 2GHz...
- Maybe 4a7cd4df – last “f” is there because of as much as it can of 4GHz...

## DirectX

- It turns out that this settings maybe don't need to edited at all... I concluded some values playing with Registry Editor...

Registry editor key:

- "Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Microsoft\DirectX"


Edit:

- "MaxFeatureLevel"
- "MinFeatureLevels"
- "D3D12MinFeatureLevel"
- "D3D12MaxFeatureLevel"

Values of the keys

- MaxFeatureLevel: "c100"
  - Possible options are:
    - "C100"
    - "c256"
    - "F256"
    - "fadcb"
    - "fadbcdef"
    - "fadbcfdf"
- D3D12MinFeatureLevel: c100
  - Possible options are:
    - 0 (to see retardedness)
    - c100
    - F (to see regular even if it isn't)
    - 15, 20, 25, 30, 35, ..., 100
    - f10
    - f11, f12, f13, f14, f15
    - f100, f110, f120, f130, f140, f150
    - f1000

Edit those values and through the inside of the "DirectX" key keys:



Old settings and unnecessary images:




| Name                          | Type       | Data                                   |
|-------------------------------|------------|----------------------------------------|
| (Default)                     | REG_DWORD  | 0x00000001 (1)                         |
| D3D12MaxFeatureLevel          | REG_DWORD  | 0xfadbcdef (4208709103)                |
| D3D12MinFeatureLevel          | REG_DWORD  | 0x00000000 (0)                         |
| DxDbOOBESkipHresult           | REG_DWORD  | 0x00000000 (0)                         |
| DxDbUninstallFodReason        | REG_DWORD  | 0x00000001 (1)                         |
| DxDbUninstallFodTimestamp     | REG_SZ     | UTC.2025-06-01.00:44:53                |
| DxDbVersion                   | REG_SZ     | 1.7.6                                  |
| HybridDeviceApplicableFor...  | REG_DWORD  | 0x00000001 (1)                         |
| HybridRegkeyWriteTimeستا...   | REG_SZ     | UTC.2025-06-01.00:24:13                |
| InstalledVersion              | REG_BINARY | 00 00 00 09 00 00 00 00                |
| LastOOBESkipTimestamp         | REG_SZ     | UTC.2025-10-07.03:03:42                |
| LastSeen                      | REG_QWORD  | 0x1dc52570b51dddd (134072622719819229) |
| LastUpdaterCallbackHresult    | REG_DWORD  | 0x00000000 (0)                         |
| LastUpdaterCallbackTimeستا... | REG_SZ     | UTC.2025-10-17.13:59:30                |
| LastUpdaterStartHresult       | REG_DWORD  | 0x00000000 (0)                         |
| LastUpdaterStartTimestamp     | REG_SZ     | UTC.2025-10-17.13:59:03                |
| MaxDedicatedVideoMemory       | REG_QWORD  | 0x7b06f000 (2064052224)                |
| MaxFeatureLevel               | REG_DWORD  | 0xfadbcdef (4208709103)                |
| MinFeatureLevel               | REG_DWORD  | 0x00000000 (0)                         |
| Version                       | REG_SZ     | 4.09.00.0904                           |

| Name                                                                                                    | Type      | Data                                   |
|---------------------------------------------------------------------------------------------------------|-----------|----------------------------------------|
|  (Default)             | REG_SZ    | (value not set)                        |
|  AdapterLuid           | REG_QWORD | 0x00013670 (79472)                     |
|  AdapterType           | REG_DWORD | 0x0000232b (9003)                      |
|  DedicatedSystemMemory | REG_QWORD | 0x00000000 (0)                         |
|  DedicatedVideoMemory  | REG_QWORD | 0x08000000 (134217728)                 |
|  Description           | REG_SZ    | Intel(R) Iris(R) Xe Graphics           |
|  DeviceId              | REG_DWORD | 0x00009a49 (39497)                     |
|  DriverVersion         | REG_QWORD | 0x1f0000006514d5 (8725724284654805)    |
|  LastSeen              | REG_QWORD | 0x1dc52570b51dddd (134072622719819229) |
|  MaxD3D11FeatureLevel  | REG_DWORD | 0xfadbcdef (4208709103)                |
|  MaxD3D12FeatureLevel  | REG_DWORD | 0x000fadcb (1027531)                   |
|  SharedSystemMemory    | REG_QWORD | 0x1f7565000 (8444596224)               |
|  UMDVersion            | REG_QWORD | 0x1f0000006514d5 (8725724284654805)    |
|  VendorId              | REG_DWORD | 0x00008086 (32902)                     |

## Intel Graphics Software

When you are able to view “Quantum Wall” depends on the colors of the profile...

### 1. “Greenbrand” profile



## 2. Universal Colors

- Universal Colors we use if we are serious

**Brightness Enhancement** ⓘ  
Adjust screen brightness for all colors or individual color.

☒ All Colors

**All Colors**  
Overall lightness or darkness of the content on your screen.

**Red**  
Color Intensity:

**Green**  
Color Intensity:

**Blue**  
Color Intensity:

34

34

34

34

**Contrast Enhancement** ⓘ  
Adjust screen contrast for all colors or individual color.

☒ All Colors

**All Colors**  
Difference between dark and light tones of the content on your screen

**Red**  
Color Intensity:

**Green**  
Color Intensity:

**Blue**  
Color Intensity:

7

7

7

7

**Hue** ⓘ  
Color of your screen content

**Saturation** ⓘ  
Vividness of colors on your screen

-23

60

### 3. Super real

- Super real profile we use for the necessary things in life

**Brightness Enhancement** ⓘ  
Adjust screen brightness for all colors or individual color.

☐ All Colors

**All Colors**  
Overall lightness or darkness of the content on your screen.

**Red**  
Color Intensity:

**Green**  
Color Intensity:

**Blue**  
Color Intensity:

38

38

38

38

**Contrast Enhancement** ⓘ  
Adjust screen contrast for all colors or individual color.

☐ All Colors

**All Colors**  
Difference between dark and light tones of the content on your screen

**Red**  
Color Intensity:

**Green**  
Color Intensity:

**Blue**  
Color Intensity:

21

21

21

21

**Hue** ⓘ  
Color of your screen content

**Saturation** ⓘ  
Vividness of colors on your screen

-27

37

## 4. Ekta space profile settings

^

Post-Processing

 **Image Sharpening** ?

Sharpens the composited image before it's rendered on screen.

On ☒

Sharpening Strength

0%100%

9 ◇

^

3D Rendering

 **Adaptive Tessellation** ?

Enables an adaptive algorithm for mesh generation that lowers the cost of rendering while maintaining visual quality.

On ☒

Tessellation Quality

0%100%

16 ◇

^

General

 **Scaling Mode** ?

Set which device scales the content on your display.

GPU Scaling ▼

 **Scaling Method** ?

Adjust how content scales to your display.

Preserve Aspect Ratio ▼

 **Variable Refresh Rate Mode** ?

Sets the default refresh rate mode globally across all displays.

Not Supported ▼

^

Color

 **Hue** ?

-180180

-22 ◇

 **Saturation** ?

0100

33 ◇

 **Brightness** ?

BasicAdvanced

All Intensity

0100

59 ◇

 **Contrast** ?


BasicAdvanced

All Intensity


0100

79 ◇


## 5. Old alright settings



Pointing to a Good system from user side if it's an addon that serves for something is fine so I shall choose "GPU Scaling" – "Centered"...



With the NVIDIA "Anisotropic filtering" turned to "Off" the next setting for Scaling Mode and Method is finest:



- GPU Scaling
  - “Stretch” mode: points to avoiding system from both sides
  - “Centered” mode: points to allowing system from user side (which is nice when user is approaching applications)
  - “Preserve Aspect Ratio”: I believe bannes anyhow possible system
- Retro Scaling
  - “Integer”: allows sufficient data created by user as a help utility for approach to computer



# Graphics

Reset Settings ↺

## ^ Post-Processing



### Image Sharpening ?

Sharpens the composited image before it's rendered on screen.

On ☒

Sharpening Strength



29 ▾

## ^ 3D Rendering



### Adaptive Tessellation ?

Enables an adaptive algorithm for mesh generation that lowers the cost of rendering while maintaining visual quality.


On ☒

Tessellation Quality





51 ▾

- Next option goes with the NVIDIA “Anisotropic filtering” turned to “Off”:



With these settings go “My Favorite settings for NVIDIA” because I have dual graphics cards

## 1. Old settings



## Graphics panel

 Post-Processing

 **Image Sharpening**   
Sharpens the composited image before it's rendered on screen. On 

Sharpening Strength  10 

 3D Rendering

 **Adaptive Tessellation**   
Enables an adaptive algorithm for mesh generation that lowers the cost of rendering while maintaining visual quality. On 

Tessellation Quality  10 

## 2. Old settings

^

General

 **Scaling Mode** ?  
Set which device scales the content on your display.

Display Scaling

 **Scaling Method** ?  
Adjust how content scales to your display.

Maintain Display Scaling

^

Color

 **Hue** ?

-180180

-30

 **Saturation** ?

0100

40

 **Brightness** ?

BasicAdvanced

 **All Intensity**

0100

46

 **Contrast** ?

BasicAdvanced

 **All Intensity**

0100

60

 **Quantization Range** ?  
Tune the black and white levels of your screen content.

Full

^

Information

 **Display Info**  
Additional information about the display.

^

|                               |                              |
|-------------------------------|------------------------------|
| Display                       | Internal                     |
| Graphics Adapter              | Intel(R) Iris(R) Xe Graphics |
| Display Connection            | DisplayPort                  |
| Variable Refresh Rate Support | Not Supported                |
| HDCP Support <span>?</span>   | Not Supported                |
| 4K Support <span>?</span>     | Not Supported                |
| HDR Support <span>?</span>    | Not Supported                |

### 3. Old settings

^

General

 **Scaling Mode** 

Set which device scales the content on your display.

Display Scaling 

 **Scaling Method** 

Adjust how content scales to your display.

Maintain Display Scaling 

^

Color

 **Hue** 

-180180

-30



 **Saturation** 

0100

40



 **Brightness** 

BasicAdvanced

 **All Intensity**

0100

46



 **Contrast** 

BasicAdvanced

 **All Intensity**

0100

60



 **Quantization Range** 

Tune the black and white levels of your screen content.

Full 

^

Information

 **Display Info**

Additional information about the display.



|                                                                                                  |                              |
|--------------------------------------------------------------------------------------------------|------------------------------|
| Display                                                                                          | Internal                     |
| Graphics Adapter                                                                                 | Intel(R) Iris(R) Xe Graphics |
| Display Connection                                                                               | DisplayPort                  |
| Variable Refresh Rate Support                                                                    | Not Supported                |
| HDCP Support  | Not Supported                |
| 4K Support    | Not Supported                |
| HDR Support   | Not Supported                |

## 4. Old settings

- Old model with allowed system from both sides

^ General

 **Scaling Mode** 

Set which device scales the content on your display.

Retro Scaling 

 **Scaling Method** 

Adjust how content scales to your display.

Integer 

^ Color

 **Hue** 

-180180

-17 

 **Saturation** 

0100

49 

 **Brightness** 

Basic

Advanced

Red

Color Intensity

0100

30 

Green

Color Intensity

0100

49 

Blue

Color Intensity

0100

51 

 **Contrast** 

Basic

Advanced

Red

Color Intensity

0100

47 

Green

Color Intensity

0100

51 

Blue

Color Intensity

0100

56 

 **Quantization Range** 


Tune the black and white levels of your screen content.

Limited 

## “GraphicDrivers” Key

- It isn’t necessary to change these keys but if you decide so, please remember the old configuration so that you can return values to defaults

Go to: “Computer\HKEY\_LOCAL\_MACHINE\SYSTEM\ControlSet001\Control\GraphicsDrivers”



You should change in all of the “Configuration” keys files named “00”, and eventually main ones where you find PixelRate, PixelFormat and ColorBasis...

- PixelFormat best setting is “acfedbce”, other settings are:
  - “fe17”
  - “fe27”
  - “acfedbce”
  - “fedcbdef”
- ColorBasis best setting is “fedbcadf”, other settings are:
  - “3”
  - “fe17”
  - “fedbcadf”
  - For the whole and overall American system suggested value is: “fadbacdf”, but that system is belonging to primitive beings as humans are, and one day after a change it won’t be fitting anymore...
- PixelRate best setting is “fefedefe”, other settings are:
  - “fffffffe”
  - “fffffff”
  - “69c3320”

- "84157a0"
- "19275801"
- "97216543"
- "fadcbdaf"
- "fedbcedf"
- "fedcbde", by the belief correct value
- "ffdcebd"
- "ffedcebd"
- "dceadbf"
- "dafafafa"
- "fefedefe", 8 numbers value that represents the correctness of work
- "fffedfed", how display shouldn't be working
- "fedbacdf", how it shouldn't be working
- "fffedcbe", how it shouldn't be working for 3D


## Default (Windows) Values

|               | Name            | Type      | Data              |
|---------------|-----------------|-----------|-------------------|
| Configuration | (Default)       | REG_SZ    | (value not set)   |
| MSBDD_NCP     | CcdDbVersion    | REG_DWORD | 0x00000003 (3)    |
| 00            | ColorBasis      | REG_DWORD | 0x00000003 (3)    |
| 00            | PixelFormat     | REG_DWORD | 0x00000015 (21)   |
| 00            | Position.cx     | REG_DWORD | 0x00000000 (0)    |
| 00            | Position.cy     | REG_DWORD | 0x00000000 (0)    |
| MSBDD_NOE     | PrimSurfSize.cx | REG_DWORD | 0x00000780 (1920) |
| 00            | PrimSurfSize.cy | REG_DWORD | 0x00000438 (1080) |
| 00            | Stride          | REG_DWORD | 0x00001e00 (7680) |
| MSNILNOEDI    |                 |           |                   |
| NCP006E0_01   |                 |           |                   |
| Connectivity  |                 |           |                   |
| DCI           |                 |           |                   |

|                 |                        |           |                         |
|-----------------|------------------------|-----------|-------------------------|
| 640x480p        | Name                   | Type      | Data                    |
| 720x480p        | (Default)              | REG_SZ    | (value not set)         |
| 720x480p        | ActiveSize.cx          | REG_DWORD | 0x00000780 (1920)       |
| 720x576p        | ActiveSize.cy          | REG_DWORD | 0x00000438 (1080)       |
| 720x576p        | ColorBasis             | REG_DWORD | 0x00000003 (3)          |
| DVI             | DwmClipBox.bottom      | REG_DWORD | 0x00000438 (1080)       |
| HD15            | DwmClipBox.left        | REG_DWORD | 0x00000000 (0)          |
| HDTV            | DwmClipBox.right       | REG_DWORD | 0x00000780 (1920)       |
| SDTV Dongle     | DwmClipBox.top         | REG_DWORD | 0x00000000 (0)          |
| SVIDEO          | Flags                  | REG_DWORD | 0x00830b8f (8588175)    |
| BasicDisplay    | HSyncFreq.Denominator  | REG_DWORD | 0xffffffff (4294967294) |
| BlockList       | HSyncFreq.Numerator    | REG_DWORD | 0xffffffff (4294967294) |
| Configuration   | PixelFormat            | REG_DWORD | 0x00000015 (21)         |
| MSBDD_NCP       | PixelRate              | REG_DWORD | 0xffffffff (4294967294) |
| 00              | PrimSurfSize.cx        | REG_DWORD | 0x00000780 (1920)       |
| 00              | PrimSurfSize.cy        | REG_DWORD | 0x00000438 (1080)       |
| MSBDD_NOE       | Rotation               | REG_DWORD | 0x00000001 (1)          |
| 00              | Scaling                | REG_DWORD | 0x00000004 (4)          |
| 00              | ScanlineOrdering       | REG_DWORD | 0x00000001 (1)          |
| MSNILNOEDI      | Stride                 | REG_DWORD | 0x00001e00 (7680)       |
| NCP006E0_01     | VideoStandard          | REG_DWORD | 0x000000ff (255)        |
| Connectivity    | VSynchFreq.Denominator | REG_DWORD | 0xffffffff (4294967294) |
| DCI             | VSynchFreq.Numerator   | REG_DWORD | 0xffffffff (4294967294) |
| FeatureSetUsage |                        |           |                         |
| InternalMonEdid |                        |           |                         |
| MonitorDataSto  |                        |           |                         |

## inetcpl.cpl

- Press Win+R to open “Run” program and then type: “inetcpl.cpl” and press enter
- Go to advanced
- You can select this but I find no point for now even it might slow down the Laptop...



## Intel graphics settings:

### Enabling “Quantum Wall” idea

I believe that you need dual graphic card for this to work, so we would suggest besides Intel graphic card the NVIDIA graphic card and it's Control Panel settings...

#### Simple way

Go to:

- Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\IGFX\DPP

There edit the files:

#### With intuitive support, knowledge base, and ideas for life

- Thanks to life system understanding – as much as allowed is pronounced, other things stay in tune (on intuitive level)

| Name                                                                                                    | Type       | Data                  |
|---------------------------------------------------------------------------------------------------------|------------|-----------------------|
|  (Default)             | REG_SZ     | (value not set)       |
|  DisableDPPTemporarily | REG_BINARY | aa ee fe ef           |
|  EnableHardware3DLUT  | REG_DWORD  | 0xaaeeef (2867789551) |

#### The same idea with different inclines and range of reading (unpleasing)

| Name                                                                                                      | Type       | Data                     |
|-----------------------------------------------------------------------------------------------------------|------------|--------------------------|
|  (Default)             | REG_SZ     | (value not set)          |
|  DisableDPPTemporarily | REG_BINARY | aa ee fe ef              |
|  EnableHardware3DLUT   | REG_DWORD  | 0xaaeeef11f (2867786015) |

### Other ideas

#### With undistinctive fitting of beings, intuitive anyhow support

| Name                                                                                                      | Type       | Data                    |
|-----------------------------------------------------------------------------------------------------------|------------|-------------------------|
|  (Default)             | REG_SZ     | (value not set)         |
|  DisableDPPTemporarily | REG_BINARY | aa 99 e1 1e             |
|  EnableHardware3DLUT   | REG_DWORD  | 0xaa99e11e (2862211358) |

- I find this similar to Army code for fitting of the beings, guiding them and helping the work process

#### With working ambitions, support and undistinctive fitting of beings

| Name                                                                                                      | Type       | Data                    |
|-----------------------------------------------------------------------------------------------------------|------------|-------------------------|
|  (Default)             | REG_SZ     | (value not set)         |
|  DisableDPPTemporarily | REG_BINARY | 99 99 e1 1e             |
|  EnableHardware3DLUT   | REG_DWORD  | 0x9999e11e (2576998686) |

*With unknown intuitive support for beings*

| Name                                                                                                    | Type       | Data                    |
|---------------------------------------------------------------------------------------------------------|------------|-------------------------|
|  (Default)             | REG_SZ     | (value not set)         |
|  DisableDPPTemporarily | REG_BINARY | ee 99 1e e1             |
|  EnableHardware3DLUT   | REG_DWORD  | 0xee991ee1 (4003012321) |

*With distinctive intuitive support for beings*

| Name                                                                                                    | Type       | Data                    |
|---------------------------------------------------------------------------------------------------------|------------|-------------------------|
|  (Default)             | REG_SZ     | (value not set)         |
|  DisableDPPTemporarily | REG_BINARY | ee 22 1e e1             |
|  EnableHardware3DLUT   | REG_DWORD  | 0xee221ee1 (3995213537) |

*With notorious affirmative support for beings*

| Name                                                                                                    | Type       | Data                    |
|---------------------------------------------------------------------------------------------------------|------------|-------------------------|
|  (Default)             | REG_SZ     | (value not set)         |
|  DisableDPPTemporarily | REG_BINARY | ee ff 1f f1             |
|  EnableHardware3DLUT   | REG_DWORD  | 0xeeff1ff1 (4009697265) |

*With affirmative help data and productivity help support*

| Name                                                                                                      | Type       | Data                   |
|-----------------------------------------------------------------------------------------------------------|------------|------------------------|
|  (Default)             | REG_SZ     | (value not set)        |
|  DisableDPPTemporarily | REG_BINARY | 11 f1 9f f1            |
|  EnableHardware3DLUT   | REG_DWORD  | 0x11f19ff1 (301047793) |

*With help information (healthy, surreal)*

| Name                                                                                                      | Type       | Data                    |
|-----------------------------------------------------------------------------------------------------------|------------|-------------------------|
|  (Default)             | REG_SZ     | (value not set)         |
|  DisableDPPTemporarily | REG_BINARY | ef fe 9f fe             |
|  EnableHardware3DLUT   | REG_DWORD  | 0xeffe9ffe (4026441726) |

Data that's consisted within:

- Dexollyphycarryum – If someone made cosmos science fields in a Quantum Wall
- Exollyphycarryum of a being – Full Complete Spectrum of a being
  - Tiredness
  - Pain
  - Leisure
- Dellyphycarryum of Data Information – Full and Complete data necessary for work
- Ogrryllyphycarryum of “watches” – Data relevant to the being (“watches” describing beings functionality)
  - How being understands things
  - How well it understood

- Norgllyphycarryum – For what shouldn't be done
- DeNorgllyphycarryum – For what we did that shouldn't be done
- Exhondessa – Unsuccessful life with bans that started something
- Dexhondessa – Unsuccessful life with bans that started something wrong but it's not up to them

Task managing can calculate up to:

- DeglleWennya – If we made the world
- NoWennya – If that went wrong
- DeWennya – If that went wrong but it's not up to us
- Wennya – If we started creating the world
- OrZaharrme – If we are simple workers creating everything from one field of job area
- NorZaharrme – If we are simple workers creating everything from one field of job area went wrong
- DorZaharrme – If we are simple workers creating everything from one field of job area went wrong but not because of us

*With help information for easier working*

| Name                                                                                                      | Type       | Data                    |
|-----------------------------------------------------------------------------------------------------------|------------|-------------------------|
|  (Default)             | REG_SZ     | (value not set)         |
|  DisableDPPTemporarily | REG_BINARY | ef fe af fe             |
|  EnableHardware3DLUT   | REG_DWORD  | 0xeffeaffe (4026445822) |

Data that's consisted within:

- Exollyphycarryum of a being (Full Complete Spectrum of a being)
- Dellyphycarryum of Data Information (Full and Complete data necessary for work)
- Ogrrlylyphycarryum of "watches" relevant to the being ("watches" describing beings functionality)

About being's work:

- While we work change of a being isn't necessary for a being to do work on the ideas of different beings that worked on something before

*With a "must accepted" help for easier working*

| Name                                                                                                      | Type       | Data                    |
|-----------------------------------------------------------------------------------------------------------|------------|-------------------------|
|  (Default)             | REG_SZ     | (value not set)         |
|  DisableDPPTemporarily | REG_BINARY | ef fa ef fe             |
|  EnableHardware3DLUT   | REG_DWORD  | 0xeffaaffe (4026200062) |

About being's work:

- While we work change of a being is necessary for a being to do work on the ideas of different beings that worked on something before

### *Simple Unfull Quantum Wall*


| Name                                                                                                    | Type       | Data                    |
|---------------------------------------------------------------------------------------------------------|------------|-------------------------|
|  (Default)             | REG_SZ     | (value not set)         |
|  DisableDPPTemporarily | REG_BINARY | f0 e9 81 0f             |
|  EnableHardware3DLUT   | REG_DWORD  | 0xfeeeefef (4277075695) |

*Other settings to use with same values in DPPT and 3DLUT*


- RPCR.3: 98710def
- Erase unful code errors: deedfded
- full - unful code with everything else: fedffdef

*Harder way (With explanations)*

- Intel folder list: "Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel"



Part 1:



Part 2:



Part 3:



## Folders:

Each of the definitions of “watches”, “XD” (multiple D, as in 3D) environments, and etc. we define through the folders as are:

- Allambrottya – we use for the purpose of the “knowledge watch” defined as QX or complex DQX...
- Allambrrorrryttyyanallyyannyya – for the purpose of measuring one towards another as is QDQ or through time we use QXQ, or through complex idea for both we can use QZQ
- Ellembrosyyannallyyannyya – would be some kind of enablement of the predefined keys – for example of 3DLUT
- Frygullarmantyya – can have keys (folders) as are AMFTXZ for the purpose now moment, DMFTXZ for the purpose of future and XMFTXZ for the past... The “watch” we are using is complexed Q or simple Q (for now), QQ (for past), and QQQ and (for future)... So implementing it in XD stage is DQ watch...
- PRST – or longer “Perrserwattory” is a folder is for emotions and feelings we are dividing into the BCB for emotions and BRC for emotions and feelings... The watch we are using in BCB is QQX, and a watch we are using in BRC is DQX...
  - Quzzembrya (for simpler beings Quzembrya), Wallzembrya, Dezzembrya, and Allzembrya represent the idea of QQX or QQZ watches and they could belong to complexed written PRST – or Perrserwattoryum... And I find it unnecessary for it to be main folder... Simply the explanation is that some emotions, feelings and levels of intelligence we divide in 113D, 114D or 115D and that is simply their description...
- PTRST – QPZZ & QTZZ – what when we ain’t using a watch... There is always a command for that and we can use 2 types of codes – when watches ain’t working (because we didn’t write them – then we can use data through different types of watches), or when they don’t need to work (but for example we need them – also for example because we didn’t wrote them)... QPZZ represents Qupyzzallya and QTZZ represents Quzzalltallyannyzzallya
- Qupystallya – represents self responsive system towards the aliens used in open system for smart beings... In that folder we can use complex watch for past, now moment and future – maybe it’s DQZ or QZT...
- Qzembrya – represents a system for responsiveness – collecting the data from the aliens from which we need to know something
- RPGZX – “Reprogryggerryzyxyannallyyannyya” (shorter “Reprogryggerry”) we are using for alien communication – QXQ for reading the aliens, and QZT for collecting data about them
- RPGXZ – Repprogrezzyxstyya or longer “Repprogrezzyxstallyannallyyannyya” has the idea of exchanging and shortcutting the values of time measurements with an idea that

some years pass with a different idea and so that we can still measure them... For that option we use the DDQX clock...

- RPGZX – we find simple time passing but for a need of a long enough time needed to pass... And that time simply in some cases can't be measured so we will extrapolate the "Q" option for a time and get it unlimited "QQQQQQQ..." ... To shorten that we will use the: "QZQ" option, and "QZT" when we are still able to calculate the values...
- RTZT – What when we didn't write the watch for the 3D options because we simply didn't think of it, or when we don't fit into any of the watches for some strange reason? We can use the QTX (all else watches) or QDX (every single of the remaining watches) options for the missing watches... Those options are similar but the QDX has more of a value... I still find them both necessary because of the different ideas of the beings using the watches...
- TRST – or longer "Trusttannyya" we are using for the regular 3D printing on various levels... There we differ AFD, AST, and ATZ for smaller lines, irregular shapes and 2D box messages...
- TZTRT – Tarrzzattar (or for some Tartazzar) is a word for a ban on missing watches for the system to write them itself... TQT is "all ban", TRT is "simple ban" usually on emotions, and TZT is kind of a "simple ban" on feelings...
- Zygollarmanttyyanallyannya – is a word for a ban and shorter word I am not sure about, even coded I can't think of... Inside it we will ban any moving of the system locally and globally (for aliens)... Maybe code for that is ZPRGXZ, but if you are not sure of the full short code you better not use it...

## Allambrottyya

| Registry Editor                                                          |                             |           |                                               |
|--------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                            |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Allambrottyya\DOX\ZTZ\1000DOX |                             |           |                                               |
|                                                                          | Name                        | Type      | Data                                          |
| Intel                                                                    | (Default)                   | REG_SZ    | (value not set)                               |
| Allambrottyya                                                            | Annallyya                   | REG_QWORD | 0xcdefedceb2cdcefe (14839340769227951870)     |
| DOX                                                                      | Bendwanallyya               | REG_QWORD | 0xffffbcdef4ced2de (18446388789532087006)     |
| ZTC                                                                      | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| ZTX                                                                      |                             |           |                                               |
| ZTZ                                                                      |                             |           |                                               |
| 1000DOX                                                                  |                             |           |                                               |


## Allambrrorrttyyanallyannya

| Registry Editor                                                                       |                             |           |                                               |
|---------------------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                                         |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Allambrrorrttyyanallyannya\QZQ\ZTZ\5000DGQ |                             |           |                                               |
|                                                                                       | Name                        | Type      | Data                                          |
| Allambrrorrttyyanallyannya                                                            | (Default)                   | REG_SZ    | (value not set)                               |
| QZQ                                                                                   | Allfanntannylyaallyannya    | REG_QWORD | 0xfefebededededede (18356354042573020894)     |
| ZTZ                                                                                   | Fanntannylyaallyannya       | REG_QWORD | 0xfefefededededede (18374368715960409822)     |
| 5000DGQ                                                                               | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| CollectorService                                                                      |                             |           |                                               |
| CrashLoq                                                                              |                             |           |                                               |


## Ellembrosyannallyannya


| Registry Editor                                                   |                             |           |                                               |
|-------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                     |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Ellembrosyannallyannya |                             |           |                                               |
|                                                                   | Name                        | Type      | Data                                          |
| Ellembrosyannallyannya                                            | (Default)                   | REG_SZ    | (value not set)                               |
| Settings                                                          | EnableHardware3DLUT         | REG_QWORD | 0xfe4cdefe4cfedefe (18324266167658536702)     |
| Frabbylluent                                                      | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| QIZTR                                                             |                             |           |                                               |
| Fryquillarmantyya                                                 |                             |           |                                               |


Frabbylluent

| Registry Editor                                                                   |                             |           |                                               |
|-----------------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                                     |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frabbylluent\QTZTR                     |                             |           |                                               |
|  | Name                        | Type      | Data                                          |
|                                                                                   | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                                   | Degonallyya                 | REG_QWORD | 0xfffdfeffdfdedd (18442205220988452845)       |
|                                                                                   | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
|                                                                                   | Yrrygonallya                | REG_QWORD | 0xffeadfdfdfffff (18440797776848617470)       |


Frygullarmantyaa


| Registry Editor                                                                   |                             |           |                                               |
|-----------------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                                     |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frygullarmantyaa\ZTC\10DQ              |                             |           |                                               |
|  | Name                        | Type      | Data                                          |
|                                                                                   | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                                   | Allyyanntenallyyannte       | REG_QWORD | 0xfedebedededefe (18365326194357755646)       |
|                                                                                   | Dellyyannteallyyannte       | REG_QWORD | 0xfabacabadabadaba (18066975759032572602)     |
|                                                                                   | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |


| Registry Editor                                                                   |                             |           |                                               |
|-----------------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                                     |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frygullarmantyaa\ZTX\100DQ             |                             |           |                                               |
|  | Name                        | Type      | Data                                          |
|                                                                                   | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                                   | Frabbyllyanntedellywannte   | REG_QWORD | 0xbcdabcfddcdadcdf (13608396893722434783)     |
|                                                                                   | Frabbyllyanntenawyllyyannte | REG_QWORD | 0xbcdabcfddcdadcdde (13609522793629605086)    |
|                                                                                   | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

| Registry Editor                                                                     |                             |           |                                               |
|-------------------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                                       |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frygullarmantyaa\ZTZ\1000DQ              |                             |           |                                               |
|  | Name                        | Type      | Data                                          |
|                                                                                     | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                                     | Frygullanttyanallyannyaa    | REG_QWORD | 0xfbcdabcfdeedcefef (184144347374978133999)   |
|                                                                                     | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
|                                                                                     | Ygullanttyanallyannyaa      | REG_QWORD | 0xbcdedefdfdfdf2fdf (13609594391289999327)    |

PRST

| Registry Editor                                                                     |                             |           |                                               |
|-------------------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                                       |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQD\5000QQD                     |                             |           |                                               |
|  | Name                        | Type      | Data                                          |
|                                                                                     | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                                     | Derewallnnyya               | REG_QWORD | 0xffeadffedeadffed (18440797909972549613)     |
|                                                                                     | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
|                                                                                     | Rewallnnyya                 | REG_QWORD | 0xfeafdeaffeafeaff (18352131854031645439)     |

| Registry Editor                                                                     |                             |           |                                               |
|-------------------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                                       |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQX\1000DQQX                    |                             |           |                                               |
|  | Name                        | Type      | Data                                          |
|                                                                                     | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                                     | Demblorr                    | REG_QWORD | 0xdbca4cabceadafed (15837555340392378349)     |
|                                                                                     | Lazemblorr                  | REG_QWORD | 0xffedbcdefebcedef (18441603715094605295)     |
|                                                                                     | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

| Registry Editor                                                                     |                             |           |                                               |
|-------------------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                                       |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQZ\5000QQZ                     |                             |           |                                               |
|  | Name                        | Type      | Data                                          |
|                                                                                     | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                                     | Dewantallyya                | REG_QWORD | 0xedffdfedffedffef (17149672119344168943)     |
|                                                                                     | Fantallyya                  | REG_QWORD | 0xffedffedffedffff (18441677446818168831)     |
|                                                                                     | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

| Registry Editor                                               |                             |  |                 |
|---------------------------------------------------------------|-----------------------------|--|-----------------|
| File Edit View Favorites Help                                 |                             |  |                 |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BRC\DQ\5000DQ |                             |  |                 |
|                                                               | Name                        |  | Type            |
|                                                               | (Default)                   |  | REG_SZ          |
|                                                               | Anndallyya                  |  | REG_QWORD       |
|                                                               | Dewandallyya                |  | REG_QWORD       |
|                                                               | PrebuiltShaderBinaryDirPath |  | REG_SZ          |
|                                                               | Data                        |  | (value not set) |

| Registry Editor                                                |                             |  |                 |
|----------------------------------------------------------------|-----------------------------|--|-----------------|
| File Edit View Favorites Help                                  |                             |  |                 |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BRC\QX\5000DQX |                             |  |                 |
|                                                                | Name                        |  | Type            |
|                                                                | (Default)                   |  | REG_SZ          |
|                                                                | Dembllyrryanallyyanna       |  | REG_QWORD       |
|                                                                | Lazembllyrryanallyyanna     |  | REG_QWORD       |
|                                                                | PrebuiltShaderBinaryDirPath |  | REG_SZ          |
|                                                                | Data                        |  | (value not set) |

| Registry Editor                                                |                             |  |                 |
|----------------------------------------------------------------|-----------------------------|--|-----------------|
| File Edit View Favorites Help                                  |                             |  |                 |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BRC\QZ\1000DQZ |                             |  |                 |
|                                                                | Name                        |  | Type            |
|                                                                | (Default)                   |  | REG_SZ          |
|                                                                | Laffynallyya                |  | REG_QWORD       |
|                                                                | Llawynnyya                  |  | REG_QWORD       |
|                                                                | PrebuiltShaderBinaryDirPath |  | REG_SZ          |
|                                                                | Data                        |  | (value not set) |

## PTRST

| Registry Editor                                                |                             |  |                 |
|----------------------------------------------------------------|-----------------------------|--|-----------------|
| File Edit View Favorites Help                                  |                             |  |                 |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PTRST\QPZZ\5000QPZZ |                             |  |                 |
|                                                                | Name                        |  | Type            |
|                                                                | (Default)                   |  | REG_SZ          |
|                                                                | Ataganallyya                |  | REG_QWORD       |
|                                                                | Frataganallyya              |  | REG_QWORD       |
|                                                                | PrebuiltShaderBinaryDirPath |  | REG_SZ          |
|                                                                | Data                        |  | (value not set) |

## PTRST

| Registry Editor                                                |                             |  |                 |
|----------------------------------------------------------------|-----------------------------|--|-----------------|
| File Edit View Favorites Help                                  |                             |  |                 |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PTRST\QTZZ\1000QTZZ |                             |  |                 |
|                                                                | Name                        |  | Type            |
|                                                                | (Default)                   |  | REG_SZ          |
|                                                                | Brretannallyya              |  | REG_QWORD       |
|                                                                | Ettannallyya                |  | REG_QWORD       |
|                                                                | PrebuiltShaderBinaryDirPath |  | REG_SZ          |
|                                                                | Data                        |  | (value not set) |

## RMFTGXZ

| Registry Editor                                                  |                             |  |                 |
|------------------------------------------------------------------|-----------------------------|--|-----------------|
| File Edit View Favorites Help                                    |                             |  |                 |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RMFTGXZ\QDTQ\1000QDTQ |                             |  |                 |
|                                                                  | Name                        |  | Type            |
|                                                                  | (Default)                   |  | REG_SZ          |
|                                                                  | Allborrerryya               |  | REG_QWORD       |
|                                                                  | PrebuiltShaderBinaryDirPath |  | REG_SZ          |
|                                                                  | Data                        |  | (value not set) |
|                                                                  | Data                        |  | (value not set) |

| Registry Editor                                                |                             |  |                 |
|----------------------------------------------------------------|-----------------------------|--|-----------------|
| File Edit View Favorites Help                                  |                             |  |                 |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RMFTGXZ\QTQ\5000QTQ |                             |  |                 |
|                                                                | Name                        |  | Type            |
|                                                                | (Default)                   |  | REG_SZ          |
|                                                                | Allldonbrerryya             |  | REG_QWORD       |
|                                                                | Debrerryya                  |  | REG_QWORD       |
|                                                                | PrebuiltShaderBinaryDirPath |  | REG_SZ          |
|                                                                | Data                        |  | (value not set) |

RPGXZ

| Registry Editor                                                |                             |           |                                               |
|----------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                  |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGXZ\DDQX\5000DDQX |                             |           |                                               |
|                                                                | Name                        | Type      | Data                                          |
|                                                                | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                | Arrampaggyanallyannya       | REG_QWORD | 0xfeadbeafdeaffef (18351533719169269423)      |
|                                                                | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

| Registry Editor                                                |                             |           |                                               |
|----------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                  |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGXZ\DDQZ\5000DDQZ |                             |           |                                               |
|                                                                | Name                        | Type      | Data                                          |
|                                                                | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
|                                                                | Worbydurryanallyannya       | REG_QWORD | 0xffeabcfadbdfef (18440827313872289278)       |

RTZT

| Registry Editor                                         |                             |           |                                               |
|---------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                           |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RTZT\1000QTX |                             |           |                                               |
|                                                         | Name                        | Type      | Data                                          |
|                                                         | (Default)                   | REG_SZ    | (value not set)                               |
|                                                         | Errilynduylynarrya          | REG_QWORD | 0xffdefdefdefffedf (18437453131181719263)     |
|                                                         | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
|                                                         | Randulylynarrya             | REG_QWORD | 0xffdfdfdfdeffdf (18437701552090115583)       |

| Registry Editor                                         |                             |           |                                               |
|---------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                           |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RTZT\5000QDX |                             |           |                                               |
|                                                         | Name                        | Type      | Data                                          |
|                                                         | (Default)                   | REG_SZ    | (value not set)                               |
|                                                         | Ellamphyrryanallyannya      | REG_QWORD | 0xffffdefdfabcdefef (18446427336963055358)    |
|                                                         | Liamphyrryanallyannya       | REG_QWORD | 0xffdfdfdfdfdfdf (18441675316496687071)       |
|                                                         | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

TRST

| Registry Editor                                              |                             |           |                                               |
|--------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AFD\100D |                             |           |                                               |
|                                                              | Name                        | Type      | Data                                          |
|                                                              | (Default)                   | REG_SZ    | (value not set)                               |
|                                                              | Dewallyyant                 | REG_QWORD | 0xefffddcccbacbdca (17293785034522475738)     |
|                                                              | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
|                                                              | Wallyyant                   | REG_QWORD | 0xddcabccafeeffefef (15981793807724183278)    |

| Registry Editor                                              |                             |           |                                               |
|--------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AFD\500D |                             |           |                                               |
|                                                              | Name                        | Type      | Data                                          |
|                                                              | (Default)                   | REG_SZ    | (value not set)                               |
|                                                              | Allidahhadabrryya           | REG_QWORD | 0xb2dcab2dcefefefef (12888364446862212862)    |
|                                                              | Bedwahhadabrryya            | REG_QWORD | 0xc2dca2cda2cdedefef (14041276742317764079)   |
|                                                              | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

| Registry Editor                                             |                             |           |                                               |
|-------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                               |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AST\15D |                             |           |                                               |
|                                                             | Name                        | Type      | Data                                          |
|                                                             | (Default)                   | REG_SZ    | (value not set)                               |
|                                                             | Lynnogdallyya               | REG_QWORD | 0xfecdbadcbac2dba (17288434609061375418)      |
|                                                             | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
|                                                             | Ynnogdallyya                | REG_QWORD | 0xfeacbcdceefdbacd (18351284259152313037)     |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\TRST\ZTC\AST\30D

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Dellannte                   | REG_QWORD | 0xffefffeeeefbacd (18441958994524224205)      |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| Ydellannte                  | REG_QWORD | 0xffffefffbdadfff (18446726481453965311)      |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\TRST\ZTC\AST\4D

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Fannylio                    | REG_QWORD | 0xfe2fede4cfedef (18316119776535899631)       |
| Fantannylio                 | REG_QWORD | 0xffdef4cdeb2de4c (18441659162584866380)      |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\TRST\ZTC\AST\5D

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Efanntannynna               | REG_QWORD | 0xfb24cdef2bdedede (18096815629798399710)     |
| Fanntannynna                | REG_QWORD | 0xfffebedeb2de4cde (18446390987449060574)     |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\TRST\ZTC\ATZ\3D

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Ascronnzzya                 | REG_QWORD | 0xde4cbfdfe4cbfdf (16018388942878195679)      |
| Dellascronnzzya             | REG_QWORD | 0xf2ed4cb2de4cdede (17504731657776455390)     |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\TRST\ZTC\ATZ\4D

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Effanntannylio              | REG_QWORD | 0xff4cdeb2de4cdeff (18396323437716758271)     |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\TRST\ZTC\ATZ\500D

<

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\TRST\ZTX\ATZ\1000D

TRST

ZTC

AFD

100D

500D

AST

15D

30D

4D

5D

ATZ

3D

4D

50D

ZTX

ATZ

1000D

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Brotallyanallyannya         | REG_QWORD | 0xffffdfedffffefff (18446181118924287999)     |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\TRST\ZTZ\ATZ\5000D

TRST

ZTC

AFD

100D

500D

AST

15D

30D

4D

5D

ATZ

3D

4D

50D

ZTX

ATZ

1000D

ZTZ

ATZ

5000D

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Frybullannyanallyannya      | REG_QWORD | 0xfbafbadcedced (18135919814559849709)        |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

## TZTRT

Registry Editor

File Edit View Favorites Help


Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\TZTRT\TQT\5000TQT

<

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\TZTRT\TRT\5000TRT




## Zygollarmanttyyanallyannya

| Registry Editor                                                                                         |           |                                         |
|---------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------|
| File Edit View Favorites Help                                                                           |           |                                         |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Zygollarmanttyyanallyannya                                   |           |                                         |
| Name                                                                                                    | Type      | Data                                    |
|  (Default)             | REG_SZ    | (value not set)                         |
|  DisableDPPTemporarily | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  Global                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalD               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalDL              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalDLST            | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalF               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalH               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalHL              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalLL              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalLLL             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalLLST            | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalIN              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalIP              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalQ               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalQTR             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalR              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalRLST          | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalS             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalT             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalTT            | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalTTT           | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalX             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalY             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalZ             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalZZ            | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalZZZ           | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalZZZZ          | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  Local               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalD              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalDL             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalDLST           | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalF              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalH              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalHL             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalLL             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalLLL            | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalLLST           | REG_QWORD | 0xffffffffffffff (18446744073709551615) |

- LocalLLST
- LocalIN
- LocalIP
- LocalQ
- LocalQTR
- LocalR
- LocalRLST
- LocalS
- LocalT
- LocalTT
- LocalTTT
- LocalX
- LocalY
- LocalZ
- LocalZZ
- LocalZZZ
- LocalZZZZ


 LocalN LocalP LocalR LocalRLST LocalT LocalY LocalZ LocalZZZ LocalZZZZ[illegible]

## QLMZR



| Name                        | Type   | Data                                          |
|-----------------------------|--------|-----------------------------------------------|
| (Default)                   | REG_SZ | (value not set)                               |
| Ellamborrttya               | REG_SZ | dfdbafdbadbacdfdba                            |
| Lellaborrttya               | REG_SZ | fdbadfbccdafdbaccdacdadfdca                   |
| PrebuiltShaderBinaryDirPath | REG_SZ | C:\Program Files\Intel\PrebuiltShaderBinaries |


“HKEY\_CURRENT\_USER\Software\Intel\Display\igfxcui”




*Display\igfxcui\3D*

Computer\HKEY\_CURRENT\_USER\Software\Intel\Display\igfxcui\3D

I have deleted the 3D folder and added a ban folder:



3D folder is always reset so the values are:




## Display\igfxcui\Media

| Name                                                                                                                    | Type      | Data                                      |
|-------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
|  (Default)                             | REG_SZ    | (value not set)                           |
|  AceLevel                              | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
|  EnableACE                             | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  EnableFMD                             | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  EnableIS                              | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  EnableNLAS                            | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
|  EnableSTE                             | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  EnableSuperResolution                 | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  EnableTCC                             | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  GCompMode                             | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  GExpMode                              | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  InputYUVRange                         | REG_QWORD | 0xffffeeeeffffff (18446725308997431022)   |
|  NLASHLinearRegion                     | REG_QWORD | 0xffffeeeeffffff (18446725308997431022)   |
|  NLASNonLinearCrop                     | REG_QWORD | 0xeeeeeeffffff (17216979900174364398)     |
|  NLASVerticalCrop                      | REG_QWORD | 0xeeeeeeffffff (17216979900174364398)     |
|  NoiseReductionAutoDetectEnabledAlways | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  NoiseReductionEnableChroma            | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  NoiseReductionEnabledAlways          | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  NoiseReductionFactor                | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
|  ProcAmpApplyAlways                  | REG_QWORD | 0xeeeeeeffffff (17216979900174368767)     |
|  ProcAmpBrightness                   | REG_QWORD | 0xdabddabddabddabd (15761994779820153533) |
|  ProcAmpContrast                     | REG_QWORD | 0xcadbcadbcadbcadb (14617500060911127259) |
|  ProcAmpHue                          | REG_QWORD | 0xadbdadbdbdadbd (12519353569335160253)   |
|  ProcAmpSaturation                   | REG_QWORD | 0xfadbfadbfadbfadb (18076317352095120091) |
|  SatFactorBlue                       | REG_DWORD | 0xeeeeffff (4008640511)                   |
|  SatFactorCyan                       | REG_DWORD | 0xeeeeffff (4008706047)                   |
|  SatFactorGreen                      | REG_DWORD | 0xeeeeffff (4009754623)                   |
|  SatFactorMagenta                    | REG_DWORD | 0xeeeeffff (4026531839)                   |
|  SatFactorRed                        | REG_DWORD | 0xfeeeffff (4278190079)                   |
|  SatFactorYellow                     | REG_DWORD | 0xffeeffff (4293918719)                   |
|  SharpnessEnabledAlways              | REG_QWORD | 0x3333333333333333 (3689348814741910323)  |
|  SharpnessFactor                     | REG_DWORD | 0xdebedebe (3737050814)                   |
|  SkinTone                            | REG_QWORD | 0xfdebdecdbdecdeca (18296962878320533194) |
|  SuperResolutionEnabled              | REG_DWORD | 0xbdeeecee (3202280686)                   |
|  SuperResolutionMode                 | REG_DWORD | 0xeeeeeeee (4008636142)                   |
|  UISharpnessOptimalEnabledAlways     | REG_QWORD | 0x3333333333333333 (3689348814741910323)  |

With these settings supported worlds are: Degrywallstacyonall world – of cosmos jokes that are appearing where they should, Yrrygacyannall world – of banners of what we are doing and what we should be doing, Acquezzystacyonall world – of beings worlds for us to investigate, and etc...


## Display\igfxcui\MISC

Computer\HKEY\_CURRENT\_USER\Software\Intel\Display\igfxcui\MISC

| Registry Editor                                                                   |  |                      |                                                 |
|-----------------------------------------------------------------------------------|--|----------------------|-------------------------------------------------|
| File Edit View Favorites Help                                                     |  |                      |                                                 |
| Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\MISC                    |  |                      |                                                 |
|                                                                                   |  | Name                 | Type Data                                       |
|  |  | (Default)            | REG_SZ (value not set)                          |
|                                                                                   |  | UserSetDRRSDisableRR | REG_QWORD 0xfeadbeafdeaf (18351533719169269423) |

*Display\igfxcui\Zygollarmantyyanallyannya*

Computer\HKEY\_CURRENT\_USER\Software\Intel\Display\igfxcui\Zygollarmantyyanallyannya



|                                                                                                         |           |                                         |
|---------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------|
|  (Default)             | REG_SZ    | (value not set)                         |
|  DisableDPPTemporarily | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  Global                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalD               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalDL              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalDLST            | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalF               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalL               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalLL              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalLLL             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalN               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalP               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalQ               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalQTR             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalR               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalRLST            | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalS               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalT               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalTT              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalTTT             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalX             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalY             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalZ             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalZZZ           | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  GlobalZZZZ          | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  Local               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalD              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalDL             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalDLST           | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalF              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalL              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalLL             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalLLL            | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalN              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalP              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalQ              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalQTR            | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalR              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|  LocalRLST           | REG_QWORD | 0xffffffffffffff (18446744073709551615) |



REG\_QWORD

0xffffffff (18446744073709551615)

REG\_QWORD

0xffffffff (18446744073709551615)

REG\_QWORD

0xffffffff (18446744073709551615)

REG\_QWORD

0xffffffff (18446744073709551615)

REG\_QWORD

0xffffffff (18446744073709551615)

REG\_QWORD

0xffffffff (18446744073709551615)

REG\_QWORD

0xffffffff (18446744073709551615)

REG\_QWORD

0xffffffff (18446744073709551615)

REG\_QWORD

0xffffffff (18446744073709551615)

## Theory and explanation


Let's talk about beginning idea how files can be shaped and changed and how they pull the system one way or another (from the computer, or to the computer) thanks to the settings we have...

Let's talk about the Intel graphics card settings... Besides regular settings for brightness, contrast, saturation and hue, there are some more options under Registry Keys that you might find interesting for a better display view...

I believe that here a setting: "Enable..." or "...Enabled" (for example "EnableACE" or SuperResolutionEnabled") doesn't need to have only options 0 or 1, but it can have any possible options, and the point is that you actually play with the display settings and figure out when you have the best view... I will give you a hint – if you set everything else right – setting the "SkinTone" to a value "3" gives you somehow a feeling of "a Saint computer user"... So, the conclusion is that you can create anything that you like from these values without needing to restart the computer to see the results...

## Beginning idea of editing binary files

- Computer\HKEY\_CURRENT\_USER\SOFTWARE\Intel\Display\igfxcui\Media



Those settings are mixed, coded, introvert – flipped upside down and mixed while flipping so while we are mixing them we get the word we want – and by the belief it has only one key... For example if we would start with an idea of repeating of hex values – fractal to cosmos – we can for nonsense start with for the non existing "DPA" key: "ff" would be fine, and "fff" would require 7 more "a" hex values for us to put DPA to Yrrygonallya model of understanding... Then if we would add another "e" we would need to type and "dbca" which gives us 8 hex values and the word "DPA" would be translated into Hex as: "fffedbca". The point is to code as many letters as we can so that we get the desired idea...

All those settings are connected in some way – unknown for us, but by the belief maybe one DWORD after another ... I believe that the code in one field is connected to the code to the

other field and that the whole code of the registry editor file of the graphic card represents some type of the solution rather than those parts one by one...

At the time my settings that were are shown on this image:

| Name                                                                                                                    | Type      | Data                    |
|-------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)                             | REG_SZ    | (value not set)         |
|  AceLevel                              | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableACE                             | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableFMD                             | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableIS                              | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableNLAS                            | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableSTE                             | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableSuperResolution                 | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableTCC                             | REG_DWORD | 0xffffedbc (4294962620) |
|  GCompMode                             | REG_DWORD | 0x4444dbed (1145363437) |
|  GExpMode                              | REG_DWORD | 0x999fedbd (2577395133) |
|  InputYUVRange                         | REG_DWORD | 0xffff123 (4294963491)  |
|  NLASLinearRegion                      | REG_DWORD | 0xefffffff (4026531838) |
|  NLASNonLinearCrop                     | REG_DWORD | 0xfefeeef (4277071599)  |
|  NLASVerticalCrop                      | REG_DWORD | 0xfefeeef (4277141231)  |
|  NoiseReductionAutoDetectEnabledAlways | REG_DWORD | 0xffbecaaa (4290693802) |
|  NoiseReductionEnableChroma            | REG_DWORD | 0xfefeeef (4294897390)  |
|  NoiseReductionEnabledAlways           | REG_DWORD | 0xfefeeef (4294897390)  |
|  NoiseReductionFactor                 | REG_DWORD | 0xabc987ef (2882111471) |
|  ProcAmpApplyAlways                  | REG_DWORD | 0xfefedabd (4277131965) |
|  ProcAmpBrightness                   | REG_DWORD | 0xfefedabd (4277131965) |
|  ProcAmpContrast                     | REG_DWORD | 0xfefedabd (4277131965) |
|  ProcAmpHue                          | REG_DWORD | 0xfefedabd (4277131965) |
|  ProcAmpSaturation                   | REG_DWORD | 0xfefedabd (4277131965) |
|  SatFactorBlue                       | REG_DWORD | 0xeeeddfff (4008566783) |
|  SatFactorCyan                       | REG_DWORD | 0xeeeddfff (4008566783) |
|  SatFactorGreen                      | REG_DWORD | 0xeeeddfff (4008566783) |
|  SatFactorMagenta                    | REG_DWORD | 0xeeeddfff (4008566783) |
|  SatFactorRed                        | REG_DWORD | 0xeeeddfff (4008566783) |
|  SatFactorYellow                     | REG_DWORD | 0xeeeddfff (4008566783) |
|  SharpnessEnabledAlways              | REG_DWORD | 0xdecacfff (3737845759) |
|  SharpnessFactor                     | REG_DWORD | 0xfabecaff (4206807807) |
|  SkinTone                            | REG_DWORD | 0xcefdecfa (3472747695) |
|  SuperResolutionEnabled              | REG_DWORD | 0xbffaceff (3220885247) |
|  SuperResolutionMode                 | REG_DWORD | 0xdecadeca (3737837258) |
|  UISharpnessOptimalEnabledAlways     | REG_DWORD | 0xaddeefff (2917068799) |

Type all "fffedbcdafedbcda" into the **BKPDdisplayLACE** file:

- Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC
- Key: BKPDdisplayLACE
- Setting: ffffffff
- ffffffff
- Earlier setting: ffeedbc2defefefe
- Newest setting: fffedbcdafedbcda

Type all "fefeacff" into the **UserSetDRRSDisableRR** file:

- Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC
- Key: UserSetDRRSDisableRR
- Setting: fefeacff

Under "igfxcui" you there can even exist a folder named "dgfxcui" which is more primitive than "igfxcui" and is based on a cube graphics, and under it folder "3D" with some keys... In both folders there can be some of the keys, but I find only some necessary...

- Cosmos: f2bde2fe
- Twirl: dba2cca2
- Yrygonallya: ffd2ffee
- Degonallyya: f2bde4cd

Some of the keys have some abilities and some are too strong which is why we can use "Cartoon" instead of "cartooned"... Those keys can allow using of a system the wrong way – playing with it, which you might find unprofessional, but for some users maybe results well... When someone is playing with the system you should know that

- Cartooned: fe2bda2a
- Lymbralltyum: f2bcdaf2
- Mute: a2fedcae
- Muted: fe2edcae
- Cartoon: ffe2acde
- Descrywyall: fffc2def
- Stacyonarye:
- Estacyonarye: fffeddba


Maglow colors Elamphoreny light, Borrllandorr coding,

| Name                                                                                           | Type       | Data                                                              |
|------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------|
|  (Default)    | REG_SZ     | (value not set)                                                   |
|  Cartoon      | REG_DWORD  | 0xef2cdbaf (4012694447)                                           |
|  Cosmos       | REG_DWORD  | 0xf2bde2fe (4072530686)                                           |
|  Degonallyya  | REG_DWORD  | 0xf2bde4cd (4072531149)                                           |
|  Global       | REG_BINARY | ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff |
|  GlobalFFFF   | REG_BINARY | ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff f  |
|  GlobalN      | REG_BINARY | ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff                |
|  Muted        | REG_DWORD  | 0xfdabfa2f (4255906351)                                           |
|  Twirl        | REG_DWORD  | 0xdba2cca2 (3684879522)                                           |
|  Yrygonallyya | REG_DWORD  | 0xffd2ffee (4292018158)                                           |
|  Skrywynarrya | REG_DWORD  | 0xf2febacd (4076780237)                                           |


|                                                                                                  |           |                         |
|--------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  YllymbralItyum | REG_DWORD | 0xf2dca2ac (4074545836) |
|  Tartallye      | REG_DWORD | 0xafe2cdef (2950876655) |
|  Bortta         | REG_DWORD | 0xf2bdefdf (4072533983) |
|  Descrywyall    | REG_DWORD | 0xfffc2def (4294716911) |
|  CosmosJoke     | REG_DWORD | 0xff23ddef (4280540655) |
|  LymbralItyum   | REG_DWORD | 0xfe2cdacd (4264352461) |
|  Slaggyya       | REG_DWORD | 0xf2bdacdf (4072516831) |
|  Stacyonarye    | REG_DWORD | 0xe2bdacdf (3804081375) |

| Name                                                                                               | Type       | Data                                                              |
|----------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------|
|  (Default)       | REG_SZ     | (value not set)                                                   |
|  Global         | REG_BINARY | ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff |
|  GlobalN        | REG_BINARY | ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff                |
|  YllymbralItyum | REG_DWORD  | 0xf2dca2ac (4074545836)                                           |
|  Cartooned      | REG_DWORD  | 0xffe2acde (4293045470)                                           |
|  Mute           | REG_DWORD  | 0xa2fedcae (2734611630)                                           |
|  Descrywyall    | REG_DWORD  | 0xfffc2def (4294716911)                                           |
|  CosmosJoke     | REG_DWORD  | 0xff23ddef (4280540655)                                           |
|  LymbralItyum   | REG_DWORD  | 0xfe2cdacd (4264352461)                                           |
|  Slaggyya       | REG_DWORD  | 0xf2bdacdf (4072516831)                                           |
|  Stacyonarye    | REG_DWORD  | 0xe2bdacdf (3804081375)                                           |


Computer\HKEY\_CURRENT\_USER\Software\Intel\Display\igfxcui\3D



You need to type for the REG\_BINARY named Global: 3 lines of “FF” code:




And for the REG\_BINARY named GlobalN: 2 and a half lines of code of “FF”:



*rgxfxcui, drgxfxcui, and etc.*


Beginning idea of drgxfxcui file:





Represents Yrwenholl coding of the uncoded laptop describing every possible situation where cosmos jokes should appear and where shouldn't. How user should behave and what user should do... It is in a dgxfxcui file in a MISC folder, under a file Yrwenholl "9999" data – or a file named something like "Dataplet" (maybe "Datapllet") or "Bazaplet" (or maybe "Bazapllet")...

If you are not sure how each file is named, better not to create one like that, also if you are not sure how to fill it better not do it, and if you have shorter code as is REG\_DWORD you should create one instead of REG\_BINARY, but only if you are sure your code is smaller and it doesn't have protection with simple bans and large bans as are "EE" or "FF"...


When we are typing long REG\_BINARY files we should always pay attention to the system of letters we are typing according to the named files, because we do not want to create a mistake of open system reading everything that aliens didn't allow, neither in the closed system... After you type many of the Chars you can find a mistake with a question – how can I actually do that to respect the system? And then you better not do it at all... There is another idea that you should do all of the code with Berllyngyerry (I believe being named so) coding with an idea to ban the system, which for Mergallyzyerry coding (of all files together giving a result) gives the extra hard task to do so...




Example of maybe wrong system written codes:




And the solutions:




| Name      | Type      | Data                    |
|-----------|-----------|-------------------------|
| (Default) | REG_SZ    | (value not set)         |
| Demorrzya | REG_DWORD | 0x97112347 (2534482759) |




| Name      | Type      | Data                    |
|-----------|-----------|-------------------------|
| (Default) | REG_SZ    | (value not set)         |
| Degrruiya | REG_DWORD | 0x95685620 (2506642976) |



| Name       | Type      | Data                    |
|------------|-----------|-------------------------|
| (Default)  | REG_SZ    | (value not set)         |
| Lenguarrya | REG_DWORD | 0x75623120 (1969369376) |




| Name            | Type      | Data                    |
|-----------------|-----------|-------------------------|
| (Default)       | REG_SZ    | (value not set)         |
| Deguaryannallya | REG_DWORD | 0x95732106 (2507350278) |




| Name      | Type      | Data                    |
|-----------|-----------|-------------------------|
| (Default) | REG_SZ    | (value not set)         |
| Fabryzzya | REG_DWORD | 0x97560123 (2538996003) |



| Name      | Type      | Data                    |
|-----------|-----------|-------------------------|
| (Default) | REG_SZ    | (value not set)         |
| Fabrozzya | REG_DWORD | 0x97560321 (2538996513) |



| Name                | Type       | Data                       |
|---------------------|------------|----------------------------|
| (Default)           | REG_SZ     | (value not set)            |
| DBKPDDisplayLACERYA | REG_DWORD  | 0x23465312 (591811346)     |
| EnableHardwareXDLUT | REG_DWORD  | 0xffffffff (4294967295)    |
| Global              | REG_BINARY | (zero-length binary value) |
| GlobalN             | REG_BINARY | (zero-length binary value) |



| Name                | Type       | Data                       |
|---------------------|------------|----------------------------|
| (Default)           | REG_SZ     | (value not set)            |
| DBKPDDisplayLACERYA | REG_DWORD  | 0x23465312 (591811346)     |
| EnableHardwareXDLUT | REG_DWORD  | 0xffffffff (4294967295)    |
| Global              | REG_BINARY | (zero-length binary value) |
| GlobalN             | REG_BINARY | (zero-length binary value) |


| <ul style="list-style-type: none"> <li>PresentMon           <ul style="list-style-type: none"> <li>ProfileAgent</li> </ul> </li> <li>PSIS           <ul style="list-style-type: none"> <li>DPPT</li> <li>PSIS_DECODER</li> </ul> </li> <li>SUR           <ul style="list-style-type: none"> <li>DPPT</li> <li>ESRV_SVC_QUEENCREEK</li> <li>ICIP</li> <li>ICIP_RUN</li> <li>Installers</li> <li>TelemetryAgent</li> </ul> </li> <li>Display3D           <ul style="list-style-type: none"> <li>rgfxcui               <ul style="list-style-type: none"> <li>MISC</li> <li>DPPTX3D</li> <li>13D</li> <li>15D</li> <li>14D</li> <li>16D</li> <li>17D</li> <li>18D</li> </ul> </li> </ul> </li> </ul> | <table> <thead> <tr> <th>Name</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> </tr> <tr> <td>DisableXDPPTTemporarily</td> </tr> <tr> <td>EnableHardwareXDLUT</td> </tr> </tbody> </table> | Name | (Default) | DisableXDPPTTemporarily | EnableHardwareXDLUT | <table> <thead> <tr> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>REG_BINARY</td> <td>22 34 65 12 02 32 46 89</td> </tr> <tr> <td>REG_DWORD</td> <td>0xffffffff (4294967295)</td> </tr> </tbody> </table> | Type | Data | REG_SZ | (value not set) | REG_BINARY | 22 34 65 12 02 32 46 89 | REG_DWORD | 0xffffffff (4294967295) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|-------------------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|--------|-----------------|------------|-------------------------|-----------|-------------------------|
| Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                               |      |           |                         |                     |                                                                                                                                                                                                                                                                              |      |      |        |                 |            |                         |           |                         |
| (Default)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                               |      |           |                         |                     |                                                                                                                                                                                                                                                                              |      |      |        |                 |            |                         |           |                         |
| DisableXDPPTTemporarily                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                               |      |           |                         |                     |                                                                                                                                                                                                                                                                              |      |      |        |                 |            |                         |           |                         |
| EnableHardwareXDLUT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                               |      |           |                         |                     |                                                                                                                                                                                                                                                                              |      |      |        |                 |            |                         |           |                         |
| Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Data                                                                                                                                                                                          |      |           |                         |                     |                                                                                                                                                                                                                                                                              |      |      |        |                 |            |                         |           |                         |
| REG_SZ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | (value not set)                                                                                                                                                                               |      |           |                         |                     |                                                                                                                                                                                                                                                                              |      |      |        |                 |            |                         |           |                         |
| REG_BINARY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 22 34 65 12 02 32 46 89                                                                                                                                                                       |      |           |                         |                     |                                                                                                                                                                                                                                                                              |      |      |        |                 |            |                         |           |                         |
| REG_DWORD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 0xffffffff (4294967295)                                                                                                                                                                       |      |           |                         |                     |                                                                                                                                                                                                                                                                              |      |      |        |                 |            |                         |           |                         |

First of all those values were not that good... Not according to meaningful model as is cosmos (Yrrygonallya, Degonnallya) and first of all this values are short – DWORD and not QWORD which has their coding in question of their value...


## IGFX\DPP

There is one more thing to add:

- Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\IGFX\DPP



Suggested values:



# Edit Binary Value



Value name:

New Value #1

Value data:

|          |    |    |    |    |    |    |    |    |                 |
|----------|----|----|----|----|----|----|----|----|-----------------|
| 00000058 | 00 | FF | EE | DD | CC | BB | AA | 99 | . ÿ î ý Ì » ¢ . |
| 00000060 | 88 | 77 | 66 | 55 | 44 | 33 | 22 | 11 | . w f U D 3 " . |
| 00000068 | 00 | BE | BE | CE | DE | F9 | 87 | 65 | . ¼ ¼ Î þ ù . e |
| 00000070 | 43 | 21 | 00 | CD | BA | 97 | 52 | 10 | C ! . Í ¢ . R . |
| 00000078 | 33 | 44 | 55 | 66 | 77 | 88 | 99 | AB | 3 D U f w . . « |
| 00000080 | CD | EF | 98 | 76 | 54 | 32 | 10 | 11 | Í ì . v T 2 . . |
| 00000088 | 22 | 33 | 44 | 55 | 66 | 77 | 88 | 99 | " 3 D U f w . . |
| 00000090 | AA | BB | CC | DD | EE | FF | FE | FE | ¢ » Ì Ý î ÿ þ þ |
| 00000098 | FE | CA | FF | FF | DE | CA | FF | FE | þ Ê ÿ ÿ þ Ê ÿ þ |
| 000000A0 | EE | DD | DC | CC | BB | BA | AA | 99 | î Ý Û Ì » ¢ ¢ . |
| 000000A8 | 98 | 88 | 77 | 76 | 66 | 55 | 54 | 44 | . . w v f U T D |
| 000000B0 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 3 3 " " "       |

OK

Cancel

Edit Binary Value

Value name:

New Value #1

Value data:

|          |    |    |    |    |    |    |    |    |                     |
|----------|----|----|----|----|----|----|----|----|---------------------|
| 000000B0 | 33 | 32 | 22 | 11 | 10 | 00 | FF | FF | 3 2 " . . . Ÿ Ÿ     |
| 000000B8 | FF | FF | FF | FF | FF | FF | FE | DC | Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ     |
| 000000C0 | BA | 98 | 76 | 54 | 32 | 10 | FF | FF | ° . v T 2 . Ÿ Ÿ     |
| 000000C8 | FF | FF | BC | AD | DC | AA | FF | FF | Ÿ Ÿ % - Ü ¢ Ÿ Ÿ     |
| 000000D0 | FF | FF | FE | CA | DE | CA | FF | FF | Ÿ Ÿ þ Ê Þ Ê Ÿ Ÿ     |
| 000000D8 | FF | FF | FE | FE | DC | AB | FF | FF | Ÿ Ÿ þ þ Ü « Ÿ Ÿ     |
| 000000E0 | FF | FF | EE | ED | BA | CD | FF | FF | Ÿ Ÿ î î ¢ Í Ÿ Ÿ     |
| 000000E8 | FF | FF | FE | AC | DB | 32 | 10 | 00 | Ÿ Ÿ þ ~ Û 2 . .     |
| 000000F0 | 00 | 00 | FF | FF | FF | FF | FF | DF | . . Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ ß   |
| 000000F8 | C2 | DA | FF | FF | FF | FF | FF | EF | Â Ú Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ î   |
| 00000100 | DF | DF | FF | FF | FF | FF | 42 | 41 | ß ß Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ B A |
| 00000108 | 10 | FF | FF | FF | FF | FF | 00 | 00 | 0 " " " " " " " "   |

OK

Cancel

Edit Binary Value

Value name:

New Value #1

Value data:

|          |    |    |    |    |    |    |    |    |                   |
|----------|----|----|----|----|----|----|----|----|-------------------|
| 00000108 | 40 | EF | FF | FF | FF | FF | B2 | DC | @ ï Ÿ Ÿ Ÿ Ÿ Ÿ ² Ü |
| 00000110 | A2 | FF | FF | FF | FF | FF | D2 | CD | ¢ Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ Ò Í |
| 00000118 | F2 | DF | FF | FF | FF | FF | FF | FF | ò ß Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ |
| 00000120 | FF | FF | EF | EF | EF | A1 | A4 | A6 | Ÿ Ÿ î î î î î ¢ î |
| 00000128 | A8 | AA | AA | AA | B0 | BB | BB | BB | " ¢ ¢ ¢ ¢ » » »   |
| 00000130 | C3 | CD | CD | CD | D4 | D6 | D8 | EE | Ã í í í Ò Ò Ø î   |
| 00000138 | EE | EE | EF | EF | EF | EE | EE | EE | î î î î î î î î   |
| 00000140 | EE | EE | EE | EE | EE | EE | EF | 2C | î î î î î î î ,   |
| 00000148 | DB | AF | EE | EE | EE | EE | F2 | BD | Û ~ î î î î ò %   |
| 00000150 | E2 | FE | EE | EE | EE | EE | FD | AB | â þ î î î î î ý « |
| 00000158 | FA | 2F | EE | EE | EE | EE | DB | A2 | ú / î î î î î Û ¢ |
| 00000160 | 00 | 10 | FF | FF | FF | FF | 00 | 00 | 0 1 0 0 0 0 0 0 0 |

OK

Cancel

Edit Binary Value

Value name:  
New Value #1

Value data:

|          |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |
|----------|----|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|
| 00000160 | CC | A2 | EE | EE | EE | EE | FF | D2 | Ï | ç | î | î | î | î | ÿ | ò |
| 00000168 | FF | EE | EE | EE | EE | EE | F2 | FE | ÿ | î | î | î | î | î | ò | þ |
| 00000170 | BA | CD | EE | EE | EE | EE | FF | 23 | é | í | î | î | î | î | ÿ | # |
| 00000178 | DD | EF | EE | EE | EE | EE | FF | E2 | Ý | î | î | î | î | î | ÿ | â |
| 00000180 | AC | DE | EE | EE | EE | EE | E2 | BD | ¬ | þ | î | î | î | î | â | ¼ |
| 00000188 | AC | DF | EE | EE | EE | EE | FF | FE | ¬ | ß | î | î | î | î | ÿ | þ |
| 00000190 | DD | BA | EE | EE | EE | EE | EE | EE | Ý | é | î | î | î | î | î | î |
| 00000198 | EE | EE | EE | EE | EE | EF | EE | ED | î | î | î | î | î | î | î | í |
| 000001A0 | EC | EB | EA | E9 | E8 | E7 | E6 | E5 | î | ë | ê | é | è | ç | æ | å |
| 000001A8 | E4 | E3 | E2 | E1 | E0 | EE | EE | EE | ä | ä | ä | á | à | î | î | î |
| 000001B0 | EE | FF | FF | FF | FF | EF | FF | EF | î | ÿ | ÿ | ÿ | ÿ | î | ÿ | ï |
| 000001B8 | FF | FF | FF | FF | FF | FF | FF | FF | ü | ü | ü | ü | ü | ü | ü | ü |

OK
Cancel

Edit Binary Value


Value name:  
New Value #1

Value data:


|          |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |
|----------|----|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|
| 00000168 | FF | EE | EE | EE | EE | EE | F2 | FE | ÿ | î | î | î | î | î | ò | þ |
| 00000170 | BA | CD | EE | EE | EE | EE | FF | 23 | é | í | î | î | î | î | ÿ | # |
| 00000178 | DD | EF | EE | EE | EE | EE | FF | E2 | Ý | î | î | î | î | î | ÿ | â |
| 00000180 | AC | DE | EE | EE | EE | EE | E2 | BD | ¬ | þ | î | î | î | î | â | ¼ |
| 00000188 | AC | DF | EE | EE | EE | EE | FF | FE | ¬ | ß | î | î | î | î | ÿ | þ |
| 00000190 | DD | BA | EE | EE | EE | EE | EE | EE | Ý | é | î | î | î | î | î | î |
| 00000198 | EE | EE | EE | EE | EE | EF | EE | ED | î | î | î | î | î | î | î | í |
| 000001A0 | EC | EB | EA | E9 | E8 | E7 | E6 | E5 | î | ë | ê | é | è | ç | æ | å |
| 000001A8 | E4 | E3 | E2 | E1 | E0 | EE | EE | EE | ä | ä | ä | á | à | î | î | î |
| 000001B0 | EE | FF | FF | FF | FF | EF | FF | EF | î | ÿ | ÿ | ÿ | ÿ | î | ÿ | ï |
| 000001B8 | FF | EF | FF | FF | FF | FF | FF | FF | ÿ | ï | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ |

OK
Cancel


This code is based on some not fully made forbiddance (not fully made because it doesn't give any descriptions or advices) with an idea that we start from the greatest letter "F" and if we mix and code the code into the "Yrrygonallya" complex model as is meaningful model "cosmos" we can get "FF", then we want all the letters and numbers included so the first line of code is: "99 88 77 66 55 44 33 22 11 00 FF EE DD CC BB AA", and if we start with numbers in coded and mixed Yrrygonallya we would get police protection, then letters would give us army protection... Second repeating of that line of code would normalize the protection and third would bring it to life...




Then we have the reducing of the protection to a regular level with these lines of code:



The next lines of code rarely few will understand, maybe even me...



“BE” is “yrrygonall” (cosmos jokes left for the marks of meaning of something) code of the display for where we have been and what we have done... Double that would require a next chapter of code (so double that is prolonging of code) and if fully Hexa coded word fits into “Yrrygonallya” then after “BE BE” we would need to finish (as something that has been repeating – fractal, that fits into a particular model – for example “Yrrygonallya” or much simpler and better to understand “cosmos”) – “CE DE” which would mean extra complexing of the ban and the “descriptions to come” of those cosmos jokes appearing on the screen... “F9 87 65 43 21 00” would represent complexing of the data on the extreme level, so when we think on the level of imagining as much as we can achieve with our thought that much cosmos jokes would appear of what has been happening with us... “CD BA 97 52 10” represents how much we need and it says we need all of the data... You will find the name of the file “DPPT” – which by coding and mixing of the word and after playing with “Yrrygonallya” model and “fractal to cosmos” idea – we can find out that probably our data is complexed thanks to the previous code we had and after the “BE BE CE DE F9 87 65 43 21 00” if we connect what is there repeating of a single hexa digit as is for example “0” – “1”, and implement that into the “CD BA” we would get the vertical rectangle with the data included as is: “97 52 10” meaning: “only necessary data to appear, in short sentences that are complete”... That Extrapolation of the data we would get with increasing the:



After that I have typed a complete and most complex ban of that data: “FE FE FE CA”, and allowing of the data: “FF FF DE CA”... “FFF EEE DDD CCC BBB AAA 999 888 777 666 555 444 333 222 1111 000” relies on complexing the need of the data showing and the variety of an ideas for the data to appear thanks to how we are feeling... “FE FE CA DE CA” has something to do with 3DLUT and it is connection part to the complexed data in between “3DLUT” and the “DPPT”...

From Cosmos History “Mergallyezerrrye” named being (belonging to DezAllystawrya model for beings) coding involves coding all files into the scheme of code, how only computer knows to get a real result... That idea “How computer knows” is named “Berslanderr” coding... “Berslanderr” is a name of “NaxAllystawrya” being that was thinking about the idea how all files can be connected all together by implementing a coding algorithm to connect all files and even for a computer to have an idea of implementing files for which particular devices don’t have a written specification...

Mergallyzzarye code connects the data all together – one file with another where one file is coded by implementing the extrapolation of the hex values from “0” to “F” and getting full word of 8 hex values, and all those files together in the end need to make sense...

Boffer code – is for how coded the code is – 8 times “FF” for the stopping of the device, 4 times “FF” in between the “density lines” – the meaningful part of the code... Effer code – represents the values that are “spinning in circle” – and are used to get extrapolation of the data that comes to our mind... Deffer code is there to explain everything and to give a meaning to hex values, hex files and is even able to create the new files and implement them into a code (here “Registry editor”) even if those files are not planned... Noffer code is there to represent the connection even in between the stopping code and the values in between, and

in between the mixture of 3D ideas of the files where we mix both of the hex values of one file with another to get the idea of the 3D image...

To be honest that 3D image is there to represent cosmos joke that we can see on the display or the one that we can learn intuitively. The point is that those things we are doing, we can pull from the smart system and we can learn them efficiently... The system doesn't need to be enabled at all, but by the regulations of the design we are there to at least learn to behave the way the design is requiring...

### 3DLUT settings are:

- "EnableHardware3DLUT" setting should be in the correlation with the ending of the file "DPPT" and those 2 codes should somehow represent life...

| Name                                                                                                    | Type       | Data                                            |
|---------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------|
|  (Default)             | REG_SZ     | (value not set)                                 |
|  DisableDPPTemporarily | REG_BINARY | f0 dd a0 63 47 02 00 00 80 35 b6 61 47 02 00 00 |
|  EnableHardware3DLUT   | REG_DWORD  | 0xf2decdef (4074687983)                         |
|  Global                | REG_BINARY | fa bd cd fc de ff ff ff ee ee ee ee ee ee ee    |
|  GlobalN               | REG_BINARY | ff 2f fd ce ff ff ff ee ee ee ee ee ee ee ee    |

### Previous not pleasing values ideas:

| Name                                                                                                      | Type       | Data                    |
|-----------------------------------------------------------------------------------------------------------|------------|-------------------------|
|  (Default)             | REG_SZ     | (value not set)         |
|  DisableDPPTemporarily | REG_BINARY | 00 00 00 00             |
|  EnableHardware3DLUT   | REG_DWORD  | 0x43210567 (1126237543) |

| Name                                                                                                      | Type       | Data               |
|-----------------------------------------------------------------------------------------------------------|------------|--------------------|
|  (Default)             | REG_SZ     | (value not set)    |
|  DisableDPPTemporarily | REG_BINARY | 77 00 77 00        |
|  EnableHardware3DLUT   | REG_DWORD  | 0x00003210 (12816) |

### DWORD: "EnableHardware3DLUT":

- For underworld codes which are maybe only for the environment around you: 43210567
- Life with begging: 56710234
- For 3D feeling for no reason: 22224411
- Fine for work: 75692320
- For shutting down the wrong things: 3210
- For turning on the thinking idea: 6543210


- For necessary: 43210
- Night light: Ban, fun, entertainment: 23153021
- Night light: Life: fdbacdaf
- No Exit: 0xaaaaaaaa0

Interesting undefined ideas for the 3DLUT settings are:

- cdafccfc
- 23153021
- bebeca
- cebebeca
- cacabeca
- ffffedca
- Complexed: decabeca
- Fbacdfaf
- fffedbca
- fbacdfaf
- ff2a4cdf

### *New keys*

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\IGFX\DPPT



### *Post scriptum*

Here you can find my previous, not well made, settings of the address:

- Computer\HKEY\_CURRENT\_USER\Software\Intel\Display\igfxcui\Media

You can look at these images down below just for informational purposes...

| Name                                                                                                                    | Type      | Data                     |
|-------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------|
|  (Default)                             | REG_SZ    | (value not set)          |
|  AceLevel                              | REG_DWORD | 0xffffedbc (4294962620)  |
|  EnableACE                             | REG_DWORD | 0xffffedbc (4294962620)  |
|  EnableFMD                             | REG_DWORD | 0xffffedbc (4294962620)  |
|  EnableIS                              | REG_DWORD | 0xffffedbc (4294962620)  |
|  EnableNLAS                            | REG_DWORD | 0xffffedbc (4294962620)  |
|  EnableSTE                             | REG_DWORD | 0xffffedbc (4294962620)  |
|  EnableSuperResolution                 | REG_DWORD | 0xffffedbc (4294962620)  |
|  EnableTCC                             | REG_DWORD | 0xffffedbc (4294962620)  |
|  GCompMode                             | REG_DWORD | 0x4444dbed (1145363437)  |
|  GExpMode                              | REG_DWORD | 0x999fedbd (2577395133)  |
|  InputYUVRange                         | REG_DWORD | 0xffff123 (4294963491)   |
|  NLASLinearRegion                      | REG_DWORD | 0xefffffe (4026531838)   |
|  NLASNonLinearCrop                     | REG_DWORD | 0xfeeeeeeef (4277071599) |
|  NLASVerticalCrop                      | REG_DWORD | 0xfeeffeef (4277141231)  |
|  NoiseReductionAutoDetectEnabledAlways | REG_DWORD | 0xffbecaaa (4290693802)  |
|  NoiseReductionEnableChroma            | REG_DWORD | 0xffffeeee (4294897390)  |
|  NoiseReductionEnabledAlways           | REG_DWORD | 0xffffeeee (4294897390)  |
|  NoiseReductionFactor                 | REG_DWORD | 0xabc987ef (2882111471)  |
|  ProcAmpApplyAlways                  | REG_DWORD | 0xfeefdabd (4277131965)  |
|  ProcAmpBrightness                   | REG_DWORD | 0xfeefdabd (4277131965)  |
|  ProcAmpContrast                     | REG_DWORD | 0xfeefdabd (4277131965)  |
|  ProcAmpHue                          | REG_DWORD | 0xfeefdabd (4277131965)  |
|  ProcAmpSaturation                   | REG_DWORD | 0xfeefdabd (4277131965)  |
|  SatFactorBlue                       | REG_DWORD | 0xeeeddfff (4008566783)  |
|  SatFactorCyan                       | REG_DWORD | 0xeeeddfff (4008566783)  |
|  SatFactorGreen                      | REG_DWORD | 0xeeeddfff (4008566783)  |
|  SatFactorMagenta                    | REG_DWORD | 0xeeeddfff (4008566783)  |
|  SatFactorRed                        | REG_DWORD | 0xeeeddfff (4008566783)  |
|  SatFactorYellow                     | REG_DWORD | 0xeeeddfff (4008566783)  |
|  SharpnessEnabledAlways              | REG_DWORD | 0xdecacfff (3737845759)  |
|  SharpnessFactor                     | REG_DWORD | 0xfabecaff (4206807807)  |
|  SkinTone                            | REG_DWORD | 0xcefdecac (3472747695)  |
|  SuperResolutionEnabled              | REG_DWORD | 0xbffaceff (3220885247)  |
|  SuperResolutionMode                 | REG_DWORD | 0xdecadeca (3737837258)  |
|  UISharpnessOptimalEnabledAlways     | REG_DWORD | 0xaddeefff (2917068799)  |

| Name                                                                                                                    | Type      | Data                     |
|-------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------|
|  (Default)                             | REG_SZ    | (value not set)          |
|  AceLevel                              | REG_DWORD | 0x92715432 (2456900658)  |
|  EnableACE                             | REG_DWORD | 0x92715432 (2456900658)  |
|  EnableFMD                             | REG_DWORD | 0x92715432 (2456900658)  |
|  EnableIS                              | REG_DWORD | 0x92715432 (2456900658)  |
|  EnableNLAS                            | REG_DWORD | 0x92715432 (2456900658)  |
|  EnableSTE                             | REG_DWORD | 0x92715432 (2456900658)  |
|  EnableSuperResolution                 | REG_DWORD | 0xdfeabcd9 (3756702937)  |
|  EnableTCC                             | REG_DWORD | 0x43bdcecf (1136512719)  |
|  GCompMode                             | REG_DWORD | 0x92715432 (2456900658)  |
|  GExpMode                              | REG_DWORD | 0x92715432 (2456900658)  |
|  InputYUVRange                         | REG_DWORD | 0xffffffff (4294967295)  |
|  NLASHLinearRegion                     | REG_DWORD | 0xffffffff (4294967295)  |
|  NLASNonLinearCrop                     | REG_DWORD | 0x00000000 (0)           |
|  NLASVerticalCrop                      | REG_DWORD | 0x00000000 (0)           |
|  NoiseReductionAutoDetectEnabledAlways | REG_DWORD | 0xffffffff (4294967295)  |
|  NoiseReductionEnableChroma            | REG_DWORD | 0xffffffff (4294967295)  |
|  NoiseReductionEnabledAlways           | REG_DWORD | 0xffffffff (4294967295)  |
|  NoiseReductionFactor                  | REG_DWORD | 0xffffffff (4294967295)  |
|  ProcAmpApplyAlways                    | REG_DWORD | 0xfafbdcf (4210810110)   |
|  ProcAmpBrightness                    | REG_DWORD | 0xfeeeeeeef (4277071599) |
|  ProcAmpContrast                     | REG_DWORD | 0xfeeeeeeef (4277071599) |
|  ProcAmpHue                          | REG_DWORD | 0xfeeeeeeef (4277071599) |
|  ProcAmpSaturation                   | REG_DWORD | 0xfeeeeeeef (4277071599) |
|  SatFactorBlue                       | REG_DWORD | 0x000000a0 (160)         |
|  SatFactorCyan                       | REG_DWORD | 0x000000a0 (160)         |
|  SatFactorGreen                      | REG_DWORD | 0x000000a0 (160)         |
|  SatFactorMagenta                    | REG_DWORD | 0x000000a0 (160)         |
|  SatFactorRed                        | REG_DWORD | 0x000000a0 (160)         |
|  SatFactorYellow                     | REG_DWORD | 0x000000a0 (160)         |
|  SharpnessEnabledAlways              | REG_DWORD | 0x77777777 (2004318071)  |
|  SharpnessFactor                     | REG_DWORD | 0x123da230 (306029104)   |
|  SkinTone                            | REG_DWORD | 0xdc321043 (3694268483)  |
|  SuperResolutionEnabled              | REG_DWORD | 0xf2da4fed (4074393581)  |
|  SuperResolutionMode                 | REG_DWORD | 0xfead0321 (4272751393)  |
|  UISharpnessOptimalEnabledAlways     | REG_DWORD | 0xfedafdaf (4275764655)  |

| Name                                                                                                                 | Type      | Data                    |
|----------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)                          | REG_SZ    | (value not set)         |
|  AceLevel                           | REG_DWORD | 0x92715432 (2456900658) |
|  EnableACE                          | REG_DWORD | 0x92715432 (2456900658) |
|  EnableFMD                          | REG_DWORD | 0x92715432 (2456900658) |
|  EnableIS                           | REG_DWORD | 0x92715432 (2456900658) |
|  EnableNLAS                         | REG_DWORD | 0x92715432 (2456900658) |
|  EnableSTE                          | REG_DWORD | 0x92715432 (2456900658) |
|  EnableSuperResolution              | REG_DWORD | 0xdfcabcd9 (3756702937) |
|  EnableTCC                          | REG_DWORD | 0x43bdcecf (1136512719) |
|  GCompMode                          | REG_DWORD | 0x92715432 (2456900658) |
|  GExpMode                           | REG_DWORD | 0x92715432 (2456900658) |
|  InputYUVRange                      | REG_DWORD | 0xffffffff (4294967295) |
|  NLASLinearRegion                   | REG_DWORD | 0xffffffff (4294967295) |
|  NLASNonLinearCrop                  | REG_DWORD | 0x00000000 (0)          |
|  NLASVerticalCrop                   | REG_DWORD | 0x00000000 (0)          |
|  NoiseReductionAutoDetectEnabl...   | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionEnableChroma         | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionEnabledAlways       | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionFactor             | REG_DWORD | 0xffffffff (4294967295) |
|  ProcAmpApplyAlways               | REG_DWORD | 0xfafbdcf (4210810110)  |
|  ProcAmpBrightness                | REG_DWORD | 0xfefeeef (4277071599)  |
|  ProcAmpContrast                  | REG_DWORD | 0xfefeeef (4277071599)  |
|  ProcAmpHue                       | REG_DWORD | 0xfefeeef (4277071599)  |
|  ProcAmpSaturation                | REG_DWORD | 0xfefeeef (4277071599)  |
|  SatFactorBlue                    | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorCyan                    | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorGreen                   | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorMagenta                 | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorRed                     | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorYellow                  | REG_DWORD | 0x000000a0 (160)        |
|  SharpnessEnabledAlways           | REG_DWORD | 0x77777777 (2004318071) |
|  SharpnessFactor                  | REG_DWORD | 0x123da230 (306029104)  |
|  SkinTone                         | REG_DWORD | 0xdc321043 (3694268483) |
|  SuperResolutionEnabled           | REG_DWORD | 0xf2da4fed (4074393581) |
|  SuperResolutionMode              | REG_DWORD | 0xfed0321 (4272751393)  |
|  UISharpnessOptimalEnabledAlwa... | REG_DWORD | 0xfedafdaf (4275764655) |

| Name                                                                                                                 | Type      | Data                    |
|----------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)                          | REG_SZ    | (value not set)         |
|  AceLevel                           | REG_DWORD | 0x92715432 (2456900658) |
|  EnableACE                          | REG_DWORD | 0x92715432 (2456900658) |
|  EnableFMD                          | REG_DWORD | 0x92715432 (2456900658) |
|  EnableIS                           | REG_DWORD | 0x92715432 (2456900658) |
|  EnableNLAS                         | REG_DWORD | 0x92715432 (2456900658) |
|  EnableSTE                          | REG_DWORD | 0x92715432 (2456900658) |
|  EnableSuperResolution              | REG_DWORD | 0xdfcabcd9 (3756702937) |
|  EnableTCC                          | REG_DWORD | 0x43bdcecf (1136512719) |
|  GCompMode                          | REG_DWORD | 0x92715432 (2456900658) |
|  GExpMode                           | REG_DWORD | 0x92715432 (2456900658) |
|  InputYUVRange                      | REG_DWORD | 0xffffffff (4294967295) |
|  NLASHLinearRegion                  | REG_DWORD | 0xffffffff (4294967295) |
|  NLASNonLinearCrop                  | REG_DWORD | 0x00000000 (0)          |
|  NLASVerticalCrop                   | REG_DWORD | 0x00000000 (0)          |
|  NoiseReductionAutoDetectEnabl...   | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionEnableChroma         | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionEnabledAlways       | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionFactor             | REG_DWORD | 0xffffffff (4294967295) |
|  ProcAmpApplyAlways               | REG_DWORD | 0xfafbdcf (4210810110)  |
|  ProcAmpBrightness                | REG_DWORD | 0xfefefef (4277071599)  |
|  ProcAmpContrast                  | REG_DWORD | 0xfefefef (4277071599)  |
|  ProcAmpHue                       | REG_DWORD | 0xfefefef (4277071599)  |
|  ProcAmpSaturation                | REG_DWORD | 0xfefefef (4277071599)  |
|  SatFactorBlue                    | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorCyan                    | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorGreen                   | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorMagenta                 | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorRed                     | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorYellow                  | REG_DWORD | 0x000000a0 (160)        |
|  SharpnessEnabledAlways           | REG_DWORD | 0x77777777 (2004318071) |
|  SharpnessFactor                  | REG_DWORD | 0x123da230 (306029104)  |
|  SkinTone                         | REG_DWORD | 0xdc321043 (3694268483) |
|  SuperResolutionEnabled           | REG_DWORD | 0xf2da4fed (4074393581) |
|  SuperResolutionMode              | REG_DWORD | 0xfead0321 (4272751393) |
|  UISharpnessOptimalEnabledAlwa... | REG_DWORD | 0xfedafdaf (4275764655) |

| Name                                                                                                                 | Type      | Data                    |
|----------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)                          | REG_SZ    | (value not set)         |
|  AceLevel                           | REG_DWORD | 0x43bdcecf (1136512719) |
|  EnableACE                          | REG_DWORD | 0x43bdcecf (1136512719) |
|  EnableFMD                          | REG_DWORD | 0x43bdcecf (1136512719) |
|  EnableIS                           | REG_DWORD | 0x43bdcecf (1136512719) |
|  EnableNLAS                         | REG_DWORD | 0x43bdcecf (1136512719) |
|  EnableSTE                          | REG_DWORD | 0x43bdcecf (1136512719) |
|  EnableSuperResolution              | REG_DWORD | 0xdfcabcd9 (3756702937) |
|  EnableTCC                          | REG_DWORD | 0x43bdcecf (1136512719) |
|  GCompMode                          | REG_DWORD | 0x43bdcecf (1136512719) |
|  GExpMode                           | REG_DWORD | 0xdfbdfefb (3756777451) |
|  InputYUVRange                      | REG_DWORD | 0xffffffff (4294967295) |
|  NLASHLinearRegion                  | REG_DWORD | 0xffffffff (4294967295) |
|  NLASNonLinearCrop                  | REG_DWORD | 0x00000000 (0)          |
|  NLASVerticalCrop                   | REG_DWORD | 0x00000000 (0)          |
|  NoiseReductionAutoDetectEnabl...   | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionEnableChroma         | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionEnabledAlways        | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionFactor               | REG_DWORD | 0xffffffff (4294967295) |
|  ProcAmpApplyAlways                 | REG_DWORD | 0xfafbdcf (4210810110)  |
|  ProcAmpBrightness                 | REG_DWORD | 0xfefefef (4277071599)  |
|  ProcAmpContrast                  | REG_DWORD | 0xfefefef (4277071599)  |
|  ProcAmpHue                       | REG_DWORD | 0xfefefef (4277071599)  |
|  ProcAmpSaturation                | REG_DWORD | 0xfefefef (4277071599)  |
|  SatFactorBlue                    | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorCyan                    | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorGreen                   | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorMagenta                 | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorRed                     | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorYellow                  | REG_DWORD | 0x000000a0 (160)        |
|  SharpnessEnabledAlways           | REG_DWORD | 0x77777777 (2004318071) |
|  SharpnessFactor                  | REG_DWORD | 0x123da230 (306029104)  |
|  SkinTone                         | REG_DWORD | 0xfedc3217 (4275843607) |
|  SuperResolutionEnabled           | REG_DWORD | 0xf2da4fed (4074393581) |
|  SuperResolutionMode              | REG_DWORD | 0xfead0321 (4272751393) |
|  UISharpnessOptimalEnabledAlwa... | REG_DWORD | 0xfedafdaf (4275764655) |

| Name                                                                                                                 | Type      | Data                    |
|----------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)                          | REG_SZ    | (value not set)         |
|  AceLevel                           | REG_DWORD | 0xfcfcfcfc (4244438268) |
|  EnableACE                          | REG_DWORD | 0xfcfcfcfc (4244438268) |
|  EnableFMD                          | REG_DWORD | 0xfcfcfcfc (4244438268) |
|  EnableIS                           | REG_DWORD | 0xfcfcfcfc (4244438268) |
|  EnableNLAS                         | REG_DWORD | 0xfcfcfcfc (4244438268) |
|  EnableSTE                          | REG_DWORD | 0xfcfcfcfc (4244438268) |
|  EnableSuperResolution              | REG_DWORD | 0xdfeabcd9 (3756702937) |
|  EnableTCC                          | REG_DWORD | 0xfcfcfcfc (4244438268) |
|  GCompMode                          | REG_DWORD | 0xc0000000 (3435973836) |
|  GExpMode                           | REG_DWORD | 0xffffffff (4294967295) |
|  InputYUVRange                      | REG_DWORD | 0xffffffff (4294967295) |
|  NLASLinearRegion                   | REG_DWORD | 0xffffffff (4294967295) |
|  NLASNonLinearCrop                  | REG_DWORD | 0x00000000 (0)          |
|  NLASVerticalCrop                   | REG_DWORD | 0x00000000 (0)          |
|  NoiseReductionAutoDetectEnabl...   | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionEnableChroma         | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionEnabledAlways       | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionFactor             | REG_DWORD | 0xffffffff (4294967295) |
|  ProcAmpApplyAlways               | REG_DWORD | 0xfafbdcf (4210810110)  |
|  ProcAmpBrightness                | REG_DWORD | 0xfefefef (4277071599)  |
|  ProcAmpContrast                  | REG_DWORD | 0xfefefef (4277071599)  |
|  ProcAmpHue                       | REG_DWORD | 0xfefefef (4277071599)  |
|  ProcAmpSaturation                | REG_DWORD | 0xfefefef (4277071599)  |
|  SatFactorBlue                    | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorCyan                    | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorGreen                   | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorMagenta                 | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorRed                     | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorYellow                  | REG_DWORD | 0x000000a0 (160)        |
|  SharpnessEnabledAlways           | REG_DWORD | 0x77777777 (2004318071) |
|  SharpnessFactor                  | REG_DWORD | 0x123da230 (306029104)  |
|  SkinTone                         | REG_DWORD | 0xfedc3210 (4275843600) |
|  SuperResolutionEnabled           | REG_DWORD | 0xf2da4fed (4074393581) |
|  SuperResolutionMode              | REG_DWORD | 0xfead0321 (4272751393) |
|  UISharpnessOptimalEnabledAlwa... | REG_DWORD | 0xfedafdaf (4275764655) |

| Name                                                                                                                 | Type      | Data                    |
|----------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)                          | REG_SZ    | (value not set)         |
|  AceLevel                           | REG_DWORD | 0xacacacac (2896997548) |
|  EnableACE                          | REG_DWORD | 0xacacacac (2896997548) |
|  EnableFMD                          | REG_DWORD | 0xacacacac (2896997548) |
|  EnableIS                           | REG_DWORD | 0xacacacac (2896997548) |
|  EnableNLAS                         | REG_DWORD | 0xacacacac (2896997548) |
|  EnableSTE                          | REG_DWORD | 0xacacacac (2896997548) |
|  EnableSuperResolution              | REG_DWORD | 0xdfeabcd9 (3756702937) |
|  EnableTCC                          | REG_DWORD | 0xacacacac (2896997548) |
|  GCompMode                          | REG_DWORD | 0xc0000000 (3435973836) |
|  GExpMode                           | REG_DWORD | 0xaaaaaaaa (2863311530) |
|  InputYUVRange                      | REG_DWORD | 0xffffffff (4294967295) |
|  NLASLinearRegion                   | REG_DWORD | 0xffffffff (4294967295) |
|  NLASNonLinearCrop                  | REG_DWORD | 0x00000000 (0)          |
|  NLASVerticalCrop                   | REG_DWORD | 0x00000000 (0)          |
|  NoiseReductionAutoDetectEnabl...   | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionEnableChroma         | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionEnabledAlways        | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionFactor               | REG_DWORD | 0xffffffff (4294967295) |
|  ProcAmpApplyAlways                 | REG_DWORD | 0xfafbdcf (4210810110)  |
|  ProcAmpBrightness                 | REG_DWORD | 0xfefefef (4277071599)  |
|  ProcAmpContrast                  | REG_DWORD | 0xfefefef (4277071599)  |
|  ProcAmpHue                       | REG_DWORD | 0xfefefef (4277071599)  |
|  ProcAmpSaturation                | REG_DWORD | 0xfefefef (4277071599)  |
|  SatFactorBlue                    | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorCyan                    | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorGreen                   | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorMagenta                 | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorRed                     | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorYellow                  | REG_DWORD | 0x000000a0 (160)        |
|  SharpnessEnabledAlways           | REG_DWORD | 0x77777777 (2004318071) |
|  SharpnessFactor                  | REG_DWORD | 0x123da230 (306029104)  |
|  SkinTone                         | REG_DWORD | 0xfedc3210 (4275843600) |
|  SuperResolutionEnabled           | REG_DWORD | 0xf2da4fed (4074393581) |
|  SuperResolutionMode              | REG_DWORD | 0xfed0321 (4272751393)  |
|  UISharpnessOptimalEnabledAlwa... | REG_DWORD | 0xfedafdaf (4275764655) |


| Name                                                                                                     | Type      | Data                    |
|----------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)              | REG_SZ    | (value not set)         |
|  AceLevel               | REG_DWORD | 0xeeeeeeee (4008636142) |
|  EnableACE              | REG_DWORD | 0xfefefefe (4278124286) |
|  EnableFMD              | REG_DWORD | 0xfefefefe (4278124286) |
|  EnableIS               | REG_DWORD | 0xfefefefe (4278124286) |
|  EnableNLAS             | REG_DWORD | 0xfefefefe (4278124286) |
|  EnableSTE              | REG_DWORD | 0xfefefefe (4278124286) |
|  EnableSuperResolu...   | REG_DWORD | 0x12345678 (305419896)  |
|  EnableTCC              | REG_DWORD | 0xfefefefe (4278124286) |
|  GCompMode              | REG_DWORD | 0xfefefefe (4278124286) |
|  GExpMode               | REG_DWORD | 0xfefefefe (4278124286) |
|  InputYUVRange          | REG_DWORD | 0xffffffff (4294967295) |
|  NLASHLinearRegion      | REG_DWORD | 0xffffffff (4294967295) |
|  NLASNonLinearCrop      | REG_DWORD | 0x00000000 (0)          |
|  NLASVerticalCrop       | REG_DWORD | 0x00000000 (0)          |
|  NoiseReductionAut...   | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionEna...  | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionEna... | REG_DWORD | 0xffffffff (4294967295) |
|  NoiseReductionFac... | REG_DWORD | 0xffffffff (4294967295) |
|  ProcAmpApplyAlw...   | REG_DWORD | 0xfafbdcf (4210810110)  |
|  ProcAmpBrightness    | REG_DWORD | 0x22222222 (572662306)  |
|  ProcAmpContrast      | REG_DWORD | 0xffffffff (4294967295) |
|  ProcAmpHue           | REG_DWORD | 0x33333333 (858993459)  |
|  ProcAmpSaturation    | REG_DWORD | 0xeeeeeeee (4008636142) |
|  SatFactorBlue        | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorCyan        | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorGreen       | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorMagenta     | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorRed         | REG_DWORD | 0x000000a0 (160)        |
|  SatFactorYellow      | REG_DWORD | 0x000000a0 (160)        |
|  SharpnessEnabled...  | REG_DWORD | 0x77777777 (2004318071) |
|  SharpnessFactor      | REG_DWORD | 0x123da230 (306029104)  |
|  SkinTone             | REG_DWORD | 0xfedc3210 (4275843600) |
|  SuperResolutionEn... | REG_DWORD | 0xdfceabfd (3754863613) |
|  SuperResolutionM...  | REG_DWORD | 0xfead0321 (4272751393) |
|  UISharpnessOptim...  | REG_DWORD | 0xfedafdaf (4275764655) |

| Name                                                                                                                    | Type  | Data                    |
|-------------------------------------------------------------------------------------------------------------------------|-------|-------------------------|
|  (Default)                             | RE... | (value not set)         |
|  AceLevel                              | RE... | 0xe0000000 (4008636142) |
|  EnableACE                             | RE... | 0xfefefefe (4278124286) |
|  EnableFMD                             | RE... | 0xfefefefe (4278124286) |
|  EnableIS                              | RE... | 0xfefefefe (4278124286) |
|  EnableNLAS                            | RE... | 0xfefefefe (4278124286) |
|  EnableSTE                             | RE... | 0xfefefefe (4278124286) |
|  EnableSuperResolution                 | RE... | 0x12345678 (305419896)  |
|  EnableTCC                             | RE... | 0xfefefefe (4278124286) |
|  GCompMode                             | RE... | 0xfefefefe (4278124286) |
|  GExpMode                              | RE... | 0xfefefefe (4278124286) |
|  InputYUVRange                         | RE... | 0xffffffff (4294967295) |
|  NLASHLinearRegion                     | RE... | 0xffffffff (4294967295) |
|  NLASNonLinearCrop                     | RE... | 0x00000000 (0)          |
|  NLASVerticalCrop                      | RE... | 0x00000000 (0)          |
|  NoiseReductionAutoDetectEnabledAlways | RE... | 0xffffffff (4294967295) |
|  NoiseReductionEnableChroma            | RE... | 0xffffffff (4294967295) |
|  NoiseReductionEnabledAlways           | RE... | 0xffffffff (4294967295) |
|  NoiseReductionFactor                  | RE... | 0xffffffff (4294967295) |
|  ProcAmpApplyAlways                    | RE... | 0xfafbdcf (4210810110)  |
|  ProcAmpBrightness                     | RE... | 0x22222222 (572662306)  |
|  ProcAmpContrast                       | RE... | 0xffffffff (4294967295) |
|  ProcAmpHue                            | RE... | 0x33333333 (858993459)  |
|  ProcAmpSaturation                   | RE... | 0xe0000000 (4008636142) |
|  SatFactorBlue                       | RE... | 0x000000a0 (160)        |
|  SatFactorCyan                       | RE... | 0x000000a0 (160)        |
|  SatFactorGreen                      | RE... | 0x000000a0 (160)        |
|  SatFactorMagenta                    | RE... | 0x000000a0 (160)        |
|  SatFactorRed                        | RE... | 0x000000a0 (160)        |
|  SatFactorYellow                     | RE... | 0x000000a0 (160)        |
|  SharpnessEnabledAlways              | RE... | 0x77777777 (2004318071) |
|  SharpnessFactor                     | RE... | 0x123da230 (306029104)  |
|  SkinTone                            | RE... | 0xfedc3210 (4275843600) |
|  SuperResolutionEnabled              | RE... | 0xf6f5f4f3 (4143314163) |
|  SuperResolutionMode                 | RE... | 0xfefefefe (4278124286) |
|  UISharpnessOptimalEnabledAlways     | RE... | 0xfedafdaf (4275764655) |


| Name                                                                                                                     | Type  | Data                    |
|--------------------------------------------------------------------------------------------------------------------------|-------|-------------------------|
|  (Default)                              | RE... | (value not set)         |
|  AceLevel                               | RE... | 0xfefefefe (4278124286) |
|  EnableACE                              | RE... | 0xfefefefe (4278124286) |
|  EnableFMD                              | RE... | 0xfefefefe (4278124286) |
|  EnableIS                               | RE... | 0xfefefefe (4278124286) |
|  EnableNLAS                             | RE... | 0xfefefefe (4278124286) |
|  EnableSTE                              | RE... | 0xfefefefe (4278124286) |
|  EnableSuperResolution                  | RE... | 0xfefefefe (4278124286) |
|  EnableTCC                              | RE... | 0xfefefefe (4278124286) |
|  GCompMode                              | RE... | 0xfefefefe (4278124286) |
|  GExpMode                               | RE... | 0xfefefefe (4278124286) |
|  InputYUVRange                          | RE... | 0xffffffff (4294967295) |
|  NLASLinearRegion                       | RE... | 0xffffffff (4294967295) |
|  NLASNonLinearCrop                      | RE... | 0x00000000 (0)          |
|  NLASVerticalCrop                       | RE... | 0x00000000 (0)          |
|  NoiseReductionAutoDetectEnabledAlways | RE... | 0x00000001 (1)          |
|  NoiseReductionEnableChroma           | RE... | 0x00000001 (1)          |
|  NoiseReductionEnabledAlways          | RE... | 0x00000001 (1)          |
|  NoiseReductionFactor                 | RE... | 0xffffffff (4294967295) |
|  ProcAmpApplyAlways                   | RE... | 0x00000000 (0)          |
|  ProcAmpBrightness                    | RE... | 0x00000000 (0)          |
|  ProcAmpContrast                      | RE... | 0x3f800000 (1065353216) |
|  ProcAmpHue                           | RE... | 0x00000000 (0)          |
|  ProcAmpSaturation                    | RE... | 0x3f800000 (1065353216) |
|  SatFactorBlue                        | RE... | 0x000000a0 (160)        |
|  SatFactorCyan                        | RE... | 0x000000a0 (160)        |
|  SatFactorGreen                       | RE... | 0x000000a0 (160)        |
|  SatFactorMagenta                     | RE... | 0x000000a0 (160)        |
|  SatFactorRed                         | RE... | 0x000000a0 (160)        |
|  SatFactorYellow                      | RE... | 0x000000a0 (160)        |
|  SharpnessEnabledAlways               | RE... | 0x00000001 (1)          |
|  SharpnessFactor                      | RE... | 0x123da230 (306029104)  |
|  SkinTone                             | RE... | 0xfedc3210 (4275843600) |
|  SuperResolutionEnabled               | RE... | 0xf2da4fed (4074393581) |
|  SuperResolutionMode                  | RE... | 0x324defdf (843968479)  |
|  UISharpnessOptimalEnabledAlways      | RE... | 0x00000001 (1)          |

## FFRTXZ

### DPPTXZ




| Name        | Type      | Data                    |
|-------------|-----------|-------------------------|
| (Default)   | REG_SZ    | (value not set)         |
| Brotallya   | REG_DWORD | 0xffffffff (4294967295) |
| GlobalF     | REG_DWORD | 0xffffffff (4294967295) |
| GlobalFF    | REG_DWORD | 0xffffffff (4294967295) |
| GlobalFFF   | REG_DWORD | 0xffffffff (4294967295) |
| GlobalFFFF  | REG_DWORD | 0xffffffff (4294967295) |
| GlobalFFFFF | REG_DWORD | 0xffffffff (4294967295) |



| Name      | Type      | Data                     |
|-----------|-----------|--------------------------|
| (Default) | REG_SZ    | (value not set)          |
| Brotallya | REG_DWORD | 0xfefededef (4278116063) |
| GlobalF   | REG_DWORD | 0xfafdfdef (4210949615)  |
| GlobalFF  | REG_DWORD | 0xf2dfdaa2 (4074756770)  |

### FRTXZ




| Name      | Type      | Data                    |
|-----------|-----------|-------------------------|
| (Default) | REG_SZ    | (value not set)         |
| Dellante  | REG_DWORD | 0xffffffff (4294967295) |
| Ferante   | REG_DWORD | 0xffffffff (4294967295) |
| LocalF    | REG_DWORD | 0xffffffff (4294967295) |
| LocalFF   | REG_DWORD | 0xffffffff (4294967295) |
| Orante    | REG_DWORD | 0xffffffff (4294967295) |
| Rante     | REG_DWORD | 0xffffffff (4294967295) |

If you want to allow:

- Dellante you should use “fafadafa” (as some primitive planets knew so) or “fefedefe”...
- Rante: 2a2a2a2a, 2b2adca2
- Orante: 23232323, f23dbaf2
- Ferante: fdffdfdf
- Adyllante: f2dcabfd, fbdcafdb

Earlier values not implemented are for “Global”: “F2DF2AF2” – extrowallyattarry ban – on all and everything but reading only allowed things... For the file “GlobalN”: “AFDFEDDF” we have Nonbralltyya ban on reading banned things... Because you do actually need to ban idea of global (usually alien reading for smart beings) and there are “symbols” (words)

### QPTXZ



| Name        | Type      | Data                    |
|-------------|-----------|-------------------------|
| (Default)   | REG_SZ    | (value not set)         |
| GlobalF     | REG_DWORD | 0xffffffff (4294967295) |
| GlobalFF    | REG_DWORD | 0xffffffff (4294967295) |
| GlobalFFF   | REG_DWORD | 0xffffffff (4294967295) |
| GlobalFFFF  | REG_DWORD | 0xffffffff (4294967295) |
| GlobalFFFFF | REG_DWORD | 0xffffffff (4294967295) |

## “HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel” Folders

Under a key: “Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel” I had these keys:


- DDRTZ
  - DPPT
- DGFX
  - 6D
  - 7D
  - 8D
  - DPPT
- DGFXI
  - 9D
  - 10D
  - 11D
  - 12D
- DPPT
- FFRTZ
  - DPPTXZ
  - FRTXZ
- GFX
  - DPPT
- IGFX
  - 2D
  - 3D
  - 4D
  - 5D
  - DPP
  - DPPT
- PSIS
  - DPPT
- SUR
  - DPPT
- DRGFXZ
  - MISC
  - DPPTXZ

Notice that under the Key “IGFX” there is a Key “DPP”, I renamed it to “DPPT” for the hope of a better system... But that didn’t help much... The point is that connected Keys and the Data in the QWORD creates a fully valued system and some long words can’t be usually shortened to a programmed code as is “DRTZ” from the “Deggennerreyyazzattyonall” – which means involvement of the watches...

Under below you will find the images of the files with codes you need to open and fill into Registry Editor.

When you find a “REG\_DWORD” file named: “EnableHardware3DLUT” you should rename it to the “EnableHardwareDLUT”.

*Old photos and some of the values:*




Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\PRST\ZTX

- 5D
- ▼ ZTX
  - 15D
  - 16D
  - 17D
  - 18D
  - 19D
- ▼ ZTZ
  - 30D
  - 50D
- ▼ PSIS
  - PSIS\_DECODER
- ▼ Qupystallya
  - ▼ QZT
    - ▼ ZTZ
      - 5000DQZ
- Qzembrya
- ▼ RPGZX
  - QZQ
  - QZT
- ▼ SUR
  - ESRV\_SVC\_QUEENCREEK
  - ICIP
  - ICIP\_RUN
  - > Installers
- TelemetryAgent
- ▼ TRST
  - ▼ ZTC
    - ▼ AFD
      - 100D
      - 500D
  - ▼ ZTX
    - 1000D
  - ▼ ZTZ
    - 5000D
- Zygollarmanttyyanallyannya




Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\PRST

- ▼ PRST
  - ▼ BCB
    - QQX
  - ▼ BRC
    - DQX
  - ▼ ZTC
    - 3D
    - 4D
    - 5D
  - ▼ ZTX
    - 15D
    - 16D
    - 17D
    - 18D
    - 19D
  - ▼ ZTZ
    - 30D
    - 50D
  - Qzembrya
- ▼ SUR
  - ESRV\_SVC\_QUEENCREEK
  - ICIP
  - ICIP\_RUN
  - > Installers
- TelemetryAgent
- DPPT



Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\ProfileAgent

ProfileAgent

PSIS

PSIS\_DECODER

QDGFZX

15D

16D

17D

18D

19D

QPRSTXZ

40D

QPRSTZZZ

30D

QRSTXZDPPTZZZ

SUR

ESRV\_SVC\_QUEENCREEK

ICIP

ICIP\_RUN

> Installers

TelemetryAgent

DGFX

Intel

CollectorService

CrashLog

DGFX

6D

7D

8D

DPPT

| Name                                                                                                          | Type      | Data                                          |
|---------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------|
|  (Default)                   | REG_SZ    | (value not set)                               |
|  Azellera                    | REG_DWORD | 0x22346789 (573859721)                        |
|  Konzolera                   | REG_DWORD | 0x22345678 (573855352)                        |
|  PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

Intel

CollectorService

CrashLog

DGFX

6D

7D

8D

DPPT

| Name                                                                                                          | Type      | Data                                          |
|---------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------|
|  (Default)                   | REG_SZ    | (value not set)                               |
|  Fabryzzya                   | REG_DWORD | 0x97560123 (2538996003)                       |
|  PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

Intel

CollectorService

CrashLog

DGFX

6D

7D

8D

DPPT

| Name                                                                                                          | Type      | Data                                          |
|---------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------|
|  (Default)                   | REG_SZ    | (value not set)                               |
|  Deferecce                   | REG_DWORD | 0xc2d2acdf (3268586719)                       |
|  Ferecce                     | REG_DWORD | 0xb2d2dcdf (3000163503)                       |
|  PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

Intel

CollectorService

CrashLog

DDRTZ

DPPT

DGFX

6D

7D

8D

DPPT

| Name                                                                                                       | Type      | Data                                      |
|------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
|  (Default)              | REG_SZ    | (value not set)                           |
|  DisableDPPTTemporarily | REG_QWORD | 0xf202dbadcafacdca (17438742246613241290) |
|  EnableHardwareXDLUT    | REG_QWORD | 0xdbca2ab2c2d2e2f2 (15837517986862916338) |

DGFX

8D

DPPT

DGFXI

12D

DPPT

Display

| Name                                                                                                       | Type       | Data                                                  |
|------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------|
|  (Default)              | REG_SZ     | (value not set)                                       |
|  DisableDPPTTemporarily | REG_BINARY | f2 02 a3 4c 2d 58 2d dd dd ee ee ee ff ff ff ff ff ff |
|  EnableHardwareDLUT     | REG_DWORD  | 0xf28245cd (4068623821)                               |
|  Global                 | REG_BINARY | 60 e8 bb 61 47 02 00 00 50 01 b3 61 47 02 00 00       |
|  GlobalN                | REG_BINARY | 60 e8 bb 61 47 02 00 00 50 01 b3 61 47 02 00 00       |

Edit Binary Value

Value name:

DisableDPPTemporarily

Value data:

|          |    |    |    |    |    |    |    |    |                 |
|----------|----|----|----|----|----|----|----|----|-----------------|
| 00000000 | F2 | 02 | A3 | 4C | 2D | 58 | 2D | DD | ò . £ L - X - Ÿ |
| 00000008 | DD | DD | EE | EE | EE | EE | FF | FF | Ÿ Ÿ î î î î Ÿ Ÿ |
| 00000010 | FF | FF | FF | FF | FF | FF |    |    | Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ     |

OK

Cancel

Edit Binary Value

Value name:

Global

Value data:

|          |    |    |    |    |    |    |    |    |                 |
|----------|----|----|----|----|----|----|----|----|-----------------|
| 00000000 | 60 | E8 | BB | 61 | 47 | 02 | 00 | 00 | ` è » a G . . . |
| 00000008 | 50 | 01 | B3 | 61 | 47 | 02 | 00 | 00 | P . ³ a G . . . |
| 00000010 |    |    |    |    |    |    |    |    |                 |

OK

Cancel

Edit Binary Value

Value name:

GlobalIN

Value data:

|          |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |
|----------|----|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|
| 00000000 | 60 | E8 | BB | 61 | 47 | 02 | 00 | 00 | ` | è | » | a | G | . | . | . |
| 00000008 | 50 | 01 | B3 | 61 | 47 | 02 | 00 | 00 | P | . | ³ | a | G | . | . | . |
| 00000010 |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |

OK

Cancel

### DGFXI

DGFXI

12D

DPPT

Display

DPPT

| Name                                                                                                            | Type      | Data                                          |
|-----------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------|
|  (Default)                     | REG_SZ    | (value not set)                               |
|  Aferecce                      | REG_DWORD | 0x2a4cd2b2 (709677746)                        |
|  PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

DGFXI

12D

DPPT

Display

igfxcui

3D

MediaKeys

| Name                                                                                                      | Type       | Data                                            |
|-----------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------|
|  (Default)             | REG_SZ     | (value not set)                                 |
|  DisableDPPTemporarily | REG_BINARY | f2 4c eb 2d ef ef ef ff ff ff ff ff ff ff ff    |
|  EnableHardwareDLUT    | REG_DWORD  | 0xffffffff (4294967295)                         |
|  Global                | REG_BINARY | fa bd cd fc de ff ff ff ff ee ee ee ee ee ee ee |
|  GlobalIN              | REG_BINARY | ff 2f fd ce ff ff ff ff ee ee ee ee ee ee ee ee |

Edit Binary Value

Value name:

Global

Value data:

|          |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |
|----------|----|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|
| 00000000 | FA | BD | CD | FC | DE | FF | FF | FF | ú | ¼ | Í | ü | þ | ÿ | ÿ | ÿ |
| 00000008 | FF | EE | EE | EE | EE | EE | EE | EE | ÿ | î | î | î | î | î | î | î |
| 00000010 |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |

OK

Cancel

# Edit Binary Value



Value name:

GlobalN

Value data:

|          |    |    |    |    |    |    |    |    |                 |
|----------|----|----|----|----|----|----|----|----|-----------------|
| 00000000 | FF | 2F | FD | CE | FF | FF | FF | FF | ÿ / ý Î ÿ ÿ ÿ ÿ |
| 00000008 | EE | EE | EE | EE | EE | EE | EE | EE | î î î î î î î î |
| 00000010 |    |    |    |    |    |    |    |    |                 |

OK

Cancel

## DPPT

|                                |           |            |                                                 |
|--------------------------------|-----------|------------|-------------------------------------------------|
| DPPT                           | Name      | Type       | Data                                            |
| > Driver and Support Assistant | (Default) | REG_SZ     | (value not set)                                 |
| ✓ FFRTZ                        | Global    | REG_BINARY | ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff |
| DPPTXZ                         | GlobalN   | REG_BINARY | ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff |
| ✓ GFX                          |           |            |                                                 |

Edit Binary Value

Value name:  
Global

Value data:  

|          |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |
|----------|----|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|
| 00000000 | FF | FF | FF | FF | FF | FF | FF | FF | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ |
| 00000008 | FF | FF | FF | FF | FF | FF | FF | FF | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ |
| 00000010 |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |

OK
Cancel

Edit Binary Value

Value name:  
GlobalN

Value data:  


|          |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |
|----------|----|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|
| 00000000 | FF | FF | FF | FF | FF | FF | FF | FF | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ |
| 00000008 | FF | FF | FF | FF | FF | FF | FF | FF | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ |
| 00000010 | FF | FF | FF | FF | FF | FF | FF | FF | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ | ÿ |
| 00000018 |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |

OK
Cancel


## GFX

[illegible][illegible]


| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Anhenyo                     | REG_DWORD | 0x22222222 (572662306)                        |
| Genyo                       | REG_DWORD | 0x11111111 (286331153)                        |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |



| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Delascronzza                | REG_DWORD | 0xf8bde4ce (4173194446)                       |
| Lascronzza                  | REG_DWORD | 0xf2bde4ce (4072531150)                       |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |




| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Lenguarrya                  | REG_DWORD | 0x75623120 (1969369376)                       |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |




| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Deguaryannallya             | REG_DWORD | 0x95732106 (2507350278)                       |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

## DPPT




| Name                   | Type       | Data                                      |
|------------------------|------------|-------------------------------------------|
| (Default)              | REG_SZ     | (value not set)                           |
| DisableDPPTTemporarily | REG_DWORD  | 0xf4cd2d02 (4107087106)                   |
| EnableHardwareDLUT     | REG_DWORD  | 0xf4c2cdeb (4106407403)                   |
| Global                 | REG_BINARY | fa bd cd fc de ff ff ff ee ee ee ee ee ee |
| GlobalIN               | REG_BINARY | ff 2f fd ce ff ff ff ee ee ee ee ee ee ee |

Or different idea of the DPPT which cuts the system differently:




| Name                   | Type       | Data                                      |
|------------------------|------------|-------------------------------------------|
| (Default)              | REG_SZ     | (value not set)                           |
| DisableDPPTTemporarily | REG_BINARY | f4 cd 2d 02 ff ff ff ff ff ff ff ff ff ff |
| EnableHardwareDLUT     | REG_DWORD  | 0xf4c2cdeb (4106407403)                   |
| Global                 | REG_BINARY | fa bd cd fc de ff ff ff ee ee ee ee ee ee |
| GlobalIN               | REG_BINARY | ff 2f fd ce ff ff ff ee ee ee ee ee ee ee |

## DPPTXZ



| Name                   | Type      | Data                                      |
|------------------------|-----------|-------------------------------------------|
| (Default)              | REG_SZ    | (value not set)                           |
| DisableDPPTTemporarily | REG_QWORD | 0xfedebdbdefdefedb (18365358080748617435) |
| EnableHardwareDLUT     | REG_QWORD | 0xfeefdfdfefeffeff (18370147557947993855) |
| Global                 | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
| GlobalF                | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
| GlobalIN               | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
| Local                  | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
| LocalF                 | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
| LocalIN                | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |

## DPP



| Name                   | Type      | Data                                      |
|------------------------|-----------|-------------------------------------------|
| (Default)              | REG_SZ    | (value not set)                           |
| DisableDPPTTemporarily | REG_QWORD | 0xfdbadcbabdfadbca (18283168331873311690) |
| EnableHardwareXDLUT    | REG_QWORD | 0xfadfdfaafddfaaff (18077413354785188607) |

DPPTQXRSTZ

|            | Name                   | Type      | Data                                      |
|------------|------------------------|-----------|-------------------------------------------|
| IGFX       | (Default)              | REG_SZ    | (value not set)                           |
| 2D         |                        |           |                                           |
| 3D         |                        |           |                                           |
| 4D         |                        |           |                                           |
| 5D         |                        |           |                                           |
| DPP        |                        |           |                                           |
| DPPT       |                        |           |                                           |
| DPPTQXRSTZ | DisableDPPTTemporarily | REG_QWORD | 0xfefdbcdaffdbafd (18374365206185622269)  |
|            | EnableHardwareXDLUT    | REG_QWORD | 0xffdbcdaffedbcdae (18436555655350046126) |

PSIS

|              | Name      | Type      | Data                   |
|--------------|-----------|-----------|------------------------|
| PSIS         | (Default) | REG_SZ    | (value not set)        |
| DPPT         |           |           |                        |
| PSIS_DECODER |           |           |                        |
| SUR          | Global    | REG_DWORD | 0xf2dadbd (4074429402) |
| DPPT         | GlobalN   | REG_DWORD | 0xf2dadbd (4074429402) |

Or different solution which I am not preferring:

|              | Name      | Type       | Data                                   |
|--------------|-----------|------------|----------------------------------------|
| PSIS         | (Default) | REG_SZ     | (value not set)                        |
| DPPT         |           |            |                                        |
| PSIS_DECODER |           |            |                                        |
| SUR          | Global    | REG_BINARY | f2 da bd da ff ff ff ff ff ff ff ff ff |
| DPPT         | GlobalN   | REG_BINARY | f2 da bd da ff ff ff ff ff ff ff ff ff |

Edit Binary Value

Value name:

Global

Value data:

00000000

F2DA BD DA FF FF FF FF FF

00000008

FF FF FF FF FF FF FF FF

00000010

ò Ó ¼ ½ ¾ ̂ ̃ ̄ ̅

̆ ̇ ̈ ̉ ̊ ̋ ̌ ̍

OK

Cancel



igfxcui

Files 3105 and 3106 leave the same, but create 3107, and 3108 and 3109...

|                              | Name      | Type   | Data            |
|------------------------------|-----------|--------|-----------------|
| Intel                        | (Default) | REG_SZ | (value not set) |
| CollectorService             |           |        |                 |
| CrashLog                     |           |        |                 |
| DGFX                         |           |        |                 |
| DGFXI                        |           |        |                 |
| Display                      |           |        |                 |
| igfxcui                      |           |        |                 |
| 3D                           |           |        |                 |
| MediaKeys                    |           |        |                 |
| MISC                         |           |        |                 |
| DPPT                         |           |        |                 |
| Driver and Support Assistant |           |        |                 |
| FFRTXZ                       |           |        |                 |
| GFX                          |           |        |                 |
| DPPT                         |           |        |                 |
| Internal                     |           |        |                 |
| GFXInstaller                 |           |        |                 |

| Name                 | Type       | Data                                                 |
|----------------------|------------|------------------------------------------------------|
| (Default)            | REG_SZ     | (value not set)                                      |
| 3105                 | REG_BINARY | 00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 c |
| 3106                 | REG_BINARY | 00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 c |
| 3107                 | REG_DWORD  | 0xffffffff (4294967295)                              |
| 3108                 | REG_DWORD  | 0xffffffff (4294967295)                              |
| 3109                 | REG_DWORD  | 0xffffffff (4294967295)                              |
| 3fff                 | REG_DWORD  | 0xffffffff (4294967295)                              |
| 7fffffff             | REG_DWORD  | 0xffffffff (4294967295)                              |
| BKPDdisplayLACE      | REG_DWORD  | 0x23465312 (591811346)                               |
| HotKeyState          | REG_DWORD  | 0x00000001 (1)                                       |
| Install_State        | REG_DWORD  | 0x00000002 (2)                                       |
| InstallStage         | REG_DWORD  | 0x00000001 (1)                                       |
| OldLang              | REG_DWORD  | 0x00000409 (1033)                                    |
| UserSetDRRSDisableRR | REG_DWORD  | 0xfefefeff (4278103295)                              |

Here you can find a regular DRRSDisableRR which is 30... I set it to something that for me makes more sense...

|                              | Name      | Type   | Data            |
|------------------------------|-----------|--------|-----------------|
| Intel                        | (Default) | REG_SZ | (value not set) |
| CollectorService             |           |        |                 |
| CrashLog                     |           |        |                 |
| DGFX                         |           |        |                 |
| DGFXI                        |           |        |                 |
| Display                      |           |        |                 |
| igfxcui                      |           |        |                 |
| 3D                           |           |        |                 |
| MediaKeys                    |           |        |                 |
| MISC                         |           |        |                 |
| DPPT                         |           |        |                 |
| Driver and Support Assistant |           |        |                 |
| FFRTXZ                       |           |        |                 |
| GFX                          |           |        |                 |
| DPPT                         |           |        |                 |
| Internal                     |           |        |                 |
| GFXInstaller                 |           |        |                 |


| Name                 | Type       | Data                                |
|----------------------|------------|-------------------------------------|
| (Default)            | REG_SZ     | (value not set)                     |
| 3105                 | REG_BINARY | 00 00 3c 00 43 00 74 00 72 00 6c 00 |
| 3106                 | REG_BINARY | 00 00 3c 00 43 00 74 00 72 00 6c 00 |
| 3107                 | REG_DWORD  | 0xffffffff (4294967295)             |
| 3108                 | REG_DWORD  | 0xffffffff (4294967295)             |
| 3109                 | REG_DWORD  | 0xffffffff (4294967295)             |
| 3fff                 | REG_DWORD  | 0xffffffff (4294967295)             |
| 7fffffff             | REG_DWORD  | 0xffffffff (4294967295)             |
| BKPDdisplayLACE      | REG_DWORD  | 0x23465312 (591811346)              |
| HotKeyState          | REG_DWORD  | 0x00000001 (1)                      |
| Install_State        | REG_DWORD  | 0x00000002 (2)                      |
| InstallStage         | REG_DWORD  | 0x00000001 (1)                      |
| OldLang              | REG_DWORD  | 0x00000409 (1033)                   |
| UserSetDRRSDisableRR | REG_DWORD  | 0x00000030 (48)                     |

You can use this model with BKPDdisplayLACE with all of the “f” chars but I do not suggest it because it represents open system of everyone around you and it doesn’t focus you on your job only...

|                              | Name      | Type   | Data            |
|------------------------------|-----------|--------|-----------------|
| Display                      | (Default) | REG_SZ | (value not set) |
| igfxcui                      |           |        |                 |
| 3D                           |           |        |                 |
| MediaKeys                    |           |        |                 |
| MISC                         |           |        |                 |
| DPPT                         |           |        |                 |
| Driver and Support Assistant |           |        |                 |
| FFRTZ                        |           |        |                 |
| DPPTXZ                       |           |        |                 |
| GFX                          |           |        |                 |
| DPPT                         |           |        |                 |
| Internal                     |           |        |                 |
| GFXInstaller                 |           |        |                 |
| IGFX                         |           |        |                 |
| 2D                           |           |        |                 |

| Name                 | Type       | Data                                  |
|----------------------|------------|---------------------------------------|
| (Default)            | REG_SZ     | (value not set)                       |
| 3105                 | REG_BINARY | 00 00 3c 00 43 00 74 00 72 00 6c 00 3 |
| 3106                 | REG_BINARY | 00 00 3c 00 43 00 74 00 72 00 6c 00 3 |
| 3107                 | REG_DWORD  | 0xffffffff (4294967295)               |
| 3108                 | REG_DWORD  | 0xffffffff (4294967295)               |
| 3109                 | REG_DWORD  | 0xffffffff (4294967295)               |
| BKPDdisplayLACE      | REG_DWORD  | 0xffffffff (4294967295)               |
| HotKeyState          | REG_DWORD  | 0x00000001 (1)                        |
| Install_State        | REG_DWORD  | 0x00000002 (2)                        |
| InstallStage         | REG_DWORD  | 0x00000001 (1)                        |
| OldLang              | REG_DWORD  | 0x00000409 (1033)                     |
| UserSetDRRSDisableRR | REG_DWORD  | 0xfefefeff (4278103295)               |

When you have a primitive idea of the 3D, you can implement 4D, 5D and up to 15D in the files as are dgfxcui (4D, 5D) and rgfxcui (6D, 7D, 8D), drgfxcui (9D, 10D, 11D), qxdrgfxcui (12D, 13D, 14D, 15D)... Each of those files should have the idea of the system speed being created by pixel movement to awake the brain idea of the cosmos jokes on the certain frequencies which is interesting because then user can see 3D image and so on...



| Name      | Type       | Data                                         |
|-----------|------------|----------------------------------------------|
| (Default) | REG_SZ     | (value not set)                              |
| Brotallya | REG_DWORD  | 0xdad3a200 (3671302656)                      |
| GlobalF   | REG_BINARY | af df ed df ff ff ff ff ff ff ff ff ff ff    |
| GlobalFF  | REG_BINARY | f2 df 2a f2 ee ee ee ee ff ff ff ff ff ff ff |

## DRGFXZ

For Quanzyllyumar Display type regular values, and for a regular one type 8 times f: “ffffff” into Ablagerio and Zeronimo...

|                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div> <div>PSIS</div> <div>SUR</div> <div>TelemetryAgent</div> <div> <div>DRGFXZ</div> <div>MISC</div> <div>DPPTXZ</div> </div> </div>                                                                                                                        | <div> <div>Name</div> <div> <div>(Default)</div> <div>Ablagerio</div> <div>Zeronimo</div> </div> </div>                                                                                                                                                                                   | <div> <div>Type</div> <div> <div>REG_SZ</div> <div>REG_DWORD</div> <div>REG_DWORD</div> </div> </div>                                                                                                                                                                         | <div> <div>Data</div> <div> <div>(value not set)</div> <div>0xc4dfd2fd (3303002877)</div> <div>0x2dfa2fd (803185405)</div> </div> </div>                                                                                                                                                                                                                                                                                                                              |
| <div> <div>FFRTXZ</div> <div>GFX</div> <div>GFXInstaller</div> <div>IGFX</div> <div>PresentMon</div> <div>ProfileAgent</div> <div>PSIS</div> <div>SUR</div> <div>TelemetryAgent</div> <div> <div>DRGFXZ</div> <div>MISC</div> <div>DPPTXZ</div> </div> </div> | <div> <div>Name</div> <div> <div>(Default)</div> <div>LocalF</div> <div>LocalFF</div> <div>LocalFFF</div> <div>LocalFFFF</div> <div>LocalFFFFF</div> <div>LocalFFFFFF</div> <div>LocalFFFFFFF</div> <div>LocalFFFFFFF</div> <div>LocalFFFFFFF</div> <div>LocalFFFFFFF</div> </div> </div> | <div> <div>Type</div> <div> <div>REG_SZ</div> <div>REG_DWORD</div> <div>REG_DWORD</div> <div>REG_DWORD</div> <div>REG_DWORD</div> <div>REG_DWORD</div> <div>REG_DWORD</div> <div>REG_DWORD</div> <div>REG_DWORD</div> <div>REG_DWORD</div> <div>REG_DWORD</div> </div> </div> | <div> <div>Data</div> <div> <div>(value not set)</div> <div>0xffffffff (4294967295)</div> <div>0xffffffff (4294967295)</div> <div>0xffffffff (4294967295)</div> <div>0xffffffff (4294967295)</div> <div>0xffffffff (4294967295)</div> <div>0xffffffff (4294967295)</div> <div>0xffffffff (4294967295)</div> <div>0xffffffff (4294967295)</div> <div>0xffffffff (4294967295)</div> <div>0xffffffff (4294967295)</div> <div>0xffffffff (4294967295)</div> </div> </div> |

I believe if there is Ablagerio “ffffff” and Zeronimo “ffffff” then there is the key “DPPT” instead of “DPPTXZ”...

## QDGFY

## RSPTXD

| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RSPTXD |                             |           |                                               |
|---------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
|                                                   | Name                        | Type      | Data                                          |
| └─ SUR                                            | (Default)                   | REG_SZ    | (value not set)                               |
| └─ ESRV_SVC_QUEENCREEK                            | Dellyberry                  | REG_QWORD | 0xfefefefefefefeb (18370165218869243883)      |
| └─ ICIP                                           | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| └─ ICIP_RUN                                       | Wellywerrya                 | REG_QWORD | 0xffdbcdaffefefe (18446107297562164990)       |
| └─ Installers                                     |                             |           |                                               |
| └─ TelemetryAgent                                 |                             |           |                                               |
| └─ RSPTXD                                         |                             |           |                                               |

## DPPTXZ

| Registry Editor                                   |              |           |                                          |
|---------------------------------------------------|--------------|-----------|------------------------------------------|
| File Edit View Favorites Help                     |              |           |                                          |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DPPTXZ |              |           |                                          |
|                                                   | Name         | Type      | Data                                     |
| └─ Intel                                          | (Default)    | REG_SZ    | (value not set)                          |
| └─ CollectorService                               | Allyhynnerra | REG_QWORD | 0x3333333333333333 (3689348814741910323) |
| └─ CrashLog                                       | Liahynnerra  | REG_QWORD | 0x2222222222222222 (2459565876494606882) |
| └─ DDRTZ                                          |              |           |                                          |
| └─ DGFX                                           |              |           |                                          |
| └─ DGFXI                                          |              |           |                                          |
| └─ Display                                        |              |           |                                          |
| └─ DPPTXZ                                         |              |           |                                          |

## Banning

| Registry Editor                                            |                       |           |                                         |
|------------------------------------------------------------|-----------------------|-----------|-----------------------------------------|
| File Edit View Favorites Help                              |                       |           |                                         |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Zygollarmantyya |                       |           |                                         |
|                                                            | Name                  | Type      | Data                                    |
| └─ DDRTZ                                                   | (Default)             | REG_SZ    | (value not set)                         |
| └─ DGFX                                                    | DisableDPPTemporarily | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 6D                                                      | Global                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 7D                                                      | GlobalD               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 8D                                                      | GlobalF               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ DGFXI                                                   | GlobalI               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 10D                                                     | GlobalLL              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 11D                                                     | GlobalLLL             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 12D                                                     | GlobalN               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 9D                                                      | GlobalQ               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ DGQFGXZZZ                                               | GlobalR               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ Display                                                 | GlobalS               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ DPPTXZZZ                                                | GlobalT               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ DRGFXZ                                                  | GlobalTT              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ Driver and Support Assistant                            | GlobalX               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ FFRTZ                                                   | GlobalY               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ GFX                                                     | GlobalZ               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ GFXInstaller                                            | GlobalZZ              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ IGFX                                                    | GlobalZZZ             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ PQRST                                                   | Local                 | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 100D                                                    | LocalD                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 500D                                                    | LocalF                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 50D                                                     | LocalI                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ ZTX                                                     | LocalLL               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 1000D                                                   | LocalLLL              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ ZTZ                                                     | LocalN                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ PresentMon                                              | LocalQ                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ ProfileAgent                                            | LocalR                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ PSIS                                                    | LocalS                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ QDGFYZ                                                  | LocalT                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 15D                                                     | LocalTT               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 16D                                                     | LocalX                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 17D                                                     | LocalY                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 18D                                                     | LocalZ                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ 19D                                                     | LocalZZ               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ QPRST                                                   | LocalZZZ              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
| └─ QPRSTZZZ                                                |                       |           |                                         |
| └─ 30D                                                     |                       |           |                                         |
| └─ QRPTXZZZ                                                |                       |           |                                         |
| └─ Zygollarmantyya                                         |                       |           |                                         |
| └─ RSPTXD                                                  |                       |           |                                         |

| Registry Editor                                          |                       |           |                                         |
|----------------------------------------------------------|-----------------------|-----------|-----------------------------------------|
| File Edit View Favorites Help                            |                       |           |                                         |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QRSTXZDPPTZZZ |                       |           |                                         |
|                                                          | Name                  | Type      | Data                                    |
| DDRTZ                                                    |                       |           |                                         |
| DGFX                                                     |                       |           |                                         |
| 6D                                                       |                       |           |                                         |
| 7D                                                       |                       |           |                                         |
| 8D                                                       |                       |           |                                         |
| DGFXI                                                    |                       |           |                                         |
| 10D                                                      |                       |           |                                         |
| 11D                                                      |                       |           |                                         |
| 12D                                                      |                       |           |                                         |
| 9D                                                       |                       |           |                                         |
| DGQFGXZZZ                                                |                       |           |                                         |
| Display                                                  |                       |           |                                         |
| DPPTXZZZ                                                 |                       |           |                                         |
| DRGFXZ                                                   |                       |           |                                         |
| Driver and Support Assistant                             |                       |           |                                         |
| FFRTZ                                                    |                       |           |                                         |
| GFX                                                      |                       |           |                                         |
| GFXInstaller                                             |                       |           |                                         |
| IGFX                                                     |                       |           |                                         |
| PQRST                                                    |                       |           |                                         |
| 100D                                                     |                       |           |                                         |
| 500D                                                     |                       |           |                                         |
| 50D                                                      |                       |           |                                         |
| ZTX                                                      |                       |           |                                         |
| 1000D                                                    |                       |           |                                         |
| ZTZ                                                      |                       |           |                                         |
| PresentMon                                               |                       |           |                                         |
| ProfileAgent                                             |                       |           |                                         |
| PSIS                                                     |                       |           |                                         |
| QDGFZX                                                   |                       |           |                                         |
| 15D                                                      |                       |           |                                         |
| 16D                                                      |                       |           |                                         |
| 17D                                                      |                       |           |                                         |
| 18D                                                      |                       |           |                                         |
| 19D                                                      |                       |           |                                         |
| QPRST                                                    |                       |           |                                         |
| QPRSTZZZ                                                 |                       |           |                                         |
| 30D                                                      |                       |           |                                         |
| QRPTXZZZ                                                 |                       |           |                                         |
| QRSTXZDPPTZZZ                                            |                       |           |                                         |
|                                                          | (Default)             | REG_SZ    | (value not set)                         |
|                                                          | DisableDPPTemporarily | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | Global                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalD               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalF               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalI               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalLL              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalLLL             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalN               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalQ               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalR               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalS               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalT               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalTT              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalX               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalY               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalZ               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | GlobalZZZ             | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | Local                 | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalD                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalF                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalI                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalLL               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalLLL              | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalN                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalQ                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalR                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalS                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalT                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalTT               | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalX                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalY                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalZ                | REG_QWORD | 0xffffffffffffff (18446744073709551615) |
|                                                          | LocalZZZ              | REG_QWORD | 0x00000000 (0)                          |


Something

Previously not good settings are moved to this part of the TXT without thinking and maybe these codes represent something, maybe they ain't that good, but I find them unnecessary...

| Registry Editor                                                                   |                             |           |                                               |
|-----------------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                                     |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGZX\QZQ                              |                             |           |                                               |
|  | Name                        | Type      | Data                                          |
|                                                                                   | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                                   | Annogdallyyanallyannya      | REG_QWORD | 0xb2defe4ced2defef (12889018789931118575)     |
|                                                                                   | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
|                                                                                   | Ynnogdallyyaanogdallyya     | REG_QWORD | 0xffbafdfbfafdfbfa (18427320083034397690)     |

| Registry Editor                                                                   |                             |           |                                               |
|-----------------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                                     |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGZX\QZT                              |                             |           |                                               |
|  | Name                        | Type      | Data                                          |
|                                                                                   | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                                   | Dennogdallyyanna            | REG_QWORD | 0xfe4ced2edeb2dede (18324281769424248542)     |
|                                                                                   | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
|                                                                                   | Ynnogdallyyanna             | REG_QWORD | 0xfe4ced2edededede (18324281769427132126)     |

PRST


| Registry Editor                                                                    |                             |           |                                               |
|------------------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                                      |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BRC\DQX                            |                             |           |                                               |
|  | Name                        | Type      | Data                                          |
|                                                                                    | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                                    | Dembillyryya                | REG_QWORD | 0xffffdfdfdfdfdf (18446708884471996398)       |
|                                                                                    | Lazembillyryya              | REG_QWORD | 0xfdefdfdfdfdfdf (18298125285972762607)       |
|                                                                                    | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

| Name         | Type      | Data                                      |
|--------------|-----------|-------------------------------------------|
| (Default)    | REG_SZ    | (value not set)                           |
| Wellywerryya | REG_QWORD | 0x2fdbcbacfdbcaefef (3448836816567463919) |
| Dellyberryya | REG_QWORD | 0x2fdbcdadbcdafefe (3448576085763751678)  |

| Registry Editor                                                                     |                     |           |                                           |
|-------------------------------------------------------------------------------------|---------------------|-----------|-------------------------------------------|
| File Edit View Favorites Help                                                       |                     |           |                                           |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\DPPT                                |                     |           |                                           |
|  | Name                | Type      | Data                                      |
|                                                                                     | (Default)           | REG_SZ    | (value not set)                           |
|                                                                                     | EnableHardwareXDLUT | REG_QWORD | 0xdbca2ab2c2d2e2f2 (15837517986862916338) |

Fedbcdafdfafdfdf

Ayyannte

|  | Name                  | Type      | Data                                     |
|-------------------------------------------------------------------------------------|-----------------------|-----------|------------------------------------------|
|                                                                                     | (Default)             | REG_SZ    | (value not set)                          |
|                                                                                     | Allyyanntenallyyannte | REG_QWORD | 0xfedebdedededebe (18365326194894626494) |

QDGFZX

Zyndallyya, Zembrallyya, Zemmallyya 3 bans on everything out there

Ffdbcdaffedbcdae

| Registry Editor                                               |                             |           |                                               |
|---------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                 |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcul\3D |                             |           |                                               |
| Display                                                       | Name                        | Type      | Data                                          |
| igfxcul                                                       | (Default)                   | REG_SZ    | (value not set)                               |
| 3D                                                            | Allacannte                  | REG_QWORD | 0xfedcbaefefefdbca (18364758920195464138)     |
| MediaKeys                                                     | Fellacannte                 | REG_QWORD | 0xcdefefefefefedcba (14906632187796184250)    |
| MISC                                                          | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| DPPTXZZZ                                                      |                             |           |                                               |

| Registry Editor                                    |                             |           |                                               |
|----------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                      |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\3D |                             |           |                                               |
| IGFX                                               | Name                        | Type      | Data                                          |
| 3D                                                 | (Default)                   | REG_SZ    | (value not set)                               |
| 4D                                                 | Delascronzza                | REG_DWORD | 0xf8bde4ce (4173194446)                       |
| 5D                                                 | Lascronzza                  | REG_DWORD | 0xf2bde4ce (4072531150)                       |
| PQRST                                              | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| ZTX                                                |                             |           |                                               |

| Registry Editor                                    |                             |           |                                               |
|----------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                      |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\4D |                             |           |                                               |
| IGFX                                               | Name                        | Type      | Data                                          |
| 4D                                                 | (Default)                   | REG_SZ    | (value not set)                               |
| 5D                                                 | Lenguarrya                  | REG_DWORD | 0x75623120 (1969369376)                       |
| PQRST                                              | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| 7TX                                                |                             |           |                                               |

| Registry Editor                                    |                             |           |                                               |
|----------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                      |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\5D |                             |           |                                               |
| IGFX                                               | Name                        | Type      | Data                                          |
| 5D                                                 | (Default)                   | REG_SZ    | (value not set)                               |
| PQRST                                              | Deguaryannallya             | REG_DWORD | 0x95732106 (2507350278)                       |
| ZTX                                                | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| 1000D                                              |                             |           |                                               |

| Registry Editor                                    |                             |           |                                               |
|----------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                      |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\6D |                             |           |                                               |
| DGFX                                               | Name                        | Type      | Data                                          |
| 6D                                                 | (Default)                   | REG_SZ    | (value not set)                               |
| 7D                                                 | Azellera                    | REG_DWORD | 0x22346789 (573859721)                        |
| 8D                                                 | Konzolera                   | REG_DWORD | 0x22345678 (573855352)                        |
| DGFXI                                              | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| 10D                                                |                             |           |                                               |

| Registry Editor                                    |                             |           |                                               |
|----------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                      |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\7D |                             |           |                                               |
| DGFX                                               | Name                        | Type      | Data                                          |
| 7D                                                 | (Default)                   | REG_SZ    | (value not set)                               |
| 8D                                                 | Annattolyya                 | REG_QWORD | 0xfadfdfaafddfaaff (18077413354785188607)     |
| DGFXI                                              | Fabryzzya                   | REG_DWORD | 0x97560123 (2538996003)                       |
| 10D                                                | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| 11D                                                |                             |           |                                               |
| 12D                                                |                             |           |                                               |

| Registry Editor                                    |                             |           |                                               |
|----------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                      |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\8D |                             |           |                                               |
| DGFX                                               | Name                        | Type      | Data                                          |
| 8D                                                 | (Default)                   | REG_SZ    | (value not set)                               |
| DGFXI                                              | Deferecce                   | REG_DWORD | 0xc2d2acdf (3268586719)                       |
| 10D                                                | Ferecce                     | REG_DWORD | 0xb2d2dcaf (3000163503)                       |
| 11D                                                | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| 12D                                                |                             |           |                                               |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\DDRTZ

DDRTZ

DGFXI

10D

11D

12D

9D

| Name                                  | Type      | Data                                  |
|---------------------------------------|-----------|---------------------------------------|
| (Default)                             | REG_SZ    | (value not set)                       |
| Allezurryanallyya                     | REG_QWORD | 0xffffffffffff (18446744073709551615) |
| C:\Program Files\Intel\PrebuiltSha... | REG_SZ    | PrebuiltShaderBinaryDirPath           |
| Llezzurryanallyya                     | REG_QWORD | 0xffffffffffff (18446443833734393582) |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\DGFXI\9D

Intel

- CollectorService
- CrashLog
- DGFXI
  - 10D
  - 11D
  - 12D
  - 9D

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Annadollyya                 | REG_QWORD | 0xdbdbdbdbdbdbdbdb (15842497851538791387)     |
| Bennadollyya                | REG_QWORD | 0xfdfdfdfdfdfdfdf (18302063728033398269)      |
| Dennadollyya                | REG_QWORD | 0xf4c2cdeb2fdebef (17636885500740419567)      |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\DGFXI\10D

Intel

- CollectorService
- CrashLog
- DGFXI
  - 10D
  - 11D
  - 12D
  - 9D

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Lymrall                     | REG_QWORD | 0xfedafedafedafeda (18364270647088709338)     |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| Zymrall                     | REG_QWORD | 0xfefafefafefafefa (18373277983784500986)     |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\DGFXI\11D

Intel

- CollectorService
- CrashLog
- DGFXI
  - 10D
  - 11D
  - 12D
  - 9D

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Ostarryya                   | REG_QWORD | 0xdefededefedefede (16068525706748813054)     |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| Rostarryya                  | REG_QWORD | 0xfdbad2d4d6fefefe (18283157448845885182)     |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\DGFXI\12D

Intel

CollectorService

CrashLog

DGFXI

10D

11D

12D

9D

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Aferecce                    | REG_DWORD | 0x2a4cd2b2 (709677746)                        |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\DPPTXZZZ

| <div>DPPTXZZZ</div> <div><div>&gt; DRGFZX</div><div>&gt; Driver and Support Assistant</div><div>&gt; FFRTZ</div><div>&gt; GFX</div><div>&gt; GFXInstaller</div></div> | <table><tr><th>Name</th><th>Type</th><th>Data</th></tr><tr><td>(Default)</td><td>REG_SZ</td><td>(value not set)</td></tr><tr><td>Allyhhynerryanallyyanya</td><td>REG_QWORD</td><td>0x2323232323232323 (2531906049332683555)</td></tr><tr><td>Dellahynerryanallyyanya</td><td>REG_QWORD</td><td>0x3232323232323232 (3617008641903833650)</td></tr><tr><td>PrebuiltShaderBinaryDirPath</td><td>REG_SZ</td><td>C:\Program Files\Intel\PrebuiltShaderBinaries</td></tr></table> | Name                                          | Type | Data | (Default) | REG_SZ | (value not set) | Allyhhynerryanallyyanya | REG_QWORD | 0x2323232323232323 (2531906049332683555) | Dellahynerryanallyyanya | REG_QWORD | 0x3232323232323232 (3617008641903833650) | PrebuiltShaderBinaryDirPath | REG_SZ | C:\Program Files\Intel\PrebuiltShaderBinaries |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------|------|-----------|--------|-----------------|-------------------------|-----------|------------------------------------------|-------------------------|-----------|------------------------------------------|-----------------------------|--------|-----------------------------------------------|
| Name                                                                                                                                                                  | Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Data                                          |      |      |           |        |                 |                         |           |                                          |                         |           |                                          |                             |        |                                               |
| (Default)                                                                                                                                                             | REG_SZ                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | (value not set)                               |      |      |           |        |                 |                         |           |                                          |                         |           |                                          |                             |        |                                               |
| Allyhhynerryanallyyanya                                                                                                                                               | REG_QWORD                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0x2323232323232323 (2531906049332683555)      |      |      |           |        |                 |                         |           |                                          |                         |           |                                          |                             |        |                                               |
| Dellahynerryanallyyanya                                                                                                                                               | REG_QWORD                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0x3232323232323232 (3617008641903833650)      |      |      |           |        |                 |                         |           |                                          |                         |           |                                          |                             |        |                                               |
| PrebuiltShaderBinaryDirPath                                                                                                                                           | REG_SZ                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | C:\Program Files\Intel\PrebuiltShaderBinaries |      |      |           |        |                 |                         |           |                                          |                         |           |                                          |                             |        |                                               |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\DRGFZX\MISC

| <div>DRGFZX</div> <div>MISC</div> <div>Driver and Support Assistant</div> <div>FFRTZ</div> <div>GFX</div> <div>GFXInstaller</div> | <table><tr><th>Name</th><th>Type</th><th>Data</th></tr><tr><td>(Default)</td><td>REG_SZ</td><td>(value not set)</td></tr><tr><td>Ablagerio</td><td>REG_DWORD</td><td>0xc4dfd2fd (3303002877)</td></tr><tr><td>PrebuiltShaderBinaryDirPath</td><td>REG_SZ</td><td>C:\Program Files\Intel\PrebuiltShaderBinaries</td></tr><tr><td>Zeronimo</td><td>REG_DWORD</td><td>0x2dfa2fd (803185405)</td></tr></table> | Name                                          | Type | Data | (Default) | REG_SZ | (value not set) | Ablagerio | REG_DWORD | 0xc4dfd2fd (3303002877) | PrebuiltShaderBinaryDirPath | REG_SZ | C:\Program Files\Intel\PrebuiltShaderBinaries | Zeronimo | REG_DWORD | 0x2dfa2fd (803185405) |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------|------|-----------|--------|-----------------|-----------|-----------|-------------------------|-----------------------------|--------|-----------------------------------------------|----------|-----------|-----------------------|
| Name                                                                                                                              | Type                                                                                                                                                                                                                                                                                                                                                                                                       | Data                                          |      |      |           |        |                 |           |           |                         |                             |        |                                               |          |           |                       |
| (Default)                                                                                                                         | REG_SZ                                                                                                                                                                                                                                                                                                                                                                                                     | (value not set)                               |      |      |           |        |                 |           |           |                         |                             |        |                                               |          |           |                       |
| Ablagerio                                                                                                                         | REG_DWORD                                                                                                                                                                                                                                                                                                                                                                                                  | 0xc4dfd2fd (3303002877)                       |      |      |           |        |                 |           |           |                         |                             |        |                                               |          |           |                       |
| PrebuiltShaderBinaryDirPath                                                                                                       | REG_SZ                                                                                                                                                                                                                                                                                                                                                                                                     | C:\Program Files\Intel\PrebuiltShaderBinaries |      |      |           |        |                 |           |           |                         |                             |        |                                               |          |           |                       |
| Zeronimo                                                                                                                          | REG_DWORD                                                                                                                                                                                                                                                                                                                                                                                                  | 0x2dfa2fd (803185405)                         |      |      |           |        |                 |           |           |                         |                             |        |                                               |          |           |                       |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\FFRTZ\DRPTZ

FFRTZ

- DRPTZ
- DRSTPPTZ
- FRTZ
- QPTZ
- QRFTZ

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Allidenbrahyya              | REG_QWORD | 0xffffeeddbbccaaff (18446443759862065919)     |
| Denbrahyya                  | REG_QWORD | 0xfedcaddbaadcdba (18364744410902416826)      |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\FFRTZ\DRSTPPTZ

FFRTZ

DRPTZ

DRSTPPTZ

FRTZ

QPTZ

QRFTZ

GFX

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Anahullyya                  | REG_QWORD | 0xfefedefefefefe (18374368716499386110)       |
| Brohullyya                  | REG_QWORD | 0xfeacbedefedeacbe (18351252446595951806)     |
| Hullyya                     | REG_QWORD | 0xffffeeeeffffeeeee (18446725308997431022)    |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\FFRTZ\FRTZ

<

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\FFRTZ\QPTZ

FFRTZ

DRPTZ

DRSTPPTZ

FRTZ

QPTZ

QRFTZ

GFX

GFXInstaller

IGFX

PQRST

ZTX

1000D

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Asquyyante                  | REG_DWORD | 0xfffffff (4294901759)                        |
| Dellyyante                  | REG_DWORD | 0xfffffff (4294963199)                        |
| Ferro                       | REG_DWORD | 0xf2ffdfdf (4076855293)                       |
| Omnyपुर्य                   | REG_DWORD | 0xfdfdfadf (4024425183)                       |
| Oraqillyya                  | REG_DWORD | 0xacfdbcdb (2902252493)                       |
| Pero                        | REG_DWORD | 0xfdffdfdf (4261404671)                       |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| Pury                        | REG_DWORD | 0xeffdfdf (4026458079)                        |
| Raqqillyya                  | REG_DWORD | 0xfffdffdf (4293910495)                       |

Registry Editor

File Edit View Favorites Help

Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\Intel\FFRTZ\QRFTZ

▼

FFRTZ

DRPTZ

DRSTPPTZ

FRTZ

QPTZ

QRFTZ

| Name                        | Type      | Data                                          |
|-----------------------------|-----------|-----------------------------------------------|
| (Default)                   | REG_SZ    | (value not set)                               |
| Asqyllante                  | REG_DWORD | 0xfdffdfdf (4261408255)                       |
| Lante                       | REG_DWORD | 0xf2ffdfdf (4076855294)                       |
| PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |

| Registry Editor                                                                                                                                                                                                                                               |           |                                                                                                                                                                                                                                                                                                                                                                                                           |      |      |      |           |        |                 |          |           |                         |         |           |                        |                             |        |                                               |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|------|-----------|--------|-----------------|----------|-----------|-------------------------|---------|-----------|------------------------|-----------------------------|--------|-----------------------------------------------|--|
| File Edit View Favorites Help                                                                                                                                                                                                                                 |           |                                                                                                                                                                                                                                                                                                                                                                                                           |      |      |      |           |        |                 |          |           |                         |         |           |                        |                             |        |                                               |  |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\GFX\2D                                                                                                                                                                                                             |           |                                                                                                                                                                                                                                                                                                                                                                                                           |      |      |      |           |        |                 |          |           |                         |         |           |                        |                             |        |                                               |  |
| <div><div><div><div></div><div>GFX</div></div><div><div></div><div>2D</div></div><div><div></div><div>Internal</div></div><div><div></div><div>GFXInstaller</div></div><div><div></div><div>IGFX</div></div><div><div></div><div>POST</div></div></div></div> |           | <table><tr><th>Name</th><th>Type</th><th>Data</th></tr><tr><td>(Default)</td><td>REG_SZ</td><td>(value not set)</td></tr><tr><td>Acarella</td><td>REG_DWORD</td><td>0x47256310 (1193632528)</td></tr><tr><td>Carella</td><td>REG_DWORD</td><td>0x24567125 (609644837)</td></tr><tr><td>PrebuiltShaderBinaryDirPath</td><td>REG_SZ</td><td>C:\Program Files\Intel\PrebuiltShaderBinaries</td></tr></table> | Name | Type | Data | (Default) | REG_SZ | (value not set) | Acarella | REG_DWORD | 0x47256310 (1193632528) | Carella | REG_DWORD | 0x24567125 (609644837) | PrebuiltShaderBinaryDirPath | REG_SZ | C:\Program Files\Intel\PrebuiltShaderBinaries |  |
| Name                                                                                                                                                                                                                                                          | Type      | Data                                                                                                                                                                                                                                                                                                                                                                                                      |      |      |      |           |        |                 |          |           |                         |         |           |                        |                             |        |                                               |  |
| (Default)                                                                                                                                                                                                                                                     | REG_SZ    | (value not set)                                                                                                                                                                                                                                                                                                                                                                                           |      |      |      |           |        |                 |          |           |                         |         |           |                        |                             |        |                                               |  |
| Acarella                                                                                                                                                                                                                                                      | REG_DWORD | 0x47256310 (1193632528)                                                                                                                                                                                                                                                                                                                                                                                   |      |      |      |           |        |                 |          |           |                         |         |           |                        |                             |        |                                               |  |
| Carella                                                                                                                                                                                                                                                       | REG_DWORD | 0x24567125 (609644837)                                                                                                                                                                                                                                                                                                                                                                                    |      |      |      |           |        |                 |          |           |                         |         |           |                        |                             |        |                                               |  |
| PrebuiltShaderBinaryDirPath                                                                                                                                                                                                                                   | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries                                                                                                                                                                                                                                                                                                                                                             |      |      |      |           |        |                 |          |           |                         |         |           |                        |                             |        |                                               |  |

| Registry Editor                                 |           |        |                 |
|-------------------------------------------------|-----------|--------|-----------------|
| File Edit View Favorites Help                   |           |        |                 |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX |           |        |                 |
| └─ GFX                                          | Name      | Type   | Data            |
| └─ Internal                                     | (Default) | REG_SZ | (value not set) |
| └─ GFXInstaller                                 |           |        |                 |
| └─ LevelZero                                    |           |        |                 |
| └─ {2BA535F4-FEF9-45E1-9FF6-66C4E0F629FF}       |           |        |                 |
| IGFX                                            |           |        |                 |

| Registry Editor                                       |                             |           |                                               |
|-------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                         |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QDGFZX\17D |                             |           |                                               |
| └─ QDGFZX                                             | Name                        | Type      | Data                                          |
| └─ 17D                                                | (Default)                   | REG_SZ    | (value not set)                               |
| └─ 18D                                                | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| └─ 19D                                                | Yoppennamma                 | REG_QWORD | 0xfdbcdacdefefef (17283598051292737519)       |
| └─ QRST                                               | Zulltrannamma               | REG_QWORD | 0xfdbcdadbcdafef (18364498051614830575)       |
| └─ 77C                                                |                             |           |                                               |

| Registry Editor                                       |                             |           |                                               |
|-------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                         |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QDGFZX\18D |                             |           |                                               |
| └─ QDGFZX                                             | Name                        | Type      | Data                                          |
| └─ 17D                                                | (Default)                   | REG_SZ    | (value not set)                               |
| └─ 18D                                                | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| └─ 19D                                                | Yotterryya                  | REG_QWORD | 0xafbcdacdbcafbcd (12663236829427776730)      |
| └─ QRST                                               | Zennterryya                 | REG_QWORD | 0xfdbcdabcbcdafde (18283729091893768158)      |
| └─ ZTC                                                |                             |           |                                               |

| Registry Editor                                       |                             |           |                                               |
|-------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                         |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QDGFZX\19D |                             |           |                                               |
| └─ QDGFZX                                             | Name                        | Type      | Data                                          |
| └─ 17D                                                | (Default)                   | REG_SZ    | (value not set)                               |
| └─ 18D                                                | Breyannte                   | REG_QWORD | 0xd2cdd2bda2dd2da2 (15190028830113607074)     |
| └─ 19D                                                | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| └─ QRST                                               | Yannte                      | REG_QWORD | 0xd2cdd2bde2dde2fe (15190028831187395326)     |
| └─ ZTC                                                |                             |           |                                               |

| Registry Editor                                    |                             |           |                                               |
|----------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                      |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QRPTXZZ |                             |           |                                               |
| └─ QRPTXZZ                                         | Name                        | Type      | Data                                          |
| └─ Zygollarmanttyya                                | (Default)                   | REG_SZ    | (value not set)                               |
| └─ RSPTXD                                          | Dellafynaryyanallyannya     | REG_QWORD | 0xbbbbbbbbbbbbbbb (13527612320720337851)      |
| └─ RSPTXDZZZ                                       | Laffynarryyanallyannya      | REG_QWORD | 0xeefefefefefefef (17216961135462248174)      |
| └─ RSTPQRST                                        | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| └─ 717                                             |                             |           |                                               |

| Registry Editor                                   |                             |           |                                               |
|---------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                     |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RSPTXD |                             |           |                                               |
| └─ Zygollarmanttyya                               | Name                        | Type      | Data                                          |
| └─ RSPTXD                                         | (Default)                   | REG_SZ    | (value not set)                               |
| └─ RSPTXDZZZ                                      | Dellyberrya                 | REG_QWORD | 0xfefefefefefefef (18370165218869243883)      |
| └─ RSTPQRST                                       | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| └─ ZTZ                                            | Wellywerryya                | REG_QWORD | 0xffdbcdaffefefef (18446107297562164990)      |
| └─ 10D0                                           |                             |           |                                               |

| Registry Editor                                      |                             |           |                                               |
|------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                        |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RSPTXDZZZ |                             |           |                                               |
| └─ Zygollarmanttyya                                  | Name                        | Type      | Data                                          |
| └─ RSPTXDZZZ                                         | (Default)                   | REG_SZ    | (value not set)                               |
| └─ RSTPQRST                                          | Awallwurryya                | REG_QWORD | 0xdfd3fedfd3fed0df (16128514927831732447)     |
| └─ ZTZ                                               | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| └─ 10DQ                                              | Wallwurryya                 | REG_QWORD | 0xfdbcdafedfbfdef (18364498061029015023)      |
| └─ 100DQ                                             |                             |           |                                               |

| Registry Editor                                          |                             |           |                                               |
|----------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                            |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QRSTZTZTZ\QZQ |                             |           |                                               |
| └─ ICIP                                                  | Name                        | Type      | Data                                          |
| └─ ICIP_RUN                                              | (Default)                   | REG_SZ    | (value not set)                               |
| > Installers                                             | Annogdallyyaynogdallyya     | REG_QWORD | 0xff2fdbd3fdbacdcd (18388157507118484941)     |
| └─ TelemetryAgent                                        | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
| └─ QRSTZTZTZT                                            | Ynnogdallyyaanogdallyya     | REG_QWORD | 0xffbafdfbfafdbfa (18427320083034397690)      |
| └─ QZQ                                                   |                             |           |                                               |

| Registry Editor                                                         |                             |           |                                               |
|-------------------------------------------------------------------------|-----------------------------|-----------|-----------------------------------------------|
| File Edit View Favorites Help                                           |                             |           |                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Ellemenntallyanallyannya\QZQ |                             |           |                                               |
|                                                                         | Name                        | Type      | Data                                          |
|                                                                         | (Default)                   | REG_SZ    | (value not set)                               |
|                                                                         | Annogdallyanallyannya       | REG_QWORD | 0xb2defe4ced2defef (12889018789931118575)     |
|                                                                         | Annogdallyaynogdallyya      | REG_QWORD | 0xff2fdbd3fdbacdcd (18388157507118484941)     |
|                                                                         | PrebuiltShaderBinaryDirPath | REG_SZ    | C:\Program Files\Intel\PrebuiltShaderBinaries |
|                                                                         | Ynnogdallyaanogdallyya      | REG_QWORD | 0xffbafdfbfbafdfbf (18427320083034397690)     |

| Registry Editor                                      |                |           |                                            |
|------------------------------------------------------|----------------|-----------|--------------------------------------------|
| File Edit View Favorites Help                        |                |           |                                            |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGQFGXZZZ |                |           |                                            |
|                                                      | Name           | Type      | Data                                       |
|                                                      | (Default)      | REG_SZ    | (value not set)                            |
|                                                      | Allehurryya    | REG_QWORD | 0xbbbbbbbbbbbbbbbb (13527612320720337851)  |
|                                                      | Degerryya      | REG_QWORD | 0xfffeebbbcccaaf (18446443613849954991)    |
|                                                      | Frabbyllerryya | REG_QWORD | 0xfe2ac2adcab2da2a (18314664886341392938)  |
|                                                      | Llehurryya     | REG_QWORD | 0xdb4cacdfabcbdefff (15802195269196312575) |
|                                                      | Quabyllerryya  | REG_QWORD | 0xfdbcabcbadfefefe (18283679613101997822)  |
|                                                      | Worzyngerryya  | REG_QWORD | 0xfffeabcbdefdbcd (18446370024738110686)   |
|                                                      | Worzyngurryya  | REG_QWORD | 0xdb4acdbcabcbdef (15801668452820438511)   |

| Registry Editor                                                |                                   |           |                          |
|----------------------------------------------------------------|-----------------------------------|-----------|--------------------------|
| File Edit View Favorites Help                                  |                                   |           |                          |
| Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcu\Media |                                   |           |                          |
|                                                                | Name                              | Type      | Data                     |
|                                                                | (Default)                         | REG_SZ    | (value not set)          |
|                                                                | AceLevel                          | REG_DWORD | 0xfffffedbc (4294962620) |
|                                                                | EnableACE                         | REG_DWORD | 0xfffffedbc (4294962620) |
|                                                                | EnableFMD                         | REG_DWORD | 0xfffffedbc (4294962620) |
|                                                                | EnableIS                          | REG_DWORD | 0xfffffedbc (4294962620) |
|                                                                | EnableNLAS                        | REG_DWORD | 0xfffffedbc (4294962620) |
|                                                                | EnableSTE                         | REG_DWORD | 0xfffffedbc (4294962620) |
|                                                                | EnableSuperResolution             | REG_DWORD | 0xfffffedbc (4294962620) |
|                                                                | EnableTCC                         | REG_DWORD | 0xfffffedbc (4294962620) |
|                                                                | GCompMode                         | REG_DWORD | 0x4444dbed (1145363437)  |
|                                                                | GExpMode                          | REG_DWORD | 0x999fedbd (2577395133)  |
|                                                                | InputYUVRange                     | REG_DWORD | 0xfffff123 (4294963491)  |
|                                                                | NLASHLinearRegion                 | REG_DWORD | 0xefffffff (4026531838)  |
|                                                                | NLASNonLinearCrop                 | REG_DWORD | 0xfefeeeee (4277071599)  |
|                                                                | NLASVerticalCrop                  | REG_DWORD | 0xfefeeefe (4277141231)  |
|                                                                | NoiseReductionAutoDetectEnable... | REG_DWORD | 0xffbecaaa (4290693802)  |
|                                                                | NoiseReductionEnableChroma        | REG_DWORD | 0xfffeeee (4294897390)   |
|                                                                | NoiseReductionEnabledAlways       | REG_DWORD | 0xfffeeee (4294897390)   |
|                                                                | NoiseReductionFactor              | REG_DWORD | 0xabc987ef (2882111471)  |
|                                                                | ProcAmpApplyAlways                | REG_DWORD | 0xfeefdabd (4277131965)  |
|                                                                | ProcAmpBrightness                 | REG_DWORD | 0xfeefdabd (4277131965)  |
|                                                                | ProcAmpContrast                   | REG_DWORD | 0xfeefdabd (4277131965)  |
|                                                                | ProcAmpHue                        | REG_DWORD | 0xfeefdabd (4277131965)  |
|                                                                | ProcAmpSaturation                 | REG_DWORD | 0xfeefdabd (4277131965)  |
|                                                                | SatFactorBlue                     | REG_DWORD | 0xeeddffff (4008566783)  |
|                                                                | SatFactorCyan                     | REG_DWORD | 0xeeddffff (4008566783)  |
|                                                                | SatFactorGreen                    | REG_DWORD | 0xeeddffff (4008566783)  |
|                                                                | SatFactorMagenta                  | REG_DWORD | 0xeeddffff (4008566783)  |
|                                                                | SatFactorRed                      | REG_DWORD | 0xeeddffff (4008566783)  |
|                                                                | SatFactorYellow                   | REG_DWORD | 0xeeddffff (4008566783)  |
|                                                                | SharpnessEnabledAlways            | REG_DWORD | 0xdecacfff (3737845759)  |
|                                                                | SharpnessFactor                   | REG_DWORD | 0xfabecaff (4206807807)  |
|                                                                | SkinTone                          | REG_DWORD | 0xcfeffdec (3472747695)  |
|                                                                | SuperResolutionEnabled            | REG_DWORD | 0xbffaceff (3220885247)  |
|                                                                | SuperResolutionMode               | REG_DWORD | 0xdecadeca (3737837258)  |
|                                                                | UISharpnessOptimalEnabledAlways   | REG_DWORD | 0xaddeefff (2917068799)  |

Ygullanttyyanallyannya: bcdeefdbcbdefeffe?

febcbdeffbcdef4ce

Perryplexx Parraplett

Parapplett

| Registry Editor                                                                                                                            |                                               |           |                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-----------|-------------------------------------------|
| File Edit View Favorites Help                                                                                                              |                                               |           |                                           |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Ellemenntallyanallyannya\QZT                                                                    |                                               |           |                                           |
| <div><div>Ellemenntallyanallyannya</div><div><div>QZQ</div><div>QZT</div></div><div>GFX</div><div>GFXInstaller</div><div>PQRST</div></div> | Name                                          | Type      | Data                                      |
|                                                                                                                                            | (Default)                                     | REG_SZ    | (value not set)                           |
|                                                                                                                                            | AnnogdallyyanallyannyaYnnogdallyyaanogdallyya | REG_QWORD | 0xffffe4ced2ded2de (18446714175685055198) |
|                                                                                                                                            | Dennogdallyyanna                              | REG_QWORD | 0xfe4ced2edeb2dede (18324281769424248542) |
|                                                                                                                                            | Ynnogdallyyanna                               | REG_QWORD | 0xfe4ced2edededede (18324281769427132126) |

Ellemenntallyanallyannya – RPGZXDT

Zygollarmanttyyanallyannya - DPPTZZZ

| Registry Editor                                                                                                            |                                               |           |                                           |
|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-----------|-------------------------------------------|
| File Edit View Favorites Help                                                                                              |                                               |           |                                           |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGZX\QZT                                                                       |                                               |           |                                           |
| <div><div>RPGZX</div><div><div>QZQ</div><div>QZT</div></div><div>GFX</div><div>Internal</div><div>GFXInstaller</div></div> | Name                                          | Type      | Data                                      |
|                                                                                                                            | (Default)                                     | REG_SZ    | (value not set)                           |
|                                                                                                                            | AnnogdallyyanallyannyaYnnogdallyyaanogdallyya | REG_QWORD | 0xffffe4ced2ded2de (18446714175685055198) |
|                                                                                                                            | Dennogdallyyanna                              | REG_QWORD | 0xfe4ced2edeb2dede (18324281769424248542) |
|                                                                                                                            | Ynnogdallyyanna                               | REG_QWORD | 0xfe4ced2edededede (18324281769427132126) |

Allambrottyya PRSTQRST - DQX

Frygullarmantyya DQRST - DQ

Qupystallya DDRT – QZT – DQZ

Allambrrorryttyya - ZXQPRST – QZQ – DZXZQ

3DLUT - fe4cdefe4cefedef

DDQ Reallnyya Dereallnyya

Alldonbrerryya, Radonbrerryya

## Igfxcui/MISC

| Registry Editor                                                 |                      |            |                                                          |
|-----------------------------------------------------------------|----------------------|------------|----------------------------------------------------------|
| File Edit View Favorites Help                                   |                      |            |                                                          |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC |                      |            |                                                          |
|                                                                 | Name                 | Type       | Data                                                     |
|                                                                 | (Default)            | REG_SZ     | (value not set)                                          |
|                                                                 | 3105                 | REG_BINARY | 00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c |
|                                                                 | 3106                 | REG_BINARY | 00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c |
|                                                                 | 3107                 | REG_QWORD  | 0xffffffffffffff (18446744073709551615)                  |
|                                                                 | 3108                 | REG_QWORD  | 0xffffffffffffff (18446744073709551615)                  |
|                                                                 | 3109                 | REG_QWORD  | 0xffffffffffffff (18446744073709551615)                  |
|                                                                 | 3fff                 | REG_QWORD  | 0xffffffffffffff (18446744073709551615)                  |
|                                                                 | 7ffffff              | REG_QWORD  | 0xffffffffffffff (18446744073709551615)                  |
|                                                                 | BKPDDisplayLACE      | REG_QWORD  | 0xfffedbcdafedbcda (18446422800222502106)                |
|                                                                 | HotKeyState          | REG_DWORD  | 0x00000001 (1)                                           |
|                                                                 | Install_State        | REG_DWORD  | 0x00000002 (2)                                           |
|                                                                 | InstallStage         | REG_DWORD  | 0x00000001 (1)                                           |
|                                                                 | OldLang              | REG_DWORD  | 0x00000409 (1033)                                        |
|                                                                 | UserSetDRRSDisableRR | REG_QWORD  | 0x00000100 (256)                                         |

Possible options for DRRS-RR, in decimals, are best finishing with 9 as is 59, 109, and etc... All of the values I could think of are: 31, 59, 120, 256, 1024, 1759 of how much data you would like to be shown on the display and how for each user – so the best thing is to use all “f” – “ffffffffffffff”... Maybe you can use “fdcdabdbddabdbdab” but I believe is wrong...

First option for “UserSetDRRSDisableRR”: the “ffffffffffffff” value would take care of you and create you pleasant nice and kind – would take care of you always...

| Registry Editor                                                 |                      |            |                                                               |
|-----------------------------------------------------------------|----------------------|------------|---------------------------------------------------------------|
| File Edit View Favorites Help                                   |                      |            |                                                               |
| Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC |                      |            |                                                               |
|                                                                 | Name                 | Type       | Data                                                          |
|                                                                 | (Default)            | REG_SZ     | (value not set)                                               |
|                                                                 | 3105                 | REG_BINARY | 00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7 |
|                                                                 | 3106                 | REG_BINARY | 00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7 |
|                                                                 | 3107                 | REG_QWORD  | 0xffffffffffffff (18446744073709551615)                       |
|                                                                 | 3108                 | REG_QWORD  | 0xffffffffffffff (18446744073709551615)                       |
|                                                                 | 3109                 | REG_QWORD  | 0xffffffffffffff (18446744073709551615)                       |
|                                                                 | 3fff                 | REG_QWORD  | 0xffffffffffffff (18446744073709551615)                       |
|                                                                 | 7ffffff              | REG_QWORD  | 0xffffffffffffff (18446744073709551615)                       |
|                                                                 | BKPDDisplayLACE      | REG_QWORD  | 0xfffedbcdafedbcda (18446422800222502106)                     |
|                                                                 | HotKeyState          | REG_DWORD  | 0x00000001 (1)                                                |
|                                                                 | Install_State        | REG_DWORD  | 0x00000002 (2)                                                |
|                                                                 | InstallStage         | REG_DWORD  | 0x00000001 (1)                                                |
|                                                                 | OldLang              | REG_DWORD  | 0x00000409 (1033)                                             |
|                                                                 | UserSetDRRSDisableRR | REG_QWORD  | 0xffffffffffffff (18446744073709551615)                       |

Second option is in kind of “live” as you are which we got used to mostly:



- Parraflexx Purryflexx and etc. 5, 7, 9
- “ffeacbadeabcadea”
- “abca2da2a2da2aba”

Solutions without 3b coding:

- Quynguystalla of 3 elements as are “777”, “77f”, ..., “fff”
  - “f7777f77777f7777”
  - “7fff f7ff ff7f fff7” = “7ffff7ffff7ffff7”
  - “7f77 77f7 777f 7777”
  - f77f f777 7f77 77f7 = “f77ff7777f7777f7”
  - Maybe: “f77ff777f777f777”
  - Maybe: f7ff777f777f777
  - Maybe: ff7ff777f777f777
  - Maybe: “ffff 7fff f7ff ff7f fff7 ff77 f7f7 f77f 77ff f777 7f77 77f7 777f” = “ffff7ffff7ffff7ffff7ff77f7f7f777ff7777f7777f”
- Franguystalla of 2 elements as are “77”, “7f”, “f7”, “ff”
- But since the values are not changeable in that folder we need to use coding through “3b” including mixing and complicating which I believe gives us numbers as are “6 and 9” or “5, 6 and 9” with less restrictions... There actually isn’t a value for disabling the DRRS but enabling it: “eabcdeabcdeabcde”
- I don’t know why but the hex number “6” mutes the cosmos jokes completely, the hex number 7 mutes the others interfering the system but itself isn’t good

## igfxcui/Media - Old photos and not good settings

| Name                                                                                                                      | Type      | Data                                      |
|---------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
|  (Default)                               | REG_SZ    | (value not set)                           |
|  AceLevel                                | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
|  EnableACE                               | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  EnableFMD                               | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  EnableIS                                | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  EnableNLAS                              | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
|  EnableSTE                               | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  EnableSuperResolution                   | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  EnableTCC                               | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  GCompMode                               | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  GExpMode                                | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  InputYUVRange                           | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
|  NLASHLinearRegion                       | REG_QWORD | 0xeccccccccccccc (17216961135462248174)   |
|  NLASNonLinearCrop                       | REG_QWORD | 0xeccccccccccccc (17216961135462248174)   |
|  NLASVerticalCrop                       | REG_QWORD | 0xeccccccccccccc (17216961135462248174)   |
|  NoiseReductionAutoDetectEnabledAlways | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  NoiseReductionEnableChroma            | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  NoiseReductionEnabledAlways           | REG_QWORD | 0xfefefefefefefe (18374403900871474942)   |
|  NoiseReductionFactor                  | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
|  ProcAmpApplyAlways                    | REG_QWORD | 0xeceefffffeffff (17216979900174368767)   |
|  ProcAmpBrightness                     | REG_QWORD | 0xdbdbdbdbdbdbdbdb (15761994779820153533) |
|  ProcAmpContrast                       | REG_QWORD | 0xcadbcbadbcbadb (14617500060911127259)   |
|  ProcAmpHue                            | REG_QWORD | 0xadbdadbdbdbdbdb (12519353569335160253)  |
|  ProcAmpSaturation                     | REG_QWORD | 0xfadbfadbfadbfadb (18076317352095120091) |
|  SatFactorBlue                         | REG_DWORD | 0xeceeffff (4008640511)                   |
|  SatFactorCyan                         | REG_DWORD | 0xeceeffff (4008706047)                   |
|  SatFactorGreen                        | REG_DWORD | 0xeceeffff (4009754623)                   |
|  SatFactorMagenta                      | REG_DWORD | 0xeceeffff (4026531839)                   |
|  SatFactorRed                          | REG_DWORD | 0xfefeffff (4278190079)                   |
|  SatFactorYellow                       | REG_DWORD | 0xffefefff (4293918719)                   |
|  SharpnessEnabledAlways                | REG_QWORD | 0x3333333333333333 (3689348814741910323)  |
|  SharpnessFactor                       | REG_DWORD | 0xdebdebe (3737050814)                    |
|  SkinTone                              | REG_QWORD | 0xfdebdecdbdecddca (18296962878320533194) |
|  SuperResolutionEnabled                | REG_DWORD | 0xbdeeece (3202280686)                    |
|  SuperResolutionMode                   | REG_DWORD | 0xeceeeeee (4008636142)                   |
|  UISharpnessOptimalEnabledAlways       | REG_QWORD | 0x3333333333333333 (3689348814741910323)  |

| Name                                                                                                                      | Type      | Data                                      |
|---------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
|  (Default)                               | REG_SZ    | (value not set)                           |
|  SatFactorBlue                           | REG_DWORD | 0xeceeffff (4008640511)                   |
|  SatFactorCyan                           | REG_DWORD | 0xeceeffff (4008706047)                   |
|  SatFactorGreen                          | REG_DWORD | 0xeceeffff (4009754623)                   |
|  SatFactorMagenta                        | REG_DWORD | 0xeceeffff (4026531839)                   |
|  SatFactorRed                            | REG_DWORD | 0xfceeffff (4278190079)                   |
|  SatFactorYellow                         | REG_DWORD | 0xfceeffff (4293918719)                   |
|  SharpnessFactor                         | REG_DWORD | 0xdebdebe (3737050814)                    |
|  SuperResolutionEnabled                  | REG_DWORD | 0xbdeeece (3202280686)                    |
|  SuperResolutionMode                     | REG_DWORD | 0xeceeeeee (4008636142)                   |
|  ProcAmpApplyAlways                      | REG_QWORD | 0xeceefffffecefff (17216979900174368767)  |
|  InputYUVRange                           | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
|  NLASHLinearRegion                       | REG_QWORD | 0xeceeeeeececefff (17216961135462248174)  |
|  NLASNonLinearCrop                       | REG_QWORD | 0xeceeeeeececefff (17216961135462248174)  |
|  NLASVerticalCrop                        | REG_QWORD | 0xeceeeeeececefff (17216961135462248174)  |
|  NoiseReductionFactor                    | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
|  ProcAmpBrightness                       | REG_QWORD | 0xdabddabddabddabd (15761994779820153533) |
|  ProcAmpContrast                         | REG_QWORD | 0xcadbcadbcadbcadb (14617500060911127259) |
|  ProcAmpHue                              | REG_QWORD | 0xadbdadbdbdadbdbd (12519353569335160253) |
|  ProcAmpSaturation                       | REG_QWORD | 0xfadbfadbfadbfadb (18076317352095120091) |
|  EnableSuperResolution                   | REG_QWORD | 0xfefefefefefefefe (18374403900871474942) |
|  SharpnessEnabledAlways                  | REG_QWORD | 0x3333333333333333 (3689348814741910323)  |
|  UISharpnessOptimalEnabledAlways         | REG_QWORD | 0x3333333333333333 (3689348814741910323)  |
|  EnableNLAS                            | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
|  AceLevel                              | REG_QWORD | 0xffffffffffffff (18446744073709551615)   |
|  SkinTone                              | REG_QWORD | 0xfdebdecdbdecddca (18296962878320533194) |
|  EnableFMD                             | REG_QWORD | 0xfefefefefefefefe (18374403900871474942) |
|  EnableACE                             | REG_QWORD | 0xfefefefefefefefe (18374403900871474942) |
|  EnableIS                              | REG_QWORD | 0xfefefefefefefefe (18374403900871474942) |
|  EnableSTE                             | REG_QWORD | 0xfefefefefefefefe (18374403900871474942) |
|  EnableTCC                             | REG_QWORD | 0xfefefefefefefefe (18374403900871474942) |
|  GExpMode                              | REG_QWORD | 0xfefefefefefefefe (18374403900871474942) |
|  GCompMode                             | REG_QWORD | 0xfefefefefefefefe (18374403900871474942) |
|  NoiseReductionAutoDetectEnabledAlways | REG_QWORD | 0xfefefefefefefefe (18374403900871474942) |
|  NoiseReductionEnabledAlways           | REG_QWORD | 0xfefefefefefefefe (18374403900871474942) |
|  NoiseReductionEnableChroma            | REG_QWORD | 0xfefefefefefefefe (18374403900871474942) |

| Name                                                                                                                    | Type      | Data                                     |
|-------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------|
|  (Default)                             | REG_SZ    | (value not set)                          |
|  AceLevel                              | REG_DWORD | 0xfedbdace (4275821262)                  |
|  EnableACE                             | REG_DWORD | 0x00000001 (1)                           |
|  EnableFMD                             | REG_DWORD | 0x00000001 (1)                           |
|  EnableIS                              | REG_DWORD | 0x00000001 (1)                           |
|  EnableNLAS                            | REG_DWORD | 0x00000001 (1)                           |
|  EnableSTE                             | REG_DWORD | 0x00000001 (1)                           |
|  EnableSuperResolution                 | REG_DWORD | 0x00000001 (1)                           |
|  EnableTCC                             | REG_DWORD | 0x00000001 (1)                           |
|  GCompMode                             | REG_DWORD | 0xffffdbac (4294957996)                  |
|  GExpMode                              | REG_DWORD | 0xe0000000 (4008636142)                  |
|  InputYUVRange                         | REG_DWORD | 0xe0000000 (4008636142)                  |
|  NLASHLinearRegion                     | REG_DWORD | 0xe0000000 (4008636142)                  |
|  NLASNonLinearCrop                     | REG_DWORD | 0xe0000000 (4008636142)                  |
|  NLASVerticalCrop                      | REG_DWORD | 0xe0000000 (4008636142)                  |
|  NoiseReductionAutoDetectEnabledAlways | REG_DWORD | 0x00000001 (1)                           |
|  NoiseReductionEnableChroma            | REG_DWORD | 0x00000001 (1)                           |
|  NoiseReductionEnabledAlways         | REG_DWORD | 0x00000001 (1)                           |
|  NoiseReductionFactor                | REG_DWORD | 0xffffffff (4294967295)                  |
|  ProcAmpApplyAlways                  | REG_QWORD | 0xffedbcdfd2a4cde (18441603779492728030) |
|  ProcAmpBrightness                   | REG_DWORD | 0xfefedabd (4278115005)                  |
|  ProcAmpContrast                     | REG_DWORD | 0xfefedabd (4278115005)                  |
|  ProcAmpHue                          | REG_DWORD | 0xfefedabd (4278115005)                  |
|  ProcAmpSaturation                   | REG_DWORD | 0xfefedabd (4278115005)                  |
|  SatFactorBlue                       | REG_DWORD | 0xe0000000 (4008640511)                  |
|  SatFactorCyan                       | REG_DWORD | 0xe0000000 (4008640511)                  |
|  SatFactorGreen                      | REG_DWORD | 0xe0000000 (4008640511)                  |
|  SatFactorMagenta                    | REG_DWORD | 0xe0000000 (4008640511)                  |
|  SatFactorRed                        | REG_DWORD | 0xe0000000 (4008640511)                  |
|  SatFactorYellow                     | REG_DWORD | 0xe0000000 (4008640511)                  |
|  SharpnessEnabledAlways              | REG_DWORD | 0x00000001 (1)                           |
|  SharpnessFactor                     | REG_DWORD | 0xdebedebe (3737050814)                  |
|  SkinTone                            | REG_DWORD | 0xcefdecaf (3472747695)                  |
|  SuperResolutionEnabled              | REG_DWORD | 0xbedeecee (3202280686)                  |
|  SuperResolutionMode                 | REG_DWORD | 0xffffffff (4294967295)                  |
|  UISharpnessOptimalEnabledAlways     | REG_DWORD | 0xe0000000 (4008636142)                  |

| Name                                                                                                             | Type      | Data                    |
|------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
|  (Default)                      | REG_SZ    | (value not set)         |
|  AceLevel                       | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableACE                      | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableFMD                      | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableIS                       | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableNLAS                     | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableSTE                      | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableSuperResolution          | REG_DWORD | 0xffffedbc (4294962620) |
|  EnableTCC                      | REG_DWORD | 0xffffedbc (4294962620) |
|  GCompMode                      | REG_DWORD | 0x4444dbed (1145363437) |
|  GExpMode                       | REG_DWORD | 0x999fedbd (2577395133) |
|  InputYUVRange                  | REG_DWORD | 0xfffff123 (4294963491) |
|  NLASHLinearRegion              | REG_DWORD | 0xefffffe (4026531838)  |
|  NLASNonLinearCrop              | REG_DWORD | 0xfeeeeef (4277071599)  |
|  NLASVerticalCrop               | REG_DWORD | 0xfeeffeef (4277141231) |
|  NoiseReductionAutoDetectE...  | REG_DWORD | 0xffbecaaa (4290693802) |
|  NoiseReductionEnableChro...  | REG_DWORD | 0xffffeeee (4294897390) |
|  NoiseReductionEnabledAlw...  | REG_DWORD | 0xffffeeee (4294897390) |
|  NoiseReductionFactor         | REG_DWORD | 0xabc987ef (2882111471) |
|  ProcAmpApplyAlways           | REG_DWORD | 0xfeefdabd (4277131965) |
|  ProcAmpBrightness            | REG_DWORD | 0xfeefdabd (4277131965) |
|  ProcAmpContrast              | REG_DWORD | 0xfeefdabd (4277131965) |
|  ProcAmpHue                   | REG_DWORD | 0xfeefdabd (4277131965) |
|  ProcAmpSaturation            | REG_DWORD | 0xfeefdabd (4277131965) |
|  SatFactorBlue                | REG_DWORD | 0xeeeddfff (4008566783) |
|  SatFactorCyan                | REG_DWORD | 0xeeeddfff (4008566783) |
|  SatFactorGreen               | REG_DWORD | 0xeeeddfff (4008566783) |
|  SatFactorMagenta             | REG_DWORD | 0xeeeddfff (4008566783) |
|  SatFactorRed                 | REG_DWORD | 0xeeeddfff (4008566783) |
|  SatFactorYellow              | REG_DWORD | 0xeeeddfff (4008566783) |
|  SharpnessEnabledAlways       | REG_DWORD | 0xdecaffff (3737845759) |
|  SharpnessFactor              | REG_DWORD | 0xfabecaff (4206807807) |
|  SkinTone                     | REG_DWORD | 0xcefdecaf (3472747695) |
|  SuperResolutionEnabled       | REG_DWORD | 0xbffaceff (3220885247) |
|  SuperResolutionMode          | REG_DWORD | 0xdecadeca (3737837258) |
|  UISharpnessOptimalEnabled... | REG_DWORD | 0xaddeefff (2917068799) |

# NVIDIA


## Checking processor speed

First go to Task Manager and check the processor speed. If it does well you can edit registry values. First of all, I didn't need to change any Registry values because I didn't install anything on "Windows 10" from the DELL Power Manager, nor DELL Support, nor NVIDIA Drivers but it's Control Panel... With dual graphic cards Intel and NVIDIA, that I have, my laptop demands the NVIDIA Drivers not to be installed because when they are the processor speed falls below the first speed border – 1.69 GHz which creates my laptop operating system impossible to use, unless is maybe Windows 8, to make a joke... So without any of these programs I am able to use laptop fine...

## CoProcManager

- "Computer\HKEY\_LOCAL\_MACHINE\SOFTWARE\NVIDIA Corporation\Global\CoProcManager"

### 1. Satisfying solution:



After update we had to edit full command

Besides that previous solution was simple:

Value name:  
CprocFlags

Value data:  
00000000 00 01 FF FF . . ÿ ÿ

OK Cancel

## 00 01 – Approaching primitive Intel chip

FF FF – Speed unknown

## 2. Old setting:

| Value data: |    |    |    |    |    |    |    |    |                 |
|-------------|----|----|----|----|----|----|----|----|-----------------|
| 00000000    | FF | 0E | 0F | DC | DD | DF | DE | FF | ÿ . . Ü Ý ß þ ÿ |
| 00000008    | 99 | 99 | FE | 85 | 37 | 10 | 00 | 00 | . . þ . 7 . . . |
| 00000010    |    |    |    |    |    |    |    |    |                 |

OK Cancel

FF – Entering “All the speed” command

0E – Start from the almost fastest

0F – Work till fastest speed

DC – Entering operable commands field

DD – Entering speed commands filed

DF – Entering Slowest speed command

DE – Entering speed command

FF – Entering fastest percentage

99 99 – Fastest percentage

FE - Entering slowest percentage

85 37 – Slowest percentage


10 – Entering exiting code

00 00 – Exit code

### 3. Old setting:

- Processor utilization

With this at the beginning of the work of the graphic and wi-fi connection program as is web browser – the processor, maybe because of the poor wi-fi knows to start at 0.80 GHz but it does climb over 2.5 GHz in a later browser work...



Where we used “0F” for the beginning of the speed of processor code, “FF” for first value, “FE” for the second, “FD” for the third... After “FF” is instead of “125C” or 4700GHz the maximum speed of the processor – by the Windows reduced speed of the processor. After “FE” there is the “3100”GHz second speed of processor. And after “FD” we can find the 2700 lowest speed of the processor...

Then we used the “EB” for the beginning of the coding of the utility of the processor – so there we have:

- “BC” – middle value which is 85,
- “BD” – lower value which is 80,
- “BA” – lowest value which is 75.

Then we need to code the functioning of the processor with the code that represents the changing value as in percentage of the usage of the processor when the need for work is in progress, and we can maybe do it as: “89 87 88 97 99”, but numbers we will use in file only for the speed of the processor and the utilization, so – we will do it over letters... We will code for each of the speed of the processor an extra behavior – dividing the codes with “1B”, “2B” and “3B”...

After “1B” you can find “DA DF DE BE BF” where the “D” is the beginning letter for this particular thing and we will request from the beginning of the speed which is “A” up to “F” for


the processor to work as fastest as it can with letter “E” and then it can finish with “F” as a last letter...

After “2B” you can find “DA DF DE DE DD” and here everything is the same except we used the change of processor for lower value “DE” and not “BE” and we have used the extrapolation of the work of the processor of the “DD” for the purpose of shortening the speed of the processor for it to reclaim the lower speed or to change to the other class of work for example “3B”... I believe that it can be used and for the “not to repeat the same code and to complete the idea of how fast the processor will work – within previous 1B – copy from the that part what goes on after: DA DF DE”, but I am not sure about that...

After “3B” you can find the “AB AD ED DF DE DE DE DD” which starts with “A” for the purpose of starting the processor, connecting it’s second speed with letter “B”, then going to the “D” and climbing the processor speed from “A” to “E” – or actually “ED” then going from that state to the “DF” then to “DE” and then we would use the “DD” for the slowing down of the processor...

And in the end you can find the “FF FF FF FF” until the end of the line for empty line...

## 4. Old setting:



Where we used “0F” for the beginning of the speed of processor code, “FF” for first value, “FE” for the second, FD for the third... After “FF” is instead of “125C” or 4700GHz the maximum speed of the processor – by the Windows reduced speed of the processor. After “FE” there is the “3100”GHz second speed of processor. And after “FD” we can find the 2700 lowest speed of the processor... Then we used the “EB” for the beginning of the coding of the utility of the processor – so there we have:

- “BC” – middle value which is 85,
- “BD” – lower value which is 80,
- “BA” – lowest value which is 75.

Then we need to code the functioning of the processor with the code that represents the changing value as in percentage of the usage of the processor when the need for work is in progress, and we can maybe do it as: “89 87 88 97 99”, but numbers we will use in file only for the speed of the processor and the utilization, so – we will do it over letters... We will code for each of the speed of the processor an extra behavior – dividing the codes with “1B”, “2B” and “3B”...


After “1B” you can find “DA DF DE BE BF” where the “D” is the beginning letter for this particular thing and we will request from the beginning of the speed which is “A” up to “F” for the processor to work as fastest as it can with letter “E” and then it can finish with “F” as a last letter...

After "2B" you can find "DA DF DE DD" and here everything is the same except we used "DD" for the purpose of: "not to repeat the same code and to complete the idea – copy from the first part what goes on after: DA DF DE" ...

After "3B" you can find the "AB AD ED DF DE DD" which starts with "A" for the purpose of starting the processor, connecting it's second speed with letter "B", then going to the "D" and climbing the processor speed from "A" to "E" – or actually "ED" then going from that state to the "DF" then to "DE" and then we would use the "DD" for the repeating of the previous code "DE DF" ...

And at the end you can find the "FB" as a code for finishing the data file and "FF FF FF FF" until the end of the line for empty line...

## 5. Old setting:



Where we used “0F” for the beginning of the code, “EF” for 3 values that are coming, “AA”, “AB” as their separators of better and worse option... In between “EF” and “AA” is a “125C” or 4700GHz the maximum speed of the processor. In between the “AA” and “AB” we can find the 2700 the middle speed of the processor... In between the “AB” and “BB” we can find the lowest boundary of the processor “1690” representing 1690GHz... In the end we used “BB” for the beginning of the coding of the processor – how it should work... The last code represents the changing value as in percentage of the usage of the processor when the need for work is there: 89 87 88 97 99...

| Name                   | Type       | Data                                                        |
|------------------------|------------|-------------------------------------------------------------|
| (Default)              | REG_SZ     | (value not set)                                             |
| AutoDownload           | REG_DWORD  | 0x00000001 (1)                                              |
| ChipsetMatchID         | REG_SZ     | 80869A1410280A04                                            |
| CoprocFlags            | REG_BINARY | 0f ff 48 00 fe 27 00 fd 27 00 bb bc 80 bd 75 da df de be bf |
| DriverInstallationDate | REG_SZ     | 06-11-2025                                                  |

# Edit Binary Value



Value name:

CoprocFlags


Value data:

|          |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |
|----------|----|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|
| 00000000 | 0F | FF | 41 | 00 | FE | 31 | 00 | FD | . | ÿ | A | . | þ | 1 | . | ý |
| 00000008 | 27 | 00 | EB | BC | 85 | BD | 80 | BA | ' | . | ë | ¼ | . | ½ | . | º |
| 00000010 | 75 | 1B | DA | DF | DE | BE | BF | 2B | u | . | Ú | ß | þ | ¾ | ¿ | + |
| 00000018 | DA | DF | DE | DD | 3B | AB | AD | ED | Ú | ß | þ | Ý | ; | « | - | í |
| 00000020 | DF | DE | DD | FB | FF | FF | FF | FF | ß | þ | Ý | û | ÿ | ÿ | ÿ | ÿ |
| 00000028 |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |

OK

Cancel

## 6. Previously not well created settings:



Where we used “0F” for the beginning of the code, “EF” for 3 values that are coming, “AA”, “AB” as their separators of better and worse option... In between “EF” and “AA” is a “125C” or 4700GHz the maximum speed of the proces

sor. In between the “AA” and “AB” we can find the 2700 the middle speed of the processor... In between the “AB” and “BB” we can find the lowest boundary of the processor “1690” representing 1690GHz... In the end we used “BB” for the beginning of the coding of the processor – how it should work... The last code represents the changing value as in percentage of the usage of the processor when the need for work is there: 89 87 88 97 99...

| Name                   | Type       | Data                                                        |
|------------------------|------------|-------------------------------------------------------------|
| (Default)              | REG_SZ     | (value not set)                                             |
| AutoDownload           | REG_DWORD  | 0x00000001 (1)                                              |
| ChipsetMatchID         | REG_SZ     | 80869A1410280A04                                            |
| CoprocFlags            | REG_BINARY | 0f ff 48 00 fe 27 00 fd 27 00 bb bc 80 bd 75 da df de be bf |
| DriverInstallationDate | REG_SZ     | 06-11-2025                                                  |

# Edit Binary Value



Value name:

CoprocFlags

Value data:

|          |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |
|----------|----|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|
| 00000000 | 0F | FF | 41 | 00 | FE | 31 | 00 | FD | . | ÿ | A | . | þ | 1 | . | ý |
| 00000008 | 27 | 00 | EB | BC | 85 | BD | 80 | BA | ' | . | ë | ¼ | . | ½ | . | º |
| 00000010 | 75 | 1B | DA | DF | DE | BE | BF | 2B | u | . | Ú | ß | þ | ¾ | ¿ | + |
| 00000018 | DA | DF | DE | DD | 3B | AB | AD | ED | Ú | ß | þ | Ý | ; | « | - | í |
| 00000020 | DF | DE | DD | FB | FF | FF | FF | FF | ß | þ | Ý | û | ÿ | ÿ | ÿ | ÿ |
| 00000028 |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |

OK

Cancel

## 7. Other settings:

Edit Binary Value

Value name:  
CoproFlags

Value data:

|          |    |    |    |    |    |    |    |    |                 |
|----------|----|----|----|----|----|----|----|----|-----------------|
| 00000000 | 00 | 01 | DB | AD | DF | DE | FF | FF | . . Û - ß þ ÿ ÿ |
| 00000008 | 00 | 02 | DF | FD | DE | FF | FF | FF | . . ß ý þ ÿ ÿ ÿ |
| 00000010 | 00 | 03 | FD | BA | DF | DF | DF | FF | . . ý º ß ß ÿ   |
| 00000018 | 00 | 0F | EF | FF | FF | DF | DF | DF | . . ï ÿ ÿ ß ß ß |
| 00000020 |    |    |    |    |    |    |    |    |                 |

OK

Cancel

Edit Binary Value

Value name:  
CoproFlags

Value data:

|          |    |    |    |    |    |    |    |    |                 |
|----------|----|----|----|----|----|----|----|----|-----------------|
| 00000000 | 00 | 01 | DB | AA | DF | DE | BD | EF | . . Û º ß þ ¼ ï |
| 00000008 | 00 | 02 | FD | BE | DE | BF | DE | FD | . . ý ¼ þ ¿ þ ý |
| 00000010 | 00 | 0F | FF | FF | FF | FF | FF | FF | . . ÿ ÿ ÿ ÿ ÿ ÿ |
| 00000018 |    |    |    |    |    |    |    |    |                 |

OK

Cancel

Edit Binary Value

×

Value name:

CoprocFlags

Value data:

|          |    |    |    |    |    |    |    |    |                 |
|----------|----|----|----|----|----|----|----|----|-----------------|
| 00000000 | AD | BA | DF | DA | FD | FF | FF | EF | - º ß Ú ý ÿ ÿ ï |
| 00000008 | DF | DA | DF |    |    |    |    |    | ß Ú ß           |

OK

Cancel

Edit Binary Value

×

Value name:



CoprocFlags

Value data:


|          |    |    |    |    |    |    |    |    |                 |
|----------|----|----|----|----|----|----|----|----|-----------------|
| 00000000 | 0F | FF | 48 | 00 | FE | 27 | 00 | FD | . ÿ H . þ ' . ý |
| 00000008 | 27 | 00 | BB | BC | 80 | BD | 75 | DA | ' . » ¼ . ½ u Ú |
| 00000010 | DF | DE | BE | BF | BB | DA | DF | DE | ß þ ¾ ¿ » Ú ß þ |
| 00000018 | DD | BB | AB | AD | BD | DE | DF | BB | Ý » « - ½ þ ß » |
| 00000020 |    |    |    |    |    |    |    |    |                 |


OK

Cancel



First successful edit of those commands is:





\Global\CoProcManager

| Name                   | Type       | Data                                            |
|------------------------|------------|-------------------------------------------------|
| (Default)              | REG_SZ     | (value not set)                                 |
| AutoDownload           | REG_DWORD  | 0x00000001 (1)                                  |
| ChipsetMatchID         | REG_SZ     | 80869A1410280A04                                |
| CoprocFlags            | REG_BINARY | 0f ef 12 5c aa 27 00 aa 16 90 bb 89 87 88 97 99 |
| DriverInstallationDate | REG_SZ     | 06-11-2025                                      |

Edit Binary Value

Value name:

Value data:  

|          |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |
|----------|----|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|
| 00000000 | 0F | EF | 12 | 5C | AA | 27 | 00 | AA | . | i | . | \ | a | ' | . | a |
| 00000008 | 16 | 90 | BB | 89 | 87 | 88 | 97 | 99 | . | . | » | . | . | . | . | . |
| 00000010 |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |

OK

Cancel

Wrong solutions

| Name                                                                                                     | Type       | Data                    |
|----------------------------------------------------------------------------------------------------------|------------|-------------------------|
|  (Default)              | REG_SZ     | (value not set)         |
|  AutoDownload           | REG_DWORD  | 0x00000001 (1)          |
|  ChipsetMatchID         | REG_SZ     | 80869A1410280A04        |
|  CoprocFlags            | REG_BINARY | 0f 12 50 14 13 20 29 33 |
|  CoprocSpeed            | REG_QWORD  | 0x00004688 (18056)      |
|  DriverInstallationDate | REG_SZ     | 06-11-2025              |

| Name                                                                                                     | Type       | Data                                                                    |
|----------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------|
|  (Default)              | REG_SZ     | (value not set)                                                         |
|  AutoDownload           | REG_DWORD  | 0x00000001 (1)                                                          |
|  ChipsetMatchID         | REG_SZ     | 80869A1410280A04                                                        |
|  CoprocFlags            | REG_BINARY | 87 98 88 82 02 12 32 12 33 33 54 57 98 01 20 21 33 33 55 55 98 78 01 23 |
|  CoprocSpeed            | REG_QWORD  | 0x00004688 (18056)                                                      |
|  DriverInstallationDate | REG_SZ     | 06-11-2025                                                              |

Edit Binary Value

Value name:

CoprocFlags

Value data:

000000001434567801989087. 4 V x . . . .

000000080123456780198023. # E g . . . #

00000010

OK


Cancel

- Windows settings

[illegible][illegible]

## NVIDIA Control Panel 3D settings

Open:



### Description

Some values enable more amount of data, some enable the speed of reading them, some data because of that needs a person to think and the data shall be coded for instant response... Those settings are Anisotropic filtering, Antialiasing (Setting – amount of data to be presented and Transparency – for the speed of the data being presented)... Image Sharpening comes with the idea maybe does person sees the data... Also is that data on the level of imagining (as is regular thinking, then dreaming, then imagining), or is it intuitive... Enabling the Override any application setting brings the Display with an idea of only one “Quantum Wall” System – for example: your precious work is always your priority – no matter the obligations in life...

## 1. My latest profile

Global Settings

Program Settings

Preferred graphics processor:

Auto-select

Settings:

| Feature                               | Setting                              |
|---------------------------------------|--------------------------------------|
| Image Sharpening                      | Sharpen 0.15, ignore film grain 0.10 |
| Ambient Occlusion                     | Quality                              |
| Anisotropic filtering                 | 8x                                   |
| Antialiasing - FXAA                   | On                                   |
| Antialiasing - Mode                   | Enhance the application setting      |
| Antialiasing - Setting                | 8x                                   |
| Antialiasing - Transparency           | Off                                  |
| Background Application Max Frame Rate | 35 FPS                               |
| CUDA - GPUs                           | All                                  |
| CUDA - System Fallback Policy         | Prefer System Fallback               |

Global Settings

Program Settings

Preferred graphics processor:

Auto-select

Settings:

| Feature                                        | Setting                    |
|------------------------------------------------|----------------------------|
| CUDA - System Fallback Policy                  | Prefer System Fallback     |
| Low Latency Mode                               | Ultra                      |
| Max Frame Rate                                 | 35 FPS                     |
| Multi-Frame Sampled AA (MFAA)                  | On                         |
| OpenGL GDI compatibility                       | Prefer performance         |
| OpenGL rendering GPU                           | NVIDIA GeForce MX330       |
| Power management mode                          | Prefer maximum performance |
| Shader Cache Size                              | 100 GB                     |
| Texture filtering - Anisotropic sample opti... | Off                        |
| Texture filtering - Negative LOD bias          | Clamp                      |

Preferred graphics processor:


Auto-select

Settings:

| Feature                                        | Setting       |
|------------------------------------------------|---------------|
| Texture filtering - Anisotropic sample opti... | Off           |
| Texture filtering - Negative LOD bias          | Clamp         |
| Texture filtering - Quality                    | High quality  |
| Texture filtering - Trilinear optimization     | On            |
| Threaded optimization                          | On            |
| Triple buffering                               | On            |
| Vertical sync                                  | Off           |
| Virtual Reality pre-rendered frames            | 4             |
| Vulkan/OpenGL present method                   | Prefer native |

Select a PhysX processor:

NVIDIA GeForce MX330



## 2. "Greenbrand" profile

- Profile is used with the Intel "Greenbrand" profile
- I noticed that creating both graphic cards active brings actually a suitable result for "Quantum Wall"
- This time the Color management options remained default of Windows without editing the Color profile concept

Preferred graphics processor:

Auto-select

Settings:

| Feature                               | Setting                              |
|---------------------------------------|--------------------------------------|
| Image Sharpening                      | Sharpen 0.15, ignore film grain 0.10 |
| Ambient Occlusion                     | Performance                          |
| Anisotropic filtering                 | 2x                                   |
| Antialiasing - FXAA                   | On                                   |
| Antialiasing - Mode                   | Override any application setting     |
| Antialiasing - Setting                | 8x                                   |
| Antialiasing - Transparency           | Multisample                          |
| Background Application Max Frame Rate | 41 FPS                               |
| CUDA - GPUs                           | All                                  |
| CUDA - System Fallback Policy         | Prefer System Fallback               |
| Low Latency Mode                      | Ultra                                |
| Max Frame Rate                        | 41 FPS                               |

Settings:

| Feature                                        | Setting                        |
|------------------------------------------------|--------------------------------|
| Multi-Frame Sampled AA (MFAA)                  | On                             |
| OpenGL GDI compatibility                       | Prefer performance             |
| OpenGL rendering GPU                           | NVIDIA GeForce MX330           |
| Power management mode                          | Prefer maximum performance     |
| Shader Cache Size                              | 100 GB                         |
| Texture filtering - Anisotropic sample opti... | On                             |
| Texture filtering - Negative LOD bias          | Allow                          |
| Texture filtering - Quality                    | Quality                        |
| Texture filtering - Trilinear optimization     | On                             |
| Threaded optimization                          | On                             |
| Triple buffering                               | On                             |
| Vertical sync                                  | Use the 3D application setting |

Settings:

| Feature                                        | Setting                          |
|------------------------------------------------|----------------------------------|
| OpenGL rendering GPU                           | NVIDIA GeForce MX330             |
| Power management mode                          | Prefer maximum performance       |
| Shader Cache Size                              | 100 GB                           |
| Texture filtering - Anisotropic sample opti... | On                               |
| Texture filtering - Negative LOD bias          | Allow                            |
| Texture filtering - Quality                    | Quality                          |
| Texture filtering - Trilinear optimization     | On                               |
| Threaded optimization                          | On                               |
| Triple buffering                               | On                               |
| Vertical sync                                  | Use the 3D application setting   |
| Virtual Reality pre-rendered frames            | 4                                |
| Vulkan/OpenGL present method                   | Prefer layered on DXGI Swapchain |

- Also I needed to enable only NVIDIA PhysX processor (besides the CPU option)

Select a PhysX processor:


NVIDIA GeForce MX330

PhysX

Laptop  
Display

NVIDIA GeForce MX330

Intel(R) Iris(R) Xe Graphics



### 3. Ekta Space profile:

Global Settings

Program Settings



Windows OS now manages selection of the graphics processor.  
Open [Windows graphics settings](#)

Preferred graphics processor:  

Auto-select

Settings:

| Feature                               | Setting                              |
|---------------------------------------|--------------------------------------|
| Image Sharpening                      | Sharpen 0.16, ignore film grain 0.09 |
| Ambient Occlusion                     | Quality                              |
| Anisotropic filtering                 | 16x                                  |
| Antialiasing - FXAA                   | Off                                  |
| Antialiasing - Mode                   | Off                                  |
| Antialiasing - Setting                | None                                 |
| Antialiasing - Transparency           | 8x (supersample)                     |
| Background Application Max Frame Rate | 20 FPS                               |
| CUDA - GPUs                           | All                                  |
| CUDA - System Fallback Policy         | Prefer System Fallback               |
| Low Latency Mode                      | Ultra                                |
| Max Frame Rate                        | 20 FPS                               |

 Restore

Global Settings

Program Settings



Windows OS now manages selection of the graphics processor.  
Open [Windows graphics settings](#)


Preferred graphics processor:  

Auto-select


Settings:

| Feature                                        | Setting                      |
|------------------------------------------------|------------------------------|
| Multi-Frame Sampled AA (MFAA)                  | On                           |
| OpenGL GDI compatibility                       | Prefer performance           |
| OpenGL rendering GPU                           | NVIDIA GeForce MX330         |
| Power management mode                          | Prefer maximum performance   |
| Shader Cache Size                              | Unlimited                    |
| Texture filtering - Anisotropic sample opti... | Off                          |
| Texture filtering - Negative LOD bias          | Allow                        |
| Texture filtering - Quality                    | High quality                 |
| Texture filtering - Trilinear optimization     | On                           |
| Threaded optimization                          | On                           |
| Triple buffering                               | On                           |
| Vertical sync                                  | Adaptive (half refresh rate) |

 Restore



#### 4. Old settings:



More free roaming around then following simply the job is With “Anisotropic filtering” set to “2x” ...

Global Settings

Program Settings



Windows OS now manages selection of the graphics processor.  
Open [Windows graphics settings](#)

Preferred graphics processor:  

High-performance NVIDIA processor ▾

Settings:

| Feature                                        | Setting                    |
|------------------------------------------------|----------------------------|
| Max Frame Rate                                 | 27 FPS                     |
| Multi-Frame Sampled AA (MFAA)                  | On                         |
| OpenGL GDI compatibility                       | Prefer performance         |
| OpenGL rendering GPU                           | NVIDIA GeForce MX330       |
| Power management mode                          | Prefer maximum performance |
| Shader Cache Size                              | Unlimited                  |
| Texture filtering - Anisotropic sample opti... | Off                        |
| Texture filtering - Negative LOD bias          | Clamp                      |
| Texture filtering - Quality                    | High quality               |
| Texture filtering - Trilinear optimization     | On                         |
| Threaded optimization                          | On                         |
| Triple buffering                               | On                         |

 Restore

Global Settings

Program Settings



Windows OS now manages selection of the graphics processor.  
Open [Windows graphics settings](#)

Preferred graphics processor:  

High-performance NVIDIA processor ▾

Settings:

| Feature                                        | Setting                        |
|------------------------------------------------|--------------------------------|
| Multi-Frame Sampled AA (MFAA)                  | On                             |
| OpenGL GDI compatibility                       | Prefer performance             |
| OpenGL rendering GPU                           | NVIDIA GeForce MX330           |
| Power management mode                          | Prefer maximum performance     |
| Shader Cache Size                              | Unlimited                      |
| Texture filtering - Anisotropic sample opti... | Off                            |
| Texture filtering - Negative LOD bias          | Clamp                          |
| Texture filtering - Quality                    | High quality                   |
| Texture filtering - Trilinear optimization     | On                             |
| Threaded optimization                          | On                             |
| Triple buffering                               | On                             |
| Vertical sync                                  | Use the 3D application setting |

 Restore

## 5. My old intuitive understood favorite settings

I would like to use the following 3D settings:

Global Settings

Program Settings



Windows OS now manages selection of the graphics processor.  
Open [Windows graphics settings](#)

Preferred graphics processor:  

Auto-select

Settings:

| Feature                               | Setting                          |
|---------------------------------------|----------------------------------|
| Image Sharpening                      | Sharpening Off                   |
| Ambient Occlusion                     | Quality                          |
| Anisotropic filtering                 | 2x                               |
| Antialiasing - FXAA                   | On                               |
| Antialiasing - Mode                   | Override any application setting |
| Antialiasing - Setting                | 2x                               |
| Antialiasing - Transparency           | 4x (supersample)                 |
| Background Application Max Frame Rate | 27 FPS                           |
| CUDA - GPUs                           | All                              |
| CUDA - System Fallback Policy         | Prefer System Fallback           |
| Low Latency Mode                      | Ultra                            |
| Max Frame Rate                        | 27 FPS                           |

 Restore

**I would like to use the following 3D settings:**

Global Settings Program Settings



Windows OS now manages selection of the graphics processor.  
Open [Windows graphics settings](#)

Preferred graphics processor:

Auto-select

Settings:

| Feature                                        | Setting                    |
|------------------------------------------------|----------------------------|
| Max Frame Rate                                 | 27 FPS                     |
| Multi-Frame Sampled AA (MFAA)                  | On                         |
| OpenGL GDI compatibility                       | Prefer performance         |
| OpenGL rendering GPU                           | NVIDIA GeForce MX330       |
| Power management mode                          | Prefer maximum performance |
| Shader Cache Size                              | Unlimited                  |
| Texture filtering - Anisotropic sample opti... | Off                        |
| Texture filtering - Negative LOD bias          | Clamp                      |
| Texture filtering - Quality                    | Performance                |
| Texture filtering - Trilinear optimization     | On                         |
| Threaded optimization                          | On                         |
| Triple buffering                               | On                         |

Restore

**I would like to use the following 3D settings:**

Global Settings Program Settings



Windows OS now manages selection of the graphics processor.  
Open [Windows graphics settings](#)

Preferred graphics processor:

Auto-select

Settings:

| Feature                                        | Setting                          |
|------------------------------------------------|----------------------------------|
| OpenGL rendering GPU                           | NVIDIA GeForce MX330             |
| Power management mode                          | Prefer maximum performance       |
| Shader Cache Size                              | Unlimited                        |
| Texture filtering - Anisotropic sample opti... | Off                              |
| Texture filtering - Negative LOD bias          | Clamp                            |
| Texture filtering - Quality                    | Performance                      |
| Texture filtering - Trilinear optimization     | On                               |
| Threaded optimization                          | On                               |
| Triple buffering                               | On                               |
| Vertical sync                                  | Use the 3D application setting   |
| Virtual Reality pre-rendered frames            | 4                                |
| Vulkan/OpenGL present method                   | Prefer layered on DXGI Swapchain |

Restore

6. Then “irregular” settings are:

**I would like to use the following 3D settings:**

Global Settings Program Settings



Windows OS now manages selection of the graphics processor.  
Open [Windows graphics settings](#)

Preferred graphics processor:

High-performance NVIDIA processor ▾

Settings:

| Feature                               | Setting                              |
|---------------------------------------|--------------------------------------|
| Image Sharpening                      | Sharpen 0.10, ignore film grain 0.15 |
| Ambient Occlusion                     | Quality                              |
| Anisotropic filtering                 | 16x                                  |
| Antialiasing - FXAA                   | Off                                  |
| Antialiasing - Mode                   | Off                                  |
| Antialiasing - Setting                | None                                 |
| Antialiasing - Transparency           | Off                                  |
| Background Application Max Frame Rate | 200 FPS                              |
| CUDA - GPUs                           | All                                  |
| CUDA - System Fallback Policy         | Prefer System Fallback               |
| Low Latency Mode                      | Ultra                                |
| Max Frame Rate                        | 1000 FPS                             |

Restore

**I would like to use the following 3D settings:**

Global Settings Program Settings



Windows OS now manages selection of the graphics processor.

Open [Windows graphics settings](#)

Preferred graphics processor:

High-performance NVIDIA processor ▾

Settings:

| Feature                                        | Setting                    |
|------------------------------------------------|----------------------------|
| Max Frame Rate                                 | 1000 FPS ▾                 |
| Multi-Frame Sampled AA (MFAA)                  | On                         |
| OpenGL GDI compatibility                       | Auto                       |
| OpenGL rendering GPU                           | NVIDIA GeForce MX330       |
| Power management mode                          | Prefer maximum performance |
| Shader Cache Size                              | Unlimited                  |
| Texture filtering - Anisotropic sample opti... | On                         |
| Texture filtering - Negative LOD bias          | Allow                      |
| Texture filtering - Quality                    | Quality                    |
| Texture filtering - Trilinear optimization     | On                         |
| Threaded optimization                          | On                         |
| Triple buffering                               | On                         |



Restore

**I would like to use the following 3D settings:**

Global Settings Program Settings

 Windows OS now manages selection of the graphics processor.  
Open [Windows graphics settings](#)

Preferred graphics processor:

High-performance NVIDIA processor ▾

Settings:

| Feature                                        | Setting                          |
|------------------------------------------------|----------------------------------|
| OpenGL rendering GPU                           | NVIDIA GeForce MX330             |
| Power management mode                          | Prefer maximum performance       |
| Shader Cache Size                              | Unlimited                        |
| Texture filtering - Anisotropic sample opti... | On                               |
| Texture filtering - Negative LOD bias          | Allow                            |
| Texture filtering - Quality                    | Quality                          |
| Texture filtering - Trilinear optimization     | On                               |
| Threaded optimization                          | On                               |
| Triple buffering                               | On                               |
| Vertical sync                                  | Use the 3D application setting   |
| Virtual Reality pre-rendered frames            | 4                                |
| Vulkan/OpenGL present method                   | Prefer layered on DXGI Swapchain |

 Restore

Some maybe unimportant and not fully retested opinion on some settings:

- “Ambient Occulsion: Quality” setting – never goes with “Antialiasing”, so, then, all of the “Antialiasing” settings are set to “Off”
- When “Ambient Occulsion: Off” we can set “Antialiasing” setting “FXAA” – “On”, but Mode to “Override any application setting”, Setting to “2x” and Transparency to “2x” or “4x”... When Transparency is set to “8x” on the level of imagining nothing appears...

7. With “Ambient Occlusion” settings turned to “Off” settings are:



## Manage 3D Settings

You can change the global 3D settings and create overrides for specific programs. The overrides will be

I would like to use the following 3D settings:

Global Settings

Program Settings



Windows OS now manages selection of the graphics processor.

Open [Windows graphics settings](#)

Preferred graphics processor:

Auto-select

Settings:

| Feature                               | Setting                              |
|---------------------------------------|--------------------------------------|
| Image Sharpening                      | Sharpen 0.10, ignore film grain 0.15 |
| Ambient Occlusion                     | Off                                  |
| Anisotropic filtering                 | 2x                                   |
| Antialiasing - FXAA                   | Off                                  |
| Antialiasing - Mode                   | Override any application setting     |
| Antialiasing - Setting                | 2x                                   |
| Antialiasing - Transparency           | 2x (supersample)                     |
| Background Application Max Frame Rate | 200 FPS                              |
| CUDA - GPUs                           | All                                  |
| CUDA - System Fallback Policy         | Prefer System Fallback               |
| Low Latency Mode                      | Ultra                                |
| Max Frame Rate                        | 1000 FPS                             |

Restore



## Manage 3D Settings

You can change the global 3D settings and create overrides for specific programs. The overrides will be

**I would like to use the following 3D settings:**

Global Settings

Program Settings



Windows OS now manages selection of the graphics processor.  
Open [Windows graphics settings](#)

Preferred graphics processor:

Auto-select

Settings:

| Feature                                        | Setting                    |
|------------------------------------------------|----------------------------|
| Max Frame Rate                                 | 1000 FPS                   |
| Multi-Frame Sampled AA (MFAA)                  | Off                        |
| OpenGL GDI compatibility                       | Auto                       |
| OpenGL rendering GPU                           | NVIDIA GeForce MX330       |
| Power management mode                          | Prefer maximum performance |
| Shader Cache Size                              | Unlimited                  |
| Texture filtering - Anisotropic sample opti... | Off                        |
| Texture filtering - Negative LOD bias          | Clamp                      |
| Texture filtering - Quality                    | High quality               |
| Texture filtering - Trilinear optimization     | On                         |
| Threaded optimization                          | On                         |
| Triple buffering                               | On                         |



Restore



## Manage 3D Settings

You can change the global 3D settings and create overrides for specific programs. The overrides will b

**I would like to use the following 3D settings:**

Global Settings

Program Settings



Windows OS now manages selection of the graphics processor.

Open [Windows graphics settings](#)

Preferred graphics processor:

Auto-select


Settings:

| Feature                                        | Setting                          |
|------------------------------------------------|----------------------------------|
| OpenGL rendering GPU                           | NVIDIA GeForce MX330             |
| Power management mode                          | Prefer maximum performance       |
| Shader Cache Size                              | Unlimited                        |
| Texture filtering - Anisotropic sample opti... | Off                              |
| Texture filtering - Negative LOD bias          | Clamp                            |
| Texture filtering - Quality                    | High quality                     |
| Texture filtering - Trilinear optimization     | On                               |
| Threaded optimization                          | On                               |
| Triple buffering                               | On                               |
| Vertical sync                                  | Use the 3D application setting   |
| Virtual Reality pre-rendered frames            | 4                                |
| Vulkan/OpenGL present method                   | Prefer layered on DXGI Swapchain |


 Restore

## Color Mangement profiles


Find “Color Management” application:



Click “All profiles”:



Click “Add” and find folder with all profiles, select them and add them:




Go to Advanced settings:


My suggestion is “Chemical proof” profile....

Windows default profile, a bit edited is:


- Profile works well for using it with “Quantum Wall”





Different beings universal profile is:



A more human-like primitive profile is:



My personal following color management idea is:



^

General



Scaling Mode ?

Set which device scales the content on your display.

GPU Scaling



Scaling Method ?

Adjust how content scales to your display.

Preserve Aspect Ratio



Variable Refresh Rate Mode ?

Sets the default refresh rate mode globally across all displays.

Not Supported

^

Color



Hue ?

-180180

-27



Saturation ?

0100

40



Brightness ?

BasicAdvanced

All

Intensity

0100

60



Contrast ?

BasicAdvanced

All

Intensity

0100

70

**I would like to use the following 3D settings:**

Global Settings Program Settings



Windows OS now manages selection of the graphics processor.

Open [Windows graphics settings](#)

Preferred graphics processor:

Auto-select

Settings:

| Feature                               | Setting                              |
|---------------------------------------|--------------------------------------|
| Image Sharpening                      | Sharpen 0.09, ignore film grain 0.49 |
| Ambient Occlusion                     | Quality                              |
| Anisotropic filtering                 | 2x                                   |
| Antialiasing - FXAA                   | Off                                  |
| Antialiasing - Mode                   | Override any application setting     |
| Antialiasing - Setting                | 8x                                   |
| Antialiasing - Transparency           | 8x (supersample)                     |
| Background Application Max Frame Rate | 20 FPS                               |
| CUDA - GPUs                           | All                                  |
| CUDA - System Fallback Policy         | Prefer System Fallback               |
| Low Latency Mode                      | Ultra                                |
| Max Frame Rate                        | 20 FPS                               |

Restore

**I would like to use the following 3D settings:**

Global Settings Program Settings



Windows OS now manages selection of the graphics processor.

Open [Windows graphics settings](#)

Preferred graphics processor:

Auto-select

Settings:

| Feature                                        | Setting                    |
|------------------------------------------------|----------------------------|
| Max Frame Rate                                 | 20 FPS                     |
| Multi-Frame Sampled AA (MFAA)                  | On                         |
| OpenGL GDI compatibility                       | Prefer performance         |
| OpenGL rendering GPU                           | NVIDIA GeForce MX330       |
| Power management mode                          | Prefer maximum performance |
| Shader Cache Size                              | Unlimited                  |
| Texture filtering - Anisotropic sample opti... | Off                        |
| Texture filtering - Negative LOD bias          | Clamp                      |
| Texture filtering - Quality                    | High quality               |
| Texture filtering - Trilinear optimization     | On                         |
| Threaded optimization                          | On                         |
| Triple buffering                               | On                         |

Restore

Global Settings Program Settings



Windows OS now manages selection of the graphics processor.  
Open [Windows graphics settings](#)

Preferred graphics processor:

Auto-select


Settings:

| Feature                                        | Setting                          |
|------------------------------------------------|----------------------------------|
| OpenGL rendering GPU                           | NVIDIA GeForce MX330             |
| Power management mode                          | Prefer maximum performance       |
| Shader Cache Size                              | Unlimited                        |
| Texture filtering - Anisotropic sample opti... | Off                              |
| Texture filtering - Negative LOD bias          | Clamp                            |
| Texture filtering - Quality                    | High quality                     |
| Texture filtering - Trilinear optimization     | On                               |
| Threaded optimization                          | On                               |
| Triple buffering                               | On                               |
| Vertical sync                                  | Use the 3D application setting   |
| Virtual Reality pre-rendered frames            | 4                                |
| Vulkan/OpenGL present method                   | Prefer layered on DXGI Swapchain |


Restore

## Result

Processor speed when graphics cards are working:



Processor speed when graphics cards are not working:



## Special thanks

Special thanks to the Cosmos joke of the creator which represents ExollynyStawrya (belonging to AllyStawrya beings) greatest thinker named “Razymodu”...

Support me at:

[www.buymeacoffee.com/downness](http://www.buymeacoffee.com/downness)

[www.paypal.me/downness](http://www.paypal.me/downness)