

Intel Registry keys editing

Ansly Azorie

Contents



Contents	2
Intel	3
Intel Graphics Software (Display Color Settings)	3
1. Themed colors	3
2. “Greenbrand” profile	4
3. Universal Colors.....	5
4. Super real	6
5. Ekta space profile settings	7
6. Old alright settings	8
1. Old settings	11
2. Old settings	13
3. Old settings	14
4. Old settings	15
Intel Registry Editor 3D settings:	16
Enabling “Quantum Wall” idea	16
Harder way (if it is even possible) to enable Quantum Wall	44

Intel

Intel Graphics Software (Display Color Settings)

When you are able to view “Quantum Wall” depends on the colors of the profile...

1. Themed colors



2. “Greenbrand” profile

Brightness Enhancement ⓘ
Adjust screen brightness for all colors or individual color.

☒ All Colors

All Colors
Overall lightness or darkness of the content on your screen.

Red
Color Intensity:

Green
Color Intensity:

Blue
Color Intensity:

36

36

36

36

Contrast Enhancement ⓘ
Adjust screen contrast for all colors or individual color.

☒ All Colors

All Colors
Difference between dark and light tones of the content on your screen

Red
Color Intensity:

Green
Color Intensity:

Blue
Color Intensity:

13

13

13

13

Hue ⓘ
Color of your screen content

Saturation ⓘ
Vividness of colors on your screen

-24

53

3. Universal Colors

- Universal Colors we use if we are serious

Brightness Enhancement ⓘ
Adjust screen brightness for all colors or individual color.

☒ All Colors

All Colors
Overall lightness or darkness of the content on your screen.

34

Red
Color Intensity:

R 34

Green
Color Intensity:

G 34

Blue
Color Intensity:

B 34

Contrast Enhancement ⓘ
Adjust screen contrast for all colors or individual color.

☒ All Colors

All Colors
Difference between dark and light tones of the content on your screen

7

Red
Color Intensity:

R 7

Green
Color Intensity:

G 7

Blue
Color Intensity:

B 7

Hue ⓘ
Color of your screen content

-23

Saturation ⓘ
Vividness of colors on your screen

60

4. Super real

- Super real profile we use for the necessary things in life

Brightness Enhancement ⓘ
Adjust screen brightness for all colors or individual color.

☐ All Colors

All Colors
Overall lightness or darkness of the content on your screen.

Red
Color Intensity:

Green
Color Intensity:

Blue
Color Intensity:

38

38

38

38

Contrast Enhancement ⓘ
Adjust screen contrast for all colors or individual color.

☐ All Colors

All Colors
Difference between dark and light tones of the content on your screen

Red
Color Intensity:

Green
Color Intensity:

Blue
Color Intensity:

21

21

21

21

Hue ⓘ
Color of your screen content

Saturation ⓘ
Vividness of colors on your screen

-27

37

5. Ekta space profile settings

Post-Processing

Image Sharpening Sharpens the composited image before it's rendered on screen. On

Sharpening Strength

0% 100%

9

3D Rendering

Adaptive Tessellation Enables an adaptive algorithm for mesh generation that lowers the cost of rendering while maintaining visual quality. On

Tessellation Quality

0% 100%

16

General

Scaling Mode Set which device scales the content on your display. GPU Scaling

Scaling Method Adjust how content scales to your display. Preserve Aspect Ratio

Variable Refresh Rate Mode Sets the default refresh rate mode globally across all displays. Not Supported

Color

Hue -180 180 -22

Saturation 0 100 33

Brightness Basic Advanced

All Intensity

0 100

59


Contrast Basic Advanced

All Intensity


0 100

79


6. Old alright settings





Pointing to a Good system from user side if it's an addon that serves for something is fine so I shall choose "GPU Scaling" – "Centered"...




Or maybe:



- GPU Scaling
 - “Stretch” mode: points to avoiding system from both sides
 - “Centered” mode: points to allowing system from user side (which is nice when user is approaching applications)
 - “Preserve Aspect Ratio”: I believe bannes anyhow possible system
- Retro Scaling
 - “Integer”: allows sufficient data created by user as a help utility for approach to computer





- Next option goes with the NVIDIA “Anisotropic filtering” turned to “Off”:



With these settings go “My Favorite settings for NVIDIA” because I have dual graphics cards

1. Old settings



Graphics panel

 Post-Processing

 **Image Sharpening** 
Sharpens the composited image before it's rendered on screen. On 

Sharpening Strength  10 

 3D Rendering

 **Adaptive Tessellation** 
Enables an adaptive algorithm for mesh generation that lowers the cost of rendering while maintaining visual quality. On 

Tessellation Quality  10 

2. Old settings

^

General



Scaling Mode [?]

Set which device scales the content on your display.

Display Scaling



Scaling Method [?]

Adjust how content scales to your display.

Maintain Display Scaling

^

Color



Hue [?]

-180180

-30



Saturation [?]

0100

40



Brightness [?]

BasicAdvanced



All Intensity

0100

46



Contrast [?]

BasicAdvanced



All Intensity

0100

60



Quantization Range [?]

Tune the black and white levels of your screen content.

Full

^

Information



Display Info

Additional information about the display.

^

Display	Internal
Graphics Adapter	Intel(R) Iris(R) Xe Graphics
Display Connection	DisplayPort
Variable Refresh Rate Support	Not Supported
HDCP Support [?]	Not Supported
4K Support [?]	Not Supported
HDR Support [?]	Not Supported

3. Old settings

^

General

 **Scaling Mode** 

Set which device scales the content on your display.

Display Scaling 

 **Scaling Method** 

Adjust how content scales to your display.

Maintain Display Scaling 

^

Color

 **Hue** 

-180180

-30



 **Saturation** 

0100

40



 **Brightness** 

BasicAdvanced

 **All Intensity**

0100

46



 **Contrast** 

BasicAdvanced

 **All Intensity**

0100

60



 **Quantization Range** 

Tune the black and white levels of your screen content.

Full 

^

Information

 **Display Info**

Additional information about the display.



Display	Internal
Graphics Adapter	Intel(R) Iris(R) Xe Graphics
Display Connection	DisplayPort
Variable Refresh Rate Support	Not Supported
HDCP Support 	Not Supported
4K Support 	Not Supported
HDR Support 	Not Supported

4. Old settings

- Old model with allowed system from both sides

^ General

 **Scaling Mode** 

Set which device scales the content on your display.

Retro Scaling 

 **Scaling Method** 

Adjust how content scales to your display.

Integer 

^ Color

 **Hue** 

-180180

-17 

 **Saturation** 

0100

49 

 **Brightness** 

BasicAdvanced

Red

Color Intensity

0100

30 

Green

Color Intensity

0100

49 

Blue

Color Intensity

0100

51 

 **Contrast** 

BasicAdvanced

Red

Color Intensity

0100

47 

Green

Color Intensity

0100

51 

Blue

Color Intensity

0100

56 

 **Quantization Range** 

Tune the black and white levels of your screen content.

Limited 

Intel Registry Editor 3D settings:

Enabling “Quantum Wall” idea

Go to:

- Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\DPP


Be careful when editing files – because DisableDPPTemporarily accepts only 8 characters and EnableHardware3DLUT also... If you type into DisableDPPTemporarily 16 characters your file shall be erased...

Below you will find couple of solutions...

Words typed in the REG_BINARY file

When you are using words typed within the REG_BINARY file:

1. Type 4 letter word with all big letters “WORD” into the DisableDPPTemporarily from it's right side:



then you will get some hex numbers in REG_BINARY file for example “0x12345678”

2. Retype those nubmers into the “EnableHardware3DLUT” REG_DWORD but backwards way: “0x87654321”. That word represents the allowed idea... The allowed idea is for 3DLUT.
3. The banned idea is for DisableDPPTemporarily so to calculate we need to use a calculator. From “FFFF FFFF” we need to minus the “0x12345678” and we would get: “EDCB A987”...
4. Then that value we also need to flip backwards and then that value we shall type into the DisableDPPTemporarily...

P.S. The characters “word” and “WORD” do differ... Better results are with big letters rather than using small letters which sometimes translated into hex digits make no sense at all...

Ideas:

- We shall use “perryplett” (combination of values with one going to right and other going to backwards)
- With perryplett and zawyplett (combinations from then on of a word with one allowed value and other banned from the minus of “FFFF FFFF”), from “dewyplett” (opposite of banned)

For those on whom system gave up: YYWZ

- Those are also chased away from the planet

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	5a 8a 6a 6a
 EnableHardware3DLUT	REG_DWORD	0xa5579595 (2773980565)

Of harming to be fixed: WYWY

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	6a 8a 6a 8a
 EnableHardware3DLUT	REG_DWORD	0x95759575 (2507511157)

Of shame for everything: HLTF

- I believe that word is “Hallfterrya”...

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ba 9b 3b 7b
 EnableHardware3DLUT	REG_DWORD	0x4564c484 (1164231812)

“TRNZ” Trannzerrya

- Use coded word ZNRT

“ZNRT”

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ba da 1b 5a
 EnableHardware3DLUT	REG_DWORD	0x4525e4a5 (1160111269)

Of shame, work, with Questions of where ones work (SKYN)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	1b 6a 4b ca
 EnableHardware3DLUT	REG_DWORD	0xe495b435 (3835016245)

Of shame and work (ZYYN)

- Quantum wall is seen only if there is shame

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	1b 6a 6a 5a
 EnableHardware3DLUT	REG_DWORD	0xe49595a5 (3835008421)

Of hardest work

zorg

- Create it of big letters
- Of small letters settings look like this

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	89 d8 09 58
 EnableHardware3DLUT	REG_DWORD	0x7627f6a7 (1982330535)

zerg

- Create it of big letters
- Of small letters settings look like this

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	89 d8 a9 58
 EnableHardware3DLUT	REG_DWORD	0x672756a7 (1730631335)

ZERG

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	8b da ab 5a
 EnableHardware3DLUT	REG_DWORD	0x742554a5 (1948603557)

WERG

WERY

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	6a da 4b 8a
 EnableHardware3DLUT	REG_DWORD	0x95255475 (2502251637)

YERY

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	6a da ab 6a
 EnableHardware3DLUT	REG_DWORD	0x95255495 (2502251669)

Of work (morf)

- Create it of big letters

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	99 d8 09 29
 EnableHardware3DLUT	REG_DWORD	0x6627f6d6 (1713895126)

Of shame (YUYA)

- Create it of big letters

Of errors

- DRCCR – derreccarranttyya, or derreccrra
- RDCR – redereccrra

Of mistakes in code and programming device

asdf and fdba

Unta

First of all 4 letter word “unta” (from “untarya”) represents unknown someone, something, job and etc...

Programmer and science shaped setting (from word “yota”)

- Create it of big letters
- Word “yota” (from “yotarya”) represents wrong science to be fixed and a work in such environment...

Of small letters settings look like this:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	16 47 f6 97
 EnableHardware3DLUT	REG_DWORD	0x796f7461 (2037347425)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	61 74 6f 79
 EnableHardware3DLUT	REG_DWORD	0x796f7461 (2037347425)

“For leisure” (or maybe what one needs most)

- From word “yera” (“yerantyya” – here is “yy” read as: letter “e”, then letter “y” – as in “year”, some would write this word “yerrannyya”)...
- It can also be from word “yerallyya” (to fix someone)
- Create it of big letters

Of small letters settings look like this:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	79 65 72 61
 EnableHardware3DLUT	REG_DWORD	0x16275697 (371676823)

“nopy”

- “Nopynnyya” - leisure, or “nopyguanntyya” – also leisure
- Create it of big letters
- Of small letters settings look like this:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	6e 6f 70 79
 EnableHardware3DLUT	REG_DWORD	0x9707f6e6 (2533881574)

“ENEY”

- eneyarryya – work and leisure

“XORX”

- “xorrxanntyya” – mistakes and errors
- Has warnings on done actions
- Create it of big letters
- Of small letters (“xorx”) settings look like this:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	87 27 f6 87
 EnableHardware3DLUT	REG_DWORD	0x786f7278 (2020569720)

“Yxon” (“World of unknown”)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	e6 f6 87 97
 EnableHardware3DLUT	REG_DWORD	0xe6f68797 (3874916247)

- Differently called – “World of unknown” where one doesn’t understand until one understands

“Joke” (as universal “cosmos joke”)

- Should be good for interesting view

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	95 90 94 9a
 EnableHardware3DLUT	REG_DWORD	0x6a6f6b65 (1785686885)

“Dogx”

3DLUT: “646f6778”

“Yogy” & “Wogy”

- Perfect for life situations, understanding things why those are unclear and etc.

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	79 6f 67 79
 EnableHardware3DLUT	REG_DWORD	0x776f6779 (2003789689)

First solution:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	77 6f 67 79
 EnableHardware3DLUT	REG_DWORD	0x796f6779 (2037344121)

“Exta” & “Taxe”

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	56 87 16 47
 EnableHardware3DLUT	REG_DWORD	0x16478756 (373786454)

Previous

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	74 61 78 65
 EnableHardware3DLUT	REG_DWORD	0x65787461 (1702392929)

“Xeta” & “Taxe”

- Gives complexity

“Xaet” and “Wuyx”

- Idea of the strangest words

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	77 79 75 78
 EnableHardware3DLUT	REG_DWORD	0x78616574 (2019648884)

WISE – HOPE

- Here we would flip all with calculator
 - “FFFF FFFF” - “WISE” = “0xa8b6acba”
 - “FFFF FFFF” - “HOPE” = “b7b0afba”
- Both of these words WISE – HOPE somehow connect the full spectrum of ideas on living
- I find this setting interesting, and maybe important

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	b7 b0 af ba
 EnableHardware3DLUT	REG_DWORD	0xa8b6acba (2830544058)

- 2nd idea of it represents kind of the ultimate fixer of life that doesn’t do much on “impossible to be fixed arguing” in between people... That does create natural life... But with issues goes “police” uniform if such issues can’t be fixed, as “army suit” goes for nations arguing... Then Quantum Wall is “type of a secret” that serves for nothing...

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	54 05 f4 84
 EnableHardware3DLUT	REG_DWORD	0x54359475 (1412797557)

FUGA & ANTAR (COP and ARMY)

- “Fuga” or “Fugarrya” is alien word for beings for “police”

- The word “antarya” represents army but it’s too long for 4 letters word, so here we used: “ARMY” instead

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	14 74 55 64
 EnableHardware3DLUT	REG_DWORD	0x95d42514 (2513708308)

Army (for not hired army sportsmen): DONY ANDY

- For all of those private sportsmen that formed body that belongs to army ended as army servants but are not hired alien beings words for army servants are: “donnynnya” – for regular ones, and “andorrya” if they are general suited...
- Both of words are to be banned and implemented opposite way

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	6a bb 1b eb
 EnableHardware3DLUT	REG_DWORD	0x6a1b0bbb (1780157371)

WYZA

- Cosmos Generals but it needs to be used coded and mixed (as “ZAWY”), from word “Wazzyanntya” (meaning “general”)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	eb 5a 6a 8a
 EnableHardware3DLUT	REG_DWORD	0x41a59575 (1101370741)

ZAWY

- “Zawyyannttya” – never to reveal ones, for “Ultimate Cosmos General”

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	6a 8a eb 5a
 EnableHardware3DLUT	REG_DWORD	0x957514a5 (2507478181)

ZYKY

- “Zykyyanttya” – translated: “for Generals to investigate what they know”

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	6a 4b 6a ba
 EnableHardware3DLUT	REG_DWORD	0x95b495a5 (2511639973)

KYZY (with ban – mixed and coded “ZYKY”)

- Similar to ZYKY
- “Kyzzyyannttyya” – Generals never reveal secrets

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	6a 5a 6a 4b
 EnableHardware3DLUT	REG_DWORD	0x95a595b4 (2510656948)

YONA

- Of alien word “YonaYontallyya” – translated “out screamed”, for being suffered while being General

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	eb 1b 0b 6a
 EnableHardware3DLUT	REG_DWORD	0x14e4f495 (350549141)

XDRC

- “Xerradorrcyum” – translated is: “ban on all wrongs by Ultimate General”

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	a7 bb ad bc
 EnableHardware3DLUT	REG_DWORD	0x58445243 (1480872515)

RCXD

- “Rettrogenny xerradorrcyum” – repeatable XRDC

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	bb 7a cb da
 EnableHardware3DLUT	REG_DWORD	0x44853425 (1149580325)

CRXD

- “Cohherent Rettrogenny Xerradorrcyum” - Coherent RCXD

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	bb 7a da cb
 EnableHardware3DLUT	REG_DWORD	0x44852534 (1149576500)

CRXD & WYYN

- “Wynnandyya” – ban on too much

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	1b 6a 6a 8a
 EnableHardware3DLUT	REG_DWORD	0x44852534 (1149576500)

YALK

- “yalkanyya” – to be ashamed because of something

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	4b 3b eb a6
 EnableHardware3DLUT	REG_DWORD	0xb4c41495 (3032749205)

ZZRT

LLRT

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ba da 3b 3b
 EnableHardware3DLUT	REG_DWORD	0x4525c4c4 (1160103108)

.XOR

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	da 0b 7a 1d
 EnableHardware3DLUT	REG_DWORD	0x25f485e2 (636782050)

.ZZR

- For endless work (of which is in the end shame)
- For hardest striving

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	d1 a5 a5 ad
 EnableHardware3DLUT	REG_DWORD	0x2e5a5a52 (777673298)

“LEYA” (instead of “.LEYA”)

- Used for complex definitions

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	b3 ba a6 be
 EnableHardware3DLUT	REG_DWORD	0x4c455941 (1279613249)

LTRZ or maybe RTRZ

- LTRZ – Lattrennzyya – Fitting of those who don't

LTZR

- Lecatuzerrya – Escape if nothing else

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	4c 54 5a 52
 EnableHardware3DLUT	REG_DWORD	0x25a545c4 (631588292)

HUYA

- Huyanntiyya – For those in need, but this command is used as AHUY, or maybe YAHU

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	eb 6a aa 7b
 EnableHardware3DLUT	REG_DWORD	0x14955584 (345331076)

AHUY

- Ahuyyanntyya – For those in need

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	6a aa 7b eb
 EnableHardware3DLUT	REG_DWORD	0x95558414 (2505409556)

YAHU

- Yahunnyya, Yahuanntyya – Any kind of help for those in need

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	aa 7b eb 6a
 EnableHardware3DLUT	REG_DWORD	0x55841495 (1434719381)

YAHU & WAHU

- Can be maybe made and from YAHU & YULA

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	aa 7b eb 8a
 EnableHardware3DLUT	REG_DWORD	0xa6beb7aa (2797516714)

YAHU & YULA

- “Yullantyya” – tries and exercising of the things in need

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	14 c4 55 95
 EnableHardware3DLUT	REG_DWORD	0xa6beb7aa (2797516714)

ZULA

NMNT

.TTR

- Tennttronnymerr – full scanner of being

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	da ba ba 1d
 EnableHardware3DLUT	REG_DWORD	0x2e545452 (777278546)

.TTR & ZULA

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	eb 3b aa 5a
 EnableHardware3DLUT	REG_DWORD	0x254545e2 (625296866)

KNTR

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	b4 b1 ab ad
 EnableHardware3DLUT	REG_DWORD	0x2545e4b4 (625337524)

LFNT

QUQZ

- Ququzzanterra – full scanner of everything
- Side test that shows code is good:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	a5 15 55 15
 EnableHardware3DLUT	REG_DWORD	0x5155515a (1364545882)

- Side implementation with a ban

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ae aa ae a5
 EnableHardware3DLUT	REG_DWORD	0x5155515a (1364545882)

- Side implementation

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	5a ea aa ea
 EnableHardware3DLUT	REG_DWORD	0xa5155515 (2769638677)

- Best solution:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	5a ea aa ea
 EnableHardware3DLUT	REG_DWORD	0x5155515a (1364545882)

RDRZ (Studying in Peace)

- Mostly for “leaving the lower system” (or so called “fixing the shame of work”)
- Can be for studying in peace and etc.

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ad bb ad a5
 EnableHardware3DLUT	REG_DWORD	0x5244525a (1380209242)

QWRT

- Systems pass for being to work

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ba da 8a ea
 EnableHardware3DLUT	REG_DWORD	0x51575254 (1364677204)

QWLZ

- Working infinity

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ae b3 a8 a5
 EnableHardware3DLUT	REG_DWORD	0x514c575a (1363957594)

- Freer of destiny

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	5a 8a b3 ea
 EnableHardware3DLUT	REG_DWORD	0xa575c415 (2775958549)

LQWZ

- Working infinity, and life fixer



Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	5a 8a ea 3b
 EnableHardware3DLUT	REG_DWORD	0xa57515c4 (2775913924)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	b3 ae a8 a5
 EnableHardware3DLUT	REG_DWORD	0x4c51575a (1280399194)

LQWZ & ZWQL

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	5a 57 51 4c
 EnableHardware3DLUT	REG_DWORD	0x4c51575a (1280399194)

Q.YZ: !DZRT



Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	bb a5 ad ab
 EnableHardware3DLUT	REG_DWORD	0x512e595a (1361992026)

DZRT & QXRT

QZRT & !QZRT

.QLZ

.LTR

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	d1 b3 ab ad
 EnableHardware3DLUT	REG_DWORD	0x2e4c5452 (776754258)

- Side development with opposite values or “. watches” of “underworld codes” meanings to be hidden

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	da ba 3b 1d
 EnableHardware3DLUT	REG_DWORD	0x2545c4e2 (625329378)

All over research

- Go to: “Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\3D”, there you can change: Global and GlobalN, but these commands are erased with restart... So to type the mixed and coded command: “.QXLZ CRT ZX LC” for all over research we would need to change and edit the EnableHardware3DLUT from REG_DWORD to REG_BINARY which won’t be erased with restart.

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	(zero-length binary value)
EnableHardware3DLUT	REG_BINARY	2e 51 58 4c 5a 43 52 54 5a 58 4c 43

Edit Binary Value

Value name:

EnableHardware3DLUT

Value data:

00000000	2E	51	58	4C	5A	43	52	54	.	Q	X	L	Z	C	R	T
00000008	5A	58	4C	43					Z	X	L	C				

OK

Cancel

- Then we can implement the recovery of primitive beings for example and etc.

Recovery of primitive beings:

- Start with combination of “underworld watches” where you will ban multiple “.”:
- “....” is translated as “2e2e 2e2e” – minus it from “ffff ffff” and you will get the result
- The procedure:

Edit Binary Value

Value name:


DisableDPPTemporarily

Value data:

00000000	2E	2E	2E	2E					.	.	.	.
----------	----	----	----	----	--	--	--	--	---	---	---	---

OK

Cancel



- Solution


Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	(zero-length binary value)
EnableHardware3DLUT	REG_DWORD	0xd1d1d1d1 (3520188881)

- In a combination with previous code for all over research:


Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	d1 d1 d1 d1
EnableHardware3DLUT	REG_BINARY	2e 51 58 4c 5a 43 52 54 5a 58 4c 43

All over watch

- Full command is: “.QXRTZRZD3RZZRZ”
- This command is accepted in the “(Default)” field
- We just need to focus on couple of watches: “.DRTZ”, “.QRZXZ”, “.QPLST”, “.DDR2”, “.DDR3”, “.ZRZ”, “.ZRZXT”
 - Command: “.DRZT” is telling us we are having multiple watches to take care of



- Because of many issues around, we shall ban the primitivism within and around us



- The whole folder:

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\DPP

Name	Type	Data
(Default)	REG_SZ	.QXRTZRZD3RZZRZ
DisableDPPTemporarily	REG_BINARY	d1 d1 d1 d1
EnableHardware3DLUT	REG_BINARY	2e 44 52 54 5a 2e 51 52 5a 58 5a 2e 51 50 4c 53 54 2e...

Right thinking and ban of wrong

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	01 34 56 79
EnableHardware3DLUT	REG_DWORD	0xcdefcbab (3455044523)

It's "innohrran" (same that gives check) settings:

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	cd ef cb ab
EnableHardware3DLUT	REG_DWORD	0xcdefcbab (3455044523)

It's "dohrran" (complex) settings:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	32 10 34 54
 EnableHardware3DLUT	REG_DWORD	0xcdefcbab (3455044523)

It's "indohrran" settings:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	45 43 01 23
 EnableHardware3DLUT	REG_DWORD	0xcdefcbab (3455044523)

Work in progress based on complex thinking is:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ff ef df cf
 EnableHardware3DLUT	REG_DWORD	0xfcdfeff (4244504319)

And it's beginning was all over system checkup from the user side (as of wrongs in life):

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	01 34 56 79
 EnableHardware3DLUT	REG_DWORD	0xfcdfeff (4244504319)

Complex thinking

Complex thinking begins with fractaloid (from fractal) letters and numbers: "2a23243a" that is *inclined and then declined so the first values we have complexed are both "2a23243a" and "2a23243a"...*

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	0a 01 02 1a
 EnableHardware3DLUT	REG_DWORD	0xbfcdcedf (3217936095)

Improvement is:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	0a 01 02 1a
 EnableHardware3DLUT	REG_DWORD	0x8f9a9baf (2409274287)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	0a 01 02 1a
 EnableHardware3DLUT	REG_DWORD	0x9fabacbf (2678828223)

Combination of letters and numbers that should appear for naturality

DPPT: 22345679

3DLUT: aaacdddf

“Good Logger” settings

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	da ca df dd
 EnableHardware3DLUT	REG_DWORD	0xacdadddf (2900024799)

First of all we need to ask when is some

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ad bf ad db
 EnableHardware3DLUT	REG_DWORD	0xbddafbdb (3185245146)

“Crasnolla” Lines

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ad bf ad db
 EnableHardware3DLUT	REG_DWORD	0xadbfaddb (2915020251)

“Display” with additional “Quantum Wall”

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	22 27 19 99
 EnableHardware3DLUT	REG_DWORD	0x65945372 (1704219506)

3DLUT: 35274565

Working on “Display”

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	65 94 53 72
 EnableHardware3DLUT	REG_DWORD	0x22271999 (572987801)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	27 35 49 56
 EnableHardware3DLUT	REG_DWORD	0x4956cadb (1230424795)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	17 25 39 46
 EnableHardware3DLUT	REG_DWORD	0x52173649 (1377252937)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	cd d2 b3 db
 EnableHardware3DLUT	REG_DWORD	0xbad1dbcd (3134315469)

Correctness of work

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ba 1d db dc
 EnableHardware3DLUT	REG_DWORD	0x2d3bdcdb (758897853)

Work till ideas are fine

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	d1 cd ef bd
 EnableHardware3DLUT	REG_DWORD	0xcccdbadc (3436034780)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	f0 d2 d9 e3
 EnableHardware3DLUT	REG_DWORD	0xcccdbadc (3436034780)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ca bd db ac
 EnableHardware3DLUT	REG_DWORD	0xcccdbadc (3436034780)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ab d9 dc 90
 EnableHardware3DLUT	REG_DWORD	0xdbfabcdf (3690642655)

3DLUT: bbcdafdb

Endless work of Tephlon (Tephlon in work):

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	09 9e 9e 09
 EnableHardware3DLUT	REG_DWORD	0xdbfabcdf (3690642655)

“Endless work of Tephlon” (or so called “Tephlon in work”) I prefer for myself... Second option is: “Tephlon assistance with maximum complexity”

- Tephlon represents natural life being (alien kind)

Tephlon assistance with maximum complexity:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ba dc cd ab
 EnableHardware3DLUT	REG_DWORD	0xdbfabcdf (3690642655)

Endless Work:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	09 9e e9 90
 EnableHardware3DLUT	REG_DWORD	0xfdcbaafd (4257984445)

Universal Quantum Wall:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ba a9 a9 ab
 EnableHardware3DLUT	REG_DWORD	0xfdcbafeb (4257984445)

Universal Enabling of Quantum Wall:

- Here one is expected to do something with Quantum Wall options

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	fe ba ab ef
 EnableHardware3DLUT	REG_DWORD	0xfdcbafeb (4257984445)

Free User:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	fe 90 09 ef
 EnableHardware3DLUT	REG_DWORD	0xfdcbafeb (4257984445)

Under police and army surveillance (of user):

DisableDPPTemporarily: “CA AB BA AC”

EnableHardware3DLUT: “fdcbafbd”

Under police and army surveillance for those on duty:

DisableDPPTemporarily: “EA A0 0A AE”

EnableHardware3DLUT: “fdcbafbd”

Stupid and old settings

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	f6 61 19 9f
 EnableHardware3DLUT	REG_DWORD	0xbefedabc (3204373180)

- | Name | Type | Data |
|---|------------|-------------------------|
|  (Default) | REG_SZ | (value not set) |
|  DisableDPPTemporarily | REG_BINARY | f6 69 9f |
|  EnableHardware3DLUT | REG_DWORD | 0xdefebcad (3741236397) |
-

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	fe 66 99 ef
 EnableHardware3DLUT	REG_DWORD	0xfeadbce1 (4272798945)

•

With ban of others entering PC and PC going out into system

Beings (different then humans) option

- Orgynall ban is developed from the human code “FF 66 99 FF” – key for isolating the PC – actually ban of others entering PC and PC going out into system except our own work we have done... If we would implement the “99 66 99 66”

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	99 66 99 66
 EnableHardware3DLUT	REG_DWORD	0xaeafeafad (2935926701)

Accessibility settings for being with human ban

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ff 66 99 ff
 EnableHardware3DLUT	REG_DWORD	0x9fdedfde (2682183646)

- Other command is based on the accessibility settings for lowering of being, or so called “fall”, when being doesn’t know anything

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ff 66 99 ff
 EnableHardware3DLUT	REG_DWORD	0xedfddcde (3992837342)

With intuitive support, knowledge base, and ideas for life (CFCA - “Cenntraffacya” settings)

- Thanks to life system understanding – as much as allowed is pronounced, other things stay in tune (on intuitive level)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	aa ee fe ef
 EnableHardware3DLUT	REG_DWORD	0xaaeeefeef (2867789551)

Other ideas

The same idea with different inclines and range of reading (unpleasing)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	aa ee fe ef
 EnableHardware3DLUT	REG_DWORD	0xaaeeef11f (2867786015)

With undistinctive fitting of beings, intuitive anyhow support

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	aa 99 e1 1e
 EnableHardware3DLUT	REG_DWORD	0xaa99e11e (2862211358)

- I find this similar to Army code for fitting of the beings, guiding them and helping the work process

With working ambitions, support and undistinctive fitting of beings

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	99 99 e1 1e
 EnableHardware3DLUT	REG_DWORD	0x9999e11e (2576998686)

With unknown intuitive support for beings

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ee 99 1e e1
 EnableHardware3DLUT	REG_DWORD	0xee991ee1 (4003012321)

With distinctive intuitive support for beings

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ee 22 1e e1
 EnableHardware3DLUT	REG_DWORD	0xee221ee1 (3995213537)

With notorious affirmative support for beings

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ee ff 1f f1
 EnableHardware3DLUT	REG_DWORD	0xeeff1ff1 (4009697265)

With affirmative help data and productivity help support

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	11 f1 9f f1
 EnableHardware3DLUT	REG_DWORD	0x11f19ff1 (301047793)

With help information (healthy, surreal)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ef fe 9f fe
 EnableHardware3DLUT	REG_DWORD	0xeffe9ffe (4026441726)

Data that's consisted within:

- Dexollyphycarryum – If someone made cosmos science fields in a Quantum Wall
- Exollyphycarryum of a being – Full Complete Spectrum of a being
 - Tiredness
 - Pain
 - Leisure
- Dellyphycarryum of Data Information – Full and Complete data necessary for work
- Ogrrlyphycarryum of “watches” – Data relevant to the being (“watches” describing beings functionality)
 - How being understands things
 - How well it understood
- Norgllyphycarryum – For what shouldn't be done
- DeNorgllyphycarryum – For what we did that shouldn't be done
- Exhondessa – Unsuccessful life with bans that started something
- Dexhondessa – Unsuccessful life with bans that started something wrong but it's not up to them

Task managing can calculate up to:

- DeglleWennya – If we made the world
- NoWennya – If that went wrong
- DeWennya – If that went wrong but it's not up to us
- Wennya – If we started creating the world
- OrZaharrme – If we are simple workers creating everything from one field of job area
- NorZaharrme – If we are simple workers creating everything from one field of job area went wrong

- DorZaharrme – If we are simple workers creating everything from one field of job area went wrong but not because of us

With help information for easier working

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ef fe af fe
 EnableHardware3DLUT	REG_DWORD	0xeffeaffe (4026445822)

Data that's consisted within:

- Exollyphycarryum of a being (Full Complete Spectrum of a being)
- Dellyphycarryum of Data Information (Full and Complete data necessary for work)
- Ogrryllyphycarryum of “watches” relevant to the being (“watches” describing beings functionality)

About being's work:

- While we work change of a being isn't necessary for a being to do work on the ideas of different beings that worked on something before

With a “must accepted” help for easier working

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	ef fa ef fe
 EnableHardware3DLUT	REG_DWORD	0xeffaaffe (4026200062)

About being's work:

- While we work change of a being is necessary for a being to do work on the ideas of different beings that worked on something before

Simple Unfull Quantum Wall


Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	f0 e9 81 0f
 EnableHardware3DLUT	REG_DWORD	0xfeeeefef (4277075695)

Other settings to use with same values in DPPT and 3DLUT


- RPCR.3: 98710def
- Erase unful code errors: deedfded
- full - unful code with everything else: fedffdef

Harder way (if it is even possible) to enable Quantum Wall


- Intel folder list: “Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel”



Part 1:



Part 2:



Part 3:



Folders:

Each of the definitions of “watches”, “XD” (multiple D, as in 3D) environments, and etc. we define through the folders as are:

- Allambrottyya – we use for the purpose of the “knowledge watch” defined as QX or complex DQX...
- Allambrrorrttyyanallyyannyya – for the purpose of measuring one towards another as is QDQ or through time we use QXQ, or through complex idea for both we can use QZQ
- Ellembroxyannallyyannyya – would be some kind of enablement of the predefined keys – for example of 3DLUT
- Frygullarmantyya – can have keys (folders) as are AMFTXZ for the purpose now moment, DMFTXZ for the purpose of future and XMFTXZ for the past... The “watch” we are using is complexed Q or simple Q (for now), QQ (for past), and QQQ and (for future)... So implementing it in XD stage is DQ watch...
- PRST – or longer “Perrserwattory” is a folder is for emotions and feelings we are dividing into the BCB for emotions and BRC for emotions and feelings... The watch we are using in BCB is QQX, and a watch we are using in BRC is DQX...
 - Quzzembrya (for simpler beings Quzembrya), Wallzembrya, Dezzembrya, and Allzembrya represent the idea of QQX or QQZ watches and they could belong to complexed written PRST – or Perrserwattoryum... And I find it unnecessary for it to be main folder... Simply the explanation is that some emotions, feelings and levels of intelligence we divide in 113D, 114D or 115D and that is simply their description...
- PTRST – QPZZ & QTZZ – what when we ain’t using a watch... There is always a command for that and we can use 2 types of codes – when watches ain’t working (because we didn’t write them – then we can use data through different types of watches), or when they don’t need to work (but for example we need them – also for example because we didn’t wrote them)... QPZZ represents Qupyzallya and QTZZ represents Quzzalltallyannyzallya
- Qupystallya – represents self responsive system towards the aliens used in open system for smart beings... In that folder we can use complex watch for past, now moment and future – maybe it’s DQZ or QZT...
- Qzembrya – represents a system for responsiveness – collecting the data from the aliens from which we need to know something
- RPGZX – “Reprogryggerryzyxyannallyannyya” (shorter “Reprogryggerry”) we are using for alien communication – QXQ for reading the aliens, and QZT for collecting data about them
- RPGXZ – Repprogrezzyxstya or longer “Repprogrezzyxstallyannallyannyya” has the idea of exchanging and shortcutting the values of time measurements with an idea

that some years pass with a different idea and so that we can still measure them... For that option we use the DDQX clock...

- **RPGZX** – we find simple time passing but for a need of a long enough time needed to pass... And that time simply in some cases can't be measured so we will extrapolate the "Q" option for a time and get it unlimited "QQQQQQQ..."... To shorten that we will use the: "QZQ" option, and "QZT" when we are still able to calculate the values...
- **RTZT** – What when we didn't write the watch for the 3D options because we simply didn't think of it, or when we don't fit into any of the watches for some strange reason? We can use the QTX (all else watches) or QDX (every single of the remaining watches) options for the missing watches... Those options are similar but the QDX has more of a value... I still find them both necessary because of the different ideas of the beings using the watches...
- **TRST** – or longer "Trusttannyya" we are using for the regular 3D printing on various levels... There we differ AFD, AST, and ATZ for smaller lines, irregular shapes and 2D box messages...
- **TZTRT** – Tarrzzattar (or for some Tartazzar) is a word for a ban on missing watches for the system to write them itself... TQT is "all ban", TRT is "simple ban" usually on emotions, and TZT is kind of a "simple ban" on feelings...
- **Zygollarmanttyyanallyannyya** – is a word for a ban and shorter word I am not sure about, even coded I can't think of... Inside it we will ban any moving of the system locally and globally (for aliens)... Maybe code for that is ZPRGXZ, but if you are not sure of the full short code you better not use it...

Allambrottyya

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Allambrottyya\DOX\ZTZ\1000DQX			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Annallyya	REG_QWORD	0xcdefedceb2cdcefe (14839340769227951870)
	Bendwanallyya	REG_QWORD	0xffffbcdef4ced2de (18446388789532087006)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Allambrrorrttyyanallyannyya

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Allambrrorrttyyanallyannyya\QZQ\ZTZ\5000DQG			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Allfannantnylyallyannyya	REG_QWORD	0xfefebefebefebefede (18356354042573020894)
	Fannantnylyallyannyya	REG_QWORD	0xfefefefefefefefede (18374368715960409822)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Ellembrosyyannallyannyya

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Ellembrosyyannallyannyya			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	EnableHardware3DLUT	REG_QWORD	0xfe4cdefe4cfedefe (18324266167658536702)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Frabbylluent

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frabbylluent\QIZTR			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Deagonallyya	REG_QWORD	0xffefdfeffdeffed (18442205220988452845)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
	Yrrygonallyya	REG_QWORD	0xffeadfdfdfffffe (18440797776848617470)

Frygullarmantyya

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frygullarmantyya\ZTC\10DQ			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Allyyanntenallyyannte	REG_QWORD	0xfedebedededef (18365326194357755646)
	Dellyyannteallyyannte	REG_QWORD	0xfabacabadabadaba (18066975759032572602)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frygullarmantyya\ZTX\100DQ			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Frabbyllyyanntedlywannte	REG_QWORD	0xbcdabcfdfcdadcdf (13608396893722434783)
	Frabbyllyyanntenawyllyyannte	REG_QWORD	0xbcdabcfdfcdcdce (13609522793629605086)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frygullarmantyya\ZTZ\1000DQ			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Frygullantyyanallyannyya	REG_QWORD	0xfbcdabcfdfcdcefe (18144347374978133999)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
	Ygullantyyanallyannyya	REG_QWORD	0xbcddefdfdfdf2fdf (13609594391289999327)

PRST

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQD\5000QQD			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Derewallnnyya	REG_QWORD	0xffeadffedeadffed (18440797909972549613)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
	Rewallnnyya	REG_QWORD	0xfeafdeaffeafeaff (18352131854031645439)

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQX\1000DQQX			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Demblorr	REG_QWORD	0xdbca4cabceadafed (15837555340392378349)
	Lazembllorr	REG_QWORD	0xffedbcdefebcedef (18441603715094605295)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQZ\5000QQZ

PRST

BCB

QQD

5000QQD

QQX

1000DQQX

QQZ

5000QQZ

Name	Type	Data
(Default)	REG_SZ	(value not set)
Dewantallyya	REG_QWORD	0xedfddfedfdef (17149672119344168943)
Fantallyya	REG_QWORD	0xfddfedfdef (18441677446818168831)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BRC\DQ\5000DQ

<

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BRC\QDX\5000DQX

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BRC\QDZ\1000DQZ

</

PTRST


Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PTRST\QPZZ\5000QPZZ			

PTRST


Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PTRST\QTZZ\1000QTZZ			


RMFTGXZ

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RMFTGXZ\QDTQ\1000QDTQ			
RMFTGXZ QDTQ 1000QDTQ QTT 5000QTT	Name (Default) Alborreryya PrebuiltShaderBinaryDirPath	Type REG_SZ REG_QWORD REG_SZ	Data (value not set) 0xffdedaeadeadea (18437716733973147114) C:\Program Files\Intel\PrebuiltShaderBinaries


Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RMFTGXZ\QTQ\5000QTQ			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Allidonbrerryya	REG_QWORD	0xfffedfdfdfedfdf (18446460391086022623)
	Debrerryya	REG_QWORD	0xffeffdfdbdaffe (18442240336573693950)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries


RPGXZ

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGXZ\DDQX\5000DDQZ			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Arrampaggyanalyannya	REG_QWORD	0xfeadbeafdeafeaf (18351533719169269423)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries


Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGXZ\DDQZ\5000DDQZ			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
	Worbydurryanalyannya	REG_QWORD	0xffeafbcffadbfde (18440827313872289278)


RTZT


Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RTZT\1000QTX			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Errlynduyllynarrya	REG_QWORD	0xffdefdefdeffedf (18437453131181719263)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
	Randuylylnarrya	REG_QWORD	0xffdfdfdfdeffeff (18437701552090115583)

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RTZT\5000QDX			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Eilampyrryanalyannya	REG_QWORD	0xfffffedfabcdefe (18446427336963055358)
	Llampyrryanalyannya	REG_QWORD	0xffedfdfdfedfdfd (18441675316496687071)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

TRST

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AFD\100D			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Dewallyyant	REG_QWORD	0xefffddcccadbcda (17293785034522475738)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
	Wallyyant	REG_QWORD	0xddcabccafeeffee (15981793807724183278)

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AFD\500D			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Allidahhadabrrrya	REG_QWORD	0xb2dcab2dcefefefe (12888364446862212862)
	Bedwahhadabrrrya	REG_QWORD	0xc2dca2cda2cdedef (14041276742317764079)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries



Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\ATZ\4D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Effanntannylo	REG_QWORD	0xff4cdeb2de4cdeff (18396323437716758271)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\ATZ\50D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Accrelllyya	REG_QWORD	0xefdfdbdfdefdbdfe (17284775778568887294)
Creillyya	REG_QWORD	0xfefefedfabfafefe (18374403766334717694)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTX\ATZ\1000D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Brotallyanallyannya	REG_QWORD	0xffffdfffefefff (18446181118924287999)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTZ\ATZ\5000D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Frybullannyanyallyannya	REG_QWORD	0xfbafbabdcadced (18135919814559849709)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

TZTRT

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TZTRT\TQT\5000TQT

Name	Type	Data
(Default)	REG_SZ	(value not set)
Dellembrossyyanallyannyya	REG_QWORD	0xffefdfdfdfdfdf (18442205151734194143)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TZTRT\TRT\5000TRT

Name	Type	Data
(Default)	REG_SZ	(value not set)
Allembrossyyanallyannyya	REG_QWORD	0xffedafdfdfdfdf (18441589425220610783)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TZTRT\TZT\5000TZT

Name	Type	Data
(Default)	REG_SZ	(value not set)
Asstrofellarrya	REG_QWORD	0xeadfeaddeafdafef (16924504163532779503)
Dycstroffellarrya	REG_QWORD	0xffeaddeafdafdeaf (18440795625570164399)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Zygollarmanttyyanallyannya

Registry Editor		
File Edit View Favorites Help		
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Zygollarmanttyyanallyannya		
Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_QWORD	0xffffffffffffff (18446744073709551615)
 Global	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalID	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalDL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalDLST	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalF	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalH	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalHL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalIL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalILL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalILLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalILLST	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalIN	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalIP	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalQ	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalQTR	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalR	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalRLST	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalS	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalT	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalTT	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalTTT	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalX	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalY	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalZZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalZZZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalZZZZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
 Local	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalID	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalDL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalDLST	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalF	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalH	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalHL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalIL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalILL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalILLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalLLST	REG_QWORD	0xffffffffffffff (18446744073709551615)

- LocalLLST
- LocalIN
- LocalIP
- LocalQ
- LocalQTR
- LocalR
- LocalRLST
- LocalS
- LocalT
- LocalTT
- LocalTTT
- LocalX
- LocalY
- LocalZ
- LocalZZ
- LocalZZZ
- LocalZZZZ

 LocalN LocalQTR LocalRLST LocalT LocalZ LocalZZZ[illegible]

REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)


REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)

REG_QWORD 0xffffffffffffffff (18446744073709551615)


REG_QWORD 0xffffffffffffffff (18446744073709551615)

QLMZR



Name	Type	Data
 (Default)	REG_SZ	(value not set)
 Ellamborrytta	REG_SZ	dfdbafdbadbacdfdba
 Lellaborrytta	REG_SZ	fdbadfbccdafdbaccdacdadfdca
 PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries


“HKEY_CURRENT_USER\Software\Intel\Display\igfxcui”




Display\igfxcui\3D

Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\3D

I have deleted the 3D folder and added a ban folder:



3D folder is always reset so the values are:



Name	Type	Data
 (Default)	REG_SZ	(value not set)
 Global	REG_BINARY	00 00 00 00 00 00 00 00 00 00 00 00
 GlobalN	REG_BINARY	00 00 00 00 00 00 00 00 00 00 00 00

Edit Binary Value

Value name:

Global

Value data:

00000000 00 00 00 00 00 00 00 00

00000008 00 00 00 00

OK

Cancel

Display\igfxcui\Media

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_QWORD	0xffffffffffffff (18446744073709551615)
 EnableACE	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 EnableFMD	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 EnableIS	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 EnableNLAS	REG_QWORD	0xffffffffffffff (18446744073709551615)
 EnableSTE	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 EnableSuperResolution	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 EnableTCC	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 GCompMode	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 GExpMode	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 InputYUVRange	REG_QWORD	0xffffeeefffeeee (18446725308997431022)
 NLASHLinearRegion	REG_QWORD	0xffffeeefffeeee (18446725308997431022)
 NLASNonLinearCrop	REG_QWORD	0xeeeeefffeeeeee (17216979900174364398)
 NLASVerticalCrop	REG_QWORD	0xeeeeefffeeeeee (17216979900174364398)
 NoiseReductionAutoDetectEnabledAlways	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 NoiseReductionEnableChroma	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 NoiseReductionEnabledAlways	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 NoiseReductionFactor	REG_QWORD	0xffffffffffffff (18446744073709551615)
 ProcAmpApplyAlways	REG_QWORD	0xeeeeefffeeefff (17216979900174368767)
 ProcAmpBrightness	REG_QWORD	0xdabddabddabddabd (15761994779820153533)
 ProcAmpContrast	REG_QWORD	0xcadbcadbcadbcadb (14617500060911127259)
 ProcAmpHue	REG_QWORD	0xadbdadbdbdadbd (12519353569335160253)
 ProcAmpSaturation	REG_QWORD	0xfadbfadbfadbfadb (18076317352095120091)
 SatFactorBlue	REG_DWORD	0xeeeeffff (4008640511)
 SatFactorCyan	REG_DWORD	0xeeeeffff (4008706047)
 SatFactorGreen	REG_DWORD	0xeeeeffff (4009754623)
 SatFactorMagenta	REG_DWORD	0xeeeeffff (4026531839)
 SatFactorRed	REG_DWORD	0xfeffff (4278190079)
 SatFactorYellow	REG_DWORD	0xffefffff (4293918719)
 SharpnessEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)
 SharpnessFactor	REG_DWORD	0xdebedebe (3737050814)
 SkinTone	REG_QWORD	0xfdebdecdbdecdeca (18296962878320533194)
 SuperResolutionEnabled	REG_DWORD	0xbdeeecee (3202280686)
 SuperResolutionMode	REG_DWORD	0xeeeeeeee (4008636142)
 UISharpnessOptimalEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)

With these settings supported worlds are: Degrywallstacyonall world – of cosmos jokes that are appearing where they should, Yrrygacyannall world – of banners of what we are doing and what we should be doing, Acquezzystacyonall world – of beings worlds for us to investigate, and etc...

Display\igfxcui\MISC

Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\MISC

Registry Editor

File Edit View Favorites Help

Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\MISC

Intel

Display

igfxcui

3D

HotKeys

igfxtray

Media

MISC

virtualKeyboard

Zygollarmantyyanallyannya


Driver and Support Assistant

IntelGraphicsSoftware

Name	Type	Data
(Default)	REG_SZ	(value not set)
UserSetDRRSDisableRR	REG_QWORD	0xfeadbeafdeaffeaf (18351533719169269423)

Display\igfxcui\Zygollarmantyyanallyannya

Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\Zygollarmantyyanallyannya



 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_QWORD	0xffffffffffffff (18446744073709551615)
 Global	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalD	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalDL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalDLST	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalF	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalLLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalN	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalP	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalQ	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalQTR	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalR	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalRLST	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalS	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalT	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalTT	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalTTT	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalX	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalY	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalZZZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
 GlobalZZZZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
 Local	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalD	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalDL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalDLST	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalF	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalLLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalN	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalP	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalQ	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalQTR	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalR	REG_QWORD	0xffffffffffffff (18446744073709551615)
 LocalRLST	REG_QWORD	0xffffffffffffff (18446744073709551615)



REG_QWORD

0xffffffff (18446744073709551615)

REG_QWORD

0xffffffff (18446744073709551615)

REG_QWORD

0xffffffff (18446744073709551615)

REG_QWORD

0xffffffff (18446744073709551615)

REG_QWORD

0xffffffff (18446744073709551615)

REG_QWORD

0xffffffff (18446744073709551615)

REG_QWORD

0xffffffff (18446744073709551615)

REG_QWORD

0xffffffff (18446744073709551615)

REG_QWORD

0xffffffff (18446744073709551615)

Theory and explanation


Let's talk about beginning idea how files can be shaped and changed and how they pull the system one way or another (from the computer, or to the computer) thanks to the settings we have...

Let's talk about the Intel graphics card settings... Besides regular settings for brightness, contrast, saturation and hue, there are some more options under Registry Keys that you might find interesting for a better display view...

I believe that here a setting: "Enable..." or "...Enabled" (for example "EnableACE" or SuperResolutionEnabled") doesn't need to have only options 0 or 1, but it can have any possible options, and the point is that you actually play with the display settings and figure out when you have the best view... I will give you a hint – if you set everything else right – setting the "SkinTone" to a value "3" gives you somehow a feeling of "a Saint computer user"... So, the conclusion is that you can create anything that you like from these values without needing to restart the computer to see the results...

Beginning idea of editing binary files

- Computer\HKEY_CURRENT_USER\SOFTWARE\Intel\Display\igfxcui\Media



Those settings are mixed, coded, introvert – flipped upside down and mixed while flipping so while we are mixing them we get the word we want – and by the belief it has only one key... For example if we would start with an idea of repeating of hex values – fractal to cosmos – we can for nonsense start with for the non existing "DPA" key: "ff" would be fine, and "fff" would require 7 more "a" hex values for us to put DPA to Yrrygonallya model of understanding... Then if we would add another "e" we would need to type and "dbca" which gives us 8 hex values and the word "DPA" would be translated into Hex as: "fffedbca". The point is to code as many letters as we can so that we get the desired idea...

All those settings are connected in some way – unknown for us, but by the belief maybe one DWORD after another ... I believe that the code in one field is connected to the code to the other field and that the whole code of the registry editor file of the graphic card represents some type of the solution rather than those parts one by one...

At the time my settings that were are shown on this image:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_DWORD	0xffffedbc (4294962620)
 EnableACE	REG_DWORD	0xffffedbc (4294962620)
 EnableFMD	REG_DWORD	0xffffedbc (4294962620)
 EnableIS	REG_DWORD	0xffffedbc (4294962620)
 EnableNLAS	REG_DWORD	0xffffedbc (4294962620)
 EnableSTE	REG_DWORD	0xffffedbc (4294962620)
 EnableSuperResolution	REG_DWORD	0xffffedbc (4294962620)
 EnableTCC	REG_DWORD	0xffffedbc (4294962620)
 GCompMode	REG_DWORD	0x4444dbed (1145363437)
 GExpMode	REG_DWORD	0x999fedbd (2577395133)
 InputYUVRange	REG_DWORD	0xffff123 (4294963491)
 NLASLinearRegion	REG_DWORD	0xefffffff (4026531838)
 NLASNonLinearCrop	REG_DWORD	0xfefeeef (4277071599)
 NLASVerticalCrop	REG_DWORD	0xfefeeef (4277141231)
 NoiseReductionAutoDetectEnabledAlways	REG_DWORD	0xffbecaaa (4290693802)
 NoiseReductionEnableChroma	REG_DWORD	0xfefefefef (4294897390)
 NoiseReductionEnabledAlways	REG_DWORD	0xfefefefef (4294897390)
 NoiseReductionFactor	REG_DWORD	0xabc987ef (2882111471)
 ProcAmpApplyAlways	REG_DWORD	0xfefedabd (4277131965)
 ProcAmpBrightness	REG_DWORD	0xfefedabd (4277131965)
 ProcAmpContrast	REG_DWORD	0xfefedabd (4277131965)
 ProcAmpHue	REG_DWORD	0xfefedabd (4277131965)
 ProcAmpSaturation	REG_DWORD	0xfefedabd (4277131965)
 SatFactorBlue	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorCyan	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorGreen	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorMagenta	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorRed	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorYellow	REG_DWORD	0xeeeddfff (4008566783)
 SharpnessEnabledAlways	REG_DWORD	0xdecacfff (3737845759)
 SharpnessFactor	REG_DWORD	0xfabecaff (4206807807)
 SkinTone	REG_DWORD	0xcefdecfa (3472747695)
 SuperResolutionEnabled	REG_DWORD	0xbffaceff (3220885247)
 SuperResolutionMode	REG_DWORD	0xdecadeca (3737837258)
 UISharpnessOptimalEnabledAlways	REG_DWORD	0xaddeefff (2917068799)

Type all “fffedbcdafedbcda” into the **BKPDdisplayLACE** file:

- Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC
- Key: BKPDdisplayLACE
- Setting: ffffffff
- ffffffff
- Earlier setting: ffeedbc2defefefe
- Newest setting: fffedbcdafedbcda

Type all “feffacff” into the **UserSetDRRSDisableRR** file:

- Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC
- Key: UserSetDRRSDisableRR
- Setting: feffacff

Under “igfxcui” you there can even exist a folder named “dgfxcui” which is more primitive than “igfxcui” and is based on a cube graphics, and under it folder “3D” with some keys... In both folders there can be some of the keys, but I find only some necessary...

- Cosmos: f2bde2fe
- Twirl: dba2cca2
- Yrygonallya: ffd2ffee
- Degonallyya: f2bde4cd

Some of the keys have some abilities and some are too strong which is why we can use “Cartoon” instead of “cartooned”... Those keys can allow using of a system the wrong way – playing with it, which you might find unprofessional, but for some users maybe results well... When someone is playing with the system you should know that


- Cartooned: fe2bda2a
- Lymbralltyum: f2bcdaf2
- Mute: a2fedcae
- Muted: fe2edcae
- Cartoon: ffe2acde
- Descrywyall: fffc2def
- Stacyonarye:
- Estacyonarye: fffeddba

Maglow colors Elamphoreny light, Borrllandorr coding,


[illegible]

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 Global	REG_BINARY	ff ff
 GlobalN	REG_BINARY	ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff
 Yllymbralltyum	REG_DWORD	0xf2dca2ac (4074545836)
 Cartooned	REG_DWORD	0xffe2acde (4293045470)
 Mute	REG_DWORD	0xa2fedcae (2734611630)
 Descrywyall	REG_DWORD	0xffffc2def (4294716911)
 Cosmosloke	REG_DWORD	0xff23ddef (4280540655)
 Yllymbralltyum	REG_DWORD	0xfe2cdac4 (4264352461)
 Slaggya	REG_DWORD	0xf2bdacdf (4072516831)
 Stacyonarye	REG_DWORD	0xe2bdacdf (3804081375)


Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\3D



You need to type for the REG_BINARY named Global: 3 lines of “FF” code:




And for the REG_BINARY named GlobalN: 2 and a half lines of code of “FF”:



rgxfxui, drgxfxui, and etc.

Beginning idea of drgxfxui file:



Represents Yrwenholl coding of the uncoded laptop describing every possible situation where cosmos jokes should appear and where shouldn't. How user should behave and what user should do... It is in a dgxfxui file in a MISC folder, under a file Yrwenholl "9999" data – or a file named something like "Dataplet" (maybe "Datapllet") or "Bazaplet" (or maybe "Bazapllet")...

If you are not sure how each file is named, better not to create one like that, also if you are not sure how to fill it better not do it, and if you have shorter code as is REG_DWORD you should create one instead of REG_BINARY, but only if you are sure your code is smaller and it doesn't have protection with simple bans and large bans as are "EE" or "FF"...

When we are typing long REG_BINARY files we should always pay attention to the system of letters we are typing according to the named files, because we do not want to create a mistake of open system reading everything that aliens didn't allow, neither in the closed system... After you type many of the Chars you can find a mistake with a question – how can I actually do that to respect the system? And then you better not do it at all... There is another idea that you should do all of the code with Berllyngyerry (I believe being named so) coding with an idea to ban the system, which for Mergallyzyerry coding (of all files together giving a result) gives the extra hard task to do so...

- Display
 - dgfxcui
 - 11D
 - 13D
 - 4D
 - 5D
 - 7D
 - 9D
 - MISC
 - igfxcui
 - 3D
 - MediaKeys
 - MISC
 - Display3D
 - New Key #1
 - DPPT
 - Driver and Support Assistant
 - FFRTZ
 - DPPTXZ
 - GFX
 - DPPT
 - Internal
 - GFXInstaller

Name	Type	Data
(Default)	REG_SZ	(value not set)
BKPDDisplayLACE	REG_DWORD	0x23465312 (591811346)
Dataplet	REG_BINARY	56 73 01 25 20 12 39 35 67 81 02 32 67 81 02 32 95 74 30 02 23

Edit Binary Value

Value name: Dataplet

Value data:

00000000	56	73	01	25	20	12	39	35	V	s	.	%	.	9	5
00000008	67	81	02	32	67	81	02	32	g	.	.	2	g	.	2
00000010	95	74	30	02	23	65	74	02	.	t	0	.	#	e	t
00000018	67	94	67	81	05	94	93	92	g	.	g	.	.	.	.
00000020	90	12	34	56	78	01	23	90	.	.	4	V	x	.	#
00000028	23	94	67	81	23	45	67	89	#	.	g	.	#	E	g
00000030	01	23	24	25	26	27	81	01	.	#	\$	%	&	'	.
00000038															

OK Cancel

Example of maybe wrong system written codes:

- Intel
 - CollectorService
 - CrashLog
 - DGFX
 - 8D
 - DPPT
 - DGFXI
 - 12D
 - DPPT
 - Display
 - igfxcui
 - 3D
 - MediaKeys
 - MISC
 - dgfxcui
 - MISC
 - 4D
 - 5D
 - 7D
 - 9D
 - MediaKeys
 - 11D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Deguaryannallya	REG_BINARY	56 70 12 34 56 70 12 34 56 70 12 34 56 80 23 45 67 80 93 92 91 51

Edit Binary Value

Value name: Deguaryannallya

Value data:

00000000	56	70	12	34	56	70	12	34	V	p	.	4	V	p	.	4
00000008	56	70	12	34	56	80	23	45	V	p	.	4	V	.	#	E
00000010	67	80	93	92	91	56	78	01	g	.	.	.	V	x	.	
00000018	23	23	23	20	20	20	21	21	#	#	#	.	.	!	!	
00000020																

OK Cancel

- Intel
 - CollectorService
 - CrashLog
 - DGFX
 - 8D
 - DPPT
 - DGFXI
 - 12D
 - DPPT
 - Display
 - igfxcui
 - 3D
 - MediaKeys
 - MISC
 - dgfxcui
 - MISC
 - 4D
 - 5D
 - 7D
 - 9D
 - MediaKeys
 - 11D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Lenguaryya	REG_BINARY	a2 c3 b5 75 32 10 a2 53 75 32 10 23 23 23 75 32 10 23 23 23 45 62

Edit Binary Value


Value name: Lenguaryya

Value data:


00000000	A2	C3	B5	75	32	10	A2	53	¢	Ã	µ	u	2	.	¢	S
00000008	75	32	10	23	23	23	75	32	u	2	.	#	#	#	u	2
00000010	10	23	23	23	45	62	37	53	.	#	#	#	E	b	7	S
00000018	21	20	23	23	23	75	63	23	!	#	#	#	u	c	#	
00000020	21	20	20	20	20	23	23	23	!				#	#	#	
00000028	21	21	21	20	20	20	24	24	!	!	!		\$	\$		
00000030																

OK Cancel


And the solutions:




Name	Type	Data
(Default)	REG_SZ	(value not set)
Demorrzya	REG_DWORD	0x97112347 (2534482759)




Name	Type	Data
(Default)	REG_SZ	(value not set)
Degrruiya	REG_DWORD	0x95685620 (2506642976)



Name	Type	Data
(Default)	REG_SZ	(value not set)
Lenguarrya	REG_DWORD	0x75623120 (1969369376)




Name	Type	Data
(Default)	REG_SZ	(value not set)
Deguaryannallya	REG_DWORD	0x95732106 (2507350278)




Name	Type	Data
(Default)	REG_SZ	(value not set)
Fabryzzya	REG_DWORD	0x97560123 (2538996003)



Name	Type	Data
(Default)	REG_SZ	(value not set)
Fabrozzya	REG_DWORD	0x97560321 (2538996513)



Name	Type	Data
(Default)	REG_SZ	(value not set)
DBKPDDisplayLACERYA	REG_DWORD	0x23465312 (591811346)
EnableHardwareXDLUT	REG_DWORD	0xffffffff (4294967295)
Global	REG_BINARY	(zero-length binary value)
GlobalN	REG_BINARY	(zero-length binary value)



Name	Type	Data
(Default)	REG_SZ	(value not set)
DBKPDDisplayLACERYA	REG_DWORD	0x23465312 (591811346)
EnableHardwareXDLUT	REG_DWORD	0xffffffff (4294967295)
Global	REG_BINARY	(zero-length binary value)
GlobalN	REG_BINARY	(zero-length binary value)

A screenshot of the Windows Registry Editor showing a tree view. The path is: PresentMon > ProfileAgent > PSIS > SUR > Display3D > rgfxcui > DPPTX3D. The DPPTX3D folder is highlighted with a grey selection box. Other folders visible include DPPT, PSIS_DECODER, ESRV_SVC_QUEENCREEK, ICIP, ICIP_RUN, Installers, TelemetryAgent, and MISC.


Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableXDPPTTemporarily	REG_BINARY	22 34 65 12 02 32 46 89
EnableHardwareXDLUT	REG_DWORD	0xffffffff (4294967295)

First of all those values were not that good... Not according to meaningful model as is cosmos (Yrrygonallya, Degonnallya) and first of all this values are short – DWORD and not QWORD which has their coding in question of their value...


IGFX\DPP

There is one more thing to add:

- Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\DPP



Suggested values:



Edit Binary Value



Value name:

New Value #1

Value data:

00000058	00	FF	EE	DD	CC	BB	AA	99	. ÿ î Ý Ì » ¢ .
00000060	88	77	66	55	44	33	22	11	. w f U D 3 " .
00000068	00	BE	BE	CE	DE	F9	87	65	. ¼ ¼ Î Þ ù . e
00000070	43	21	00	CD	BA	97	52	10	C ! . Í ¢ . R .
00000078	33	44	55	66	77	88	99	AB	3 D U f w . . «
00000080	CD	EF	98	76	54	32	10	11	Í ì . v T 2 . .
00000088	22	33	44	55	66	77	88	99	" 3 D U f w . .
00000090	AA	BB	CC	DD	EE	FF	FE	FE	¢ » Ì Ý î ÿ þ þ
00000098	FE	CA	FF	FF	DE	CA	FF	FE	þ Ê ÿ ÿ Þ Ê ÿ þ
000000A0	EE	DD	DC	CC	BB	BA	AA	99	î Ý Ü Ì » ¢ ¢ .
000000A8	98	88	77	76	66	55	54	44	. . w v f U T D
000000B0	33	33	33	44	44	55	55	55	3 3 " " "

OK

Cancel

Edit Binary Value

Value name:

New Value #1

Value data:

000000B0	33	32	22	11	10	00	FF	FF	3 2 " . . . Ÿ Ÿ
000000B8	FF	FF	FF	FF	FF	FF	FE	DC	Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ
000000C0	BA	98	76	54	32	10	FF	FF	° . v T 2 . Ÿ Ÿ
000000C8	FF	FF	BC	AD	DC	AA	FF	FF	Ÿ Ÿ % - Ü ¢ Ÿ Ÿ
000000D0	FF	FF	FE	CA	DE	CA	FF	FF	Ÿ Ÿ þ Ê Þ Ê Ÿ Ÿ
000000D8	FF	FF	FE	FE	DC	AB	FF	FF	Ÿ Ÿ þ þ Ü « Ÿ Ÿ
000000E0	FF	FF	EE	ED	BA	CD	FF	FF	Ÿ Ÿ î î ¢ Í Ÿ Ÿ
000000E8	FF	FF	FE	AC	DB	32	10	00	Ÿ Ÿ þ ~ Û 2 . .
000000F0	00	00	FF	FF	FF	FF	FF	DF	. . Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ
000000F8	C2	DA	FF	FF	FF	FF	FF	EF	Â Ú Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ
00000100	DF	DF	FF	FF	FF	FF	42	41	ß ß Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ

OK

Cancel

Edit Binary Value

Value name:

New Value #1

Value data:

00000108	40	EF	FF	FF	FF	FF	B2	DC	@ ï Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ
00000110	A2	FF	FF	FF	FF	FF	D2	CD	¢ Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ
00000118	F2	DF	FF	FF	FF	FF	FF	FF	ò ß Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ
00000120	FF	FF	EF	EF	EF	A1	A4	A6	Ÿ Ÿ î î î î î î
00000128	A8	AA	AA	AA	B0	BB	BB	BB	" ¢ ¢ ¢ ¢ » » »
00000130	C3	CD	CD	CD	D4	D6	D8	EE	Ã í í í Ò Ò Ø î
00000138	EE	EE	EF	EF	EF	EE	EE	EE	î î î î î î î î
00000140	EE	EE	EE	EE	EE	EE	EF	2C	î î î î î î î î
00000148	DB	AF	EE	EE	EE	EE	F2	BD	Û ~ î î î î ò %
00000150	E2	FE	EE	EE	EE	EE	FD	AB	â þ î î î î î Ÿ «
00000158	FA	2F	EE	EE	EE	EE	DB	A2	ú / î î î î î Û ¢

OK

Cancel

Edit Binary Value

Value name:
New Value #1

Value data:

00000160	CC	A2	EE	EE	EE	EE	FF	D2	Ï	ç	î	î	î	î	ÿ	ò
00000168	FF	EE	EE	EE	EE	EE	F2	FE	ÿ	î	î	î	î	î	ò	þ
00000170	BA	CD	EE	EE	EE	EE	FF	23	º	í	î	î	î	î	ÿ	#
00000178	DD	EF	EE	EE	EE	EE	FF	E2	Ý	î	î	î	î	î	ÿ	â
00000180	AC	DE	EE	EE	EE	EE	E2	BD	ˆ	þ	î	î	î	î	â	¼
00000188	AC	DF	EE	EE	EE	EE	FF	FE	ˆ	ß	î	î	î	î	ÿ	þ
00000190	DD	BA	EE	EE	EE	EE	EE	EE	Ý	º	î	î	î	î	î	î
00000198	EE	EE	EE	EE	EE	EF	EE	ED	î	î	î	î	î	î	î	í
000001A0	EC	EB	EA	E9	E8	E7	E6	E5	î	ë	ê	é	è	ç	æ	å
000001A8	E4	E3	E2	E1	E0	EE	EE	EE	ä	ä	ä	á	à	î	î	î
000001B0	EE	FF	FF	FF	FF	EF	FF	EF	î	ÿ	ÿ	ÿ	ÿ	ÿ	î	ï
000001B8	FF	FF	FF	FF	FF	FF	FF	FF	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ	ˆ

OK
Cancel

Edit Binary Value


Value name:
New Value #1

Value data:


00000168	FF	EE	EE	EE	EE	EE	F2	FE	ÿ	î	î	î	î	î	ò	þ
00000170	BA	CD	EE	EE	EE	EE	FF	23	º	í	î	î	î	î	ÿ	#
00000178	DD	EF	EE	EE	EE	EE	FF	E2	Ý	î	î	î	î	î	ÿ	â
00000180	AC	DE	EE	EE	EE	EE	E2	BD	ˆ	þ	î	î	î	î	â	¼
00000188	AC	DF	EE	EE	EE	EE	FF	FE	ˆ	ß	î	î	î	î	ÿ	þ
00000190	DD	BA	EE	EE	EE	EE	EE	EE	Ý	º	î	î	î	î	î	î
00000198	EE	EE	EE	EE	EE	EF	EE	ED	î	î	î	î	î	î	î	í
000001A0	EC	EB	EA	E9	E8	E7	E6	E5	î	ë	ê	é	è	ç	æ	å
000001A8	E4	E3	E2	E1	E0	EE	EE	EE	ä	ä	ä	á	à	î	î	î
000001B0	EE	FF	FF	FF	FF	EF	FF	EF	î	ÿ	ÿ	ÿ	ÿ	ÿ	î	ï
000001B8	FF	EF	FF	FF	FF	FF	FF	FF	ÿ	î	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ

OK
Cancel


This code is based on some not fully made forbiddance (not fully made because it doesn't give any descriptions or advices) with an idea that we start from the greatest letter "F" and if we mix and code the code into the "Yrrygonallya" complex model as is meaningful model "cosmos" we can get "FF", then we want all the letters and numbers included so the first line of code is: "99 88 77 66 55 44 33 22 11 00 FF EE DD CC BB AA", and if we start with numbers in coded and mixed Yrrygonallya we would get police protection, then letters would give us army protection... Second repeating of that line of code would normalize the protection and third would bring it to life...




Then we have the reducing of the protection to a regular level with these lines of code:



The next lines of code rarely few will understand, maybe even me...



“BE” is “yrrygonall” (cosmos jokes left for the marks of meaning of something) code of the display for where we have been and what we have done... Double that would require a next chapter of code (so double that is prolonging of code) and if fully Hexa coded word fits into “Yrrygonallya” then after “BE BE” we would need to finish (as something that has been repeating – fractal, that fits into a particular model – for example “Yrrygonallya” or much simpler and better to understand “cosmos”) – “CE DE” which would mean extra complexing of the ban and the “descriptions to come” of those cosmos jokes appearing on the screen... “F9 87 65 43 21 00” would represent complexing of the data on the extreme level, so when we think on the level of imagining as much as we can achieve with our thought that much cosmos jokes would appear of what has been happening with us... “CD BA 97 52 10” represents how much we need and it says we need all of the data... You will find the name of the file “DPPT” – which by coding and mixing of the word and after playing with “Yrrygonallya” model and “fractal to cosmos” idea – we can find out that probably our data is complexed thanks to the previous code we had and after the “BE BE CE DE F9 87 65 43 21 00” if we connect what is there repeating of a single hexa digit as is for example “0” – “1”, and implement that into the “CD BA” we would get the vertical rectangle with the data included as is: “97 52 10” meaning: “only necessary data to appear, in short sentences that are complete”... That Extrapolation of the data we would get with increasing the:



After that I have typed a complete and most complex ban of that data: “FE FE FE CA”, and allowing of the data: “FF FF DE CA”... “FFF EEE DDD CCC BBB AAA 999 888 777 666 555 444 333 222 111 000” relies on complexing the need of the data showing and the variety of an ideas for the data to appear thanks to how we are feeling... “FE FE CA DE CA” has something to do with 3DLUT and it is connection part to the complexed data in between “3DLUT” and the “DPPT”...

From Cosmos History “Mergallyezzerre” named being (belonging to DezAllystawrya model for beings) coding involves coding all files into the scheme of code, how only computer knows to get a real result... That idea “How computer knows” is named “Berslanderr” coding... “Berslanderr” is a name of “NaxAllystawrya” being that was thinking about the idea how all files can be connected all together by implementing a coding algorithm to connect all files and even for a computer to have an idea of implementing files for which particular devices don’t have a written specification...

Mergallyzzarye code connects the data all together – one file with another where one file is coded by implementing the extrapolation of the hex values from “0” to “F” and getting full word of 8 hex values, and all those files together in the end need to make sense...

Boffer code – is for how coded the code is – 8 times “FF” for the stopping of the device, 4 times “FF” in between the “density lines” – the meaningful part of the code... Effer code – represents the values that are “spinning in circle” – and are used to get extrapolation of the data that comes to our mind... Deffer code is there to explain everything and to give a meaning to hex values, hex files and is even able to create the new files and implement them into a code (here “Registry editor”) even if those files are not planned... Noffer code is there to represent the connection even in between the stopping code and the values in

between, and in between the mixture of 3D ideas of the files where we mix both of the hex values of one file with another to get the idea of the 3D image...

To be honest that 3D image is there to represent cosmos joke that we can see on the display or the one that we can learn intuitively. The point is that those things we are doing, we can pull from the smart system and we can learn them efficiently... The system doesn't need to be enabled at all, but by the regulations of the design we are there to at least learn to behave the way the design is requiring...

3DLUT settings are:

- “EnableHardware3DLUT” setting should be in the correlation with the ending of the file “DPPT” and those 2 codes should somehow represent life...

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	f0 dd a0 63 47 02 00 00 80 35 b6 61 47 02 00 00
 EnableHardware3DLUT	REG_DWORD	0xf2decdef (4074687983)
 Global	REG_BINARY	fa bd cd fc de ff ff ff ff ee ee ee ee ee ee ee
 GlobalN	REG_BINARY	ff 2f fd ce ff ff ff ff ee ee ee ee ee ee ee ee

Previous not pleasing values ideas:

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	00 00 00 00
 EnableHardware3DLUT	REG_DWORD	0x43210567 (1126237543)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 DisableDPPTemporarily	REG_BINARY	77 00 77 00
 EnableHardware3DLUT	REG_DWORD	0x00003210 (12816)

DWORD: “EnableHardware3DLUT”:

- For underworld codes which are maybe only for the environment around you: 43210567
- Life with begging: 56710234
- For 3D feeling for no reason: 22224411
- Fine for work: 75692320
- For shutting down the wrong things: 3210
- For turning on the thinking idea: 6543210
- For necessary: 43210


- Night light: Ban, fun, entertainment: 23153021
- Night light: Life: fdbacdaf
- No Exit: 0xaaaaaaaa0

Interesting undefined ideas for the 3DLUT settings are:

- cdafccfc
- 23153021
- bebeca
- cebebeca
- cacabeca
- ffffedca
- Complexed: decabeca
- Fbacdfaf
- fffedbca
- fbacdfaf
- ff2a4cdf

New keys

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\DPPT



Post scriptum

Here you can find my previous, not well made, settings of the address:

- Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\Media

You can look at these images down below just for informational purposes...

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_DWORD	0xfffffedbc (4294962620)
 EnableACE	REG_DWORD	0xfffffedbc (4294962620)
 EnableFMD	REG_DWORD	0xfffffedbc (4294962620)
 EnableIS	REG_DWORD	0xfffffedbc (4294962620)
 EnableNLAS	REG_DWORD	0xfffffedbc (4294962620)
 EnableSTE	REG_DWORD	0xfffffedbc (4294962620)
 EnableSuperResolution	REG_DWORD	0xfffffedbc (4294962620)
 EnableTCC	REG_DWORD	0xfffffedbc (4294962620)
 GCompMode	REG_DWORD	0x4444dbed (1145363437)
 GExpMode	REG_DWORD	0x999fedbd (2577395133)
 InputYUVRange	REG_DWORD	0xffff123 (4294963491)
 NLASHLinearRegion	REG_DWORD	0xefffffe (4026531838)
 NLASNonLinearCrop	REG_DWORD	0xfeeeeeeef (4277071599)
 NLASVerticalCrop	REG_DWORD	0xfeeffeef (4277141231)
 NoiseReductionAutoDetectEnabledAlways	REG_DWORD	0xffbecaaa (4290693802)
 NoiseReductionEnableChroma	REG_DWORD	0xffffeeee (4294897390)
 NoiseReductionEnabledAlways	REG_DWORD	0xffffeeee (4294897390)
 NoiseReductionFactor	REG_DWORD	0xabc987ef (2882111471)
 ProcAmpApplyAlways	REG_DWORD	0xfeefdabd (4277131965)
 ProcAmpBrightness	REG_DWORD	0xfeefdabd (4277131965)
 ProcAmpContrast	REG_DWORD	0xfeefdabd (4277131965)
 ProcAmpHue	REG_DWORD	0xfeefdabd (4277131965)
 ProcAmpSaturation	REG_DWORD	0xfeefdabd (4277131965)
 SatFactorBlue	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorCyan	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorGreen	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorMagenta	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorRed	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorYellow	REG_DWORD	0xeeeddfff (4008566783)
 SharpnessEnabledAlways	REG_DWORD	0xdecaffff (3737845759)
 SharpnessFactor	REG_DWORD	0xfabecaff (4206807807)
 SkinTone	REG_DWORD	0xcefdecaf (3472747695)
 SuperResolutionEnabled	REG_DWORD	0xbffaceff (3220885247)
 SuperResolutionMode	REG_DWORD	0xdecadeca (3737837258)
 UISharpnessOptimalEnabledAlways	REG_DWORD	0xaddeefff (2917068799)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_DWORD	0x92715432 (2456900658)
 EnableACE	REG_DWORD	0x92715432 (2456900658)
 EnableFMD	REG_DWORD	0x92715432 (2456900658)
 EnableIS	REG_DWORD	0x92715432 (2456900658)
 EnableNLAS	REG_DWORD	0x92715432 (2456900658)
 EnableSTE	REG_DWORD	0x92715432 (2456900658)
 EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
 EnableTCC	REG_DWORD	0x43bdcecf (1136512719)
 GCompMode	REG_DWORD	0x92715432 (2456900658)
 GExpMode	REG_DWORD	0x92715432 (2456900658)
 InputYUVRange	REG_DWORD	0xffffffff (4294967295)
 NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
 NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
 NLASVerticalCrop	REG_DWORD	0x00000000 (0)
 NoiseReductionAutoDetectEnabledAlways	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
 ProcAmpApplyAlways	REG_DWORD	0xfafbdcf (4210810110)
 ProcAmpBrightness	REG_DWORD	0xfeeeeeeef (4277071599)
 ProcAmpContrast	REG_DWORD	0xfeeeeeeef (4277071599)
 ProcAmpHue	REG_DWORD	0xfeeeeeeef (4277071599)
 ProcAmpSaturation	REG_DWORD	0xfeeeeeeef (4277071599)
 SatFactorBlue	REG_DWORD	0x000000a0 (160)
 SatFactorCyan	REG_DWORD	0x000000a0 (160)
 SatFactorGreen	REG_DWORD	0x000000a0 (160)
 SatFactorMagenta	REG_DWORD	0x000000a0 (160)
 SatFactorRed	REG_DWORD	0x000000a0 (160)
 SatFactorYellow	REG_DWORD	0x000000a0 (160)
 SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
 SharpnessFactor	REG_DWORD	0x123da230 (306029104)
 SkinTone	REG_DWORD	0xdc321043 (3694268483)
 SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
 SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
 UISharpnessOptimalEnabledAlways	REG_DWORD	0xfedafdaf (4275764655)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_DWORD	0x92715432 (2456900658)
 EnableACE	REG_DWORD	0x92715432 (2456900658)
 EnableFMD	REG_DWORD	0x92715432 (2456900658)
 EnableIS	REG_DWORD	0x92715432 (2456900658)
 EnableNLAS	REG_DWORD	0x92715432 (2456900658)
 EnableSTE	REG_DWORD	0x92715432 (2456900658)
 EnableSuperResolution	REG_DWORD	0xdfcabcd9 (3756702937)
 EnableTCC	REG_DWORD	0x43bdcecf (1136512719)
 GCompMode	REG_DWORD	0x92715432 (2456900658)
 GExpMode	REG_DWORD	0x92715432 (2456900658)
 InputYUVRange	REG_DWORD	0xffffffff (4294967295)
 NLASLinearRegion	REG_DWORD	0xffffffff (4294967295)
 NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
 NLASVerticalCrop	REG_DWORD	0x00000000 (0)
 NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
 ProcAmpApplyAlways	REG_DWORD	0xfafbdcf (4210810110)
 ProcAmpBrightness	REG_DWORD	0xfefefef (4277071599)
 ProcAmpContrast	REG_DWORD	0xfefefef (4277071599)
 ProcAmpHue	REG_DWORD	0xfefefef (4277071599)
 ProcAmpSaturation	REG_DWORD	0xfefefef (4277071599)
 SatFactorBlue	REG_DWORD	0x000000a0 (160)
 SatFactorCyan	REG_DWORD	0x000000a0 (160)
 SatFactorGreen	REG_DWORD	0x000000a0 (160)
 SatFactorMagenta	REG_DWORD	0x000000a0 (160)
 SatFactorRed	REG_DWORD	0x000000a0 (160)
 SatFactorYellow	REG_DWORD	0x000000a0 (160)
 SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
 SharpnessFactor	REG_DWORD	0x123da230 (306029104)
 SkinTone	REG_DWORD	0xdc321043 (3694268483)
 SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
 SuperResolutionMode	REG_DWORD	0xfed0321 (4272751393)
 UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedafdaf (4275764655)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_DWORD	0x92715432 (2456900658)
 EnableACE	REG_DWORD	0x92715432 (2456900658)
 EnableFMD	REG_DWORD	0x92715432 (2456900658)
 EnableIS	REG_DWORD	0x92715432 (2456900658)
 EnableNLAS	REG_DWORD	0x92715432 (2456900658)
 EnableSTE	REG_DWORD	0x92715432 (2456900658)
 EnableSuperResolution	REG_DWORD	0xdfcabcd9 (3756702937)
 EnableTCC	REG_DWORD	0x43bdcecf (1136512719)
 GCompMode	REG_DWORD	0x92715432 (2456900658)
 GExpMode	REG_DWORD	0x92715432 (2456900658)
 InputYUVRange	REG_DWORD	0xffffffff (4294967295)
 NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
 NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
 NLASVerticalCrop	REG_DWORD	0x00000000 (0)
 NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
 ProcAmpApplyAlways	REG_DWORD	0xfafbdcf (4210810110)
 ProcAmpBrightness	REG_DWORD	0xfefefef (4277071599)
 ProcAmpContrast	REG_DWORD	0xfefefef (4277071599)
 ProcAmpHue	REG_DWORD	0xfefefef (4277071599)
 ProcAmpSaturation	REG_DWORD	0xfefefef (4277071599)
 SatFactorBlue	REG_DWORD	0x000000a0 (160)
 SatFactorCyan	REG_DWORD	0x000000a0 (160)
 SatFactorGreen	REG_DWORD	0x000000a0 (160)
 SatFactorMagenta	REG_DWORD	0x000000a0 (160)
 SatFactorRed	REG_DWORD	0x000000a0 (160)
 SatFactorYellow	REG_DWORD	0x000000a0 (160)
 SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
 SharpnessFactor	REG_DWORD	0x123da230 (306029104)
 SkinTone	REG_DWORD	0xdc321043 (3694268483)
 SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
 SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
 UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedafdaf (4275764655)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_DWORD	0x43bdcecf (1136512719)
 EnableACE	REG_DWORD	0x43bdcecf (1136512719)
 EnableFMD	REG_DWORD	0x43bdcecf (1136512719)
 EnableIS	REG_DWORD	0x43bdcecf (1136512719)
 EnableNLAS	REG_DWORD	0x43bdcecf (1136512719)
 EnableSTE	REG_DWORD	0x43bdcecf (1136512719)
 EnableSuperResolution	REG_DWORD	0xdfabcd9 (3756702937)
 EnableTCC	REG_DWORD	0x43bdcecf (1136512719)
 GCompMode	REG_DWORD	0x43bdcecf (1136512719)
 GExpMode	REG_DWORD	0xdfbdfeb (3756777451)
 InputYUVRange	REG_DWORD	0xffffffff (4294967295)
 NLASLinearRegion	REG_DWORD	0xffffffff (4294967295)
 NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
 NLASVerticalCrop	REG_DWORD	0x00000000 (0)
 NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
 ProcAmpApplyAlways	REG_DWORD	0xfafbdce (4210810110)
 ProcAmpBrightness	REG_DWORD	0xfeeeeeef (4277071599)
 ProcAmpContrast	REG_DWORD	0xfeeeeeef (4277071599)
 ProcAmpHue	REG_DWORD	0xfeeeeeef (4277071599)
 ProcAmpSaturation	REG_DWORD	0xfeeeeeef (4277071599)
 SatFactorBlue	REG_DWORD	0x000000a0 (160)
 SatFactorCyan	REG_DWORD	0x000000a0 (160)
 SatFactorGreen	REG_DWORD	0x000000a0 (160)
 SatFactorMagenta	REG_DWORD	0x000000a0 (160)
 SatFactorRed	REG_DWORD	0x000000a0 (160)
 SatFactorYellow	REG_DWORD	0x000000a0 (160)
 SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
 SharpnessFactor	REG_DWORD	0x123da230 (306029104)
 SkinTone	REG_DWORD	0xfedc3217 (4275843607)
 SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
 SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
 UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedafdaf (4275764655)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_DWORD	0xfcfcfcfc (4244438268)
 EnableACE	REG_DWORD	0xfcfcfcfc (4244438268)
 EnableFMD	REG_DWORD	0xfcfcfcfc (4244438268)
 EnableIS	REG_DWORD	0xfcfcfcfc (4244438268)
 EnableNLAS	REG_DWORD	0xfcfcfcfc (4244438268)
 EnableSTE	REG_DWORD	0xfcfcfcfc (4244438268)
 EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
 EnableTCC	REG_DWORD	0xfcfcfcfc (4244438268)
 GCompMode	REG_DWORD	0xc0000000 (3435973836)
 GExpMode	REG_DWORD	0xffffffff (4294967295)
 InputYUVRange	REG_DWORD	0xffffffff (4294967295)
 NLASLinearRegion	REG_DWORD	0xffffffff (4294967295)
 NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
 NLASVerticalCrop	REG_DWORD	0x00000000 (0)
 NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
 ProcAmpApplyAlways	REG_DWORD	0xfafbdcf (4210810110)
 ProcAmpBrightness	REG_DWORD	0xfefefef (4277071599)
 ProcAmpContrast	REG_DWORD	0xfefefef (4277071599)
 ProcAmpHue	REG_DWORD	0xfefefef (4277071599)
 ProcAmpSaturation	REG_DWORD	0xfefefef (4277071599)
 SatFactorBlue	REG_DWORD	0x000000a0 (160)
 SatFactorCyan	REG_DWORD	0x000000a0 (160)
 SatFactorGreen	REG_DWORD	0x000000a0 (160)
 SatFactorMagenta	REG_DWORD	0x000000a0 (160)
 SatFactorRed	REG_DWORD	0x000000a0 (160)
 SatFactorYellow	REG_DWORD	0x000000a0 (160)
 SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
 SharpnessFactor	REG_DWORD	0x123da230 (306029104)
 SkinTone	REG_DWORD	0xfedc3210 (4275843600)
 SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
 SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
 UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedafdaf (4275764655)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_DWORD	0xacacacac (2896997548)
 EnableACE	REG_DWORD	0xacacacac (2896997548)
 EnableFMD	REG_DWORD	0xacacacac (2896997548)
 EnableIS	REG_DWORD	0xacacacac (2896997548)
 EnableNLAS	REG_DWORD	0xacacacac (2896997548)
 EnableSTE	REG_DWORD	0xacacacac (2896997548)
 EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
 EnableTCC	REG_DWORD	0xacacacac (2896997548)
 GCompMode	REG_DWORD	0xc0000000 (3435973836)
 GExpMode	REG_DWORD	0xaaaaaaaa (2863311530)
 InputYUVRange	REG_DWORD	0xffffffff (4294967295)
 NLASLinearRegion	REG_DWORD	0xffffffff (4294967295)
 NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
 NLASVerticalCrop	REG_DWORD	0x00000000 (0)
 NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
 ProcAmpApplyAlways	REG_DWORD	0xfafbdcf (4210810110)
 ProcAmpBrightness	REG_DWORD	0xfefefef (4277071599)
 ProcAmpContrast	REG_DWORD	0xfefefef (4277071599)
 ProcAmpHue	REG_DWORD	0xfefefef (4277071599)
 ProcAmpSaturation	REG_DWORD	0xfefefef (4277071599)
 SatFactorBlue	REG_DWORD	0x000000a0 (160)
 SatFactorCyan	REG_DWORD	0x000000a0 (160)
 SatFactorGreen	REG_DWORD	0x000000a0 (160)
 SatFactorMagenta	REG_DWORD	0x000000a0 (160)
 SatFactorRed	REG_DWORD	0x000000a0 (160)
 SatFactorYellow	REG_DWORD	0x000000a0 (160)
 SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
 SharpnessFactor	REG_DWORD	0x123da230 (306029104)
 SkinTone	REG_DWORD	0xfedc3210 (4275843600)
 SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
 SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
 UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedafdaf (4275764655)


Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_DWORD	0xeeeeeeee (4008636142)
 EnableACE	REG_DWORD	0xfefefefe (4278124286)
 EnableFMD	REG_DWORD	0xfefefefe (4278124286)
 EnableIS	REG_DWORD	0xfefefefe (4278124286)
 EnableNLAS	REG_DWORD	0xfefefefe (4278124286)
 EnableSTE	REG_DWORD	0xfefefefe (4278124286)
 EnableSuperResolu...	REG_DWORD	0x12345678 (305419896)
 EnableTCC	REG_DWORD	0xfefefefe (4278124286)
 GCompMode	REG_DWORD	0xfefefefe (4278124286)
 GExpMode	REG_DWORD	0xfefefefe (4278124286)
 InputYUVRange	REG_DWORD	0xffffffff (4294967295)
 NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
 NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
 NLASVerticalCrop	REG_DWORD	0x00000000 (0)
 NoiseReductionAut...	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEna...	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionEna...	REG_DWORD	0xffffffff (4294967295)
 NoiseReductionFac...	REG_DWORD	0xffffffff (4294967295)
 ProcAmpApplyAlw...	REG_DWORD	0xfafbdcf (4210810110)
 ProcAmpBrightness	REG_DWORD	0x22222222 (572662306)
 ProcAmpContrast	REG_DWORD	0xffffffff (4294967295)
 ProcAmpHue	REG_DWORD	0x33333333 (858993459)
 ProcAmpSaturation	REG_DWORD	0xeeeeeeee (4008636142)
 SatFactorBlue	REG_DWORD	0x000000a0 (160)
 SatFactorCyan	REG_DWORD	0x000000a0 (160)
 SatFactorGreen	REG_DWORD	0x000000a0 (160)
 SatFactorMagenta	REG_DWORD	0x000000a0 (160)
 SatFactorRed	REG_DWORD	0x000000a0 (160)
 SatFactorYellow	REG_DWORD	0x000000a0 (160)
 SharpnessEnabled...	REG_DWORD	0x77777777 (2004318071)
 SharpnessFactor	REG_DWORD	0x123da230 (306029104)
 SkinTone	REG_DWORD	0xfedc3210 (4275843600)
 SuperResolutionEn...	REG_DWORD	0xdfceabfd (3754863613)
 SuperResolutionM...	REG_DWORD	0xfead0321 (4272751393)
 UISharpnessOptim...	REG_DWORD	0xfedafdaf (4275764655)

Name	Type	Data
 (Default)	RE...	(value not set)
 AceLevel	RE...	0xececece (4008636142)
 EnableACE	RE...	0xfefefefe (4278124286)
 EnableFMD	RE...	0xfefefefe (4278124286)
 EnableIS	RE...	0xfefefefe (4278124286)
 EnableNLAS	RE...	0xfefefefe (4278124286)
 EnableSTE	RE...	0xfefefefe (4278124286)
 EnableSuperResolution	RE...	0x12345678 (305419896)
 EnableTCC	RE...	0xfefefefe (4278124286)
 GCompMode	RE...	0xfefefefe (4278124286)
 GExpMode	RE...	0xfefefefe (4278124286)
 InputYUVRange	RE...	0xffffffff (4294967295)
 NLASHLinearRegion	RE...	0xffffffff (4294967295)
 NLASNonLinearCrop	RE...	0x00000000 (0)
 NLASVerticalCrop	RE...	0x00000000 (0)
 NoiseReductionAutoDetectEnabledAlways	RE...	0xffffffff (4294967295)
 NoiseReductionEnableChroma	RE...	0xffffffff (4294967295)
 NoiseReductionEnabledAlways	RE...	0xffffffff (4294967295)
 NoiseReductionFactor	RE...	0xffffffff (4294967295)
 ProcAmpApplyAlways	RE...	0xfafbdcf (4210810110)
 ProcAmpBrightness	RE...	0x22222222 (572662306)
 ProcAmpContrast	RE...	0xffffffff (4294967295)
 ProcAmpHue	RE...	0x33333333 (858993459)
 ProcAmpSaturation	RE...	0xececece (4008636142)
 SatFactorBlue	RE...	0x000000a0 (160)
 SatFactorCyan	RE...	0x000000a0 (160)
 SatFactorGreen	RE...	0x000000a0 (160)
 SatFactorMagenta	RE...	0x000000a0 (160)
 SatFactorRed	RE...	0x000000a0 (160)
 SatFactorYellow	RE...	0x000000a0 (160)
 SharpnessEnabledAlways	RE...	0x77777777 (2004318071)
 SharpnessFactor	RE...	0x123da230 (306029104)
 SkinTone	RE...	0xfedc3210 (4275843600)
 SuperResolutionEnabled	RE...	0xf6f5f4f3 (4143314163)
 SuperResolutionMode	RE...	0xfefefefe (4278124286)
 UISharpnessOptimalEnabledAlways	RE...	0xfedaafdaf (4275764655)


Name	Type	Data
 (Default)	RE...	(value not set)
 AceLevel	RE...	0xfefefefe (4278124286)
 EnableACE	RE...	0xfefefefe (4278124286)
 EnableFMD	RE...	0xfefefefe (4278124286)
 EnableIS	RE...	0xfefefefe (4278124286)
 EnableNLAS	RE...	0xfefefefe (4278124286)
 EnableSTE	RE...	0xfefefefe (4278124286)
 EnableSuperResolution	RE...	0xfefefefe (4278124286)
 EnableTCC	RE...	0xfefefefe (4278124286)
 GCompMode	RE...	0xfefefefe (4278124286)
 GExpMode	RE...	0xfefefefe (4278124286)
 InputYUVRange	RE...	0xffffffff (4294967295)
 NLASLinearRegion	RE...	0xffffffff (4294967295)
 NLASNonLinearCrop	RE...	0x00000000 (0)
 NLASVerticalCrop	RE...	0x00000000 (0)
 NoiseReductionAutoDetectEnabledAlways	RE...	0x00000001 (1)
 NoiseReductionEnableChroma	RE...	0x00000001 (1)
 NoiseReductionEnabledAlways	RE...	0x00000001 (1)
 NoiseReductionFactor	RE...	0xffffffff (4294967295)
 ProcAmpApplyAlways	RE...	0x00000000 (0)
 ProcAmpBrightness	RE...	0x00000000 (0)
 ProcAmpContrast	RE...	0x3f800000 (1065353216)
 ProcAmpHue	RE...	0x00000000 (0)
 ProcAmpSaturation	RE...	0x3f800000 (1065353216)
 SatFactorBlue	RE...	0x000000a0 (160)
 SatFactorCyan	RE...	0x000000a0 (160)
 SatFactorGreen	RE...	0x000000a0 (160)
 SatFactorMagenta	RE...	0x000000a0 (160)
 SatFactorRed	RE...	0x000000a0 (160)
 SatFactorYellow	RE...	0x000000a0 (160)
 SharpnessEnabledAlways	RE...	0x00000001 (1)
 SharpnessFactor	RE...	0x123da230 (306029104)
 SkinTone	RE...	0xfedc3210 (4275843600)
 SuperResolutionEnabled	RE...	0xf2da4fed (4074393581)
 SuperResolutionMode	RE...	0x324defdf (843968479)
 UISharpnessOptimalEnabledAlways	RE...	0x00000001 (1)

FFRTXZ

DPPTXZ




Name	Type	Data
(Default)	REG_SZ	(value not set)
Brotallya	REG_DWORD	0xffffffff (4294967295)
GlobalF	REG_DWORD	0xffffffff (4294967295)
GlobalFF	REG_DWORD	0xffffffff (4294967295)
GlobalFFFF	REG_DWORD	0xffffffff (4294967295)
GlobalFFFFF	REG_DWORD	0xffffffff (4294967295)



Name	Type	Data
(Default)	REG_SZ	(value not set)
Brotallya	REG_DWORD	0xfefededef (4278116063)
GlobalF	REG_DWORD	0xfafdfdef (4210949615)
GlobalFF	REG_DWORD	0xf2dfdaa2 (4074756770)

FRTXZ



Name	Type	Data
(Default)	REG_SZ	(value not set)
Dellante	REG_DWORD	0xffffffff (4294967295)
Ferante	REG_DWORD	0xffffffff (4294967295)
LocalF	REG_DWORD	0xffffffff (4294967295)
LocalFF	REG_DWORD	0xffffffff (4294967295)
Orante	REG_DWORD	0xffffffff (4294967295)
Rante	REG_DWORD	0xffffffff (4294967295)

If you want to allow:

- Dellante you should use “fafadafa” (as some primitive planets knew so) or “fefedefe”...
- Rante: 2a2a2a2a, 2b2adca2
- Orante: 23232323, f23dbaf2
- Ferante: fdffdfdf
- Adyllante: f2dcabfd, fbdcafdb

Earlier values not implemented are for “Global”: “F2DF2AF2” – extrowallyattarry ban –


on all and everything but reading only allowed things... For the file “GlobalN”:

“AFDFEDDF” we have Nonbralltyya ban on reading banned things... Because you do

actually need to ban idea of global (usually alien reading for smart beings) and there are

“symbols” (words)

QPTXZ



Name	Type	Data
(Default)	REG_SZ	(value not set)
GlobalF	REG_DWORD	0xffffffff (4294967295)
GlobalFF	REG_DWORD	0xffffffff (4294967295)
GlobalFFFF	REG_DWORD	0xffffffff (4294967295)
GlobalFFFFF	REG_DWORD	0xffffffff (4294967295)

“HKEY_LOCAL_MACHINE\SOFTWARE\Intel” Folders

Under a key: “Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel” I had these keys:


- DDRTZ
 - DPPT
- DGFX
 - 6D
 - 7D
 - 8D
 - DPPT
- DGFXI
 - 9D
 - 10D
 - 11D
 - 12D
- DPPT
- FFRTZ
 - DPPTXZ
 - FRTXZ
- GFX
 - DPPT
- IGFX
 - 2D
 - 3D
 - 4D
 - 5D
 - DPP
 - DPPT
- PSIS
 - DPPT
- SUR
 - DPPT
- DRGFXZ
 - MISC
 - DPPTXZ

Notice that under the Key “IGFX” there is a Key “DPP”, I renamed it to “DPPT” for the hope of a better system... But that didn’t help much... The point is that connected Keys and the Data in the QWORD creates a fully valued system and some long words can’t be usually shortened to a programmed code as is “DRTZ” from the “Deggennerreyyazzattyonall” – which means involvement of the watches...

Under below you will find the images of the files with codes you need to open and fill into Registry Editor.

When you find a “REG_DWORD” file named: “EnableHardware3DLUT” you should rename it to the “EnableHardwareDLUT”.

Old photos and some of the values:




Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\ZTX

- 5D
- ▼ ZTX
 - 15D
 - 16D
 - 17D
 - 18D
 - 19D
- ▼ ZTZ
 - 30D
 - 50D
- ▼ PSIS
 - PSIS_DECODER
- ▼ Qupystallya
 - ▼ QZT
 - ▼ ZTZ
 - 5000DQZ
- Qzembrya
- ▼ RPGZX
 - QZQ
 - QZT
- ▼ SUR
 - ESRV_SVC_QUEENCREEK
 - ICIP
 - ICIP_RUN
 - > Installers
- TelemetryAgent
- ▼ TRST
 - ▼ ZTC
 - ▼ AFD
 - 100D
 - 500D
 - ▼ ZTX
 - 1000D
 - ▼ ZTZ
 - 5000D
- Zygollarmanttyyanallyannya




Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST

- ▼ PRST
 - ▼ BCB
 - QQX
 - ▼ BRC
 - DQX
 - ▼ ZTC
 - 3D
 - 4D
 - 5D
 - ▼ ZTX
 - 15D
 - 16D
 - 17D
 - 18D
 - 19D
 - ▼ ZTZ
 - 30D
 - 50D
 - Qzembrya
 - ▼ SUR
 - ESRV_SVC_QUEENCREEK
 - ICIP
 - ICIP_RUN
 - > Installers
 - TelemetryAgent
 - DPPT




Registry Editor

File Edit View Favorites Help


Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\ProfileAgent

- ProfileAgent
 - PSIS
 - PSIS_DECODER
 - QDGFZX
 - 15D
 - 16D
 - 17D
 - 18D
 - 19D
 - QPRSTXZT
 - 40D
 - QPRSTZZZ
 - 30D
 - QRSTXZDPPTZZZ
 - SUR
 - ESRV_SVC_QUEENCREEK
 - ICIP
 - ICIP_RUN
 - Installers
 - TelemetryAgent


DGFX




Name	Type	Data
(Default)	REG_SZ	(value not set)
Azellera	REG_DWORD	0x22346789 (573859721)
Konzolera	REG_DWORD	0x22345678 (573855352)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries




Name	Type	Data
(Default)	REG_SZ	(value not set)
Fabryzzya	REG_DWORD	0x97560123 (2538996003)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries



Name	Type	Data
(Default)	REG_SZ	(value not set)
Deferecce	REG_DWORD	0xc2d2acdf (3268586719)
Ferecce	REG_DWORD	0xb2d2dcdf (3000163503)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries



Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTTemporarily	REG_QWORD	0xf202dbadcafaccda (17438742246613241290)
EnableHardwareXDLUT	REG_QWORD	0xdbca2ab2c2d2e2f2 (15837517986862916338)



Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTTemporarily	REG_BINARY	f2 02 a3 4c 2d 58 2d dd dd dd ee ee ff ff ff ff ff ff
EnableHardwareDLUT	REG_DWORD	0xf28245cd (4068623821)
Global	REG_BINARY	60 e8 bb 61 47 02 00 00 50 01 b3 61 47 02 00 00
GlobalIN	REG_BINARY	60 e8 bb 61 47 02 00 00 50 01 b3 61 47 02 00 00

Edit Binary Value

Value name:

DisableDPPTemporarily

Value data:

00000000	F2	02	A3	4C	2D	58	2D	DD	ò . £ L - X - Ÿ
00000008	DD	DD	EE	EE	EE	EE	FF	FF	Ÿ Ÿ î î î î Ÿ Ÿ
00000010	FF	FF	FF	FF	FF	FF			Ÿ Ÿ Ÿ Ÿ Ÿ Ÿ

OK

Cancel

Edit Binary Value

Value name:

Global

Value data:

00000000	60	E8	BB	61	47	02	00	00	` è » a G . . .
00000008	50	01	B3	61	47	02	00	00	P . ³ a G . . .
00000010									

OK

Cancel

Edit Binary Value



Value name:

GlobalN

Value data:

00000000	FF	2F	FD	CE	FF	FF	FF	FF	ÿ / ý Î ÿ ÿ ÿ ÿ
00000008	EE	EE	EE	EE	EE	EE	EE	EE	î î î î î î î î
00000010									

OK

Cancel

DPPT

DPPT	Name	Type	Data
> Driver and Support Assistant	(Default)	REG_SZ	(value not set)
FFRTZ	Global	REG_BINARY	ff ff ff ff ff ff ff ff ff ff ff ff ff ff ff
DPPTXZ	GlobalN	REG_BINARY	ff ff
GFX			

Edit Binary Value

Value name:

Global

Value data:

00000000	FF	FF	FF	FF	FF	FF	FF	FF	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ
00000008	FF	FF	FF	FF	FF	FF	FF	FF	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ
00000010																

OK

Cancel

Edit Binary Value

Value name:

GlobalN

Value data:

00000000	FF	FF	FF	FF	FF	FF	FF	FF	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ
00000008	FF	FF	FF	FF	FF	FF	FF	FF	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ
00000010	FF	FF	FF	FF	FF	FF	FF	FF	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ	ÿ
00000018																

OK

Cancel

GFX

GFX	Name	Type	Data
DPPT	(Default)	REG_SZ	(value not set)
Internal	Acarella	REG_DWORD	0x47256310 (1193632528)
GFXInstaller	Carella	REG_DWORD	0x24567125 (609644837)
LevelZero	Global	REG_BINARY	fa bd cd fc de ff ff ff ff ee ee ee ee ee ee ee
{2BA535F4-FEF9-45E1-9F...}	GlobalN	REG_BINARY	ff 2f fd ce ff ff ff ff ee ee ee ee ee ee ee ee
IGFX			

Edit Binary Value

Value name:
Global

Value data:

00000000	FA	BD	CD	FC	DE	FF	FF	FF	ú	¼	Í	ü	Þ	ÿ	ÿ	ÿ
00000008	FF	EE	EE	EE	EE	EE	EE	EE	ÿ	î	î	î	î	î	î	î
00000010																

OK

Cancel

Edit Binary Value

Value name:
GlobalN


Value data:

00000000	FF	2F	FD	CE	FF	FF	FF	FF	ÿ	/	ý	Î	ÿ	ÿ	ÿ	ÿ
00000008	EE	EE	EE	EE	EE	EE	EE	EE	î	î	î	î	î	î	î	î
00000010																


OK

Cancel


IGFX




Name	Type	Data
(Default)	REG_SZ	(value not set)
Anhenyo	REG_DWORD	0x22222222 (572662306)
Genyo	REG_DWORD	0x11111111 (286331153)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries



Name	Type	Data
(Default)	REG_SZ	(value not set)
Delascronzza	REG_DWORD	0xf8bde4ce (4173194446)
Laschronzza	REG_DWORD	0xf2bde4ce (4072531150)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries




Name	Type	Data
(Default)	REG_SZ	(value not set)
Lenguarrya	REG_DWORD	0x75623120 (1969369376)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries




Name	Type	Data
(Default)	REG_SZ	(value not set)
Deguaryannallya	REG_DWORD	0x95732106 (2507350278)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

DPPT




Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTTemporarily	REG_DWORD	0xf4cd2d02 (4107087106)
EnableHardwareDLUT	REG_DWORD	0xf4c2cdeb (4106407403)
Global	REG_BINARY	fa bd cd fc de ff ff ff ee ee ee ee ee ee
GlobalIN	REG_BINARY	ff 2f fd ce ff ff ff ee ee ee ee ee ee ee

Or different idea of the DPPT which cuts the system differently:




Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTTemporarily	REG_BINARY	f4 cd 2d 02 ff ff ff ff ff ff ff ff ff ff
EnableHardwareDLUT	REG_DWORD	0xf4c2cdeb (4106407403)
Global	REG_BINARY	fa bd cd fc de ff ff ff ee ee ee ee ee ee
GlobalIN	REG_BINARY	ff 2f fd ce ff ff ff ee ee ee ee ee ee ee

DPPTXZ




Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTTemporarily	REG_QWORD	0xfededbdefdefedb (18365358080748617435)
EnableHardwareDLUT	REG_QWORD	0xfeefdfdfefeff (18370147557947993855)
Global	REG_QWORD	0xffffffffffffff (18446744073709551615)
GlobalF	REG_QWORD	0xffffffffffffff (18446744073709551615)
GlobalIN	REG_QWORD	0xffffffffffffff (18446744073709551615)
Local	REG_QWORD	0xffffffffffffff (18446744073709551615)
LocalF	REG_QWORD	0xffffffffffffff (18446744073709551615)
LocalIN	REG_QWORD	0xffffffffffffff (18446744073709551615)

DPP



Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTTemporarily	REG_QWORD	0xfdbadcbadbfadba (18283168331873311690)
EnableHardwareXDLUT	REG_QWORD	0xfadfdfaafddfaaff (18077413354785188607)

DPPTQXRSTZ



Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTTemporarily	REG_QWORD	0xfefedbcdaaffdbafd (18374365206185622269)
EnableHardwareXDLUT	REG_QWORD	0xffdbcdaffdbcdade (1843655565350046126)

PSIS

PSIS	Name	Type	Data
DPPT	(Default)	REG_SZ	(value not set)
PSIS_DECODER	Global	REG_DWORD	0xf2dadbd4 (4074429402)
SUR	GlobalIN	REG_DWORD	0xf2dadbd4 (4074429402)
DPPT			

Or different solution which I am not preferring:

Name	Type	Data
(Default)	REG_SZ	(value not set)
Global	REG_BINARY	f2 da bd da ff ff ff ff ff ff ff ff ff ff
GlobalIN	REG_BINARY	f2 da bd da ff ff ff ff ff ff ff ff ff ff

[illegible][illegible]

SUR

		Name	Type	Data
 SUR	 DPPT	 (Default)	REG_SZ	(value not set)
	 ESRV_SVC_QUEENCREEK	 Global	REG_DWORD	0xf2dadbda (4074429402)
	 ICIP	 GlobalIN	REG_DWORD	0xf2dadbda (4074429402)
	 ICIP_RUN			
	 Installers			

Or different solution which I am not preferring:

		Name	Type	Data
 SUR	 DPPT	 (Default)	REG_SZ	(value not set)
	 ESRV_SVC_QUEENCREEK	 Global	REG_BINARY	f2 da bd da ff ff ff ff ff ff ff ff ff ff
	 ICIP	 GlobalIN	REG_BINARY	f2 da bd da ff ff ff ff ff ff ff ff ff ff
	 ICIP_RUN			
	 Installers			

igfxcui

Files 3105 and 3106 leave the same, but create 3107, and 3108 and 3109...

	Name	Type	Data
Intel	(Default)	REG_SZ	(value not set)
CollectorService			
CrashLog			
DGFX			
DGFXI			
Display			
igfxcui			
3D			
MediaKeys			
MISC			
DPPT			
Driver and Support Assistant			
FFRTXZ			
GFX			
DPPT			
Internal			
GFXInstaller			

Name	Type	Data
(Default)	REG_SZ	(value not set)
3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 c
3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 c
3107	REG_DWORD	0xffffffff (4294967295)
3108	REG_DWORD	0xffffffff (4294967295)
3109	REG_DWORD	0xffffffff (4294967295)
3fff	REG_DWORD	0xffffffff (4294967295)
7fffffff	REG_DWORD	0xffffffff (4294967295)
BKPDDisplayLACE	REG_DWORD	0x23465312 (591811346)
HotKeyState	REG_DWORD	0x00000001 (1)
Install_State	REG_DWORD	0x00000002 (2)
InstallStage	REG_DWORD	0x00000001 (1)
OldLang	REG_DWORD	0x00000409 (1033)
UserSetDRSRDisableRR	REG_DWORD	0xfefefeff (4278103295)

Here you can find a regular DRRSDisableRR which is 30... I set it to something that for me makes more sense...

	Name	Type	Data
Intel	(Default)	REG_SZ	(value not set)
CollectorService			
CrashLog			
DGFX			
DGFXI			
Display			
igfxcui			
3D			
MediaKeys			
MISC			
DPPT			
Driver and Support Assistant			
FFRTXZ			
GFX			
DPPT			
Internal			
GFXInstaller			


Name	Type	Data
(Default)	REG_SZ	(value not set)
3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00
3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00
3107	REG_DWORD	0xffffffff (4294967295)
3108	REG_DWORD	0xffffffff (4294967295)
3109	REG_DWORD	0xffffffff (4294967295)
3fff	REG_DWORD	0xffffffff (4294967295)
7fffffff	REG_DWORD	0xffffffff (4294967295)
BKPDDisplayLACE	REG_DWORD	0x23465312 (591811346)
HotKeyState	REG_DWORD	0x00000001 (1)
Install_State	REG_DWORD	0x00000002 (2)
InstallStage	REG_DWORD	0x00000001 (1)
OldLang	REG_DWORD	0x00000409 (1033)
UserSetDRSRDisableRR	REG_DWORD	0x00000030 (48)

You can use this model with BKPDDisplayLACE with all of the “f” chars but I do not suggest it because it represents open system of everyone around you and it doesn’t focus you on your job only...

	Name	Type	Data
Display	(Default)	REG_SZ	(value not set)
igfxcui			
3D			
MediaKeys			
MISC			
DPPT			
Driver and Support Assistant			
FFRTZ			
DPPTXZ			
GFX			
DPPT			
Internal			
GFXInstaller			
IGFX			
2D			

Name	Type	Data
(Default)	REG_SZ	(value not set)
3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3
3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3
3107	REG_DWORD	0xffffffff (4294967295)
3108	REG_DWORD	0xffffffff (4294967295)
3109	REG_DWORD	0xffffffff (4294967295)
BKPDDisplayLACE	REG_DWORD	0xffffffff (4294967295)
HotKeyState	REG_DWORD	0x00000001 (1)
Install_State	REG_DWORD	0x00000002 (2)
InstallStage	REG_DWORD	0x00000001 (1)
OldLang	REG_DWORD	0x00000409 (1033)
UserSetDRSRDisableRR	REG_DWORD	0xfefefeff (4278103295)


When you have a primitive idea of the 3D, you can implement 4D, 5D and up to 15D in the files as are dgfxcui (4D, 5D) and rgfxcui (6D, 7D, 8D), drgfxcui (9D, 10D, 11D), qxdrgfxcui (12D, 13D, 14D, 15D)... Each of those files should have the idea of the system speed being created by pixel movement to awake the brain idea of the cosmos jokes on the certain frequencies which is interesting because then user can see 3D image and so on...




Name	Type	Data
(Default)	REG_SZ	(value not set)
Brotallya	REG_DWORD	0xdad3a200 (3671302656)
GlobalF	REG_BINARY	af df ed df ff ff ff ff ff ff ff ff ff ff
GlobalFF	REG_BINARY	f2 df 2a f2 ee ee ee ee ff ff ff ff ff ff ff

DRGFXZ

For Quanzyllyumar Display type regular values, and for a regular one type 8 times f: “ffffff” into Ablagerio and Zeronimo...

	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Ablagerio	REG_DWORD	0xc4dfd2fd (3303002877)
	Zeronimo	REG_DWORD	0x2fdfa2fd (803185405)

	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	LocalF	REG_DWORD	0xffffffff (4294967295)
	LocalFF	REG_DWORD	0xffffffff (4294967295)
	LocalFFF	REG_DWORD	0xffffffff (4294967295)
	LocalFFFF	REG_DWORD	0xffffffff (4294967295)
	LocalFFFFF	REG_DWORD	0xffffffff (4294967295)
	LocalFFFFFF	REG_DWORD	0xffffffff (4294967295)
	LocalFFFFFFF	REG_DWORD	0xffffffff (4294967295)
	LocalFFFFFFF	REG_DWORD	0xffffffff (4294967295)
	LocalFFFFFFF	REG_DWORD	0xffffffff (4294967295)
	LocalFFFFFFF	REG_DWORD	0xffffffff (4294967295)

I believe if there is Ablagerio “ffffff” and Zeronimo “ffffff” then there is the key “DPPT” instead of “DPPTXZ”...

QDGFY

RSPTXD

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RSPTXD			
└─ SUR	Name	Type	Data
└─ ESRV_SVC_QUEENCREEK	(Default)	REG_SZ	(value not set)
└─ ICIP	Dellyberry	REG_QWORD	0xfeefefefefefefeb (18370165218869243883)
└─ ICIP_RUN	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
└─ Installers	Wellywerryya	REG_QWORD	0xffdbcdaffeeefe (18446107297562164990)
└─ TelemetryAgent			
└─ RSPTXD			

DPPTXZ

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DPPTXZ			
└─ Intel	Name	Type	Data
└─ CollectorService	(Default)	REG_SZ	(value not set)
└─ CrashLog	Allyhynnerra	REG_QWORD	0x3333333333333333 (3689348814741910323)
└─ DDRTZ	Liahynnerra	REG_QWORD	0x2222222222222222 (2459565876494606882)
└─ DGFY			
└─ DGFY			
└─ Display			
└─ DPPTXZ			

Banning

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Zyggollarmantyya			
└─ DDRTZ	Name	Type	Data
└─ DGFY	(Default)	REG_SZ	(value not set)
└─ 6D	DisableDPPTemporarily	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 7D	Global	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 8D	GlobalD	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ DGFY	GlobalF	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 10D	GlobalL	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 11D	GlobalLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 12D	GlobalLLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 9D	GlobalIN	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ DQGFGXZZZ	GlobalQ	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ Display	GlobalR	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ DPPTXZZZ	GlobalS	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ DRGFXZ	GlobalT	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ Driver and Support Assistant	GlobalTT	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ FFRTZ	GlobalX	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ GFX	GlobalY	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ GFXInstaller	GlobalZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ IGFX	GlobalZZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ PQRST	GlobalZZZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 100D	Local	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 500D	LocalD	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 50D	LocalF	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ ZTX	LocalL	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 1000D	LocalLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ ZTZ	LocalLLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ PresentMon	LocalN	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ ProfileAgent	LocalQ	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ PSIS	LocalR	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ QDGFYXZ	LocalS	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 15D	LocalT	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 16D	LocalTT	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 17D	LocalX	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 18D	LocalY	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 19D	LocalZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ QPRST	LocalZZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ QPRSTZZZ	LocalZZZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
└─ 30D			
└─ QRPTXZZZ			
└─ Zyggollarmantyya			
└─ PQRSTV			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QRSTXZDPPTZZZ			
	Name	Type	Data
DDRTZ			
DGFX			
6D			
7D			
8D			
DGFXI			
10D			
11D			
12D			
9D			
DGQFGXZZZ			
Display			
DPPTXZZZ			
DRGFXZ			
Driver and Support Assistant			
FFRTZ			
GFX			
GFXInstaller			
IGFX			
PQRST			
100D			
500D			
50D			
ZTX			
1000D			
ZTZ			
PresentMon			
ProfileAgent			
PSIS			
QDGFZX			
15D			
16D			
17D			
18D			
19D			
QPRST			
QPRSTZZZ			
30D			
QRPTXZZZ			
QRSTXZDPPTZZZ			
	(Default)	REG_SZ	(value not set)
	DisableDPPTemporarily	REG_QWORD	0xffffffffffffff (18446744073709551615)
	Global	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalD	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalF	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalI	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalLLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalN	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalQ	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalR	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalS	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalT	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalTT	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalX	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalY	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
	GlobalZZZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
	Local	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalD	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalF	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalI	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalLLL	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalN	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalQ	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalR	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalS	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalT	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalTT	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalX	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalY	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalZ	REG_QWORD	0xffffffffffffff (18446744073709551615)
	LocalZZZ	REG_QWORD	0x00000000 (0)

Something

Previously not good settings are moved to this part of the TXT without thinking and maybe these codes represent something, maybe they ain't that good, but I find them unnecessary...

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGZX\QZQ			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Annogdallyyanallyannya	REG_QWORD	0xb2defe4ced2defef (12889018789931118575)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
	Ynnogdallyaanogdallyya	REG_QWORD	0xffbafdfbfbafdbfa (18427320083034397690)

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGZX\QZT			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Dennogdallyyanna	REG_QWORD	0xfe4ced2edeb2dede (18324281769424248542)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
	Ynnogdallyyanna	REG_QWORD	0xfe4ced2edededede (18324281769427132126)

PRST

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BRC\QX			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Dembllyryya	REG_QWORD	0xffffdfdedfedfee (18446708884471996398)
	Lazembllyryya	REG_QWORD	0xfdefffffdffdfef (18298125285972762607)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Name	Type	Data
(Default)	REG_SZ	(value not set)
Wellywerryya	REG_QWORD	0x2fdbcbacfdbcaefef (3448836816567463919)
Dellyberrya	REG_QWORD	0x2fdbcdadbcdafeffe (3448576085763751678)

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\DPPT			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	EnableHardwareXDLUT	REG_QWORD	0xdbca2ab2c2d2e2f2 (15837517986862916338)

Fedbcdaefdfaefdf

Ayyannte

	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Allyyanntenallyyannte	REG_QWORD	0xfedebededededebe (18365326194894626494)

QDGFZX

Zyndallya, Zembrallyya, Zemmallyya 3 bans on everything out there

Ffdbcdaffedbcdade

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcul\3D			
Display	Name	Type	Data
igfxcul	(Default)	REG_SZ	(value not set)
3D	Allacannte	REG_QWORD	0xfedcbaefefefdbca (18364758920195464138)
MediaKeys	Fellacannte	REG_QWORD	0xcdefefefefefedcba (14906632187796184250)
MISC	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
DPPTXZZZ			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\3D			
IGFX	Name	Type	Data
3D	(Default)	REG_SZ	(value not set)
4D	Delascronzza	REG_DWORD	0xf8bde4ce (4173194446)
5D	Lascronzza	REG_DWORD	0xf2bde4ce (4072531150)
PQRST	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
ZTX			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\4D			
IGFX	Name	Type	Data
4D	(Default)	REG_SZ	(value not set)
5D	Lenguarrya	REG_DWORD	0x75623120 (1969369376)
PQRST	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
7TX			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\5D			
IGFX	Name	Type	Data
5D	(Default)	REG_SZ	(value not set)
PQRST	Deguaryannallya	REG_DWORD	0x95732106 (2507350278)
ZTX	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
1000D			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\6D			
DGFX	Name	Type	Data
6D	(Default)	REG_SZ	(value not set)
7D	Azellera	REG_DWORD	0x22346789 (573859721)
8D	Konzolera	REG_DWORD	0x22345678 (573855352)
DGFXI	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
10D			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\7D			
DGFX	Name	Type	Data
7D	(Default)	REG_SZ	(value not set)
8D	Annattolyya	REG_QWORD	0xfadfdfaafddfaaff (18077413354785188607)
DGFXI	Fabryzzya	REG_DWORD	0x97560123 (2538996003)
10D	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
11D			
12D			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\8D			
DGFX	Name	Type	Data
8D	(Default)	REG_SZ	(value not set)
DGFXI	Deferecce	REG_DWORD	0xc2d2acdf (3268586719)
10D	Ferecce	REG_DWORD	0xb2d2dcaf (3000163503)
11D	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
12D			

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DDRTZ

DDRTZ

DGFXI

10D

11D

12D

9D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Allezurryanallyya	REG_QWORD	0xffffffffffff (18446744073709551615)
C:\Program Files\Intel\PrebuiltSha...	REG_SZ	PrebuiltShaderBinaryDirPath
Llezzurryanallyya	REG_QWORD	0xffffffffffff (18446443833734393582)

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFXI\9D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Annadollyya	REG_QWORD	0xdbdbdbdbdbdbdbdb (15842497851538791387)
Bennadollyya	REG_QWORD	0xfdfdfdfdfdfdfdf (18302063728033398269)
Dennadollyya	REG_QWORD	0xf4c2cdeb2fdebef (17636885500740419567)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFXI\10D

Intel

- CollectorService
- CrashLog
- DGFXI
 - 10D
 - 11D
 - 12D
 - 9D

Name	Type	Data
(Default)	REG_SZ	(value not set)
lymrall	REG_QWORD	0xfedafedafedafeda (18364270647088709338)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Zymrall	REG_QWORD	0xfefafefafefafefa (18373277983784500986)

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFXI\11D

Intel

- CollectorService
- CrashLog
- DGFXI
 - 10D
 - 11D
 - 12D
 - 9D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Ostarryya	REG_QWORD	0xdefedefedefedefe (16068525706748813054)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Rostarryya	REG_QWORD	0xfdbad2d4d6fefefe (18283157448845885182)

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFXI\12D

Intel

- CollectorService
- CrashLog
- DGFXI
 - 10D
 - 11D
 - 12D
 - 9D

Name	Type	Data
(Default)	REG_SZ	(value not set)
Aferecce	REG_DWORD	0x2a4cd2b2 (709677746)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Registry Editor

File Edit View Favorites Help

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DPPTXZZZ

DPPTXZZZ > DRGFZX > Driver and Support Assistant > FFRTZ > GFX > GFXInstaller	<table><tr><th>Name</th><th>Type</th><th>Data</th></tr><tr><td>(Default)</td><td>REG_SZ</td><td>(value not set)</td></tr><tr><td>Allyhhynnerryanallyannya</td><td>REG_QWORD</td><td>0x2323232323232323 (2531906049332683555)</td></tr><tr><td>Dellahynnerryanallyannya</td><td>REG_QWORD</td><td>0x3232323232323232 (3617008641903833650)</td></tr><tr><td>PrebuiltShaderBinaryDirPath</td><td>REG_SZ</td><td>C:\Program Files\Intel\PrebuiltShaderBinaries</td></tr></table>	Name	Type	Data	(Default)	REG_SZ	(value not set)	Allyhhynnerryanallyannya	REG_QWORD	0x2323232323232323 (2531906049332683555)	Dellahynnerryanallyannya	REG_QWORD	0x3232323232323232 (3617008641903833650)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Name	Type	Data														
(Default)	REG_SZ	(value not set)														
Allyhhynnerryanallyannya	REG_QWORD	0x2323232323232323 (2531906049332683555)														
Dellahynnerryanallyannya	REG_QWORD	0x3232323232323232 (3617008641903833650)														
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries														

Registry Editor

FileEditViewFavoritesHelp

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DRGFZX\MISC

DRGFZX

MISC

Driver and Support Assistant

FFRTZ

GFX

GFXInstaller

Name	Type	Data
(Default)	REG_SZ	(value not set)
Ablagerio	REG_DWORD	0xc4dfd2fd (3303002877)
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Zeronimo	REG_DWORD	0x2dfa2fd (803185405)

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\DRPTZ			
FFRTZ	Name	Type	Data
DRPTZ	(Default)	REG_SZ	(value not set)
DRSTPPTZ	Allidenbrahyya	REG_QWORD	0xfffeeddabbcaaff (18446443759862065919)
FRTZ	Denbrahyya	REG_QWORD	0xfedcaddbaadcdba (18364744410902416826)
QPTZ	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
QRFTZ			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\DRSTPPTZ			
FFRTZ	Name	Type	Data
DRPTZ	(Default)	REG_SZ	(value not set)
DRSTPPTZ	Anahullyya	REG_QWORD	0xfefedefefefefe (18374368716499386110)
FRTZ	Brohullyya	REG_QWORD	0xfeacbedefedeacbe (18351252446595951806)
QPTZ	Hullyya	REG_QWORD	0xffffeeeeffffeeeee (18446725308997431022)
QRFTZ	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
GFX			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\FRTZ			
FFRTZ	Name	Type	Data
DRPTZ	(Default)	REG_SZ	(value not set)
DRSTPPTZ	Adyllante	REG_DWORD	0xfbdcafdb (4225544155)
FRTZ	Dellante	REG_DWORD	0xfefedefefe (4278116094)
QPTZ	Ferrante	REG_DWORD	0xfdffdfdf (4261404639)
QRFTZ	Orrante	REG_DWORD	0xf23dbaf2 (4064131826)
GFX	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
GFXInstaller	Rante	REG_DWORD	0x2b2adca2 (724229282)
IGFX			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\QPTZ			
FFRTZ	Name	Type	Data
DRPTZ	(Default)	REG_SZ	(value not set)
DRSTPPTZ	Asquyyante	REG_DWORD	0xffffefff (4294901759)
FRTZ	Dellyyante	REG_DWORD	0xffffefff (4294963199)
QPTZ	Ferro	REG_DWORD	0xf2ffdfdf (4076855293)
QRFTZ	Omnyypury	REG_DWORD	0xfdfdfadf (4024425183)
GFX	Oraqillyya	REG_DWORD	0xacfcdcbd (2902252493)
GFXInstaller	Pero	REG_DWORD	0xfdfdfdf (4261404671)
IGFX	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
PQRST	Pury	REG_DWORD	0xeffedfdf (4026458079)
ZTX	Raqqillyya	REG_DWORD	0xffefdfdf (4293910495)
1000D			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\QRFTZ			
FFRTZ	Name	Type	Data
DRPTZ	(Default)	REG_SZ	(value not set)
DRSTPPTZ	Asqyllante	REG_DWORD	0xfdffedff (4261408255)
FRTZ	Lante	REG_DWORD	0xf2ffdfefe (4076855294)
QPTZ	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
QRFTZ			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\GFX\2D			
GFX	Name	Type	Data
2D	(Default)	REG_SZ	(value not set)
Internal	Acarella	REG_DWORD	0x47256310 (1193632528)
GFXInstaller	Carella	REG_DWORD	0x24567125 (609644837)
IGFX	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
PQRST			

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Ellemenntallyanallyannya\QZQ			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Annogdallyanallyannya	REG_QWORD	0xb2defe4ced2defef (12889018789931118575)
	Annogdallyaynogdallyya	REG_QWORD	0xff2fdbd3fdbacdcd (18388157507118484941)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
	Ynnogdallyyaanogdallyya	REG_QWORD	0xffbafdbfbfafdbfa (18427320083034397690)

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGQFGXZZZ			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Allehurryya	REG_QWORD	0xbbbbbbbbbbbbbbbb (13527612320720337851)
	Degerryya	REG_QWORD	0xfffeebbbcccaaf (18446443613849954991)
	Frabbyllerryya	REG_QWORD	0xfe2ac2adcab2da2a (18314664886341392938)
	Llehurryya	REG_QWORD	0xdb4cacdfabcdefff (15802195269196312575)
	Quabyllerryya	REG_QWORD	0xfdbcabdcadfefefe (18283679613101997822)
	Worzyngerryya	REG_QWORD	0xfffeabcbdefdbcdce (18446370024738110686)
	Worzyngurryya	REG_QWORD	0xdb4acdbcacdbcdcef (15801668452820438511)

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcu\Media			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	AceLevel	REG_DWORD	0xfffffedbc (4294962620)
	EnableACE	REG_DWORD	0xfffffedbc (4294962620)
	EnableFMD	REG_DWORD	0xfffffedbc (4294962620)
	EnableLS	REG_DWORD	0xfffffedbc (4294962620)
	EnableNLAS	REG_DWORD	0xfffffedbc (4294962620)
	EnableSTE	REG_DWORD	0xfffffedbc (4294962620)
	EnableSuperResolution	REG_DWORD	0xfffffedbc (4294962620)
	EnableTCC	REG_DWORD	0xfffffedbc (4294962620)
	GCompMode	REG_DWORD	0x4444dbed (1145363437)
	GExpMode	REG_DWORD	0x999fedbd (2577395133)
	InputYUVRange	REG_DWORD	0xfffff123 (4294963491)
	NLASHLinearRegion	REG_DWORD	0xefffffff (4026531838)
	NLASNonLinearCrop	REG_DWORD	0xfefeeef (4277071599)
	NLASVerticalCrop	REG_DWORD	0xfefeeef (4277141231)
	NoiseReductionAutoDetectEnable...	REG_DWORD	0xffbecaaa (4290693802)
	NoiseReductionEnableChroma	REG_DWORD	0xfffeeee (4294897390)
	NoiseReductionEnabledAlways	REG_DWORD	0xfffeeee (4294897390)
	NoiseReductionFactor	REG_DWORD	0xabc987ef (2882111471)
	ProcAmpApplyAlways	REG_DWORD	0xfeefdabd (4277131965)
	ProcAmpBrightness	REG_DWORD	0xfeefdabd (4277131965)
	ProcAmpContrast	REG_DWORD	0xfeefdabd (4277131965)
	ProcAmpHue	REG_DWORD	0xfeefdabd (4277131965)
	ProcAmpSaturation	REG_DWORD	0xfeefdabd (4277131965)
	SatFactorBlue	REG_DWORD	0xeeddfff (4008566783)
	SatFactorCyan	REG_DWORD	0xeeddfff (4008566783)
	SatFactorGreen	REG_DWORD	0xeeddfff (4008566783)
	SatFactorMagenta	REG_DWORD	0xeeddfff (4008566783)
	SatFactorRed	REG_DWORD	0xeeddfff (4008566783)
	SatFactorYellow	REG_DWORD	0xeeddfff (4008566783)
	SharpnessEnabledAlways	REG_DWORD	0xdecafff (3737845759)
	SharpnessFactor	REG_DWORD	0xfabecaff (4206807807)
	SkinTone	REG_DWORD	0xcfdcafc (3472747695)
	SuperResolutionEnabled	REG_DWORD	0xbfaceff (3220885247)
	SuperResolutionMode	REG_DWORD	0xdecadeca (3737837258)
	UISharpnessOptimalEnabledAlways	REG_DWORD	0xaddefff (2917068799)

Ygullanttyyanallyannya: bcdeefdbcdedefeffe?

febcdfeffbcdef4ce

Perryplexx Parraplett

Parapplett

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Ellemenntallyanallyannya\QZT			
Ellemenntallyanallyannya QZQ QZT GFX GFXInstaller PQRST	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	AnnogdallyyanallyannyaYnnogdallyyaanogdallyya	REG_QWORD	0xfffffe4ced2ded2de (18446714175685055198)
	Dennogdallyyanna	REG_QWORD	0xfe4ced2edeb2dede (18324281769424248542)
	Ynnogdallyyanna	REG_QWORD	0xfe4ced2edededede (18324281769427132126)

Ellemenntallyanallyannya – RPGZXDT

Zygollarmanttyyanallyannya - DPPTZZZ

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGZX\QZT			
RPGZX QZQ QZT GFX Internal GFXInstaller	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	AnnogdallyyanallyannyaYnnogdallyyaanogdallyya	REG_QWORD	0xfffffe4ced2ded2de (18446714175685055198)
	Dennogdallyyanna	REG_QWORD	0xfe4ced2edeb2dede (18324281769424248542)
	Ynnogdallyyanna	REG_QWORD	0xfe4ced2edededede (18324281769427132126)

Allambrottyya PRSTQRST - DQX

Frygullarmantyya DQRST - DQ

Qupystallya DDRT – QZT – DQZ

Allambrrorryttyya - ZXQPRST – QZQ – DZXZQ

3DLUT - fe4cdefe4cefedef

DDQ Reallnyya Dereallnyya

Alldonbrerryya, Radonbrerryya

Igfxcui/MISC

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC			
Name	Type	Data	
(Default)	REG_SZ	(value not set)	
3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c	
3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c	
3107	REG_QWORD	0xffffffffffffff (18446744073709551615)	
3108	REG_QWORD	0xffffffffffffff (18446744073709551615)	
3109	REG_QWORD	0xffffffffffffff (18446744073709551615)	
3fff	REG_QWORD	0xffffffffffffff (18446744073709551615)	
7ffffff	REG_QWORD	0xffffffffffffff (18446744073709551615)	
BKPDDisplayLACE	REG_QWORD	0xfffedbcdafedbcda (18446422800222502106)	
HotKeyState	REG_DWORD	0x00000001 (1)	
Install_State	REG_DWORD	0x00000002 (2)	
InstallStage	REG_DWORD	0x00000001 (1)	
OldLang	REG_DWORD	0x00000409 (1033)	
UserSetDRRSDisableRR	REG_QWORD	0x00000100 (256)	

Possible options for DRRS-RR, in decimals, are best finishing with 9 as is 59, 109, and etc... All of the values I could think of are: 31, 59, 120, 256, 1024, 1759 of how much data you would like to be shown on the display and how for each user – so the best thing is to use all “f” – “ffffffffffffff”... Maybe you can use “fdcdabdbddabdbdab” but I believe is wrong...

First option for “UserSetDRRSDisableRR”: the “ffffffffffffff” value would take care of you and create you pleasant nice and kind – would take care of you always...

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC			
Name	Type	Data	
(Default)	REG_SZ	(value not set)	
3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7	
3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7	
3107	REG_QWORD	0xffffffffffffff (18446744073709551615)	
3108	REG_QWORD	0xffffffffffffff (18446744073709551615)	
3109	REG_QWORD	0xffffffffffffff (18446744073709551615)	
3fff	REG_QWORD	0xffffffffffffff (18446744073709551615)	
7ffffff	REG_QWORD	0xffffffffffffff (18446744073709551615)	
BKPDDisplayLACE	REG_QWORD	0xfffedbcdafedbcda (18446422800222502106)	
HotKeyState	REG_DWORD	0x00000001 (1)	
Install_State	REG_DWORD	0x00000002 (2)	
InstallStage	REG_DWORD	0x00000001 (1)	
OldLang	REG_DWORD	0x00000409 (1033)	
UserSetDRRSDisableRR	REG_QWORD	0xffffffffffffff (18446744073709551615)	

Second option is in kind of “live” as you are which we got used to mostly:

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcu\MISC			
	Name	Type	Data
Intel	(Default)	REG_SZ	(value not set)
Allambrottya			
DQX	3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7
Allambrrorrttyanallyyannyya	3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7
QZQ	3107	REG_QWORD	0xffffffffffffff (18446744073709551615)
CollectorService	3108	REG_QWORD	0xffffffffffffff (18446744073709551615)
CrashLog	3109	REG_QWORD	0xffffffffffffff (18446744073709551615)
DRIVER_CRASH_DETECT	3fff	REG_QWORD	0xffffffffffffff (18446744073709551615)
Display	7ffffff	REG_QWORD	0xffffffffffffff (18446744073709551615)
igfxcu	BKPDDisplayLACE	REG_QWORD	0xfffedbcdafedbcd (18446422800222502106)
MediaKeys	HotKeyState	REG_DWORD	0x00000001 (1)
MISC	Install_State	REG_DWORD	0x00000002 (2)
Driver and Support Assistant	InstallStage	REG_DWORD	0x00000001 (1)
Ellembrosyannallyyannyya	OldLang	REG_DWORD	0x00000409 (1033)
Frabbyluent	UserSetDRRSDisableRR	REG_QWORD	0x0000003b (59)
Frygullarmantyya			
rFX			

“UserSetDRRSDisableRR” is a thing to discuss because of it depends the whole possible system and it’s functionality... Are cosmos jokes seen and is there an ability for them to be removed by someone else, can the one pull the system and etc... That key somehow connects all other keys... The preferred ban is using the number 7 to ban the other beings involved in display, 5 to ban the touch on cosmos jokes, and 9 to ban the wrong usage of display when beings are sleeping... I believe that with that idea the typed in number should be “7779755955755957” but that is completely wrong... Because we already have one coded DWORD data of this file the next data of this file needs to be coded through the Coded with “3B” the best option I have is: “eabcdeabcdeabcde”... The system would maybe suggest that the first DWORD file is although coded through the “3b” and actually that is seen as “3b3b 3b3b 3b3b 3b3b” for a QWORD file, so the next step is muting the second file with 16 times “f” or “ffff ffff ffff ffff” and then the system would suggest code through “fead” but nothing more of that to the right side, to the left there is extrapolation of that code into: “fefefdcbadefdeaf” I am not quite sure... To work on “fead” hex word we would extrapolate it with mixing and adding codes into a 16 bytes we by using the extra coding – or extrapolating of the coding as is “feafdeaffeadfeaf” which can be one of the answers how to code this file...

All solutions I had before that an idea of are:

- “faebdcbaebcdbeaf”
- “fefefdcbadefdeaf”
- “feafdeaffeadfeaf”
- “feadbeafdeafffeaf”
- “eabcdeabcdeabcde”
- “feadcbedbeedbfed”
- “eabcdeefdcbeafed”
- “fabcd7232fabcd7232” – using the opposite logic to enable the value
 - “fecedebeaacdb”
- “9995579975597797”
- “7795757757975577”

- “770000700700007”
- Parraflexx Purryflexx and etc. 5, 7, 9
- “ffeachbadeabcadea”
- “abca2da2a2da2aba”

Solutions without 3b coding:

- Quynguystalla of 3 elements as are “777”, “77f”, ..., “fff”
 - “f7777f77777f7777”
 - “7fff f7ff ff7f fff7” = “7ffff7ffff7ffff7”
 - “7f77 77f7 777f 7777”
 - f77f f777 7f77 77f7 = “f77ff7777f7777f7”
 - Maybe: “f77ff777f777f777”
 - Maybe: f7ff777f777f777
 - Maybe: ff7ff777f777f777
 - Maybe: “ffff 7fff f7ff ff7f fff7 ff77 f7f7 f77f 77ff f777 7f77 77f7 777f” =
“ffff7ffff7ffff7ffff7ff7f7f7f77f77ff7777f7777f7777f”
- Franguystalla of 2 elements as are “77”, “7f”, “f7”, “ff”
- But since the values are not changeable in that folder we need to use coding through “3b” including mixing and complicating which I believe gives us numbers as are “6 and 9” or “5, 6 and 9” with less restrictions... There actually isn’t a value for disabling the DRRS but enabling it: “eabcdeabcdeabcde”
- I don’t know why but the hex number “6” mutes the cosmos jokes completely, the hex number 7 mutes the others interfering the system but itself isn’t good

igfxcui/Media - Old photos and not good settings

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_QWORD	0xffffffffffffff (18446744073709551615)
 EnableACE	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 EnableFMD	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 EnableIS	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 EnableNLAS	REG_QWORD	0xffffffffffffff (18446744073709551615)
 EnableSTE	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 EnableSuperResolution	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 EnableTCC	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 GCompMode	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 GExpMode	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 InputYUVRange	REG_QWORD	0xffffffffffffff (18446744073709551615)
 NLASHLinearRegion	REG_QWORD	0xececececececece (17216961135462248174)
 NLASNonLinearCrop	REG_QWORD	0xececececececece (17216961135462248174)
 NLASVerticalCrop	REG_QWORD	0xececececececece (17216961135462248174)
 NoiseReductionAutoDetectEnabledAlways	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 NoiseReductionEnableChroma	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 NoiseReductionEnabledAlways	REG_QWORD	0xfefefefefefefe (18374403900871474942)
 NoiseReductionFactor	REG_QWORD	0xffffffffffffff (18446744073709551615)
 ProcAmpApplyAlways	REG_QWORD	0xeceefffffeefffff (17216979900174368767)
 ProcAmpBrightness	REG_QWORD	0xdabddabddabddabd (15761994779820153533)
 ProcAmpContrast	REG_QWORD	0xcadbcadbcadbcadb (14617500060911127259)
 ProcAmpHue	REG_QWORD	0xadbdadbdadbdadbd (12519353569335160253)
 ProcAmpSaturation	REG_QWORD	0xfadbfadbfadbfadb (18076317352095120091)
 SatFactorBlue	REG_DWORD	0xeceefffff (4008640511)
 SatFactorCyan	REG_DWORD	0xeceefffff (4008706047)
 SatFactorGreen	REG_DWORD	0xeceefffff (4009754623)
 SatFactorMagenta	REG_DWORD	0xeceefffff (4026531839)
 SatFactorRed	REG_DWORD	0xfefefffff (4278190079)
 SatFactorYellow	REG_DWORD	0xfefefffff (4293918719)
 SharpnessEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)
 SharpnessFactor	REG_DWORD	0xdebdebebe (3737050814)
 SkinTone	REG_QWORD	0xfdebdecdbdecddca (18296962878320533194)
 SuperResolutionEnabled	REG_DWORD	0xbdeeeceee (3202280686)
 SuperResolutionMode	REG_DWORD	0xecececeee (4008636142)
 UISharpnessOptimalEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 SatFactorBlue	REG_DWORD	0xeefeffff (4008640511)
 SatFactorCyan	REG_DWORD	0xeefeffff (4008706047)
 SatFactorGreen	REG_DWORD	0xeefeffff (4009754623)
 SatFactorMagenta	REG_DWORD	0xeefeffff (4026531839)
 SatFactorRed	REG_DWORD	0xfefeffff (4278190079)
 SatFactorYellow	REG_DWORD	0xfefeffff (4293918719)
 SharpnessFactor	REG_DWORD	0xdebefef (3737050814)
 SuperResolutionEnabled	REG_DWORD	0xbefefef (3202280686)
 SuperResolutionMode	REG_DWORD	0xeefefef (4008636142)
 ProcAmpApplyAlways	REG_QWORD	0xeefefffeefffff (17216979900174368767)
 InputYUVRange	REG_QWORD	0xffffffffffffff (18446744073709551615)
 NLASHLinearRegion	REG_QWORD	0xeefefefefefef (17216961135462248174)
 NLASNonLinearCrop	REG_QWORD	0xeefefefefefef (17216961135462248174)
 NLASVerticalCrop	REG_QWORD	0xeefefefefefef (17216961135462248174)
 NoiseReductionFactor	REG_QWORD	0xffffffffffffff (18446744073709551615)
 ProcAmpBrightness	REG_QWORD	0xdabddabddabddabd (15761994779820153533)
 ProcAmpContrast	REG_QWORD	0xcadbcadbcadbcadb (14617500060911127259)
 ProcAmpHue	REG_QWORD	0xadbdadbdbdadbdbd (12519353569335160253)
 ProcAmpSaturation	REG_QWORD	0xfadbfadbfadbfadb (18076317352095120091)
 EnableSuperResolution	REG_QWORD	0xfefefefefefefef (18374403900871474942)
 SharpnessEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)
 UISharpnessOptimalEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)
 EnableNLAS	REG_QWORD	0xffffffffffffff (18446744073709551615)
 AceLevel	REG_QWORD	0xffffffffffffff (18446744073709551615)
 SkinTone	REG_QWORD	0xfdebdecdbdecddca (18296962878320533194)
 EnableFMD	REG_QWORD	0xfefefefefefefef (18374403900871474942)
 EnableACE	REG_QWORD	0xfefefefefefefef (18374403900871474942)
 EnableIS	REG_QWORD	0xfefefefefefefef (18374403900871474942)
 EnableSTE	REG_QWORD	0xfefefefefefefef (18374403900871474942)
 EnableTCC	REG_QWORD	0xfefefefefefefef (18374403900871474942)
 GExpMode	REG_QWORD	0xfefefefefefefef (18374403900871474942)
 GCompMode	REG_QWORD	0xfefefefefefefef (18374403900871474942)
 NoiseReductionAutoDetectEnabledAlways	REG_QWORD	0xfefefefefefefef (18374403900871474942)
 NoiseReductionEnabledAlways	REG_QWORD	0xfefefefefefefef (18374403900871474942)
 NoiseReductionEnableChroma	REG_QWORD	0xfefefefefefefef (18374403900871474942)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_DWORD	0xfedbdace (4275821262)
 EnableACE	REG_DWORD	0x00000001 (1)
 EnableFMD	REG_DWORD	0x00000001 (1)
 EnableIS	REG_DWORD	0x00000001 (1)
 EnableNLAS	REG_DWORD	0x00000001 (1)
 EnableSTE	REG_DWORD	0x00000001 (1)
 EnableSuperResolution	REG_DWORD	0x00000001 (1)
 EnableTCC	REG_DWORD	0x00000001 (1)
 GCompMode	REG_DWORD	0xffffdbac (4294957996)
 GExpMode	REG_DWORD	0xe0000000 (4008636142)
 InputYUVRange	REG_DWORD	0xe0000000 (4008636142)
 NLASHLinearRegion	REG_DWORD	0xe0000000 (4008636142)
 NLASNonLinearCrop	REG_DWORD	0xe0000000 (4008636142)
 NLASVerticalCrop	REG_DWORD	0xe0000000 (4008636142)
 NoiseReductionAutoDetectEnabledAlways	REG_DWORD	0x00000001 (1)
 NoiseReductionEnableChroma	REG_DWORD	0x00000001 (1)
 NoiseReductionEnabledAlways	REG_DWORD	0x00000001 (1)
 NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
 ProcAmpApplyAlways	REG_QWORD	0xffedbcdfd2a4cde (18441603779492728030)
 ProcAmpBrightness	REG_DWORD	0xfefedabd (4278115005)
 ProcAmpContrast	REG_DWORD	0xfefedabd (4278115005)
 ProcAmpHue	REG_DWORD	0xfefedabd (4278115005)
 ProcAmpSaturation	REG_DWORD	0xfefedabd (4278115005)
 SatFactorBlue	REG_DWORD	0xe0000000 (4008640511)
 SatFactorCyan	REG_DWORD	0xe0000000 (4008640511)
 SatFactorGreen	REG_DWORD	0xe0000000 (4008640511)
 SatFactorMagenta	REG_DWORD	0xe0000000 (4008640511)
 SatFactorRed	REG_DWORD	0xe0000000 (4008640511)
 SatFactorYellow	REG_DWORD	0xe0000000 (4008640511)
 SharpnessEnabledAlways	REG_DWORD	0x00000001 (1)
 SharpnessFactor	REG_DWORD	0xdebedebe (3737050814)
 SkinTone	REG_DWORD	0xcefdecaf (3472747695)
 SuperResolutionEnabled	REG_DWORD	0xbedeecee (3202280686)
 SuperResolutionMode	REG_DWORD	0xffffffff (4294967295)
 UISharpnessOptimalEnabledAlways	REG_DWORD	0xe0000000 (4008636142)

Name	Type	Data
 (Default)	REG_SZ	(value not set)
 AceLevel	REG_DWORD	0xffffedbc (4294962620)
 EnableACE	REG_DWORD	0xffffedbc (4294962620)
 EnableFMD	REG_DWORD	0xffffedbc (4294962620)
 EnableIS	REG_DWORD	0xffffedbc (4294962620)
 EnableNLAS	REG_DWORD	0xffffedbc (4294962620)
 EnableSTE	REG_DWORD	0xffffedbc (4294962620)
 EnableSuperResolution	REG_DWORD	0xffffedbc (4294962620)
 EnableTCC	REG_DWORD	0xffffedbc (4294962620)
 GCompMode	REG_DWORD	0x4444dbed (1145363437)
 GExpMode	REG_DWORD	0x999fedbd (2577395133)
 InputYUVRange	REG_DWORD	0xfffff123 (4294963491)
 NLASHLinearRegion	REG_DWORD	0xefffffe (4026531838)
 NLASNonLinearCrop	REG_DWORD	0xfeeeeef (4277071599)
 NLASVerticalCrop	REG_DWORD	0xfeeffeef (4277141231)
 NoiseReductionAutoDetectE...	REG_DWORD	0xffbecaaa (4290693802)
 NoiseReductionEnableChro...	REG_DWORD	0xffffeeee (4294897390)
 NoiseReductionEnabledAlw...	REG_DWORD	0xffffeeee (4294897390)
 NoiseReductionFactor	REG_DWORD	0xabc987ef (2882111471)
 ProcAmpApplyAlways	REG_DWORD	0xfeefdabd (4277131965)
 ProcAmpBrightness	REG_DWORD	0xfeefdabd (4277131965)
 ProcAmpContrast	REG_DWORD	0xfeefdabd (4277131965)
 ProcAmpHue	REG_DWORD	0xfeefdabd (4277131965)
 ProcAmpSaturation	REG_DWORD	0xfeefdabd (4277131965)
 SatFactorBlue	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorCyan	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorGreen	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorMagenta	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorRed	REG_DWORD	0xeeeddfff (4008566783)
 SatFactorYellow	REG_DWORD	0xeeeddfff (4008566783)
 SharpnessEnabledAlways	REG_DWORD	0xdecaffff (3737845759)
 SharpnessFactor	REG_DWORD	0xfabecaff (4206807807)
 SkinTone	REG_DWORD	0xcefdecalf (3472747695)
 SuperResolutionEnabled	REG_DWORD	0xbffaceff (3220885247)
 SuperResolutionMode	REG_DWORD	0xdecadeca (3737837258)
 UISharpnessOptimalEnabled...	REG_DWORD	0xaddeefff (2917068799)