

Warning

Increasing speed of the laptop CPU can overheat the laptop, so, without a good cooler below laptop it will simply shut down because of overheat... I am suggesting you buying at least:

https://www.coolermaster.com/en-global/products/notepal-i300/?tab=tech_spec



Specifications:

- Fan Dimensions (L x W x H) 160 x 160 x 15 mm / 6.3 x 6.3 x 0.6 inch
- Fan Speed 700–1400 RPM ± 150
- Fan Airflow 35 - 70 CFM

Laptop temperatures with this cooler always connected and working are:

Sensor	Value	Max
ORWELLIYADA		
Dell OH2F8K		
11th Gen Intel Core i7-1...		
Clocks		
Bus Speed	99.4 MHz	99.4 MHz
CPU Core #1	4074.9 MHz	4074.9 MHz
CPU Core #2	1192.7 MHz	4671.2 MHz
CPU Core #3	4671.3 MHz	4671.3 MHz
CPU Core #4	1192.7 MHz	4671.2 MHz
Temperatures		
CPU Core #1	67.0 °C	87.0 °C
CPU Core #2	68.0 °C	88.0 °C
CPU Core #3	69.0 °C	86.0 °C
CPU Core #4	67.0 °C	94.0 °C
CPU Package	70.0 °C	94.0 °C
Load		
CPU Total	13.7 %	22.3 %
CPU Core #1	24.6 %	31.7 %
CPU Core #2	10.0 %	25.0 %
CPU Core #3	12.3 %	15.3 %
CPU Core #4	7.7 %	19.6 %
Powers		
CPU Package	13.8 W	15.6 W
CPU Cores	10.0 W	11.7 W
CPU Graphics	0.0 W	0.2 W
CPU DRAM	0.0 W	0.0 W
Generic Memory		
Load		
Memory	63.2 %	63.5 %
Data		
Used Memory	9.9 GB	10.0 GB
Available Memory	5.8 GB	5.8 GB
NVIDIA NVIDIA GeFor...		
Clocks		
GPU Core	1531.0 MHz	1531.0 MHz
GPU Memory	3504.0 MHz	3504.0 MHz
GPU Shader	3062.0 MHz	3062.0 MHz
Temperatures		
GPU Core	0.0 °C	69.0 °C
Load		
GPU Core	0.0 %	2.0 %
GPU Frame Buffer	0.0 %	0.0 %
GPU Video Engine	0.0 %	0.0 %
GPU Bus Interface	0.0 %	1.0 %
GPU Memory	3.9 %	3.9 %


How to speed up your Intel processor using Registry Keys

In my example I have a laptop “Dell Vostro 5502” with processor “11th Gen Intel® Core™ i7-1165G7 @ 2.80GHz” working on up to 4.7 GHz where it is for some reason set to work on up to 1.69 GHz with a possible boost up to 2.7 GHz and later on 4.1 GHz (because for some reason Windows doesn’t allow the full usage of the CPU)...

In Task Manager you will find this description about the processor:


Base speed:	1.69 GHz
Sockets:	1
Cores:	4
Logical processors:	8
Virtualization:	Enabled
L1 cache:	320 KB
L2 cache:	5.0 MB
L3 cache:	12.0 MB

First thing that I was asking is the 2 given options in the Registry Keys for “EfficiencyClass” when I can have 3 if processor is locked on 1.69... The other thing to consider here is enabled energy saver locking that processor on 1.69 GHz, and not on 2.7 GHz... That energy saver with Windows given options shall make this Intel CPU to work on 0.87 GHz and even slower on about 0.4 GHz when the greater CPU consumption and usage comes in place...



First of all to avoid that we need to fix some Registry values and settings:

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power”




Here I would pay attention what does EnergyEstimationEnabled option... Leave it turned on, because, by some thinking – under the folder EnergyEstimation , but that is my choice...

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
Class1InitialUnparkCount	REG_DWORD	0x00000040 (64)
CustomizeDuringSetup	REG_DWORD	0x00000001 (1)
EnableInputSuppression	REG_DWORD	0xf2d4a2da (4074021594)
EnergyEstimationEnabled	REG_DWORD	0xfadfdaf (4208974589)
EnergySaverState	REG_DWORD	0x00000002 (2)
EventProcessorEnabled	REG_DWORD	0xfdafdfda (4261076954)
HiberFileSizePercent	REG_DWORD	0x00000064 (100)
HibernateEnabledDefault	REG_DWORD	0x00000001 (1)
IgnoreCsComplianceCheck	REG_DWORD	0x00000001 (1)
LidReliabilityState	REG_DWORD	0x00000001 (1)
MfBufferingThreshold	REG_DWORD	0x00000000 (0)
PerfCalculateActualUtilization	REG_DWORD	0x00000001 (1)
SourceSettingsVersion	REG_DWORD	0x00000003 (3)
TimerRebaseThresholdOnDri...	REG_DWORD	0x0000003c (60)

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
Class1InitialUnparkCount	REG_DWORD	0x00000050 (80)
CustomizeDuringSetup	REG_DWORD	0x00000001 (1)
EnableInputSuppression	REG_DWORD	0xfefefefe (4278124286)
EnergyEstimationEnabled	REG_DWORD	0xfefe0000 (4278059008)
EnergySaverState	REG_DWORD	0x00000002 (2)
EventProcessorEnabled	REG_DWORD	0xeeeeeeff (4008636159)
HiberFileSizePercent	REG_DWORD	0x00000064 (100)
HibernateEnabledDefault	REG_DWORD	0x00000001 (1)
IgnoreCsComplianceCheck	REG_DWORD	0x00000001 (1)
LidReliabilityState	REG_DWORD	0x00000001 (1)
MfBufferingThreshold	REG_DWORD	0x00000000 (0)
PerfCalculateActualUtilization	REG_DWORD	0xfefefefe (4278124286)
SourceSettingsVersion	REG_DWORD	0x00000003 (3)
TimerRebaseThresholdOnDripsExit	REG_DWORD	0x0000003c (60)

EfficiencyClasses

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\EnergyEstimation\CPU\EfficiencyClass\0




Name	Type	Data
ab (Default)	REG_SZ	(value not set)
PowerEnvelope	REG_DWORD	0x00001200 (4608)


- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\EnergyEstimation\CPU\EfficiencyClass\0\PowerCurve\0

Explanation for the values: FrequencyPercent is represented in decimals as a percentage, and PowerEnvelope is represented in HexaDecimal values but through the Decimal values – so for example if you type in the Decimal value “1000” you should see it as is written in HexaDecimal values, which translated gives us 4.096 GHz... You should notice one interesting thing that you can't type in all of the Frequencies for the processor because in hexadecimal values you can write and letters A – F, so for example “A99” would be 2.713 GHz, and here you can write only numbers which means either you would need to agree to processor speed of (in Hexadecimal values) “999” or “1000”, which is translated: 2.457 GHz (for “999”) or 4.096 GHz (for “1000”)...


So my setting is:




Name	Type	Data
ab (Default)	REG_SZ	(value not set)
FrequencyPercent	REG_DWORD	0x00000050 (80)
PowerEnvelope	REG_DWORD	0x000004b0 (1200)




Name	Type	Data
ab (Default)	REG_SZ	(value not set)
FrequencyPercent	REG_DWORD	0x00000053 (83)
PowerEnvelope	REG_DWORD	0x000004b0 (1200)




Name	Type	Data
(Default)	REG_SZ	(value not set)
FrequencyPercent	REG_DWORD	0x00000055 (85)
PowerEnvelope	REG_DWORD	0x000004b0 (1200)



Name	Type	Data
(Default)	REG_SZ	(value not set)
FrequencyPercent	REG_DWORD	0x0000005a (90)
PowerEnvelope	REG_DWORD	0x000004b0 (1200)




Name	Type	Data
(Default)	REG_SZ	(value not set)
FrequencyPercent	REG_DWORD	0x0000005f (95)
PowerEnvelope	REG_DWORD	0x000004b0 (1200)




Name	Type	Data
(Default)	REG_SZ	(value not set)
FrequencyPercent	REG_DWORD	0x00000064 (100)
PowerEnvelope	REG_DWORD	0x000004b0 (1200)

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\EnergyEstimation\CPU\EfficiencyClass\1




Name	Type	Data
ab (Default)	REG_SZ	(value not set)
PowerEnvelope	REG_DWORD	0x00001200 (4608)




One solution I created for myself – I have retyped all values from the EfficiencyClass “0” into “1”...

Other unnecessary solution is something like this:


Name	Type	Data
ab (Default)	REG_SZ	(value not set)
FrequencyPercent	REG_DWORD	0x00000041 (65)
PowerEnvelope	REG_DWORD	0x000004b0 (1200)




Name	Type	Data
ab (Default)	REG_SZ	(value not set)
FrequencyPercent	REG_DWORD	0x00000046 (70)
PowerEnvelope	REG_DWORD	0x000004b0 (1200)




Name	Type	Data
ab (Default)	REG_SZ	(value not set)
FrequencyPercent	REG_DWORD	0x00000055 (85)
PowerEnvelope	REG_DWORD	0x000003e7 (999)



Name	Type	Data
ab (Default)	REG_SZ	(value not set)
FrequencyPercent	REG_DWORD	0x0000005a (90)
PowerEnvelope	REG_DWORD	0x000004b0 (1200)



Name	Type	Data
ab (Default)	REG_SZ	(value not set)
FrequencyPercent	REG_DWORD	0x0000005f (95)
PowerEnvelope	REG_DWORD	0x000004b0 (1200)



Name	Type	Data
(Default)	REG_SZ	(value not set)
FrequencyPercent	REG_DWORD	0x00000064 (100)
PowerEnvelope	REG_DWORD	0x000004b0 (1200)

Residual energy

File system tree view showing the 'ResidualEnergy' folder under 'EnergyEstimation' in the 'Power' directory. A table to the right lists registry values for this folder.

Name	Type	Data
(Default)	REG_SZ	(value not set)
EnableInlineAccounting	REG_DWORD	0x2a4cfdef (709688815)


WorkOnBehalf

File system tree view showing the 'WorkOnBehalf' folder under 'EnergyEstimation' in the 'Power' directory. A table to the right lists registry values for this folder.

Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableWorkOnBehalfAttribution	REG_DWORD	0xfaaddfaf (4205698991)


VetoPolicies

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC”



Laptop works faster if VetoPolicy options are turned off...

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\Activators\28\VetoPolicy
 - EA:PowerStateDischarging: ffff ffff
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\Activators\Default\VetoPolicy
 - EA:EnergySaverEngaged: ffff ffff



I am not sure if these values represent the maximum speed of the processor but I have placed them all on maximum for my processor:


- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\VetoPolicy\EA\{DDC4A1A9-7163-4072-878F-5416933D22D1}\{885D4A75-7CE6-4075-8AF0-2BFC82B62FE3}\{AAF91665-FAFF-449D-B47A-5E19B4ABB4E2}
 - Type 4121 -> 4700

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\Veto Policy\EA\{DDC4A1A9-7163-4072-878F-5416933D22D1\}\{885D4A75-7CE6-4075-8AF0-2BFC82B62FE3\}\{EC5C2F86-8FC5-4ACE-BC77-B29BF20276B0}
 - Type 4106 -> 4700
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\Veto Policy\EA\{EE8ED144-1D82-4B2E-B807-2082FE3D4AC7\}\{850FAEAE-3ADC-4CC6-BA5C-7F4151466500\}\{CF69B873-5A0E-4F7E-AC84-8A185A47A85F}
 - Type 4106 -> 4700
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PDC\Veto Policy\EA\{EE8ED144-1D82-4B2E-B807-2082FE3D4AC7\}\{850FAEAE-3ADC-4CC6-BA5C-7F4151466500\}\{E4E90B30-BD23-4AEA-B44E-3777C9401354}
 - Type 4145 -> 4700

You will notice that those folders – “keys” there is a value that has a DWORD named “Value” and that it is turned off, I have placed it to 0...

PowerSettings

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings”




Talking about PowerSettings you need to turn High Performance on, set graphics to work in High performance mode, to set CPU to work by High Performance if you wish on all 3 levels (3 different keys under “DefaultPowerSchemeValues” folder) – because it is unknown in Registry Editor which level is for “Best Battery Life” setting, which is “Balanced” setting, and which is for “Best (High) performance” setting... What I can conclude, for my processor and type of Windows that I have – key: “8c5e7fda-e8bf-4a96-9a85-a6e23a8c635c” represents the “High performance” mode and mostly from that key I have been copying to other two keys its own already set values... Some keys I have changed completely, adjusting values how I liked...

How this part of the registry works? First you will have a “key” (folder) where you will find options that you can implement under “keys” (folders) 0, 1, 2 and you will have a folder where you can implement those options named: “DefaultPowerSchemeValues”... In those folders you can find the description and a “friendly name” (also a type of a description) of the current part of the Registry Keys... Each of the main folders named for example: “0”, “1” or “2” will have some type of a value that you can use later on... That value you will find under a DWORD (data) name “SettingValue”... The best setting whether it’s under folder “0”, “1” or “2” you can copy into the “AcSettingIndex” or “DcSettingIndex”, or “ProvAcSettingIndex” or “ProvDcSettingIndex”...

In cases where you don’t have options under keys (folders) “0”, “1”, “2”, you will have some type of a scale that you can implement... Maximum value of the scale you can find under the main folder and it’s DWORD named “ValueMax” and it’s possible minimum under a DWORD named “ValueMin”... Always take a look at: DWORD named ValueUnits that will have a description for example: “@%SystemRoot%\system32\powrprof.dll,-81,percent” – there the last word we can find is the word “percent” meaning you should implement in decimal numbers value from 0 to 100 representing some kind of a percentage of a usage for some of the situations...

Some of the settings that I have implemented are:

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00



Under power settings you will find the key: “54533251-82be-4824-96c1-47b60b740d00” with “Processor power settings” and you need to see each of the keys (folders) it has and to adjust them except time settings which I haven’t changed...

Processor performance increase threshold

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\06cadf0e-64ed-448a-8927-ce7bf90eb35d”
- Value different 30, 60, 90

Processor performance increase threshold for Processor Power Efficiency Class 1

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\06cadf0e-64ed-448a-8927-ce7bf90eb35e
- 60 – 90

Specify the minimum number of unparked cores/packages allowed

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\0cc5b647-c1df-4637-891a-dec35c318583
 - Description: Specify the minimum number of unparked cores/packages allowed (in percentage).
 - Setting implemented: 64 (100)

Specify the minimum number of unparked cores/packages allowed

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\1facfc65-a930-4bc5-9f38-504ec097bbc0
 - Description: Specify the minimum number of unparked cores/packages allowed (in percentage).
 - Setting implemented: 64 (100) – 10

Processor performance core parking min cores for Processor Power Efficiency Class 1

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\0cc5b647-c1df-4637-891a-dec35c318584”
- 0

Processor performance decrease threshold

- Specify the lower busy threshold that must be met before decreasing the processor's performance state (in percentage).
- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\12a0ab44-fe28-4fa9-b3bd-4b64f44960a6”
- 20 – 10 – 60 – 10

Processor performance decrease threshold for Processor Power Efficiency Class 1

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\12a0ab44-fe28-4fa9-b3bd-4b64f44960a7
- 20 – 30

Hybrid containment zone important utility percentage

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\12fd031f-53d2-4bf4-ac6d-c699fc9538c7”
- Specify the important utility percentage that once met, allow workload to move to no containment zone
- 0

Processor Restriction Count

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\1a98ad09-af22-42ca-8e61-f0a5802c270a”
- Specify the restriction processor count for this QoS of threads.
- 0

Initial performance for Processor Power Efficiency Class 1 when unparked

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\1facfc65-a930-4bc5-9f38-504ec097bbc0”
- 32 (50)

Processor performance core parking concurrency threshold

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\2430ab6f-a520-44a2-9601-f7f23b5134b1”
- 61 (97), 61, 5f

Processor performance core parking increase time

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\2ddd5a84-5a71-437e-912a-db0b8c788732”
- In time check intervals
- Same as before: 3, 7, 1

Processor energy performance preference policy

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\36687f9e-e3a5-4dbf-b1dc-15eb381c6863”
- (33), (50) / 0, 0 / (70) / (60) / (25), (33)

Processor energy performance preference policy for Processor Power Efficiency Class 1

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\36687f9e-e3a5-4dbf-b1dc-15eb381c6864\DefaultPowerSchemeValues\381b4222-f694-41f0-9685-ff5bb260df2e”
- (33), (50) / (0), (0) / (60), (60)

Processor energy performance preference policy for Processor Power Efficiency Class 2

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\36687f9e-e3a5-4dbf-b1dc-15eb381c6864”
- (33), (50), (60)

Allow Throttle States

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\3b04d4fd-1cc7-4f23-ab1cd1337819c4bb
 - FriendlyName: Allow Throttle States
 - Setting implemented: 0 – Off

Processor performance increase time for Processor Power Efficiency Class 1

- “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\4009efa7-e72d-4cba-9edf-91084ea8cbc3”
- 1

Processor performance decrease policy

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\40fbefc7-2e9d-4d25-a185-0cf8574bac6
 - FriendlyName: Processor performance decrease policy
 - Setting implemented: Single
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\40fbefc7-2e9d-4d25-a185-0cf8574bac7
 - FriendlyName: Processor performance decrease policy for Processor Power Efficiency Class 1
 - Setting implemented: Single

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\447235c7-6a8d-4cc0-8e24-9eaf70b96e2b
 - Processor performance core parking parked performance state
 - Best option for the speed of processor: Lightest Performance State
 - My setting implemented: No preference
 - Some theory on that topic: Unused CPUs enter parked state and not to spend energy they can enter Deepest Performance state to save power and reduce the heat... Otherwise faster option is "Lightest Performance state"...
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\45bcc044-d885-43e2-8605-ee0ec6e96b59
 - FriendlyName: Processor performance boost policy
 - All Settings implemented: 0x64 (or Decimal: 100 (%))
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\465e1f50-b610-473a-ab58-00d1077dc418
 - FriendlyName: Processor performance increase policy
 - Setting implemented: Rocket
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\4e4450b3-6179-4e91-b8f1-5bb9938f81a1
 - FriendlyName: Processor duty cycling
 - Setting implemented: Allow processor duty cycling.
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\5d76a2ca-e8c0-402f-a133-2158492d58ad
 - Description: Specify if idle states should be disabled.
 - Setting implemented: Enable idle
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\6c2993b0-8f48-481f-bcc6-00dd2742aa06
 - FriendlyName: Processor idle threshold scaling
 - Setting implemented: Disable scaling
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\71021b41-c749-4d21-be74-a00f335d582b
 - Description: Specify the number of cores/packages to park when fewer cores are required.
 - Setting implemented: Ideal number of cores

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\75b0ae3f-bce0-45a7-8c89-c9611c25e100
 - FriendlyName: Maximum processor frequency
 - Setting implemented: Decimal value: 4700
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\75b0ae3f-bce0-45a7-8c89-c9611c25e101
 - FriendlyName: Maximum processor frequency for Processor Power Efficiency Class 1
 - Setting implemented: Decimal value: 2457
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\7f2f5cfaf10c-4823-b5e1-e93ae85f46b5
 - FriendlyName: Heterogeneous policy in effect.
 - Setting implemented: Use heterogeneous policy 0

Don't forget to check options for Graphic card:

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\5FB4938D-1EE8-4b0f-9A3C-5036B0AB995C
 - FriendlyName: GPU preference policy
 - Setting implemented: No preference (because other setting I had was: Low Power)

Check Energy Saving settings:

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\DE830923-A562-41AF-A086-E3A2C6BAD2DA
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\DE830923-A562-41AF-A086-E3A2C6BAD2DA\5C5BB349-AD29-4ee2-9D0B-2B25270F7A81
 - FriendlyName: Energy Saver Policy
 - Setting implemented: User

Also, you can go back to processor settings and find the “Processor performance increase threshold” and “Processor performance decrease threshold” options, as I know I have changed some of the percentages, for example from 35 to 20 if is faster and from 45 to 50, but maybe I have pushed it above the edge or below the edge (I am not even sure)... Maybe those settings are fine by themselves...

My options there are in decimal values:

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\7b224883-b3cc-4d79-819f-8374152cbe7c
 - FriendlyName: Processor idle promote threshold
 - Setting implemented: 14 (20)
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\943c8cb6-6f93-4227-ad87-e9a3feec08d1
 - FriendlyName: Processor performance core parking over utilization threshold
 - Setting implemented: 1e (30)
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\06cadf0e-64ed-448a-8927-ce7bf90eb35d
 - FriendlyName: Processor performance increase threshold
 - Setting implemented: 0 (0)
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\06cadf0e-64ed-448a-8927-ce7bf90eb35e
 - FriendlyName: Processor performance increase threshold for Processor Power Efficiency Class 1
 - Setting implemented: 0 (0)
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\12a0ab44-fe28-4fa9-b3bd-4b64f44960a6
 - FriendlyName: Processor performance decrease threshold
 - Description: Specify the lower busy threshold that must be met before decreasing the processor's performance state (in percentage).
 - Setting implemented: 64 (100)
- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\12a0ab44-fe28-4fa9-b3bd-4b64f44960a7
 - FriendlyName: Processor performance decrease threshold
 - Description: Specify the lower busy threshold that must be met before decreasing the processor's performance state (in percentage).
 - Setting implemented: 64 (100)

There is also a setting for “Processor performance boost mode”:


- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\be337238-0d82-4146-a960-4f3749d470c7
 - Setting implemented: 5

Set System cooling policy:

- Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Power\PowerSettings\54533251-82be-4824-96c1-47b60b740d00\94D3A615-A899-4AC5-AE2B-E4D8F634367F\1
 - Setting implemented: Increase fan speed before slowing the processor

Edit the option for Minimal Power Management:

- Computer\HKEY_CURRENT_USER\Control Panel\PowerCfg



Here, on my Windows, under a number 4 is:

So just set in the PowerCfg string CurrentPowerPolicy: 4

Graphic cards

This Laptop “Dell Vostro 5502” has also dual graphics cards - integrated “Intel® Iris® Xe Graphics” and “NVIDIA GeForce MX330”... It has 16GB of RAM memory, and 500 GB SSD hard drive...

There is a topic of a small and reducing processor speed thanks to the small “Bus” (an implemented cable for transferring the data in between the graphic card and the other chips), and that because of it (maybe set on 1.3 GHz) and the processor reduces its speed...

HardwareAcceleration

In Registry Editor add the keys into:

- “Computer\HKEY_CURRENT_USER\SOFTWARE\Microsoft\Avalon.Graphics”

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
EnableHWAcceleration	REG_DWORD	0xfffff40ac (4294918316)
EnableHWUpgrade	REG_DWORD	0xfffff40ac (4294918316)
HWSpeed	REG_DWORD	0xfffff40ac (4294918316)
Tiers	REG_DWORD	0xeeeeeeff (4008640511)

Old settings that made no point:

\Avalon.Graphics

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
HWDowngrade	REG_DWORD	0x00002800 (10240)
HWUpgrade	REG_DWORD	0x00004800 (18432)

I believe that the next solution makes no point:

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
DisableHWAcceleration	REG_DWORD	0xffffffff (4294967295)
EnableHWAcceleration	REG_DWORD	0xffff24ac (4294911148)

- I created REG_DWORD named DisableHWAcceleration and set it to the value: ffffff or f22afdfd
- I created REG_DWORD named EnableHWAcceleration and set it to the value: ffff24ac, maybe wrong answers are: ffff2a4c, cbed2a4c, fadefa9c – but those codes we can use

if we find the setting on our chips complex which we can find the association when we look at the title: Avalon.Graphics

- Maybe 2a4cd2da – last “a” is there maximum of 2GHz...
- Maybe 4a7cd4df – last “f” is there because of as much as it can of 4GHz...

DirectX

- “Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\DirectX”

Edit “MaxFeatureLevel”, “MinFeatureLevels”, “D3D12MinFeatureLevel” and “D3D12MaxFeatureLevel”


- MaxFeatureLevel: “c100”

- MaxFeatureLevel possible options are:
 - C100
 - c256
 - F256
 - Fadcb
 - “Fadbcdef”
 - “fadbcfdf”

- D3D12MinFeatureLevel: c100

- Possible options are:
 - 0 (to see retardedness)
 - c100
 - F (to see regular even if it isn't)
 - 15, 20, 25, 30, 35, ..., 100
 - f10
 - f11, f12, f13, f14, f15
 - f100, f110, f120, f130, f140, f150
 - f1000

Edit those values and through the inside of the “DirectX” key keys:




Old settings and unnecessary images:

Name	Type	Data
(Default)	REG_DWORD	0x00000001 (1)
D3D12MaxFeatureLevel	REG_DWORD	0xfadbcdef (4208709103)
D3D12MinFeatureLevel	REG_DWORD	0x00000000 (0)
DxDbOOBESkipHresult	REG_DWORD	0x00000000 (0)
DxDbUninstallFodReason	REG_DWORD	0x00000001 (1)
DxDbUninstallFodTimestamp	REG_SZ	UTC.2025-06-01.00:44:53
DxDbVersion	REG_SZ	1.7.6
HybridDeviceApplicableFor...	REG_DWORD	0x00000001 (1)
HybridRegkeyWriteTimesta...	REG_SZ	UTC.2025-06-01.00:24:13
InstalledVersion	REG_BINARY	00 00 00 09 00 00 00 00
LastOOBESkipTimestamp	REG_SZ	UTC.2025-10-07.03:03:42
LastSeen	REG_QWORD	0x1dc52570b51dddd (134072622719819229)
LastUpdaterCallbackHresult	REG_DWORD	0x00000000 (0)
LastUpdaterCallbackTimesta...	REG_SZ	UTC.2025-10-17.13:59:30
LastUpdaterStartHresult	REG_DWORD	0x00000000 (0)
LastUpdaterStartTimestamp	REG_SZ	UTC.2025-10-17.13:59:03
MaxDedicatedVideoMemory	REG_QWORD	0x7b06f000 (2064052224)
MaxFeatureLevel	REG_DWORD	0xfadbcdef (4208709103)
MinFeatureLevel	REG_DWORD	0x00000000 (0)
Version	REG_SZ	4.09.00.0904

Name	Type	Data
(Default)	REG_SZ	(value not set)
AdapterLuid	REG_QWORD	0x00013670 (79472)
AdapterType	REG_DWORD	0x0000232b (9003)
DedicatedSystemMemory	REG_QWORD	0x00000000 (0)
DedicatedVideoMemory	REG_QWORD	0x08000000 (134217728)
Description	REG_SZ	Intel(R) Iris(R) Xe Graphics
DeviceId	REG_DWORD	0x00009a49 (39497)
DriverVersion	REG_QWORD	0x1f0000006514d5 (8725724284654805)
LastSeen	REG_QWORD	0x1dc52570b51dddd (134072622719819229)
MaxD3D11FeatureLevel	REG_DWORD	0xfadbcdef (4208709103)
MaxD3D12FeatureLevel	REG_DWORD	0x000fadcb (1027531)
SharedSystemMemory	REG_QWORD	0x1f7565000 (8444596224)
UMDVersion	REG_QWORD	0x1f0000006514d5 (8725724284654805)
VendorId	REG_DWORD	0x00008086 (32902)

Intel Graphics Software

A screenshot of the "Display" settings page. It shows two sections: "General" and "Color".

General

- Scaling Mode: Set which device scales the content on your display. (Retro Scaling)
- Scaling Method: Adjust how content scales to your display. (Integer)

Color

- Hue: A slider from -180 to 180 with a value of -17.
- Saturation: A slider from 0 to 100 with a value of 49.
- Brightness: A section with "Basic" and "Advanced" tabs. The "Basic" tab is selected. It has three sliders: Red (Color Intensity) from 0 to 100 with a value of 30, Green (Color Intensity) from 0 to 100 with a value of 49, and Blue (Color Intensity) from 0 to 100 with a value of 51.

 Contrast [?](#)

Basic **Advanced**

Red
Color Intensity

Green
Color Intensity

Blue
Color Intensity


 Quantization Range [?](#)
Tune the black and white levels of your screen content.

Limited

0 100 47 ▲▼

0 100 51 ▲▼

0 100 56 ▲▼



“GraphicDrivers” Key

Go to: “Computer\HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\GraphicsDrivers”




You should change in all of the “Configuration” keys files named “00”, and eventually main ones where you find PixelRate, PixelFormat and ColorBasis...

- PixelFormat best setting is “acfedbce”, other settings are:
 - “fe17”
 - “fe27”
 - “acfedbce”
 - “fedcbdef”
- ColorBasis best setting is “fedbcadf”, other settings are:
 - “3”
 - “fe17”
 - “fedbcadf”
 - For the whole and overall American system suggested value is: “fadbacdf”, but that system is belonging to primitive beings as humans are, and one day after a change it won’t be fitting anymore...
- PixelRate best setting is “fefedefe”, other settings are:
 - “ffffffe”
 - “fffffff”
 - “69c3320”
 - “84157a0”
 - “19275801”
 - “97216543”

- “fadcbdaf”
- “fedbcadf”
- “fedcbde”, by the belief correct value
- “ffdcebd”
- “ffedcebd”
- “dceadbֆ”
- “dafafafa”
- “fefedefe”, 8 numbers value that represents the correctness of work
- “ffffedfed”, how display shouldn't be working
- “fdbacdf”, how it shouldn't be working
- “ffffedcbe”, how it shouldn't be working for 3D


inetcpl.cpl

- Press Win+R to open “Run” program and then type: “inetcpl.cpl” and press enter
- Go to advanced




Intel graphics settings:


Intel folder list: "Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel"




Part 1:



Part 2:



Part 3:



Folders:

Each of the definitions of “watches”, “XD” (multiple D, as in 3D) environments, and etc. we define through the folders as are:

- Allambrottyya – we use for the purpose of the “knowledge watch” defined as QX or complex DQX...
- Allambrorryttyyanallyyannyya – for the purpose of measuring one towards another as is QDQ or through time we use QXQ, or through complex idea for both we can use QZQ
- Ellembrosyyannallyyannyya – would be some kind of enablement of the predefined keys – for example of 3DLUT
- Frygullarmantyya – can have keys (folders) as are AMFTXZ for the purpose now moment, DMFTXZ for the purpose of future and XMFTXZ for the past... The “watch” we are using is complexed Q or simple Q (for now), QQ (for past), and QQQ and (for future)... So implementing it in XD stage is DQ watch...
- PRST – or longer “Perrserrwattory” is a folder is for emotions and feelings we are dividing into the BCB for emotions and BRC for emotions and feelings... The watch we are using in BCB is QQX, and a watch we are using in BRC is DQX...
 - Quzzembrya (for simpler beings Quzembrya), Wallzembrya, Dezzembrya, and Allzembrya represent the idea of QQX or QQZ watches and they could belong to complexed written PRST – or Perrserrwattoryum... And I find it unnecessary for it to be main folder... Simply the explanation is that some emotions, feelings and levels of intelligence we divide in 113D, 114D or 115D and that is simply their description...
- PTRST – QPZZ & QTZZ – what when we ain’t using a watch... There is always a command for that and we can use 2 types of codes – when watches ain’t working (because we didn’t write them – then we can use data through different types of watches), or when they don’t need to work (but for example we need them – also for example because we didn’t wrote them)... QPZZ represents Qupyzzallya and QTZZ represents Quzzalltallyannyzallya
- Qupystallya – represents self responsive system towards the aliens used in open system for smart beings... In that folder we can use complex watch for past, now moment and future – maybe it’s DQZ or QZT...
- Qzembrya – represents a system for responsiveness – collecting the data from the aliens from which we need to know something
- RPGZX – “Reprogryggerryzyxannallyannya” (shorter “Reprogryggerry”) we are using for alien communication – QXQ for reading the aliens, and QZT for collecting data about them
- RPGXZ – Reprogrezzyxstya or longer “Reprogrezzyxstallyannallyannya” has the idea of exchanging and shortcuttering the values of time measurements with an idea that

some years pass with a different idea and so that we can still measure them... For that option we use the DDQX clock...

- RPGZX – we find simple time passing but for a need of a long enough time needed to pass... And that time simply in some cases can't be measured so we will extrapolate the "Q" option for a time and get it unlimited "QQQQQQQQ..." ... To shorten that we will use the: "QZQ" option, and "QZT" when we are still able to calculate the values...
- RTZT – What when we didn't write the watch for the 3D options because we simply didn't think of it, or when we don't fit into any of the watches for some strange reason? We can use the QTX (all else watches) or QDX (every single of the remaining watches) options for the missing watches... Those options are similar but the QDX has more of a value... I still find them both necessary because of the different ideas of the beings using the watches...
- TRST – or longer "Trusttannyya" we are using for the regular 3D printing on various levels... There we differ AFD, AST, and ATZ for smaller lines, irregular shapes and 2D box messages...
- TZTRT – Tarrzzattar (or for some Tartazzar) is a word for a ban on missing watches for the system to write them itself... TQT is "all ban", TRT is "simple ban" usually on emotions, and TZT is kind of a "simple ban" on feelings...
- Zygollarmanttyanallyannya – is a word for a ban and shorter word I am not sure about, even coded I can't think of... Inside it we will ban any moving of the system locally and globally (for aliens)... Maybe code for that is ZPRGXZ, but if you are not sure of the full short code you better not use it...

Allambrottyya

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Allambrottyya\DOX\TZT\1000DOX			
\ Intel	\ Allambrottyya	Name	Type Data
\ DOX	\ (Default)	REG_SZ	(value not set)
\ ZTC	\ Annallyya	REG_QWORD	0xcdefedceb2cdcefe (14839340769227951870)
\ ZTX	\ Bendwanallyya	REG_QWORD	0xffffebcdcef4ced2de (18446388789532087006)
\ TZT	\ PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
	\ 1000DOX		

Allambrorryttyyanallyannya

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Allambrorryttyyanallyannya\QZQ\TZT\5000DGQ			
\ Allambrorryttyyanallyannya	\ QZQ	Name	Type Data
\ TZT	\ (Default)	REG_SZ	(value not set)
	\ 5000DGQ	REG_QWORD	0xfebedebededede (18356354042573020894)
	\ CollectorService	REG_QWORD	0xfefedfedefedede (18374368715960409822)
	\ CrashLog	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Ellembrosyannallyannya

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Ellembrosyannallyannya			
\ Settings	\ Ellembrosyannallyannya	Name	Type Data
	\ (Default)	REG_SZ	(value not set)
	\ Frabyluent	REG_QWORD	0xfe4cdefe4cfedefe (18324266167658536702)
	\ QTZTR	REG_QWORD	0x0
	\ Fryquillarmantya	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Frabbylluent

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frabbylluent\QTZTR			
	Name	Type	Data
Settings	(Default)	REG_SZ	(value not set)
Ellembrosyannallyannyaa	Degonallyya	REG_QWORD	0xffedffffdeadfed (18442205220988452845)
Frabbylluent	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
QTZTR	Yrrgonallya	REG_QWORD	0xfeedfdfffffe (18440797776848617470)
Frygullarmantyya			
ZTC			
10DQ			
ZTX			
100DQ			
ZTZ			
1000DQ			

Frygullarmantyya

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frygullarmantyya\ZTC\10DQ			
	Name	Type	Data
Frygullarmantyya	(Default)	REG_SZ	(value not set)
ZTC	Allyanntenallyyannte	REG_QWORD	0xfedebedebededefe (18365326194357755646)
10DQ	Dellyannteallyyannte	REG_QWORD	0xfbacabadabadaba (18066975759032572602)
ZTX	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
100DQ			
ZTZ			
1000DQ			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frygullarmantyya\ZTX\100DQ			
	Name	Type	Data
Frygullarmantyya	(Default)	REG_SZ	(value not set)
ZTC	Frabbylyyanntedellywannte	REG_QWORD	0xbcdabcfdfcdadcdf (13608396893722434783)
10DQ	Frabbylyyanntenawillyyannte	REG_QWORD	0xbcdabcfdfcdfdcd (13609522793629605086)
ZTX	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
100DQ			
ZTZ			
1000DQ			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Frygullarmantyya\ZTZ\1000DQ			
	Name	Type	Data
Frygullarmantyya	(Default)	REG_SZ	(value not set)
ZTC	Frygullanttyyanailyannyaa	REG_QWORD	0xfbcdabcdfedcefef (18144347374978133999)
10DQ	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
ZTX			
100DQ	Ygullanttyyanilyannyaa	REG_QWORD	0xbcddefdfdfdf2fdf (13609594391289999327)
ZTZ			
1000DQ			

PRST

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQD\5000QQD			
	Name	Type	Data
PRST	(Default)	REG_SZ	(value not set)
BCB	Derwallnnyya	REG_QWORD	0xffffdeadffffdead (1844079709972549613)
QQD	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
5000QQD	Rewallnnyya	REG_QWORD	0xafeadeffafeaff (18352131854031645439)
QQX			
1000DQQX			
QQZ			
5000QQZ			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQX\1000DQQX			
	Name	Type	Data
PRST	(Default)	REG_SZ	(value not set)
BCB	Demblorr	REG_QWORD	0xdbca4cabceadafed (15837555340392378349)
QQD	Lazembllorr	REG_QWORD	0xffedbcdefebcedef (18441603715094605295)
5000QQD	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
QQX			
1000DQQX			
QQZ			
5000QQZ			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCB\QQZ\5000QQZ			
	Name	Type	Data
PRST	(Default)	REG_SZ	(value not set)
BCB	Dewantallyya	REG_QWORD	0xedffdfedffedffff (17149672119344168943)
QQD	Fantallyya	REG_QWORD	0xffedffedffff (18441677446818168831)
5000QQD	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
QQX			
1000DQQX			
QQZ			
5000QQZ			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCR\DQ\5000DQ			
	Name	Type	Data
BCR	(Default)	REG_SZ	(value not set)
DQ	Anndallyya	REG_QWORD	0x0ff2ffd2ffffeffdf (18388194186176233439)
5000DQ	Dewandallyya	REG_QWORD	0x0ff2effdffffeffef (18387915666103468015)
DOX			
5000DOX			
DQZ			
1000DQZ			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCR\DOX\5000DOX			
	Name	Type	Data
BCR	(Default)	REG_SZ	(value not set)
DQ	Dembllyryanallyanya	REG_QWORD	0xfffffeffffdbfeeff (18446462589538856959)
5000DQ	Lazemblyryanallyanya	REG_QWORD	0xfffffedffffeffeff (18446427413807103743)
DOX			
5000DOX	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
DQZ			
1000DQZ			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BCR\DOZ\1000DOZ			
	Name	Type	Data
BCR	(Default)	REG_SZ	(value not set)
DQ	Laffynallya	REG_QWORD	0xfffffeffffdbfeffff (18446462590142775295)
5000DQ	Llawynnya	REG_QWORD	0xfffffedffffdeffff (18446427413807103983)
DOX			
5000DOX	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
DQZ			
1000DQZ			

PTRST

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PTRST\QPZZ\5000QPZZ			
	Name	Type	Data
PTRST	(Default)	REG_SZ	(value not set)
QPZZ	Ataganallyya	REG_QWORD	0xdabdefecdbefcd (18278948698568195533)
5000QPZZ	Fratagannallyya	REG_QWORD	0xfaecdabcdeadfdef (18351284117144854269)
QTZZ			
1000QTZZ	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Qupystallya			

PTRST

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PTRST\QTZZ\1000QTZZ			
	Name	Type	Data
PTRST	(Default)	REG_SZ	(value not set)
QPZZ	Brettannallyya	REG_QWORD	0xfaedbaefeffdea (18351847076162174442)
5000QPZZ	Ettannallyya	REG_QWORD	0xafeafdeafdbaffaf (18352131853444448175)
QTZZ			
1000QTZZ	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Qupystallya			

RMFTGXZ

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RMFTGXZ\QDTQ\1000QDTQ			
	Name	Type	Data
RMFTGXZ	(Default)	REG_SZ	(value not set)
QDTQ	Allborerrya	REG_QWORD	0xfffffedaeadebeadea (18437716733973147114)
1000QDTQ	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
QTQ			
5000QTQ			

Registry Editor																		
File	Edit	View	Favorites															
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RMFTGXZ\QTQ\5000QTQ																		
<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Alldonbrerrya</td> <td>REG_QWORD</td> <td>0xfffffdffdfdfedfdf (18446460391086022623)</td> </tr> <tr> <td>Debrerrya</td> <td>REG_QWORD</td> <td>0x0fffffdffbdafffe (1844224036573693950)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> </tbody> </table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	Alldonbrerrya	REG_QWORD	0xfffffdffdfdfedfdf (18446460391086022623)	Debrerrya	REG_QWORD	0x0fffffdffbdafffe (1844224036573693950)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Name	Type	Data																
(Default)	REG_SZ	(value not set)																
Alldonbrerrya	REG_QWORD	0xfffffdffdfdfedfdf (18446460391086022623)																
Debrerrya	REG_QWORD	0x0fffffdffbdafffe (1844224036573693950)																
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																

RPGXZ

Registry Editor															
File	Edit	View	Favorites												
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGXZ\DDQX\5000DDQX															
<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Arrampaggyanallyanya</td> <td>REG_QWORD</td> <td>0xdeadbeadfeafeaf (18351533719169269423)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> </tbody> </table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	Arrampaggyanallyanya	REG_QWORD	0xdeadbeadfeafeaf (18351533719169269423)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Name	Type	Data													
(Default)	REG_SZ	(value not set)													
Arrampaggyanallyanya	REG_QWORD	0xdeadbeadfeafeaf (18351533719169269423)													
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries													

Registry Editor															
File	Edit	View	Favorites												
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGXZ\DDQZ\5000DDQZ															
<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> <tr> <td>Worbydurryanallyanya</td> <td>REG_QWORD</td> <td>0x0ffaefabcfadbdfe (18440827313872289278)</td> </tr> </tbody> </table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries	Worbydurryanallyanya	REG_QWORD	0x0ffaefabcfadbdfe (18440827313872289278)
Name	Type	Data													
(Default)	REG_SZ	(value not set)													
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries													
Worbydurryanallyanya	REG_QWORD	0x0ffaefabcfadbdfe (18440827313872289278)													

RTZT

Registry Editor																		
File	Edit	View	Favorites															
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RTZT\1000QTQ																		
<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Errlyndulylnarrya</td> <td>REG_QWORD</td> <td>0xffffdefdefeffedff (18437453131181719263)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> <tr> <td>Randulylnarrya</td> <td>REG_QWORD</td> <td>0x0ffaefabcfadbdfe (18437701552090115583)</td> </tr> </tbody> </table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	Errlyndulylnarrya	REG_QWORD	0xffffdefdefeffedff (18437453131181719263)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries	Randulylnarrya	REG_QWORD	0x0ffaefabcfadbdfe (18437701552090115583)
Name	Type	Data																
(Default)	REG_SZ	(value not set)																
Errlyndulylnarrya	REG_QWORD	0xffffdefdefeffedff (18437453131181719263)																
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																
Randulylnarrya	REG_QWORD	0x0ffaefabcfadbdfe (18437701552090115583)																

Registry Editor																					
File	Edit	View	Favorites																		
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RTZT\5000QDX																					
<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Ellamphyrryanallyanya</td> <td>REG_QWORD</td> <td>0xfffffedfedfabcde (18446427336963055358)</td> </tr> <tr> <td>Ilamphyrryanallyanya</td> <td>REG_QWORD</td> <td>0xfffffdffdfdfdf (18441675316496687071)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> <tr> <td>ICIP</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> </tbody> </table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	Ellamphyrryanallyanya	REG_QWORD	0xfffffedfedfabcde (18446427336963055358)	Ilamphyrryanallyanya	REG_QWORD	0xfffffdffdfdfdf (18441675316496687071)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries	ICIP	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Name	Type	Data																			
(Default)	REG_SZ	(value not set)																			
Ellamphyrryanallyanya	REG_QWORD	0xfffffedfedfabcde (18446427336963055358)																			
Ilamphyrryanallyanya	REG_QWORD	0xfffffdffdfdfdf (18441675316496687071)																			
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																			
ICIP	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																			

TRST

Registry Editor																		
File	Edit	View	Favorites															
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AFD\100D																		
<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Dewallyyant</td> <td>REG_QWORD</td> <td>0xeffffddcccadbcda (17293785034522475738)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> <tr> <td>Wallyyant</td> <td>REG_QWORD</td> <td>0xd3dcabccafeffffe (15981793807724183278)</td> </tr> </tbody> </table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	Dewallyyant	REG_QWORD	0xeffffddcccadbcda (17293785034522475738)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries	Wallyyant	REG_QWORD	0xd3dcabccafeffffe (15981793807724183278)
Name	Type	Data																
(Default)	REG_SZ	(value not set)																
Dewallyyant	REG_QWORD	0xeffffddcccadbcda (17293785034522475738)																
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																
Wallyyant	REG_QWORD	0xd3dcabccafeffffe (15981793807724183278)																

Registry Editor																		
File	Edit	View	Favorites															
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AFD\500D																		
<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Alldahhadabrya</td> <td>REG_QWORD</td> <td>0xb2dcab2dcefefefe (12888364446862212862)</td> </tr> <tr> <td>Bedwahhadabrya</td> <td>REG_QWORD</td> <td>0xc2dca2cda2cdedef (14041276742317764079)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> </tbody> </table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	Alldahhadabrya	REG_QWORD	0xb2dcab2dcefefefe (12888364446862212862)	Bedwahhadabrya	REG_QWORD	0xc2dca2cda2cdedef (14041276742317764079)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Name	Type	Data																
(Default)	REG_SZ	(value not set)																
Alldahhadabrya	REG_QWORD	0xb2dcab2dcefefefe (12888364446862212862)																
Bedwahhadabrya	REG_QWORD	0xc2dca2cda2cdedef (14041276742317764079)																
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AST\15D			
	Name	Type	Data
\ TRST	(Default)	REG_SZ	(value not set)
\ ZTC	Lynnogdallyya	REG_QWORD	0xefecdbac2dba (17288434609061375418)
\ AFD	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
\ 100D	Ynnogdallyya	REG_QWORD	0xfeacdcbdefdbacd (18351284259152313037)
\ 500D			
\ AST			
\ 15D			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AST\30D			
	Name	Type	Data
\ TRST	(Default)	REG_SZ	(value not set)
\ ZTC	Dellannte	REG_QWORD	0xffeefffeeeeefbacd (18441958994524224205)
\ AFD	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
\ 100D	Dellannte	REG_QWORD	0xfffffeffffbdadfff (18446726481453965311)
\ 500D			
\ AST			
\ 15D			
\ 30D			
\ 4D			
\ 5D			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AST\4D			
	Name	Type	Data
\ TRST	(Default)	REG_SZ	(value not set)
\ ZTC	Fannyllo	REG_QWORD	0xfe2fede4cfededef (18316119776535899631)
\ AFD	Fantanyillo	REG_QWORD	0xffffdef4cdeb2de4c (18441659162584866380)
\ 100D	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
\ 500D			
\ AST			
\ 15D			
\ 30D			
\ 4D			
\ 5D			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\AST\5D			
	Name	Type	Data
\ TRST	(Default)	REG_SZ	(value not set)
\ ZTC	Efanntannynna	REG_QWORD	0xfb24cdef2bdeded (18096815629798399710)
\ AFD	Fanntannynna	REG_QWORD	0xffffbedeb2de4cde (18446390987449060574)
\ 100D	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
\ 500D			
\ AST			
\ 15D			
\ 30D			
\ 4D			
\ 5D			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\ATZ\3D			
	Name	Type	Data
\ TRST	(Default)	REG_SZ	(value not set)
\ ZTC	Ascronnzyya	REG_QWORD	0xde4cbfdde4cbfdf (16018388942878195679)
\ AFD	Dellasronnzyya	REG_QWORD	0xf2ed4cb2de4cdede (17504731657776455390)
\ 100D	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
\ 500D			
\ AST			
\ 15D			
\ 30D			
\ 4D			
\ 5D			
\ ATZ			
\ 3D			
\ 4D			
\ 5D			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\ATZ\4D			
	Name	Type	Data
\ TRST	(Default)	REG_SZ	(value not set)
\ ZTC	Effannantannylo	REG_QWORD	0xff4cdeb2de4cdeff (18396323437716758271)
\ AFD	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
\ 100D			
\ 500D			
\ AST			
\ 15D			
\ 30D			
\ 4D			
\ 5D			
\ ATZ			
\ 3D			
\ 4D			
\ 50D			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTC\ATZ\50D			
	Name	Type	Data
\ TRST	(Default)	REG_SZ	(value not set)
\ ZTC	Accrellyya	REG_QWORD	0xeffdbfbfedfdbfe (17284775778568887294)
\ AFD	Creellyya	REG_QWORD	0xfefefedfabfafefe (18374403766334717694)
\ 100D	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
\ 500D			
\ AST			
\ 15D			
\ 30D			
\ 4D			
\ 5D			
\ ATZ			
\ 3D			
\ 4D			
\ 50D			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTX\ATZ\1000D			
	Name	Type	Data
\ TRST	(Default)	REG_SZ	(value not set)
\ ZTC	Brotallyanallyanya	REG_QWORD	0xfffffffedffffeff (18446181118924287999)
\ AFD	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
\ 100D			
\ 500D			
\ AST			
\ 15D			
\ 30D			
\ 4D			
\ 5D			
\ ATZ			
\ 3D			
\ 4D			
\ 50D			
\ ZTX			
\ ATZ			
\ 1000D			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TRST\ZTZ\ATZ\5000D			
	Name	Type	Data
\ TRST	(Default)	REG_SZ	(value not set)
\ ZTC	Frybullannyanlyyannya	REG_QWORD	0xbafbafbadcedced (18135919814559849709)
\ AFD	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
\ 100D			
\ 500D			
\ AST			
\ 15D			
\ 30D			
\ 4D			
\ 5D			
\ ATZ			
\ 3D			
\ 4D			
\ 50D			
\ ZTX			
\ ATZ			
\ 1000D			
\ ZTZ			
\ ATZ			
\ 5000D			

TZTRT

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TZTRT\TQT\5000TQT			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Dellembrossyyanallyannyaa	REG_QWORD	0xfffffdffdfdfedfdf (18442205151734194143)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries


Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TZTRT\TRT\5000TRT			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Allembrossyyanallyannyaa	REG_QWORD	0xfffffdffdfdfedfdf (18441589425220610783)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\TZTRT\TQT\5000TQT			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Asstrofellarrya	REG_QWORD	0xeadfeaddeafdaef (16924504163532779503)
	Dycstrofellarrya	REG_QWORD	0xffeadfeadfafdaf (18440795625570164399)
	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

Zygollarmantyyanallyannya


Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Zygollarmantyyanallyannya			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	DisableDPPTemporarily	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	Global	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalID	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalDL	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalDLST	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalF	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalH	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalHL	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalL	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalLL	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalLLL	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalLLST	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalN	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalP	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalQ	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalQTR	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalR	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalRLST	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalS	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalT	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalTT	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalTTT	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalX	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalY	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalZ	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalZZ	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalZZZ	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	GlobalZZZZ	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	Local	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	LocalD	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	LocalDL	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	LocalDLST	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	LocalF	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	LocalH	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	LocalHL	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	LocalL	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	LocalLL	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)
	LocalLLST	REG_QWORD	0xffffffffffffffffffff (18446744073709551615)

“HKEY_CURRENT_USER\Software\Intel\Display\igfxcui”



3D

I have deleted the 3D folder and added a ban folder:



Old 3D folder is here:

Display\igfxcui\Media

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
o AceLevel	REG_QWORD	0xffffffffffffffffffff (1844674407370951615)
o EnableACE	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o EnableFMD	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o EnableIS	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o EnableNLAS	REG_QWORD	0xffffffffffffffffff (1844674407370951615)
o EnableSTE	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o EnableSuperResolution	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o EnableTCC	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o GCompMode	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o GExpMode	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o InputYUVRange	REG_QWORD	0xffffeeeeffffeeee (18446725308997431022)
o NLASHLinearRegion	REG_QWORD	0xffffeeeeffffeeee (18446725308997431022)
o NLASNonLinearCrop	REG_QWORD	0xeeeeffffeeeeeeee (17216979900174364398)
o NLASVerticalCrop	REG_QWORD	0xeeeeffffeeeeeeee (17216979900174364398)
o NoiseReductionAutoDetectEnabledAlways	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o NoiseReductionEnableChroma	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o NoiseReductionEnabledAlways	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o NoiseReductionFactor	REG_QWORD	0xffffffffffffffffff (1844674407370951615)
o ProcAmpApplyAlways	REG_QWORD	0xeeeeffffeeeeffff (17216979900174368767)
o ProcAmpBrightness	REG_QWORD	0xdabdabddabddabd (15761994779820153533)
o ProcAmpContrast	REG_QWORD	0xcadbcadbcadbcadb (14617500060911127259)
o ProcAmpHue	REG_QWORD	0xadbdadbdadbdadbd (12519353569335160253)
o ProcAmpSaturation	REG_QWORD	0xfadbfadbfadbfadb (18076317352095120091)
o SatFactorBlue	REG_DWORD	0xeeeeffff (4008640511)
o SatFactorCyan	REG_DWORD	0xeeeeeeff (4008706047)
o SatFactorGreen	REG_DWORD	0xeeeeeeff (4009754623)
o SatFactorMagenta	REG_DWORD	0xeeeeeeff (4026531839)
o SatFactorRed	REG_DWORD	0xfeffffff (4278190079)
o SatFactorYellow	REG_DWORD	0xfffeffff (4293918719)
o SharpnessEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)
o SharpnessFactor	REG_DWORD	0xdebedebe (3737050814)
o SkinTone	REG_QWORD	0xfdebdecdecdeca (18296962878320533194)
o SuperResolutionEnabled	REG_DWORD	0xbedeceee (3202280686)
o SuperResolutionMode	REG_DWORD	0xeeeeeeee (4008636142)
o UISharpnessOptimalEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)

With these settings supported worlds are: Degrywallstacyonall world – of cosmos jokes that are appearing where they should, Yrrygacyannall world – of banners of what we are doing and what we should be doing, Acquezzystacyonall world – of beings worlds for us to investigate, and etc...

MISC

First option for “UserSetDRRSDisableRR”: the “ffffffffffff” value would take care of you and create you pleasant nice and kind – would take care of you always...

Registry Editor																																																
File	Edit	View	Favorites Help																																													
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC																																																
<table><thead><tr><th>Name</th><th>Type</th><th>Data</th></tr></thead><tbody><tr><td>(Default)</td><td>REG_SZ</td><td>(value not set)</td></tr><tr><td>3105</td><td>REG_BINARY</td><td>00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7</td></tr><tr><td>3106</td><td>REG_BINARY</td><td>00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7</td></tr><tr><td>3107</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>3108</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>3109</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>3fff</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>7fffffff</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>BKPDDisplayLACE</td><td>REG_QWORD</td><td>0xffffedbcdafedbca (18446422800222502106)</td></tr><tr><td>HotKeyState</td><td>REG_DWORD</td><td>0x00000001 (1)</td></tr><tr><td>Install_State</td><td>REG_DWORD</td><td>0x00000002 (2)</td></tr><tr><td>InstallStage</td><td>REG_DWORD</td><td>0x00000001 (1)</td></tr><tr><td>OldLang</td><td>REG_DWORD</td><td>0x00000409 (1033)</td></tr><tr><td>UserSetDRRSDisableRR</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr></tbody></table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7	3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7	3107	REG_QWORD	0xffffffffffff (18446744073709551615)	3108	REG_QWORD	0xffffffffffff (18446744073709551615)	3109	REG_QWORD	0xffffffffffff (18446744073709551615)	3fff	REG_QWORD	0xffffffffffff (18446744073709551615)	7fffffff	REG_QWORD	0xffffffffffff (18446744073709551615)	BKPDDisplayLACE	REG_QWORD	0xffffedbcdafedbca (18446422800222502106)	HotKeyState	REG_DWORD	0x00000001 (1)	Install_State	REG_DWORD	0x00000002 (2)	InstallStage	REG_DWORD	0x00000001 (1)	OldLang	REG_DWORD	0x00000409 (1033)	UserSetDRRSDisableRR	REG_QWORD	0xffffffffffff (18446744073709551615)
Name	Type	Data																																														
(Default)	REG_SZ	(value not set)																																														
3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7																																														
3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7																																														
3107	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
3108	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
3109	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
3fff	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
7fffffff	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
BKPDDisplayLACE	REG_QWORD	0xffffedbcdafedbca (18446422800222502106)																																														
HotKeyState	REG_DWORD	0x00000001 (1)																																														
Install_State	REG_DWORD	0x00000002 (2)																																														
InstallStage	REG_DWORD	0x00000001 (1)																																														
OldLang	REG_DWORD	0x00000409 (1033)																																														
UserSetDRRSDisableRR	REG_QWORD	0xffffffffffff (18446744073709551615)																																														

Second option is in kind of “live” as you are which we got used to mostly:

Registry Editor																																																
File	Edit	View	Favorites Help																																													
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC																																																
<table><thead><tr><th>Name</th><th>Type</th><th>Data</th></tr></thead><tbody><tr><td>(Default)</td><td>REG_SZ</td><td>(value not set)</td></tr><tr><td>3105</td><td>REG_BINARY</td><td>00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7</td></tr><tr><td>3106</td><td>REG_BINARY</td><td>00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7</td></tr><tr><td>3107</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>3108</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>3109</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>3fff</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>7fffffff</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>BKPDDisplayLACE</td><td>REG_QWORD</td><td>0xffffedbcdafedbca (18446422800222502106)</td></tr><tr><td>HotKeyState</td><td>REG_DWORD</td><td>0x00000001 (1)</td></tr><tr><td>Install_State</td><td>REG_DWORD</td><td>0x00000002 (2)</td></tr><tr><td>InstallStage</td><td>REG_DWORD</td><td>0x00000001 (1)</td></tr><tr><td>OldLang</td><td>REG_DWORD</td><td>0x00000409 (1033)</td></tr><tr><td>UserSetDRRSDisableRR</td><td>REG_QWORD</td><td>0x0000003b (59)</td></tr></tbody></table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7	3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7	3107	REG_QWORD	0xffffffffffff (18446744073709551615)	3108	REG_QWORD	0xffffffffffff (18446744073709551615)	3109	REG_QWORD	0xffffffffffff (18446744073709551615)	3fff	REG_QWORD	0xffffffffffff (18446744073709551615)	7fffffff	REG_QWORD	0xffffffffffff (18446744073709551615)	BKPDDisplayLACE	REG_QWORD	0xffffedbcdafedbca (18446422800222502106)	HotKeyState	REG_DWORD	0x00000001 (1)	Install_State	REG_DWORD	0x00000002 (2)	InstallStage	REG_DWORD	0x00000001 (1)	OldLang	REG_DWORD	0x00000409 (1033)	UserSetDRRSDisableRR	REG_QWORD	0x0000003b (59)
Name	Type	Data																																														
(Default)	REG_SZ	(value not set)																																														
3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7																																														
3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c 00 7																																														
3107	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
3108	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
3109	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
3fff	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
7fffffff	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
BKPDDisplayLACE	REG_QWORD	0xffffedbcdafedbca (18446422800222502106)																																														
HotKeyState	REG_DWORD	0x00000001 (1)																																														
Install_State	REG_DWORD	0x00000002 (2)																																														
InstallStage	REG_DWORD	0x00000001 (1)																																														
OldLang	REG_DWORD	0x00000409 (1033)																																														
UserSetDRRSDisableRR	REG_QWORD	0x0000003b (59)																																														

Theory and explanation


Let's talk about beginning idea how files can be shaped and changed and how they pull the system one way or another (from the computer, or to the computer) thanks to the settings we have...

Let's talk about the Intel graphics card settings... Besides regular settings for brightness, contrast, saturation and hue, there are some more options under Registry Keys that you might find interesting for a better display view...

I believe that here a setting: "Enable..." or "...Enabled" (for example "EnableACE" or "SuperResolutionEnabled") doesn't need to have only options 0 or 1, but it can have any possible options, and the point is that you actually play with the display settings and figure out when you have the best view... I will give you a hint – if you set everything else right – setting the "SkinTone" to a value "3" gives you somehow a feeling of "a Saint computer user"... So, the conclusion is that you can create anything that you like from these values without needing to restart the computer to see the results...

Beginning idea of editing binary files

- Computer\HKEY_CURRENT_USER\SOFTWARE\Intel\Display\igfxcui\Media



Those settings are mixed, coded, introvert – flipped upside down and mixed while flipping so while we are mixing them we get the word we want – and by the belief it has only one key... For example if we would start with an idea of repeating of hex values – fractal to cosmos – we can for nonsense start with for the non existing "DPA" key: "ff" would be fine, and "fff" would require 7 more "a" hex values for us to put DPA to Yrrygonallya model of understanding... Then if we would add another "e" we would need to type and "dbca" which gives us 8 hex values and the word "DPA" would be translated into Hex as: "ffffedbca". The point is to code as many letters as we can so that we get the desired idea...

All those settings are connected in some way – unknown for us, but by the belief maybe one DWORD after another ... I believe that the code in one field is connected to the code to the

other field and that the whole code of the registry editor file of the graphic card represents some type of the solution rather than those parts one by one...

At the time my settings that were are shown on this image:

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0xfffffedbc (4294962620)
EnableACE	REG_DWORD	0xfffffedbc (4294962620)
EnableFMD	REG_DWORD	0xfffffedbc (4294962620)
EnableIS	REG_DWORD	0xfffffedbc (4294962620)
EnableNLAS	REG_DWORD	0xfffffedbc (4294962620)
EnableSTE	REG_DWORD	0xfffffedbc (4294962620)
EnableSuperResolution	REG_DWORD	0xfffffedbc (4294962620)
EnableTCC	REG_DWORD	0xfffffedbc (4294962620)
GCompMode	REG_DWORD	0x4444dbed (1145363437)
GExpMode	REG_DWORD	0x999fedbd (2577395133)
InputYUVRange	REG_DWORD	0xfffff123 (4294963491)
NLASHLinearRegion	REG_DWORD	0xeffffffe (4026531838)
NLASNonLinearCrop	REG_DWORD	0xfeeefeeef (4277071599)
NLASVerticalCrop	REG_DWORD	0xfeeefeeef (4277141231)
NoiseReductionAutoDetectEnabledAlways	REG_DWORD	0xffbecaaa (4290693802)
NoiseReductionEnableChroma	REG_DWORD	0xffffeeee (4294897390)
NoiseReductionEnabledAlways	REG_DWORD	0xffffeeee (4294897390)
NoiseReductionFactor	REG_DWORD	0xabc987ef (2882111471)
ProcAmpApplyAlways	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpBrightness	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpContrast	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpHue	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpSaturation	REG_DWORD	0xfeefdabd (4277131965)
SatFactorBlue	REG_DWORD	0xeeeddfff (4008566783)
SatFactorCyan	REG_DWORD	0xeeeddfff (4008566783)
SatFactorGreen	REG_DWORD	0xeeeddfff (4008566783)
SatFactorMagenta	REG_DWORD	0xeeeddfff (4008566783)
SatFactorRed	REG_DWORD	0xeeeddfff (4008566783)
SatFactorYellow	REG_DWORD	0xeeeddfff (4008566783)
SharpnessEnabledAlways	REG_DWORD	0xdecffff (3737845759)
SharpnessFactor	REG_DWORD	0xfabecaff (4206807807)
SkinTone	REG_DWORD	0xcefddecaf (3472747695)
SuperResolutionEnabled	REG_DWORD	0xbffaceff (3220885247)
SuperResolutionMode	REG_DWORD	0xdecadeca (3737837258)
UISharpnessOptimalEnabledAlways	REG_DWORD	0xaddeefff (2917068799)

Type all “fffffedbcda” into the **BKPDisplayLACE** file:

- Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC
- Key: BKPDisplayLACE
- Setting: ffffffe
- ffffffefffffeeee
- Earlier setting: ffeedbc2defefefe
- Newest setting: fffedbcda

Type all “fefeacff” into the **UserSetDRRSDisableRR** file:

- Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\MISC
- Key: UserSetDRRSDisableRR
- Setting: fefeacff

Under “igfxcui” you there can even exist a folder named “dgfxcui” which is more primitive than “igfxcui” and is based on a cube graphics, and under it folder “3D” with some keys... In both folders there can be some of the keys, but I find only some necessary...

- Cosmos: f2bde2fe
- Twirl: dba2cca2
- Yrygonallya: ffd2ffee
- Degonallya: f2bde4cd


Some of the keys have some abilities and some are too strong which is why we can use “Cartoon” instead of “cartooned”... Those keys can allow using of a system the wrong way – playing with it, which you might find unprofessional, but for some users maybe results well... When someone is playing with the system you should know that

- Cartooned: fe2bda2a
- Lymbralltyum: f2bcdaf2
- Mute: a2fedcae
- Muted: fe2edcae
- Cartoon: ffe2acde
- Descrywyall: ffc2def
- Stacyonarye:
- Estacyonarye: fffeddba


Maglow colors Elamphorenje light, Borllandorr coding,

 Yllymbralltyum	REG_DWORD	0xf2dca2ac (4074545836)
 Tartallye	REG_DWORD	0xafe2cdef (2950876655)
 Bortta	REG_DWORD	0xf2bdefdf (4072533983)
 Descrywyall	REG_DWORD	0xffffc2def (4294716911)
 CosmosJoke	REG_DWORD	0xff23ddef (4280540655)
 Lymbralltyum	REG_DWORD	0xfe2cdacd (4264352461)
 Slaggyya	REG_DWORD	0xf2bdacdf (4072516831)
 Stacyonarye	REG_DWORD	0xe2bdacdf (3804081375)


Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\3D



You need to type for the REG_BINARY named Global: 3 lines of "FF" code:




And for the REG_BINARY named GlobalN: 2 and a half lines of code of "FF":



rgxfcui, drgfcui, and etc.


Beginning idea of drgfcui file:



Represents Yrwenholl coding of the uncoded laptop describing every possible situation where cosmos jokes should appear and where shouldn't. How user should behave and what user should do... It is in a drgfcui file in a MISC folder, under a file Yrwenholl "9999" data – or a file named something like "Dataplet" (maybe "Datapllet") or "Bazaplet" (or maybe "Bazapllet")...

If you are not sure how each file is named, better not to create one like that, also if you are not sure how to fill it better not do it, and if you have shorter code as is REG_DWORD you should create one instead of REG_BINARY, but only if you are sure your code is smaller and it doesn't have protection with simple bans and large bans as are "EE" or "FF"...

When we are typing long REG_BINARY files we should always pay attention to the system of letters we are typing according to the named files, because we do not want to create a mistake of open system reading everything that aliens didn't allow, neither in the closed system... After you type many of the Chars you can find a mistake with a question – how can I actually do that to respect the system? And then you better not do it at all... There is another idea that you should do all of the code with Berllyngyerry (I believe being named so) coding with an idea to ban the system, which for Mergallyzyerry coding (of all files together giving a result) gives the extra hard task to do so...



Example of maybe wrong system written codes:

Name	Type	Data
(Default)	REG_SZ	(value not set)
Deguaryannallya	REG_BINARY	56 70 12 34 56 70 12 34 56 70 12 34 56 80 23 45 67 80 93 92 91 5

Edit Binary Value

Value name: Deguaryannallya

Value data:

00000000	56	70	12	34	56	70	12	34	V	p	.	4	V	p	.	4
00000008	56	70	12	34	56	80	23	45	V	p	.	4	V	.	#	E
00000010	67	80	93	92	91	56	78	01	g	.	.	.	V	x	.	
00000018	23	23	23	20	20	20	21	21	#	#	#	!	!			
00000020																

OK Cancel

Name	Type	Data
(Default)	REG_SZ	(value not set)
Lenguarrya	REG_BINARY	a2 c3 b5 75 32 10 a2 53 75 32 10 23 23 23 75 32 10 23 23 23 45 62

Edit Binary Value

Value name: Lenguarrya

Value data:

00000000	A2	C3	B5	75	32	10	A2	53	ƒ	Ā	μ	u	2	.	ƒ	S
00000008	75	32	10	23	23	23	75	32	u	2	.	#	#	u	2	
00000010	10	23	23	23	45	62	37	53	.	#	#	E	b	7	S	
00000018	21	20	23	23	23	75	63	23	!	#	#	u	c	#		
00000020	21	20	20	20	20	23	23	23	!	#	#	#	#	!		
00000028	21	21	21	20	20	20	24	24	!	!	!	\$				
00000030																

OK Cancel

And the solutions:

 Display			
 dgfxcui			
 11D	Name  (Default)	Type REG_SZ	Data (value not set)
 13D	Name  Demorrzya	Type REG_DWORD	Data 0x97112347 (2534482759)
 4D			
 5D			
 7D			
 9D			
 MISC			
 Display			
 dgfxcui			
 11D	Name  (Default)	Type REG_SZ	Data (value not set)
 13D	Name  Degrriuya	Type REG_DWORD	Data 0x95685620 (2506642976)
 4D			
 5D			
 7D			
 9D			
 MISC			
 Display			
 dgfxcui			
 11D	Name  (Default)	Type REG_SZ	Data (value not set)
 13D	Name  Lenguaryra	Type REG_DWORD	Data 0x75623120 (1969369376)
 4D			
 5D			
 7D			
 9D			
 MISC			
 Display			
 dgfxcui			
 11D	Name  (Default)	Type REG_SZ	Data (value not set)
 13D	Name  Deguaryannallya	Type REG_DWORD	Data 0x95732106 (2507350278)
 4D			
 5D			
 7D			
 9D			
 MISC			
 Display			
 dgfxcui			
 11D	Name  (Default)	Type REG_SZ	Data (value not set)
 13D	Name  Fabryzza	Type REG_DWORD	Data 0x97560123 (2538996003)
 4D			
 5D			
 7D			
 9D			
 MISC			
 Display			
 dgfxcui			
 11D	Name  (Default)	Type REG_SZ	Data (value not set)
 13D	Name  Fabrozzya	Type REG_DWORD	Data 0x97560321 (2538996513)
 4D			
 5D			
 7D			
 9D			
 MISC			

	Name	Type	Data
Display3D\rgfxcui\MISC	(Default)	REG_SZ	(value not set)
Display3D\rgfxcui\MISC	DBKPDdisplayLACERYA	REG_DWORD	0x23465312 (591811346)
Display3D\rgfxcui\MISC	EnableHardwareXDLUT	REG_DWORD	0xffffffff (4294967295)
Display3D\rgfxcui\MISC	Global	REG_BINARY	(zero-length binary value)
Display3D\rgfxcui\MISC	GlobalN	REG_BINARY	(zero-length binary value)
Display3D\drgfxcui\11D			
Display3D\drgfxcui\13D			
Display3D\drgfxcui\MISC			
Display3D\drgfxcui\DPPT			
Display3D\qdrgrfxcui			
Display3D\rgfxcui\MISC	(Default)	REG_SZ	(value not set)
Display3D\rgfxcui\MISC	DBKPDdisplayLACERYA	REG_DWORD	0x23465312 (591811346)
Display3D\rgfxcui\MISC	EnableHardwareXDLUT	REG_DWORD	0xffffffff (4294967295)
Display3D\rgfxcui\MISC	Global	REG_BINARY	(zero-length binary value)
Display3D\rgfxcui\MISC	GlobalN	REG_BINARY	(zero-length binary value)
Display3D\drgfxcui\19D			
Display3D\drgfxcui\20D			
Display3D\drgfxcui\MISC			
Display3D\drgfxcui\DPPT			
Display3D\qdrgrfxcui			

The screenshot shows the Windows Registry Editor. On the left, a tree view of registry keys is displayed under 'Computer\HKEY_CURRENT_USER\Software\Microsoft\DPPT'. Key nodes include 'PresentMon', 'ProfileAgent', 'PSIS' (which contains 'DPPT' and 'PSIS_DECODER'), 'SUR' (which contains 'DPPT', 'ESRV_SVC_QUEENCREEK', 'ICIP', 'ICIP_RUN', 'Installers', and 'TelemetryAgent'), 'Display3D' (which contains 'rgfxcui' and 'MISC' which contains 'DPPTX3D' and subfolders '13D', '15D', '14D', '16D', '17D', '18D'). On the right, a table view shows three registry values:


Name	Type	Data
Default	REG_SZ	(value not set)
DisableXDPPTTemporarily	REG_BINARY	22 34 65 12 02 32 46 89
EnableHardwareXDLUT	REG_DWORD	0xffffffff (4294967295)

First of all those values were not that good... Not according to meaningful model as is cosmos (Yrrygonallya, Degonnallya) and first of all this values are short – DWORD and not QWORD which has their coding in question of their value...


/IGFX\DPP

There is one more thing to add:

- Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\DPP



Suggested values:



Edit Binary Value

X

Value name:
New Value #1

Value data:

00000058	00	FF	EE	DD	CC	BB	AA	99	. ÿ î Ÿ ï » � .
00000060	88	77	66	55	44	33	22	11	. w f U D 3 " .
00000068	00	BE	BE	CE	DE	F9	87	65	. % % î p ù . e
00000070	43	21	00	CD	BA	97	52	10	C ! . í º . R .
00000078	33	44	55	66	77	88	99	AB	3 D U f w . . «
00000080	CD	EF	98	76	54	32	10	11	í ü . v T 2 . .
00000088	22	33	44	55	66	77	88	99	" 3 D U f w . .
00000090	AA	BB	CC	DD	EE	FF	FE	FE	� » ï Ÿ î ý þ þ
00000098	FE	CA	FF	FF	DE	CA	FF	FE	þ È ý ý þ È ý þ
000000A0	EE	DD	DC	CC	BB	BA	AA	99	î Ÿ Ü ï » � � .
000000A8	98	88	77	76	66	55	54	44	. . w v f U T D
000000B0	22	33	44	11	10	00	FF	FF	� � " " "

OK Cancel

Edit Binary Value X

Value name:

Value data:

000000B0	33	32	22	11	10	00	FF	FF	3 2 " . . . ü ü
000000B8	FF	FF	FF	FF	FF	FE	DC	ÿ ÿ ÿ ÿ ÿ ÿ þ Ü	
000000C0	BA	98	76	54	32	10	FF	FF	ø . v T 2 . ü ü
000000C8	FF	FF	BC	AD	DC	AA	FF	FF	ÿ ÿ % - Ü ø ü ü
000000D0	FF	FF	FE	CA	DE	CA	FF	FF	ÿ ÿ þ Ê p Ê ü ü
000000D8	FF	FF	FE	FE	DC	AB	FF	FF	ÿ ÿ þ b Ü « ü ü
000000E0	FF	FF	EE	ED	BA	CD	FF	FF	ÿ ÿ i í ø í ü ü
000000E8	FF	FF	FE	AC	DB	32	10	00	ÿ ÿ þ - Ü 2 . .
000000F0	00	00	FF	FF	FF	FF	FF	DF	. . ü ü ü ü ü ü
000000F8	C2	DA	FF	FF	FF	FF	EF	EF	À Ü ü ü ü ü ü ü
00000100	DF	DF	FF	FF	FF	42	41	DF	ß ß ü ü ü ü B A
00000108	40	EF	FF	FF	FF	FF	B2	DC	@ i ü ü ü ü ² Ü
00000110	A2	FF	FF	FF	FF	FF	D2	CD	¢ ü ü ü ü ü ü ð í
00000118	F2	DF	FF	FF	FF	FF	FF	FF	ò B ü ü ü ü ü ü ü
00000120	FF	FF	EF	EF	EF	A1	A4	A6	ÿ ü i i i i n i
00000128	A8	AA	AA	AA	B0	BB	BB	BB	" a a a o » » »
00000130	C3	CD	CD	CD	D4	D6	D8	EE	Ã í í í Õ Ö Ø i
00000138	EE	EE	EF	EF	EE	EE	EE	EE	i i i i i i i i
00000140	EE	EE	EE	EE	EE	EE	EF	2C	i i i i i i i ,
00000148	DB	AF	EE	EE	EE	EE	F2	BD	Ü - i i i i i ò %
00000150	E2	FE	EE	EE	EE	EE	FD	AB	â þ i i i i i y «
00000158	FA	2F	EE	EE	EE	EE	DB	A2	ú / i i i i i Ü ¢
00000160	00	40	FF	FF	FF	FF	FF	FF	ÿ i a a a " à

OK **Cancel**

Edit Binary Value X

Value name:

Value data:

00000108	40	EF	FF	FF	FF	FF	B2	DC	@ i ü ü ü ü ² Ü
00000110	A2	FF	FF	FF	FF	FF	D2	CD	¢ ü ü ü ü ü ü ð í
00000118	F2	DF	FF	FF	FF	FF	FF	FF	ò B ü ü ü ü ü ü ü
00000120	FF	FF	EF	EF	EF	A1	A4	A6	ÿ ü i i i i n i
00000128	A8	AA	AA	AA	B0	BB	BB	BB	" a a a o » » »
00000130	C3	CD	CD	CD	D4	D6	D8	EE	Ã í í í Õ Ö Ø i
00000138	EE	EE	EF	EF	EE	EE	EE	EE	i i i i i i i i
00000140	EE	EE	EE	EE	EE	EE	EF	2C	i i i i i i i ,
00000148	DB	AF	EE	EE	EE	EE	F2	BD	Ü - i i i i i ò %
00000150	E2	FE	EE	EE	EE	EE	FD	AB	â þ i i i i i y «
00000158	FA	2F	EE	EE	EE	EE	DB	A2	ú / i i i i i Ü ¢
00000160	00	40	FF	FF	FF	FF	FF	FF	ÿ i a a a " à


OK **Cancel**

Edit Binary Value


Value data:									
00000160	CC	A2	EE	EE	EE	EE	FF	D2	Ì ¢ ï ï ï ï ÿ ò
00000168	FF	EE	EE	EE	EE	F2	FE	ÿ î ï ï ï ï ò þ	
00000170	BA	CD	EE	EE	EE	FF	23	º í ï ï ï ï ÿ #	
00000178	DD	EF	EE	EE	EE	FF	E2	Ý ï ï ï ï ï ÿ á	
00000180	AC	DE	EE	EE	EE	E2	BD	¬ p ï ï ï ï á %	
00000188	AC	DF	EE	EE	EE	FF	FE	¬ B ï ï ï ï y þ	
00000190	DD	BA	EE	EE	EE	EE	EE	Ý º ï ï ï ï ï í	
00000198	EE	EE	EE	EE	EF	EE	ED	í ï ï ï ï í í í	
000001A0	EC	EB	EA	E9	E8	E7	E6	ì ª è é è ç æ á	
000001A8	E4	E3	E2	E1	E0	EE	EE	ää ä á á à í í í	
000001B0	EE	FF	FF	FF	FF	EF	FF	í y ÿ y y í y í	
000001B8	FF							

Edit Binary Value								
Value name:								
New Value #1								
Value data:								
00000168	FF	EE	EE	EE	EE	EE	F2	FE
00000170	BA	CD	EE	EE	EE	EE	FF	23
00000178	DD	EF	EE	EE	EE	EE	FF	E2
00000180	AC	DE	EE	EE	EE	EE	E2	BD
00000188	AC	DF	EE	EE	EE	EE	FF	FE
00000190	DD	BA	EE	EE	EE	EE	EE	EE
00000198	EE	EE	EE	EE	EE	EF	EE	ED
000001A0	EC	EB	EA	E9	E8	E7	E6	E5
000001A8	E4	E3	E2	E1	E0	EE	EE	EE
000001B0	EE	FF	FF	FF	FF	EF	FF	EF
000001B8	FF	EF	FF	FF	FF			


This code is based on some not fully made forbiddance (not fully made because it doesn't give any descriptions or advices) with an idea that we start from the greatest letter "F" and if we mix and code the code into the "Yrrygonallya" complex model as is meaningful model "cosmos" we can get "FF", then we want all the letters and numbers included so the first line of code is: "99 88 77 66 55 44 33 22 11 00 FF EE DD CC BB AA", and if we start with numbers in coded and mixed Yrrygonallya we would get police protection, then letters would give us army protection... Second repeating of that line of code would normalize the protection and third would bring it to life...




Then we have the reducing of the protection to a regular level with these lines of code:



The next lines of code rarely few will understand, maybe even me...



"BE" is "yrrygonall" (cosmos jokes left for the marks of meaning of something) code of the display for where we have been and what we have done... Double that would require a next chapter of code (so double that is prolonging of code) and if fully Hexa coded word fits into "Yrrygonallya" then after "BE BE" we would need to finish (as something that has been repeating – fractal, that fits into a particular model – for example "Yrrygonallya" or much simpler and better to understand "cosmos") – "CE DE" which would mean extra complexing of the ban and the "descriptions to come" of those cosmos jokes appearing on the screen... "F9 87 65 43 21 00" would represent complexing of the data on the extreme level, so when we think on the level of imagining as much as we can achieve with our thought that much cosmos jokes would appear of what has been happening with us... "CD BA 97 52 10" represents how much we need and it says we need all of the data... You will find the name of the file "DPPT" – which by coding and mixing of the word and after playing with "Yrrygonallya" model and "fractal to cosmos" idea – we can find out that probably our data is complexed thanks to the previous code we had and after the "BE BE CE DE F9 87 65 43 21 00" if we connect what is there repeating of a single hexa digit as is for example "0" – "1", and implement that into the "CD BA" we would get the vertical rectangle with the data included as is: "97 52 10" meaning: "only necessary data to appear, in short sentences that are complete"... That Extrapolation of the data we would get with increasing the:



After that I have typed a complete and most complex ban of that data: “FE FE FE CA”, and allowing of the data: “FF FF DE CA”... “FFF EEE DDD CCC BBB AAA 999 888 777 666 555 444 333 222 1111 000” relies on complexing the need of the data showing and the variety of an ideas for the data to appear thanks to how we are feeling... “FE FE CA DE CA” has something to do with 3DLUT and it is connection part to the complexed data in between “3DLUT” and the “DPPT”...

From Cosmos History “Mergallyezzerrye” named being (belonging to DezAllystawrya model for beings) coding involves coding all files into the scheme of code, how only computer knows to get a real result... That idea “How computer knows” is named “Berslanderr” coding... “Berslanderr” is a name of “NaxAllystawrya” being that was thinking about the idea how all files can be connected all together by implementing a coding algorithm to connect all files and even for a computer to have an idea of implementing files for which particular devices don’t have a written specification...

Mergallyzzarye code connects the data all together – one file with another where one file is coded by implementing the extrapolation of the hex values from “0” to “F” and getting full word of 8 hex values, and all those files together in the end need to make sense...

Boffer code – is for how coded the code is – 8 times “FF” for the stopping of the device, 4 times “FF” in between the “density lines” – the meaningful part of the code... Effer code – represents the values that are “spinning in circle” – and are used to get extrapolation of the data that comes to our mind... Deffer code is there to explain everything and to give a meaning to hex values, hex files and is even able to create the new files and implement them into a code (here “Registry editor”) even if those files are not planned... Noffer code is there to represent the connection even in between the stopping code and the values in between, and

in between the mixture of 3D ideas of the files where we mix both of the hex values of one file with another to get the idea of the 3D image...

To be honest that 3D image is there to represent cosmos joke that we can see on the display or the one that we can learn intuitively. The point is that those things we are doing, we can pull from the smart system and we can learn them efficiently... The system doesn't need to be enabled at all, but by the regulations of the design we are there to at least learn to behave the way the design is requiring...

3DLUT settings are:

- “EnableHardware3DLUT” setting should be in the correlation with the ending of the file “DPPT” and those 2 codes should somehow represent life...

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	f0 dd a0 63 47 02 00 00 80 35 b6 61 47 02 00 00
EnableHardware3DLUT	REG_DWORD	0xf2decdef (4074687983)
Global	REG_BINARY	fa bd cd fc de ff ff ff ee ee ee ee ee ee ee
GlobalN	REG_BINARY	ff 2f fd ce ff ff ff ee ee ee ee ee ee ee ee

Previous not pleasing values ideas:

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	00 00 00 00
EnableHardware3DLUT	REG_DWORD	0x43210567 (1126237543)

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_BINARY	77 00 77 00
EnableHardware3DLUT	REG_DWORD	0x00003210 (12816)

DWORD: “EnableHardware3DLUT”:

- For underworld codes which are maybe only for the environment around you: 43210567
- Life with begging: 56710234
- For 3D feeling for no reason: 22224411
- Fine for work: 75692320
- For shutting down the wrong things: 3210
- For turning on the thinking idea: 6543210


- For necessary: 43210
- Night light: Ban, fun, entertainment: 23153021
- Night light: Life: fdbacdaf
- No Exit: Oxaaaaaaaa0

Interesting undefined ideas for the 3DLUT settings are:

- cdafccfc
- 23153021
- bebeca
- cebebeca
- cacabeca
- fffffedca
- Complexed: decabeca
- Fbacdfaf
- fffedbca
- fbacdfaf
- ff2a4cdf

New keys

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\DPPT



Post scriptum

Here you can find my previous, not well made, settings of the address:

- Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfxcui\Media

You can look at these images down below just for informational purposes...

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0xfffffedbc (4294962620)
EnableACE	REG_DWORD	0xfffffedbc (4294962620)
EnableFMD	REG_DWORD	0xfffffedbc (4294962620)
EnableIS	REG_DWORD	0xfffffedbc (4294962620)
EnableNLAS	REG_DWORD	0xfffffedbc (4294962620)
EnableSTE	REG_DWORD	0xfffffedbc (4294962620)
EnableSuperResolution	REG_DWORD	0xfffffedbc (4294962620)
EnableTCC	REG_DWORD	0xfffffedbc (4294962620)
GCompMode	REG_DWORD	0x4444dbd (1145363437)
GExpMode	REG_DWORD	0x999fedbd (2577395133)
InputYUVRange	REG_DWORD	0xfffff123 (4294963491)
NLASHLinearRegion	REG_DWORD	0xffffffff (4026531838)
NLASNonLinearCrop	REG_DWORD	0xfeeeeeef (4277071599)
NLASVerticalCrop	REG_DWORD	0xfeeffeef (4277141231)
NoiseReductionAutoDetectEnabledAlways	REG_DWORD	0xffbecaaa (4290693802)
NoiseReductionEnableChroma	REG_DWORD	0xffffeeee (4294897390)
NoiseReductionEnabledAlways	REG_DWORD	0xffffeeee (4294897390)
NoiseReductionFactor	REG_DWORD	0xabcb987ef (2882111471)
ProcAmpApplyAlways	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpBrightness	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpContrast	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpHue	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpSaturation	REG_DWORD	0xfeefdabd (4277131965)
SatFactorBlue	REG_DWORD	0xeeedffff (4008566783)
SatFactorCyan	REG_DWORD	0xeeedffff (4008566783)
SatFactorGreen	REG_DWORD	0xeeedffff (4008566783)
SatFactorMagenta	REG_DWORD	0xeeedffff (4008566783)
SatFactorRed	REG_DWORD	0xeeedffff (4008566783)
SatFactorYellow	REG_DWORD	0xeeedffff (4008566783)
SharpnessEnabledAlways	REG_DWORD	0xdecaffff (3737845759)
SharpnessFactor	REG_DWORD	0xfabecaff (4206807807)
SkinTone	REG_DWORD	0xcefddeca (3472747695)
SuperResolutionEnabled	REG_DWORD	0xbffaceff (3220885247)
SuperResolutionMode	REG_DWORD	0xdecadeca (3737837258)
UISharpnessOptimalEnabledAlways	REG_DWORD	0xaddeefff (2917068799)

Name	Type	Data
ab(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0x92715432 (2456900658)
EnableACE	REG_DWORD	0x92715432 (2456900658)
EnableFMD	REG_DWORD	0x92715432 (2456900658)
EnableIS	REG_DWORD	0x92715432 (2456900658)
EnableNLAS	REG_DWORD	0x92715432 (2456900658)
EnableSTE	REG_DWORD	0x92715432 (2456900658)
EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
EnableTCC	REG_DWORD	0x43bdcef (1136512719)
GCompMode	REG_DWORD	0x92715432 (2456900658)
GExpMode	REG_DWORD	0x92715432 (2456900658)
InputYUVRange	REG_DWORD	0xffffffff (4294967295)
NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
NLASVerticalCrop	REG_DWORD	0x00000000 (0)
NoiseReductionAutoDetectEnabledAlways	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlways	REG_DWORD	0xfafbdcef (4210810110)
ProcAmpBrightness	REG_DWORD	0xfeeefeeef (4277071599)
ProcAmpContrast	REG_DWORD	0xfeeefeeef (4277071599)
ProcAmpHue	REG_DWORD	0xfeeefeeef (4277071599)
ProcAmpSaturation	REG_DWORD	0xfeeefeeef (4277071599)
SatFactorBlue	REG_DWORD	0x000000a0 (160)
SatFactorCyan	REG_DWORD	0x000000a0 (160)
SatFactorGreen	REG_DWORD	0x000000a0 (160)
SatFactorMagenta	REG_DWORD	0x000000a0 (160)
SatFactorRed	REG_DWORD	0x000000a0 (160)
SatFactorYellow	REG_DWORD	0x000000a0 (160)
SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
SharpnessFactor	REG_DWORD	0x123da230 (306029104)
SkinTone	REG_DWORD	0xdc321043 (3694268483)
SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
UISharpnessOptimalEnabledAlways	REG_DWORD	0xfedadfdaf (4275764655)

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0x92715432 (2456900658)
EnableACE	REG_DWORD	0x92715432 (2456900658)
EnableFMD	REG_DWORD	0x92715432 (2456900658)
EnableIS	REG_DWORD	0x92715432 (2456900658)
EnableNLAS	REG_DWORD	0x92715432 (2456900658)
EnableSTE	REG_DWORD	0x92715432 (2456900658)
EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
EnableTCC	REG_DWORD	0x43bdcecf (1136512719)
GCompMode	REG_DWORD	0x92715432 (2456900658)
GExpMode	REG_DWORD	0x92715432 (2456900658)
InputYUVRange	REG_DWORD	0xffffffff (4294967295)
NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
NLASVerticalCrop	REG_DWORD	0x00000000 (0)
NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlways	REG_DWORD	0fafbdce (4210810110)
ProcAmpBrightness	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpContrast	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpHue	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpSaturation	REG_DWORD	0xfeeeeeef (4277071599)
SatFactorBlue	REG_DWORD	0x000000a0 (160)
SatFactorCyan	REG_DWORD	0x000000a0 (160)
SatFactorGreen	REG_DWORD	0x000000a0 (160)
SatFactorMagenta	REG_DWORD	0x000000a0 (160)
SatFactorRed	REG_DWORD	0x000000a0 (160)
SatFactorYellow	REG_DWORD	0x000000a0 (160)
SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
SharpnessFactor	REG_DWORD	0x123da230 (306029104)
SkinTone	REG_DWORD	0xdc321043 (3694268483)
SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedadfad (4275764655)

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0x92715432 (2456900658)
EnableACE	REG_DWORD	0x92715432 (2456900658)
EnableFMD	REG_DWORD	0x92715432 (2456900658)
EnableIS	REG_DWORD	0x92715432 (2456900658)
EnableNLAS	REG_DWORD	0x92715432 (2456900658)
EnableSTE	REG_DWORD	0x92715432 (2456900658)
EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
EnableTCC	REG_DWORD	0x43bdcecf (1136512719)
GCompMode	REG_DWORD	0x92715432 (2456900658)
GExpMode	REG_DWORD	0x92715432 (2456900658)
InputYUVRange	REG_DWORD	0xffffffff (4294967295)
NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
NLASVerticalCrop	REG_DWORD	0x00000000 (0)
NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlways	REG_DWORD	0xfafbdccf (4210810110)
ProcAmpBrightness	REG_DWORD	0xfeeefee (4277071599)
ProcAmpContrast	REG_DWORD	0xfeeefee (4277071599)
ProcAmpHue	REG_DWORD	0xfeeefee (4277071599)
ProcAmpSaturation	REG_DWORD	0xfeeefee (4277071599)
SatFactorBlue	REG_DWORD	0x000000a0 (160)
SatFactorCyan	REG_DWORD	0x000000a0 (160)
SatFactorGreen	REG_DWORD	0x000000a0 (160)
SatFactorMagenta	REG_DWORD	0x000000a0 (160)
SatFactorRed	REG_DWORD	0x000000a0 (160)
SatFactorYellow	REG_DWORD	0x000000a0 (160)
SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
SharpnessFactor	REG_DWORD	0x123da230 (306029104)
SkinTone	REG_DWORD	0xdc321043 (3694268483)
SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedadfd (4275764655)

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
oI AceLevel	REG_DWORD	0x43bdcecf (1136512719)
oI EnableACE	REG_DWORD	0x43bdcecf (1136512719)
oI EnableFMD	REG_DWORD	0x43bdcecf (1136512719)
oI EnableIS	REG_DWORD	0x43bdcecf (1136512719)
oI EnableNLAS	REG_DWORD	0x43bdcecf (1136512719)
oI EnableSTE	REG_DWORD	0x43bdcecf (1136512719)
oI EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
oI EnableTCC	REG_DWORD	0x43bdcecf (1136512719)
oI GCompMode	REG_DWORD	0x43bdcecf (1136512719)
oI GExpMode	REG_DWORD	0xdfebdfcb (3756777451)
oI InputYUVRange	REG_DWORD	0xffffffff (4294967295)
oI NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
oI NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
oI NLASVerticalCrop	REG_DWORD	0x00000000 (0)
oI NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
oI NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
oI NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
oI NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
oI ProcAmpApplyAlways	REG_DWORD	0xfafbdcce (4210810110)
oI ProcAmpBrightness	REG_DWORD	0xfeeefeeef (4277071599)
oI ProcAmpContrast	REG_DWORD	0xfeeefeeef (4277071599)
oI ProcAmpHue	REG_DWORD	0xfeeefeeef (4277071599)
oI ProcAmpSaturation	REG_DWORD	0xfeeefeeef (4277071599)
oI SatFactorBlue	REG_DWORD	0x000000a0 (160)
oI SatFactorCyan	REG_DWORD	0x000000a0 (160)
oI SatFactorGreen	REG_DWORD	0x000000a0 (160)
oI SatFactorMagenta	REG_DWORD	0x000000a0 (160)
oI SatFactorRed	REG_DWORD	0x000000a0 (160)
oI SatFactorYellow	REG_DWORD	0x000000a0 (160)
oI SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
oI SharpnessFactor	REG_DWORD	0x123da230 (306029104)
oI SkinTone	REG_DWORD	0xfedc3217 (4275843607)
oI SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
oI SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
oI UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedadfdaf (4275764655)

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
o AceLevel	REG_DWORD	0xfcfcfcfc (4244438268)
o EnableACE	REG_DWORD	0xfcfcfcfc (4244438268)
o EnableFMD	REG_DWORD	0xfcfcfcfc (4244438268)
o EnableIS	REG_DWORD	0xfcfcfcfc (4244438268)
o EnableNLAS	REG_DWORD	0xfcfcfcfc (4244438268)
o EnableSTE	REG_DWORD	0xfcfcfcfc (4244438268)
o EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
o EnableTCC	REG_DWORD	0xfcfcfcfc (4244438268)
o GCompMode	REG_DWORD	0xffffffff (3435973836)
o GExpMode	REG_DWORD	0xffffffff (4294967295)
o InputYUVRange	REG_DWORD	0xffffffff (4294967295)
o NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
o NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
o NLASVerticalCrop	REG_DWORD	0x00000000 (0)
o NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
o NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
o NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
o NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
o ProcAmpApplyAlways	REG_DWORD	0xfafbdcef (4210810110)
o ProcAmpBrightness	REG_DWORD	0xfeeeeeef (4277071599)
o ProcAmpContrast	REG_DWORD	0xfeeeeeef (4277071599)
o ProcAmpHue	REG_DWORD	0xfeeeeeef (4277071599)
o ProcAmpSaturation	REG_DWORD	0xfeeeeeef (4277071599)
o SatFactorBlue	REG_DWORD	0x000000a0 (160)
o SatFactorCyan	REG_DWORD	0x000000a0 (160)
o SatFactorGreen	REG_DWORD	0x000000a0 (160)
o SatFactorMagenta	REG_DWORD	0x000000a0 (160)
o SatFactorRed	REG_DWORD	0x000000a0 (160)
o SatFactorYellow	REG_DWORD	0x000000a0 (160)
o SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
o SharpnessFactor	REG_DWORD	0x123da230 (306029104)
o SkinTone	REG_DWORD	0xfedc3210 (4275843600)
o SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
o SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
o UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedadfdaf (4275764655)

Name	Type	Data
ab(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0xacacacac (2896997548)
EnableACE	REG_DWORD	0xacacacac (2896997548)
EnableFMD	REG_DWORD	0xacacacac (2896997548)
EnableIS	REG_DWORD	0xacacacac (2896997548)
EnableNLAS	REG_DWORD	0xacacacac (2896997548)
EnableSTE	REG_DWORD	0xacacacac (2896997548)
EnableSuperResolution	REG_DWORD	0xdfeabcd9 (3756702937)
EnableTCC	REG_DWORD	0xacacacac (2896997548)
GCompMode	REG_DWORD	0xffffffff (3435973836)
GExpMode	REG_DWORD	0aaaaaaaa (2863311530)
InputYUVRange	REG_DWORD	0xffffffff (4294967295)
NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
NLASVerticalCrop	REG_DWORD	0x00000000 (0)
NoiseReductionAutoDetectEnabl...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnableChroma	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEnabledAlways	REG_DWORD	0xffffffff (4294967295)
NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlways	REG_DWORD	0xfafbdcfe (4210810110)
ProcAmpBrightness	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpContrast	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpHue	REG_DWORD	0xfeeeeeef (4277071599)
ProcAmpSaturation	REG_DWORD	0xfeeeeeef (4277071599)
SatFactorBlue	REG_DWORD	0x000000a0 (160)
SatFactorCyan	REG_DWORD	0x000000a0 (160)
SatFactorGreen	REG_DWORD	0x000000a0 (160)
SatFactorMagenta	REG_DWORD	0x000000a0 (160)
SatFactorRed	REG_DWORD	0x000000a0 (160)
SatFactorYellow	REG_DWORD	0x000000a0 (160)
SharpnessEnabledAlways	REG_DWORD	0x77777777 (2004318071)
SharpnessFactor	REG_DWORD	0x123da230 (306029104)
SkinTone	REG_DWORD	0xfedc3210 (4275843600)
SuperResolutionEnabled	REG_DWORD	0xf2da4fed (4074393581)
SuperResolutionMode	REG_DWORD	0xfead0321 (4272751393)
UISharpnessOptimalEnabledAlwa...	REG_DWORD	0xfedadfaf (4275764655)

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0xffffffff (4008636142)
EnableACE	REG_DWORD	0xfefefefe (4278124286)
EnableFMD	REG_DWORD	0xfefefefe (4278124286)
EnableIS	REG_DWORD	0xfefefefe (4278124286)
EnableNLAS	REG_DWORD	0xfefefefe (4278124286)
EnableSTE	REG_DWORD	0xfefefefe (4278124286)
EnableSuperResolu...	REG_DWORD	0x12345678 (305419896)
EnableTCC	REG_DWORD	0xfefefefe (4278124286)
GCompMode	REG_DWORD	0xfefefefe (4278124286)
GExpMode	REG_DWORD	0xfefefefe (4278124286)
InputYUVRange	REG_DWORD	0xffffffff (4294967295)
NLASHLinearRegion	REG_DWORD	0xffffffff (4294967295)
NLASNonLinearCrop	REG_DWORD	0x00000000 (0)
NLASVerticalCrop	REG_DWORD	0x00000000 (0)
NoiseReductionAut...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionEna...	REG_DWORD	0xffffffff (4294967295)
NoiseReductionFac...	REG_DWORD	0xffffffff (4294967295)
ProcAmpApplyAlw...	REG_DWORD	0xfafbdcfe (4210810110)
ProcAmpBrightness	REG_DWORD	0x2222222 (572662306)
ProcAmpContrast	REG_DWORD	0xffffffff (4294967295)
ProcAmpHue	REG_DWORD	0x33333333 (858993459)
ProcAmpSaturation	REG_DWORD	0xffffffff (4008636142)
SatFactorBlue	REG_DWORD	0x000000a0 (160)
SatFactorCyan	REG_DWORD	0x000000a0 (160)
SatFactorGreen	REG_DWORD	0x000000a0 (160)
SatFactorMagenta	REG_DWORD	0x000000a0 (160)
SatFactorRed	REG_DWORD	0x000000a0 (160)
SatFactorYellow	REG_DWORD	0x000000a0 (160)
SharpnessEnabled...	REG_DWORD	0x77777777 (2004318071)
SharpnessFactor	REG_DWORD	0x123da230 (306029104)
SkinTone	REG_DWORD	0xfedc3210 (4275843600)
SuperResolutionEn...	REG_DWORD	0xdfceabfd (3754863613)
SuperResolutionM...	REG_DWORD	0xfead0321 (4272751393)
UISharpnessOptim...	REG_DWORD	0xfedadfaf (4275764655)

Name	Type	Data
ab (Default)	RE...	(value not set)
o AceLevel	RE...	0xeeeeeeee (4008636142)
o EnableACE	RE...	0xfefefefe (4278124286)
o EnableFMD	RE...	0xfefefefe (4278124286)
o EnableIS	RE...	0xfefefefe (4278124286)
o EnableNLAS	RE...	0xfefefefe (4278124286)
o EnableSTE	RE...	0xfefefefe (4278124286)
o EnableSuperResolution	RE...	0x12345678 (305419896)
o EnableTCC	RE...	0xfefefefe (4278124286)
o GCompMode	RE...	0xfefefefe (4278124286)
o GExpMode	RE...	0xfefefefe (4278124286)
o InputYUVRange	RE...	0xffffffff (4294967295)
o NLASHLinearRegion	RE...	0xffffffff (4294967295)
o NLASNonLinearCrop	RE...	0x00000000 (0)
o NLASVerticalCrop	RE...	0x00000000 (0)
o NoiseReductionAutoDetectEnabledAlways	RE...	0xffffffff (4294967295)
o NoiseReductionEnableChroma	RE...	0xffffffff (4294967295)
o NoiseReductionEnabledAlways	RE...	0xffffffff (4294967295)
o NoiseReductionFactor	RE...	0xffffffff (4294967295)
o ProcAmpApplyAlways	RE...	0xfafbdcfe (4210810110)
o ProcAmpBrightness	RE...	0x22222222 (572662306)
o ProcAmpContrast	RE...	0xffffffff (4294967295)
o ProcAmpHue	RE...	0x33333333 (858993459)
o ProcAmpSaturation	RE...	0xeeeeeeee (4008636142)
o SatFactorBlue	RE...	0x000000a0 (160)
o SatFactorCyan	RE...	0x000000a0 (160)
o SatFactorGreen	RE...	0x000000a0 (160)
o SatFactorMagenta	RE...	0x000000a0 (160)
o SatFactorRed	RE...	0x000000a0 (160)
o SatFactorYellow	RE...	0x000000a0 (160)
o SharpnessEnabledAlways	RE...	0x77777777 (2004318071)
o SharpnessFactor	RE...	0x123da230 (306029104)
o SkinTone	RE...	0xfedc3210 (4275843600)
o SuperResolutionEnabled	RE...	0xf6f5f4f3 (4143314163)
o SuperResolutionMode	RE...	0xfefefefe (4278124286)
o UISharpnessOptimalEnabledAlways	RE...	0xfedadfaf (4275764655)

Name	Type	Data
(Default)	RE...	(value not set)
AceLevel	RE...	0xfefefefe (4278124286)
EnableACE	RE...	0xfefefefe (4278124286)
EnableFMD	RE...	0xfefefefe (4278124286)
EnableIS	RE...	0xfefefefe (4278124286)
EnableNLAS	RE...	0xfefefefe (4278124286)
EnableSTE	RE...	0xfefefefe (4278124286)
EnableSuperResolution	RE...	0xfefefefe (4278124286)
EnableTCC	RE...	0xfefefefe (4278124286)
GCompMode	RE...	0xfefefefe (4278124286)
GExpMode	RE...	0xfefefefe (4278124286)
InputYUVRange	RE...	0xffffffff (4294967295)
NLASHLinearRegion	RE...	0xffffffff (4294967295)
NLASNonLinearCrop	RE...	0x00000000 (0)
NLASVerticalCrop	RE...	0x00000000 (0)
NoiseReductionAutoDetectEnabledAlways	RE...	0x00000001 (1)
NoiseReductionEnableChroma	RE...	0x00000001 (1)
NoiseReductionEnabledAlways	RE...	0x00000001 (1)
NoiseReductionFactor	RE...	0xffffffff (4294967295)
ProcAmpApplyAlways	RE...	0x00000000 (0)
ProcAmpBrightness	RE...	0x00000000 (0)
ProcAmpContrast	RE...	0x3f800000 (1065353216)
ProcAmpHue	RE...	0x00000000 (0)
ProcAmpSaturation	RE...	0x3f800000 (1065353216)
SatFactorBlue	RE...	0x000000a0 (160)
SatFactorCyan	RE...	0x000000a0 (160)
SatFactorGreen	RE...	0x000000a0 (160)
SatFactorMagenta	RE...	0x000000a0 (160)
SatFactorRed	RE...	0x000000a0 (160)
SatFactorYellow	RE...	0x000000a0 (160)
SharpnessEnabledAlways	RE...	0x00000001 (1)
SharpnessFactor	RE...	0x123da230 (306029104)
SkinTone	RE...	0xfedc3210 (4275843600)
SuperResolutionEnabled	RE...	0xf2da4fed (4074393581)
SuperResolutionMode	RE...	0x324defdf (843968479)
UISharpnessOptimalEnabledAlways	RE...	0x00000001 (1)

FFRTXZ

DPPTXZ

FFRTXZ	DPPTXZ
	FRTXZ
	QPTXZ
> GFX	
> GFXInstaller	
> IGFX	
> PresentMon	
ProfileAgent	
pcie	

Name	Type	Data
(Default)	REG_SZ	(value not set)
Brotallya	REG_DWORD	0xffffffff (4294967295)
GlobalF	REG_DWORD	0xffffffff (4294967295)
GlobalFF	REG_DWORD	0xffffffff (4294967295)
GlobalFFFF	REG_DWORD	0xffffffff (4294967295)
GlobalFFFFFF	REG_DWORD	0xffffffff (4294967295)
GlobalFFFFFFF	REG_DWORD	0xffffffff (4294967295)

FFRTXZ	DPPTXZ
	FRTXZ
> GFX	
> DPPT	
> Internal	

Name	Type	Data
(Default)	REG_SZ	(value not set)
Brotallya	REG_DWORD	0xefefededef (4278116063)
GlobalF	REG_DWORD	0xfafafdfdef (4210949615)
GlobalFF	REG_DWORD	0xf2dfdaa2 (4074756770)

FRTXZ

FFRTXZ	DPPTXZ
	FRTXZ
> GFX	
> DPPT	
> Internal	

Name	Type	Data
(Default)	REG_SZ	(value not set)
Dellante	REG_DWORD	0xffffffff (4294967295)
Ferante	REG_DWORD	0xffffffff (4294967295)
LocalF	REG_DWORD	0xffffffff (4294967295)
LocalFF	REG_DWORD	0xffffffff (4294967295)
Orante	REG_DWORD	0xffffffff (4294967295)
Rante	REG_DWORD	0xffffffff (4294967295)

If you want to allow:

- Dellante you should use “fafadafa” (as some primitive planets knew so) or “fefedefe”...
- Rante: 2a2a2a2a, 2b2adca2
- Orante: 23232323, f23dbaf2
- Ferante: fdfffdff
- Adyllante: f2dcabfd, fbdcafdb

Earlier values not implemented are for “Global”: “F2DF2AF2” – extrowallyattarry ban – on all and everything but reading only allowed things... For the file “GlobalN”: “AFDFEEDF” we have Nonbralltyya ban on reading banned things... Because you do actually need to ban idea of global (usually alien reading for smart beings) and there are “symbols” (words)

QPTXZ

FFRTXZ	DPPTXZ
	FRTXZ
	QPTXZ
> GFX	
> GFXInstaller	
> IGFX	
> PresentMon	

Name	Type	Data
(Default)	REG_SZ	(value not set)
GlobalF	REG_DWORD	0xffffffff (4294967295)
GlobalFF	REG_DWORD	0xffffffff (4294967295)
GlobalFFFF	REG_DWORD	0xffffffff (4294967295)
GlobalFFFFFF	REG_DWORD	0xffffffff (4294967295)
GlobalFFFFFFF	REG_DWORD	0xffffffff (4294967295)

“HKEY_LOCAL_MACHINE\SOFTWARE\Intel” Folders

Under a key: “Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel” I had these keys:

- DDRTZ
 - DPPT
- DGFX
 - 6D
 - 7D
 - 8D
 - DPPT
- DGFXI
 - 9D
 - 10D
 - 11D
 - 12D
- DPPT
- FFRTZ
 - DPPTXZ
 - FRTXZ
- GFX
 - DPPT
- IGFX
 - 2D
 - 3D
 - 4D
 - 5D
 - DPP
 - DPPT
- PSIS
 - DPPT
- SUR
 - DPPT
- DRGFXZ
 - MISC
 - DPPTXZ

Notice that under the Key “IGFX” there is a Key “DPP”, I renamed it to “DPPT” for the hope of a better system... But that didn’t help much... The point is that connected Keys and the Data in the QWORD creates a fully valued system and some long words can’t be usually shortened to a programmed code as is “DRTZ” from the “Deggennerreyyazzattyonall” – which means involvement of the watches...


Under below you will find the images of the files with codes you need to open and fill into Registry Editor.


When you find a “REG_DWORD” file named: “EnableHardware3DLUT” you should rename it to the “EnableHardwareDLUT”.


Old photos and some of the values:


















DGFX





DGFXI



Edit Binary Value

X

Value name:

GlobalN



Value data:

00000000	FF	2F	FD	CE	FF	FF	FF	FF	ÿ /	ý	î	ÿ	ÿ	ÿ	ÿ
00000008	EE	í	í	í	í	í	í	í							
00000010															

OK

Cancel

DPPT



GFX

	Name	Type	Data
DPPT	(Default)	REG_SZ	(value not set)
Internal	Acarella	REG_DWORD	0x47256310 (1193632528)
GFXInstaller	Carella	REG_DWORD	0x24567125 (609644837)
LevelZero	Global	REG_BINARY	fa bd cd fc de ff ff ff ee ee ee ee ee ff 2f fd ce ff ff ff ee ee ee ee ee ee ee
{2BA535F4-FEF9-45E1-9F	GlobalN	REG_BINARY	
IGFX			

Edit Binary Value X

Value name:
Global

Value data:

00000000	FA	BD	CD	FC	DE	FF	FF	FF	ú	%	í	ü	p	ÿ	ÿ	ÿ
00000008	FF	EE	ÿ	í	í	í	í	í	í	í						
00000010																

OK Cancel

Edit Binary Value X

Value name:
GlobalN

Value data:

00000000	FF	2F	FD	CE	FF	FF	FF	FF	ÿ / ý î ÿ ÿ ÿ ÿ
00000008	EE	î î î î î î î î							
00000010									

OK Cancel

IGFX			
	Name	Type	Data
2D	ab(Default)	REG_SZ	(value not set)
3D	OH Anhenyo	REG_DWORD	0x22222222 (572662306)
4D	OH Genyo	REG_DWORD	0x11111111 (28631153)
5D	ab PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
DPPT			

IGFX	2D	3D	4D	5D	DPPT	Name	Type	Data
						(Default)	REG_SZ	(value not set)
						Delascronna	REG_DWORD	0xf8bde4ce (4173194446)
						Lascronna	REG_DWORD	0xf2bde4ce (4072531150)
						PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
IGFX	2D	3D	4D	5D	DPPT	Name	Type	Data
						(Default)	REG_SZ	(value not set)
						Lenguarrya	REG_DWORD	0x75623120 (1969369376)
						PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
IGFX	2D	3D	4D	5D	DPPT	Name	Type	Data
						(Default)	REG_SZ	(value not set)
						Deguaryannallya	REG_DWORD	0x95732106 (2507350278)
						PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries

DPPT

IGFX	2D	3D	4D	5D	DPPT	PresentMon	Name	Type	Data
							(Default)	REG_SZ	(value not set)
							DisableDPPTTemporarily	REG_DWORD	0xf4cd2d02 (4107087106)
							EnableHardwareDLUT	REG_DWORD	0x4c2cdeb (4106407403)
							Global	REG_BINARY	fa bd cd fc de ff ff ff ee ee ee ee ee ee
							GlobalN	REG_BINARY	ff 2f fd ce ff ff ff ee ee ee ee ee ee ee ee

Or different idea of the DPPT which cuts the system differently:

IGFX	2D	3D	4D	5D	DPPT	PresentMon	Name	Type	Data
							(Default)	REG_SZ	(value not set)
							DisableDPPTTemporarily	REG_BINARY	f4 cd 2d 02 ff
							EnableHardwareDLUT	REG_DWORD	0x4c2cdeb (4106407403)
							Global	REG_BINARY	fa bd cd fc de ff ff ff ee ee ee ee ee ee
							GlobalN	REG_BINARY	ff 2f fd ce ff ff ff ee ee ee ee ee ee ee ee

DPPTXZ

IGFX	2D	3D	4D	5D	DPP	DPPT	DPPTXZ	PresentMon	ProfileAgent	PSIS	QRSTPXZ	Name	Type	Data
							(Default)	REG_SZ	(value not set)					
							DisableDPPTTemporarily	REG_QWORD	0xfedebdedfdefedb (18365358080748617435)					
							EnableHardwareDLUT	REG_QWORD	0xfeeefdfdefeffe (18370147557947993855)					
							Global	REG_QWORD	0xffffffffffff (18446744073709551615)					
							GlobalF	REG_QWORD	0xffffffffffff (18446744073709551615)					
							GlobalN	REG_QWORD	0xffffffffffff (18446744073709551615)					
							Local	REG_QWORD	0xffffffffffff (18446744073709551615)					
							LocalF	REG_QWORD	0xffffffffffff (18446744073709551615)					
							LocalN	REG_QWORD	0xffffffffffff (18446744073709551615)					

DPP

IGFX	2D	3D	4D	5D	DPP	DPPT	DPPTQRSTXZ	Name	Type	Data
							(Default)	REG_SZ	(value not set)	
							DisableDPPTTemporarily	REG_QWORD	0xfdadbcbabdfadbc (18283168331873311690)	
							EnableHardwareXDLUT	REG_QWORD	0xfadfdafddfaaff (18077413354785188607)	


DPPTQXRSTZ


Name	Type	Data
(Default)	REG_SZ	(value not set)
DisableDPPTemporarily	REG_QWORD	0xfefedbcdaaffdbaf (18374365206185622269)
EnableHardwareXDLUT	REG_QWORD	0xffdbcdaffedbdae (18436555655350046126)

PSIS

	Name	Type	Data
PSIS	 (Default)	REG_SZ	(value not set)
DPPT	 Global	REG_DWORD	0xf2dadbd (4074429402)
PSIS_DECODER	 GlobalN	REG_DWORD	0xf2dadbd (4074429402)
SUR			
DPPT			

Or different solution which I am not preferring:





SUR

	Name	Type	Data
DPPT	(Default)	REG_SZ	(value not set)
ESRV_SVC_QUEENCREEK	Global	REG_DWORD	0xf2dadbd (4074429402)

Or different solution which I am not preferring:

igfxcui

Files 3105 and 3106 leave the same, but create 3107, and 3108 and 3109...

Path	Name	Type	Data
Intel\CollectorService	(Default)	REG_SZ	(value not set)
Intel\CrashLog	3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 c
Intel\DGFX	3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 c
Intel\DGFXI	3107	REG_DWORD	0xffffffff (4294967295)
Intel\Display\igfxcui\3D\MediaKeys\MISC	3108	REG_DWORD	0xffffffff (4294967295)
Intel\Display\igfxcui\3D\MediaKeys\MISC	3109	REG_DWORD	0xffffffff (4294967295)
Intel\Display\igfxcui\3D\MediaKeys\MISC	3fff	REG_DWORD	0xffffffff (4294967295)
Intel\Display\igfxcui\3D\MediaKeys\MISC	7fffffff	REG_DWORD	0xffffffff (4294967295)
Intel\DPPT	BKPDisplayLACE	REG_DWORD	0x23465312 (591811346)
Intel\Driver and Support Assistant	HotKeyState	REG_DWORD	0x00000001 (1)
Intel\FFRTXZ	Install_State	REG_DWORD	0x00000002 (2)
Intel\GFX\DPPT	InstallStage	REG_DWORD	0x00000001 (1)
Intel\GFX\DPPT\Internal	OldLang	REG_DWORD	0x00000409 (1033)
Intel\GFXInstaller	UserSetDRRSDisableRR	REG_DWORD	0xfefecaff (4278103295)

Here you can find a regular DRRSDisableRR which is 30... I set it to something that for me makes more sense...

Path	Name	Type	Data
Intel\CollectorService	(Default)	REG_SZ	(value not set)
Intel\CrashLog	3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00
Intel\DGFX	3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00
Intel\DGFXI	3107	REG_DWORD	0xffffffff (4294967295)
Intel\Display\igfxcui\3D\MediaKeys\MISC	3108	REG_DWORD	0xffffffff (4294967295)
Intel\Display\igfxcui\3D\MediaKeys\MISC	3109	REG_DWORD	0xffffffff (4294967295)
Intel\Display\igfxcui\3D\MediaKeys\MISC	3fff	REG_DWORD	0xffffffff (4294967295)
Intel\Display\igfxcui\3D\MediaKeys\MISC	7fffffff	REG_DWORD	0xffffffff (4294967295)
Intel\DPPT	BKPDisplayLACE	REG_DWORD	0x23465312 (591811346)
Intel\Driver and Support Assistant	HotKeyState	REG_DWORD	0x00000001 (1)
Intel\FFRTXZ	Install_State	REG_DWORD	0x00000002 (2)
Intel\GFX\DPPT	InstallStage	REG_DWORD	0x00000001 (1)
Intel\GFX\DPPT\Internal	OldLang	REG_DWORD	0x00000409 (1033)
Intel\GFXInstaller	UserSetDRRSDisableRR	REG_DWORD	0x00000030 (48)

You can use this model with BKPDisplayLACE with all of the "f" chars but I do not suggest it because it represents open system of everyone around you and it doesn't focus you on your job only...

Path	Name	Type	Data
Intel\Display\igfxcui\3D\MediaKeys\MISC	(Default)	REG_SZ	(value not set)
Intel\Display\igfxcui\3D\MediaKeys\MISC	3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3
Intel\Display\igfxcui\3D\MediaKeys\MISC	3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3
Intel\Display\igfxcui\3D\MediaKeys\MISC	3107	REG_DWORD	0xffffffff (4294967295)
Intel\Display\igfxcui\3D\MediaKeys\MISC	3108	REG_DWORD	0xffffffff (4294967295)
Intel\Display\igfxcui\3D\MediaKeys\MISC	3109	REG_DWORD	0xffffffff (4294967295)
Intel\Display\igfxcui\3D\MediaKeys\MISC	BKPDisplayLACE	REG_DWORD	0xffffffff (4294967295)
Intel\Display\igfxcui\3D\MediaKeys\MISC	HotKeyState	REG_DWORD	0x00000001 (1)
Intel\Display\igfxcui\3D\MediaKeys\MISC	Install_State	REG_DWORD	0x00000002 (2)
Intel\Display\igfxcui\3D\MediaKeys\MISC	InstallStage	REG_DWORD	0x00000001 (1)
Intel\Display\igfxcui\3D\MediaKeys\MISC	OldLang	REG_DWORD	0x00000409 (1033)
Intel\Display\igfxcui\3D\MediaKeys\MISC	UserSetDRRSDisableRR	REG_DWORD	0xfefecaff (4278103295)
Intel\DPPT			
Intel\Driver and Support Assistant			
Intel\FFRTXZ\DPPTXZ			
Intel\GFX\DPPT\Internal			
Intel\GFXInstaller			
IGFX\2D			

When you have a primitive idea of the 3D, you can implement 4D, 5D and up to 15D in the files as are dgfcxui (4D, 5D) and rgfcxui (6D, 7D, 8D), drgfcxui (9D, 10D, 11D), qxdrgfcxui (12D, 13D, 14D, 15D)... Each of those files should have the idea of the system speed being created by pixel movement to awake the brain idea of the cosmos jokes on the certain frequencies which is interesting because then user can see 3D image and so on...

DRGFXZ

For Quanzillyumar Display type regular values, and for a regular one type 8 times f: "ffffffffff" into Ablagerio and Zeronimo...

Path	Name	Type	Data
PSIS	(Default)	REG_SZ	(value not set)
SUR			
TelemetryAgent	Ablagerio	REG_DWORD	0xc4dfd2fd (3303002877)
DRGFXZ	Zeronimo	REG_DWORD	0x2fdfa2fd (803185405)
MISC			
DPPTXZ			
FFRTXZ	(Default)	REG_SZ	(value not set)
GFX			
GFXInstaller	LocalF	REG_DWORD	0xffffffff (4294967295)
IGFX			
PresentMon	LocalFF	REG_DWORD	0xffffffff (4294967295)
ProfileAgent	LocalFFFF	REG_DWORD	0xffffffff (4294967295)
PSIS	LocalFFFFF	REG_DWORD	0xffffffff (4294967295)
SUR	LocalFFFFFF	REG_DWORD	0xffffffff (4294967295)
TelemetryAgent	LocalFFFFFFF	REG_DWORD	0xffffffff (4294967295)
DRGFXZ	LocalFFFFFFFF	REG_DWORD	0xffffffff (4294967295)
MISC	LocalFFFFFFFFF	REG_DWORD	0xffffffff (4294967295)
DPPTXZ	LocalFFFFFFFFF	REG_DWORD	0xffffffff (4294967295)

I believe if there is Ablagerio "ffffffffff" and Zeronimo "ffffffffff" then there is the key "DPPT" instead of "DPPTXZ" ...

QDGFX

RSPTXD

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RSPTXD			
	Name	Type	Data
SUR	(Default)	REG_SZ	(value not set)
ESRV_SVC_QUEENCREEK	Dellyberrya	REG_QWORD	0xfeeefefefefefeb (18370165218869243883)
ICIP	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
ICIP_RUN	Wellywerrya	REG_QWORD	0xffffdbcdaffeffe (18446107297562164990)
Installers			
TelemetryAgent			
RSPTXD			

DPPTXZ

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DPPTXZ			
	Name	Type	Data
Intel	(Default)	REG_SZ	(value not set)
CollectorService	Allyhyrnerra	REG_QWORD	0x3333333333333333 (3689348814741910323)
CrashLog	Lahhyrnerra	REG_QWORD	0x2222222222222222 (2459565876494606882)
DDRTZ			
DGFX			
DGFXI			
Display			
DPPTXZ			

Banning

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Zygollarmanttya			
	Name	Type	Data
DDRTZ	(Default)	REG_SZ	(value not set)
DGFX	DisableDPPTemporarily	REG_QWORD	0xffffffffffff (18446744073709551615)
6D	Global	REG_QWORD	0xffffffffffff (18446744073709551615)
7D	GlobalD	REG_QWORD	0xffffffffffff (18446744073709551615)
8D	GlobalF	REG_QWORD	0xffffffffffff (18446744073709551615)
DGFXI	GlobalL	REG_QWORD	0xffffffffffff (18446744073709551615)
10D	GlobalLL	REG_QWORD	0xffffffffffff (18446744073709551615)
11D	GlobalLLL	REG_QWORD	0xffffffffffff (18446744073709551615)
12D	GlobalN	REG_QWORD	0xffffffffffff (18446744073709551615)
9D	GlobalQ	REG_QWORD	0xffffffffffff (18446744073709551615)
DGQFGXZZZ	GlobalR	REG_QWORD	0xffffffffffff (18446744073709551615)
Display	GlobalS	REG_QWORD	0xffffffffffff (18446744073709551615)
DPPTXZZZ	GlobalT	REG_QWORD	0xffffffffffff (18446744073709551615)
DRGFXZ	GlobalTT	REG_QWORD	0xffffffffffff (18446744073709551615)
Driver and Support Assistant	GlobalX	REG_QWORD	0xffffffffffff (18446744073709551615)
FFRTZ	GlobalY	REG_QWORD	0xffffffffffff (18446744073709551615)
GFX	GlobalZ	REG_QWORD	0xffffffffffff (18446744073709551615)
GFXInstaller	GlobalZZ	REG_QWORD	0xffffffffffff (18446744073709551615)
IGFX	GlobalZZZ	REG_QWORD	0xffffffffffff (18446744073709551615)
PQRST	Local	REG_QWORD	0xffffffffffff (18446744073709551615)
100D	LocalD	REG_QWORD	0xffffffffffff (18446744073709551615)
500D	LocalF	REG_QWORD	0xffffffffffff (18446744073709551615)
50D	LocalL	REG_QWORD	0xffffffffffff (18446744073709551615)
ZTX	LocalLL	REG_QWORD	0xffffffffffff (18446744073709551615)
1000D	LocalI	REG_QWORD	0xffffffffffff (18446744073709551615)
ZTZ	LocalN	REG_QWORD	0xffffffffffff (18446744073709551615)
PresentMon	LocalQ	REG_QWORD	0xffffffffffff (18446744073709551615)
ProfileAgent	LocalR	REG_QWORD	0xffffffffffff (18446744073709551615)
PSIS	LocalS	REG_QWORD	0xffffffffffff (18446744073709551615)
QDGFXZ	LocalT	REG_QWORD	0xffffffffffff (18446744073709551615)
15D	LocalTT	REG_QWORD	0xffffffffffff (18446744073709551615)
16D	LocalX	REG_QWORD	0xffffffffffff (18446744073709551615)
17D	LocalY	REG_QWORD	0xffffffffffff (18446744073709551615)
18D	LocalZ	REG_QWORD	0xffffffffffff (18446744073709551615)
19D	LocalZZ	REG_QWORD	0xffffffffffff (18446744073709551615)
QPRST	LocalZZZ	REG_QWORD	0xffffffffffff (18446744073709551615)
QPRSTZZZ			
30D			
QRPTXZZZ			
Zygollarmanttya			
acrtv0			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QRSTXZDPPTZZZ			
	Name	Type	Data
DDR7Z	(Default)	REG_SZ	(value not set)
DGFX	DisableDPTTemporarily	REG_QWORD	0xffffffffffff (18446744073709551615)
6D	Global	REG_QWORD	0xffffffffffff (18446744073709551615)
7D	GlobalD	REG_QWORD	0xffffffffffff (18446744073709551615)
8D	GlobalF	REG_QWORD	0xffffffffffff (18446744073709551615)
DGFXI	GlobalL	REG_QWORD	0xffffffffffff (18446744073709551615)
10D	GlobalLL	REG_QWORD	0xffffffffffff (18446744073709551615)
11D	GlobalLLL	REG_QWORD	0xffffffffffff (18446744073709551615)
12D	GlobalN	REG_QWORD	0xffffffffffff (18446744073709551615)
9D	GlobalQ	REG_QWORD	0xffffffffffff (18446744073709551615)
DGQFGXZZZ	GlobalR	REG_QWORD	0xffffffffffff (18446744073709551615)
Display	GlobalS	REG_QWORD	0xffffffffffff (18446744073709551615)
DPPTXZZZ	GlobalT	REG_QWORD	0xffffffffffff (18446744073709551615)
DRGFXZ	GlobalTT	REG_QWORD	0xffffffffffff (18446744073709551615)
Driver and Support Assistant	GlobalX	REG_QWORD	0xffffffffffff (18446744073709551615)
FFRTZ	GlobalY	REG_QWORD	0xffffffffffff (18446744073709551615)
GFX	GlobalZ	REG_QWORD	0xffffffffffff (18446744073709551615)
GFXInstaller	GlobalZZZ	REG_QWORD	0xffffffffffff (18446744073709551615)
IGFX	Local	REG_QWORD	0xffffffffffff (18446744073709551615)
PQRST	LocalD	REG_QWORD	0xffffffffffff (18446744073709551615)
100D	LocalF	REG_QWORD	0xffffffffffff (18446744073709551615)
500D	LocalI	REG_QWORD	0xffffffffffff (18446744073709551615)
50D	LocalLL	REG_QWORD	0xffffffffffff (18446744073709551615)
ZTX	LocalT	REG_QWORD	0xffffffffffff (18446744073709551615)
1000D	LocalTT	REG_QWORD	0xffffffffffff (18446744073709551615)
ZTZ	LocalX	REG_QWORD	0xffffffffffff (18446744073709551615)
PresentMon	LocalY	REG_QWORD	0xffffffffffff (18446744073709551615)
ProfileAgent	LocalZ	REG_QWORD	0xffffffffffff (18446744073709551615)
PSIS	LocalZZZ	REG_QWORD	0x00000000 (0)
QDGFXZ			
15D			
16D			
17D			
18D			
19D			
QPRST			
QPRSTZZZ			
30D			
QRPTXZZZ			
QRSTXZDPPTZZZ			

Something

Previously not good settings are moved to this part of the TXT without thinking and maybe these codes represent something, maybe they ain't that good, but I find them unnecessary...

Registry Editor																		
File	Edit	View	Favorites															
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGZX\QZQ																		
<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Annogdallyyanallyannya</td> <td>REG_QWORD</td> <td>0xb2defe4ced2defef (12889018789931118575)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> <tr> <td>Ynogdallyyaanogdallyya</td> <td>REG_QWORD</td> <td>0xffbafdfbbfafdbfa (18427320083034397690)</td> </tr> </tbody> </table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	Annogdallyyanallyannya	REG_QWORD	0xb2defe4ced2defef (12889018789931118575)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries	Ynogdallyyaanogdallyya	REG_QWORD	0xffbafdfbbfafdbfa (18427320083034397690)
Name	Type	Data																
(Default)	REG_SZ	(value not set)																
Annogdallyyanallyannya	REG_QWORD	0xb2defe4ced2defef (12889018789931118575)																
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																
Ynogdallyyaanogdallyya	REG_QWORD	0xffbafdfbbfafdbfa (18427320083034397690)																

Registry Editor																		
File	Edit	View	Favorites															
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGZX\QZT																		
<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Dennogdallyyyanna</td> <td>REG_QWORD</td> <td>0xfe4ced2edeb2dede (18324281769424248542)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> <tr> <td>Ynogdallyyyanna</td> <td>REG_QWORD</td> <td>0xe4ced2edededede (18324281769427132126)</td> </tr> </tbody> </table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	Dennogdallyyyanna	REG_QWORD	0xfe4ced2edeb2dede (18324281769424248542)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries	Ynogdallyyyanna	REG_QWORD	0xe4ced2edededede (18324281769427132126)
Name	Type	Data																
(Default)	REG_SZ	(value not set)																
Dennogdallyyyanna	REG_QWORD	0xfe4ced2edeb2dede (18324281769424248542)																
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																
Ynogdallyyyanna	REG_QWORD	0xe4ced2edededede (18324281769427132126)																

PRST

Registry Editor																		
File	Edit	View	Favorites															
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PRST\BRC\DQX																		
<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Dembillyryra</td> <td>REG_QWORD</td> <td>0xfffffffeddffedfee (18446708884471996398)</td> </tr> <tr> <td>Lazembillyryra</td> <td>REG_QWORD</td> <td>0xfdefffffdffdfef (18298125285972762607)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> </tbody> </table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	Dembillyryra	REG_QWORD	0xfffffffeddffedfee (18446708884471996398)	Lazembillyryra	REG_QWORD	0xfdefffffdffdfef (18298125285972762607)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Name	Type	Data																
(Default)	REG_SZ	(value not set)																
Dembillyryra	REG_QWORD	0xfffffffeddffedfee (18446708884471996398)																
Lazembillyryra	REG_QWORD	0xfdefffffdffdfef (18298125285972762607)																
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																

Name	Type	Data
(Default)	REG_SZ	(value not set)
Wellywerryya	REG_QWORD	0x2fdcbacfdbcaefef (3448836816567463919)
Dellyberrya	REG_QWORD	0x2fdbcdadbcdafe (3448576085763751678)

Registry Editor												
File	Edit	View	Favorites									
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\DPPT												
<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>EnableHardwareXDLUT</td> <td>REG_QWORD</td> <td>0xdbca2ab2c2d2e2f2 (15837517986862916338)</td> </tr> </tbody> </table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	EnableHardwareXDLUT	REG_QWORD	0xdbca2ab2c2d2e2f2 (15837517986862916338)
Name	Type	Data										
(Default)	REG_SZ	(value not set)										
EnableHardwareXDLUT	REG_QWORD	0xdbca2ab2c2d2e2f2 (15837517986862916338)										

Fedbcdaefdfaefdf

Ayyannte

Registry Editor												
File	Edit	View	Favorites									
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RSPT\RSPT												
<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Allyyanntenallyyannte</td> <td>REG_QWORD</td> <td>0xfedebeddededebe (18365326194894626494)</td> </tr> </tbody> </table>				Name	Type	Data	(Default)	REG_SZ	(value not set)	Allyyanntenallyyannte	REG_QWORD	0xfedebeddededebe (18365326194894626494)
Name	Type	Data										
(Default)	REG_SZ	(value not set)										
Allyyanntenallyyannte	REG_QWORD	0xfedebeddededebe (18365326194894626494)										

QDGFXZ

Zyndallyya, Zembrallyya, Zemmallyya 3 bans on everything out there

Ffdbcdaffedbcdae

Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfxcui\3D			
	Display	Name	Type Data
	igfxcui	(Default)	REG_SZ (value not set)
	3D	Allacannte	REG_QWORD 0xfedcbafeffedbca (18364758920195464138)
	MediaKeys	Fellacannte	REG_QWORD 0xcedefefefefedbca (14906632187796184250)
	MISC	PrebuiltShaderBinaryDirPath	REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
	DPPTXZZZ		
Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\3D			
	IGFX	Name	Type Data
	3D	(Default)	REG_SZ (value not set)
	4D	Delascronzza	REG_DWORD 0x f8bde4ce (4173194446)
	5D	Lascronzza	REG_DWORD 0x f2bde4ce (4072531150)
	PQRST	PrebuiltShaderBinaryDirPath	REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
	ZTX		
Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\4D			
	IGFX	Name	Type Data
	4D	(Default)	REG_SZ (value not set)
	5D	Lenguarrya	REG_DWORD 0x75623120 (1969369376)
	PQRST	PrebuiltShaderBinaryDirPath	REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
	ZTX		
Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX\5D			
	IGFX	Name	Type Data
	5D	(Default)	REG_SZ (value not set)
	PQRST	Deguayannallya	REG_DWORD 0x95732106 (2507350278)
	ZTX	PrebuiltShaderBinaryDirPath	REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
	1000D		
Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\6D			
	DGFX	Name	Type Data
	6D	(Default)	REG_SZ (value not set)
	7D	Azellera	REG_DWORD 0x22346789 (573859721)
	8D	Konzolera	REG_DWORD 0x22345678 (573855352)
	DGFXI	PrebuiltShaderBinaryDirPath	REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
	10D		
Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\7D			
	DGFX	Name	Type Data
	7D	(Default)	REG_SZ (value not set)
	8D	Annattollya	REG_QWORD 0xfadfdffaaf (18077413354785188607)
	DGFXI	Fabryzzya	REG_DWORD 0x97560123 (2538996003)
	10D	PrebuiltShaderBinaryDirPath	REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
	11D		
	12D		
Registry Editor			
File Edit View Favorites Help			
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFX\8D			
	DGFX	Name	Type Data
	8D	(Default)	REG_SZ (value not set)
	DGFXI	Deferecce	REG_DWORD 0xc2d2acd (3268586719)
	10D	Ferecce	REG_DWORD 0xb2d2dcf (3000163503)
	11D	PrebuiltShaderBinaryDirPath	REG_SZ C:\Program Files\Intel\PrebuiltShaderBinaries
	12D		

Registry Editor																		
File	Edit	View	Favorites Help															
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DDRTZ																		
			<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Allezurryyanallyya</td> <td>REG_QWORD</td> <td>0xffffffffffff (18446744073709551615)</td> </tr> <tr> <td>C:\Program Files\Intel\PrebuiltShaderBinaries\PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>PrebuiltShaderBinaryDirPath</td> </tr> <tr> <td>Llezzuryyanallyya</td> <td>REG_QWORD</td> <td>0xffffeeeeeeee (18446443833734393582)</td> </tr> </tbody> </table>	Name	Type	Data	(Default)	REG_SZ	(value not set)	Allezurryyanallyya	REG_QWORD	0xffffffffffff (18446744073709551615)	C:\Program Files\Intel\PrebuiltShaderBinaries\PrebuiltShaderBinaryDirPath	REG_SZ	PrebuiltShaderBinaryDirPath	Llezzuryyanallyya	REG_QWORD	0xffffeeeeeeee (18446443833734393582)
Name	Type	Data																
(Default)	REG_SZ	(value not set)																
Allezurryyanallyya	REG_QWORD	0xffffffffffff (18446744073709551615)																
C:\Program Files\Intel\PrebuiltShaderBinaries\PrebuiltShaderBinaryDirPath	REG_SZ	PrebuiltShaderBinaryDirPath																
Llezzuryyanallyya	REG_QWORD	0xffffeeeeeeee (18446443833734393582)																

Registry Editor																					
File	Edit	View	Favorites Help																		
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFXI\9D																					
			<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Annadollyya</td> <td>REG_QWORD</td> <td>0xdbdbdbbdbbdb (15842497851538791387)</td> </tr> <tr> <td>Bennadollyya</td> <td>REG_QWORD</td> <td>0xdfdfdfdfdfdfdf (18302063728033398269)</td> </tr> <tr> <td>Dennatollyya</td> <td>REG_QWORD</td> <td>0xf4c2cdeb2fdebef (17636885500740419567)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> </tbody> </table>	Name	Type	Data	(Default)	REG_SZ	(value not set)	Annadollyya	REG_QWORD	0xdbdbdbbdbbdb (15842497851538791387)	Bennadollyya	REG_QWORD	0xdfdfdfdfdfdfdf (18302063728033398269)	Dennatollyya	REG_QWORD	0xf4c2cdeb2fdebef (17636885500740419567)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Name	Type	Data																			
(Default)	REG_SZ	(value not set)																			
Annadollyya	REG_QWORD	0xdbdbdbbdbbdb (15842497851538791387)																			
Bennadollyya	REG_QWORD	0xdfdfdfdfdfdfdf (18302063728033398269)																			
Dennatollyya	REG_QWORD	0xf4c2cdeb2fdebef (17636885500740419567)																			
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																			

Registry Editor																		
File	Edit	View	Favorites Help															
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFXI\10D																		
			<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Zymrall</td> <td>REG_QWORD</td> <td>0xededadefadeda (18364270647088709338)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> <tr> <td>Zymrall</td> <td>REG_QWORD</td> <td>0xefefafefafefafa (18373277983784500986)</td> </tr> </tbody> </table>	Name	Type	Data	(Default)	REG_SZ	(value not set)	Zymrall	REG_QWORD	0xededadefadeda (18364270647088709338)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries	Zymrall	REG_QWORD	0xefefafefafefafa (18373277983784500986)
Name	Type	Data																
(Default)	REG_SZ	(value not set)																
Zymrall	REG_QWORD	0xededadefadeda (18364270647088709338)																
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																
Zymrall	REG_QWORD	0xefefafefafefafa (18373277983784500986)																

Registry Editor																		
File	Edit	View	Favorites Help															
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFXI\11D																		
			<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Ostarrya</td> <td>REG_QWORD</td> <td>0xdedefededefed (16068525706748813054)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> <tr> <td>Rostarrya</td> <td>REG_QWORD</td> <td>0xfdbad2d4d6fefef (18283157448845885182)</td> </tr> </tbody> </table>	Name	Type	Data	(Default)	REG_SZ	(value not set)	Ostarrya	REG_QWORD	0xdedefededefed (16068525706748813054)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries	Rostarrya	REG_QWORD	0xfdbad2d4d6fefef (18283157448845885182)
Name	Type	Data																
(Default)	REG_SZ	(value not set)																
Ostarrya	REG_QWORD	0xdedefededefed (16068525706748813054)																
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																
Rostarrya	REG_QWORD	0xfdbad2d4d6fefef (18283157448845885182)																

Registry Editor															
File	Edit	View	Favorites Help												
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGFXI\12D															
			<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Aferecce</td> <td>REG_DWORD</td> <td>0x2a4cd2b2 (70967746)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> </tbody> </table>	Name	Type	Data	(Default)	REG_SZ	(value not set)	Aferecce	REG_DWORD	0x2a4cd2b2 (70967746)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Name	Type	Data													
(Default)	REG_SZ	(value not set)													
Aferecce	REG_DWORD	0x2a4cd2b2 (70967746)													
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries													

Registry Editor																		
File	Edit	View	Favorites Help															
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DPPTXZZ																		
			<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Aliyhynerryanallyanya</td> <td>REG_QWORD</td> <td>0x2323232323232323 (2531906049332683555)</td> </tr> <tr> <td>Dellahynerryanallyanya</td> <td>REG_QWORD</td> <td>0x3232323232323232 (361700864190383650)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> </tbody> </table>	Name	Type	Data	(Default)	REG_SZ	(value not set)	Aliyhynerryanallyanya	REG_QWORD	0x2323232323232323 (2531906049332683555)	Dellahynerryanallyanya	REG_QWORD	0x3232323232323232 (361700864190383650)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
Name	Type	Data																
(Default)	REG_SZ	(value not set)																
Aliyhynerryanallyanya	REG_QWORD	0x2323232323232323 (2531906049332683555)																
Dellahynerryanallyanya	REG_QWORD	0x3232323232323232 (361700864190383650)																
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																

Registry Editor																		
File	Edit	View	Favorites Help															
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DRGFXZ\MISC																		
			<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Ablagerio</td> <td>REG_DWORD</td> <td>0xc4dfd2fd (3303002877)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> <tr> <td>Zeronimo</td> <td>REG_DWORD</td> <td>0x2fdfa2fd (803185405)</td> </tr> </tbody> </table>	Name	Type	Data	(Default)	REG_SZ	(value not set)	Ablagerio	REG_DWORD	0xc4dfd2fd (3303002877)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries	Zeronimo	REG_DWORD	0x2fdfa2fd (803185405)
Name	Type	Data																
(Default)	REG_SZ	(value not set)																
Ablagerio	REG_DWORD	0xc4dfd2fd (3303002877)																
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																
Zeronimo	REG_DWORD	0x2fdfa2fd (803185405)																

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\DRPTZ			
	Name	Type	Data
FFRTZ	(Default)	REG_SZ	(value not set)
DRPTZ	Alldenbrahyya	REG_QWORD	0xffffeeddbccaff (18446443759862065919)
DRSTPPTZ	Denbrahyya	REG_QWORD	0xfedcadbaadcdba (18364744410902416826)
FRTZ	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
QPTZ			
QRFTZ			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\DRSTPPTZ			
	Name	Type	Data
FFRTZ	(Default)	REG_SZ	(value not set)
DRPTZ	Anahullyya	REG_QWORD	0xfefefefefefefe (18374368716499386110)
DRSTPPTZ	Brohullyya	REG_QWORD	0xfaecbedefedeacbe (18351252446595951806)
FRTZ	Hullyya	REG_QWORD	0xffffeeeeffffeee (18446725308997431022)
QPTZ	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
QRFTZ			
GFX			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\FRTZ			
	Name	Type	Data
FFRTZ	(Default)	REG_SZ	(value not set)
DRPTZ	Adyllante	REG_DWORD	0xfbdcfdb (4225544155)
DRSTPPTZ	Dellante	REG_DWORD	0xfefedefe (4278116094)
FRTZ	Ferrante	REG_DWORD	0xdffffdf (4261404639)
QPTZ	Orrante	REG_DWORD	0xf23dbaf2 (4064131826)
QRFTZ	Rante	REG_DWORD	0x2b2adca2 (724229282)
GFX	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
GFXInstaller			
IGFX			
IGRFTZ			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\QPTZ			
	Name	Type	Data
FFRTZ	(Default)	REG_SZ	(value not set)
DRPTZ	Asquyyante	REG_DWORD	0xfffffff (4294901759)
DRSTPPTZ	Dellyante	REG_DWORD	0xfffffff (4294963199)
FRTZ	Ferro	REG_DWORD	0xf2fdfdf (4076855293)
QPTZ	Omnypury	REG_DWORD	0xefdddadf (4024425183)
QRFTZ	Oraqillya	REG_DWORD	0xacfcdbc (2902252493)
GFX	Pero	REG_DWORD	0xfdfdf (4261404671)
GFXInstaller	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
IGFX	Pury	REG_DWORD	0xeefedfdf (4026458079)
IGRFTZ	Raqillya	REG_DWORD	0xfffffdf (4293910495)
PQRST			
ZTX			
1000D			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\FFRTZ\QRFTZ			
	Name	Type	Data
FFRTZ	(Default)	REG_SZ	(value not set)
DRPTZ	Asqyllante	REG_DWORD	0xdfdfeeff (4261408255)
DRSTPPTZ	Lante	REG_DWORD	0xf2ffdffe (4076855294)
FRTZ	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
QPTZ			
QRFTZ			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\GFX\2D			
	Name	Type	Data
GFX	(Default)	REG_SZ	(value not set)
2D	Acarella	REG_DWORD	0x47256310 (1193632528)
Internal	Carella	REG_DWORD	0x24567125 (609644837)
GFXInstaller	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries
IGFX			
IGRFTZ			
PQRST			

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\IGFX			
		Name	Type
		(Default)	REG_SZ
	IGFX		(value not set)
	Internal		
	GFXInstaller		
	LevelZero		
	{2BA535F4-FEF9-45E1-9FF6-66C4E0F629FF}		
	IGFX		

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QDGFXZ\17D			
		Name	Type
		(Default)	REG_SZ
	QDGFXZ		(value not set)
	17D		C:\Program Files\Intel\PrebuiltShaderBinaries
	18D		
	19D		
	QRST		
	7TC		
	Yoppennamma		0xfedbacdaefefefef (17283598051292737519)
	Zultrannamma		0xfedbcadcbcdafef (18364498051614830575)

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QDGFXZ\18D			
		Name	Type
		(Default)	REG_SZ
	QDGFXZ		(value not set)
	17D		C:\Program Files\Intel\PrebuiltShaderBinaries
	18D		
	19D		
	QRST		
	ZTC		
	Yoterrya		0xaefbcdacdbcafbcda (12663236829427776730)
	Zennterrya		0xfdabcabdcbcdafde (18283729091893768158)

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QDGFXZ\19D			
		Name	Type
		(Default)	REG_SZ
	QDGFXZ		(value not set)
	17D		0xd2cdd2bda2dd2da2 (15190028830113607074)
	18D		
	19D		
	QRST		
	ZTC		
	Breyyanne		0xbefcdd2bda2dd2fe (15190028831187395326)
	Yanne		0xd2cdd2bde2dde2fe (15190028831187395326)

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\QRPTXZZ			
		Name	Type
		(Default)	REG_SZ
	QRPTXZZ		(value not set)
	Zygollarmanttya		0xb999999999999999 (13527612320720337851)
	RSPTXD		
	RSPTXDZZZ		
	QRSTQRST		
	7TC		
	Dellafinaryyanallyanya		0xeeeeeeeeeeeeeeee (17216961135462248174)
	Laffinarryyanallyanya		0xe000000000000000 (17216961135462248174)
	PrebuiltShaderBinaryDirPath		C:\Program Files\Intel\PrebuiltShaderBinaries
	Zygollarmanttya		C:\Program Files\Intel\PrebuiltShaderBinaries

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RSPTXD			
		Name	Type
		(Default)	REG_SZ
	Zygollarmanttya		(value not set)
	RSPTXD		0xfeeefefefefefeb (18370165218869243883)
	RSPTXDZZZ		
	QRSTQRST		
	ZTC		
	10DO		
	Dellyberrya		0xfeedfcdccffedff (18446107297562164990)
	PrebuiltShaderBinaryDirPath		C:\Program Files\Intel\PrebuiltShaderBinaries
	Wellywerrya		0xffffdbccaffeffe (18446107297562164990)

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RSPTXDZZZ			
		Name	Type
		(Default)	REG_SZ
	Zygollarmanttya		(value not set)
	RSPTXDZZZ		0xdfd3fedfd3fed0df (16128514927831732447)
	QRSTQRST		
	ZTC		
	10DQ		
	100DQ		
	Awallwurrya		0xfeedbcafedfbdef (18364498061029015023)
	PrebuiltShaderBinaryDirPath		C:\Program Files\Intel\PrebuiltShaderBinaries
	Wallwurrya		0xfeedbcafedfbdef (18364498061029015023)

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\PORSTZTZT\QZO			
		Name	Type
		(Default)	REG_SZ
	ICIP		(value not set)
	ICIP_RUN		
	Installers		
	TelemetryAgent		
	PORSTZTZT		
	QZO		
	Annogdallyayangodallyya		0xff2fdbd3fdbacdcd (18388157507118484941)
	PrebuiltShaderBinaryDirPath		C:\Program Files\Intel\PrebuiltShaderBinaries
	Ynnogdallyyaanogdallyya		0xffffbafdbbfdbfa (18427320083034397690)

Registry Editor																					
File	Edit	View	Favorites Help																		
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Ellemenntallyanallyannya\QZQ																					
			<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Annogdallyyanallyannya</td> <td>REG_QWORD</td> <td>0xb2defe4ced2defef (12889018789931118575)</td> </tr> <tr> <td>Annogdallyyaynogdallyya</td> <td>REG_QWORD</td> <td>0xff2fdbd3fdbacdcd (18388157507118484941)</td> </tr> <tr> <td>PrebuiltShaderBinaryDirPath</td> <td>REG_SZ</td> <td>C:\Program Files\Intel\PrebuiltShaderBinaries</td> </tr> <tr> <td>Ynnogdallyyaanogdallya</td> <td>REG_QWORD</td> <td>0xffbafdbfbafdbfa (18427320083034397690)</td> </tr> </tbody> </table>	Name	Type	Data	(Default)	REG_SZ	(value not set)	Annogdallyyanallyannya	REG_QWORD	0xb2defe4ced2defef (12889018789931118575)	Annogdallyyaynogdallyya	REG_QWORD	0xff2fdbd3fdbacdcd (18388157507118484941)	PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries	Ynnogdallyyaanogdallya	REG_QWORD	0xffbafdbfbafdbfa (18427320083034397690)
Name	Type	Data																			
(Default)	REG_SZ	(value not set)																			
Annogdallyyanallyannya	REG_QWORD	0xb2defe4ced2defef (12889018789931118575)																			
Annogdallyyaynogdallyya	REG_QWORD	0xff2fdbd3fdbacdcd (18388157507118484941)																			
PrebuiltShaderBinaryDirPath	REG_SZ	C:\Program Files\Intel\PrebuiltShaderBinaries																			
Ynnogdallyyaanogdallya	REG_QWORD	0xffbafdbfbafdbfa (18427320083034397690)																			

Registry Editor																														
File	Edit	View	Favorites Help																											
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\DGQFGXZZZ																														
			<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>Allehurryya</td> <td>REG_QWORD</td> <td>0xb999999999999999 (13527612302720337851)</td> </tr> <tr> <td>Degerrya</td> <td>REG_QWORD</td> <td>0xffffeebbcccaaaf (18446443613849954991)</td> </tr> <tr> <td>Frabbylerrya</td> <td>REG_QWORD</td> <td>0xfe2ac2adcab2da2a (18314664886341392938)</td> </tr> <tr> <td>Lehurrya</td> <td>REG_QWORD</td> <td>0xdb4cacdfabcdefff (15802195269196312575)</td> </tr> <tr> <td>Quabylerrya</td> <td>REG_QWORD</td> <td>0xfdcbacdcafdefefe (18283679613101997822)</td> </tr> <tr> <td>Worzyngerrya</td> <td>REG_QWORD</td> <td>0xffffeabcdedebcde (18446370024738110686)</td> </tr> <tr> <td>Worzyngurrrya</td> <td>REG_QWORD</td> <td>0xdb4acdbcacdbdef (15801668452820438511)</td> </tr> </tbody> </table>	Name	Type	Data	(Default)	REG_SZ	(value not set)	Allehurryya	REG_QWORD	0xb999999999999999 (13527612302720337851)	Degerrya	REG_QWORD	0xffffeebbcccaaaf (18446443613849954991)	Frabbylerrya	REG_QWORD	0xfe2ac2adcab2da2a (18314664886341392938)	Lehurrya	REG_QWORD	0xdb4cacdfabcdefff (15802195269196312575)	Quabylerrya	REG_QWORD	0xfdcbacdcafdefefe (18283679613101997822)	Worzyngerrya	REG_QWORD	0xffffeabcdedebcde (18446370024738110686)	Worzyngurrrya	REG_QWORD	0xdb4acdbcacdbdef (15801668452820438511)
Name	Type	Data																												
(Default)	REG_SZ	(value not set)																												
Allehurryya	REG_QWORD	0xb999999999999999 (13527612302720337851)																												
Degerrya	REG_QWORD	0xffffeebbcccaaaf (18446443613849954991)																												
Frabbylerrya	REG_QWORD	0xfe2ac2adcab2da2a (18314664886341392938)																												
Lehurrya	REG_QWORD	0xdb4cacdfabcdefff (15802195269196312575)																												
Quabylerrya	REG_QWORD	0xfdcbacdcafdefefe (18283679613101997822)																												
Worzyngerrya	REG_QWORD	0xffffeabcdedebcde (18446370024738110686)																												
Worzyngurrrya	REG_QWORD	0xdb4acdbcacdbdef (15801668452820438511)																												

Registry Editor																																																																																																																		
File	Edit	View	Favorites Help																																																																																																															
Computer\HKEY_CURRENT_USER\Software\Intel\Display\igfcxui\Media																																																																																																																		
			<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Data</th> </tr> </thead> <tbody> <tr> <td>(Default)</td> <td>REG_SZ</td> <td>(value not set)</td> </tr> <tr> <td>AceLevel</td> <td>REG_DWORD</td> <td>0xfffffedbc (4294962620)</td> </tr> <tr> <td>EnableACE</td> <td>REG_DWORD</td> <td>0xfffffedbc (4294962620)</td> </tr> <tr> <td>EnableFMD</td> <td>REG_DWORD</td> <td>0xfffffedbc (4294962620)</td> </tr> <tr> <td>EnableIS</td> <td>REG_DWORD</td> <td>0xfffffedbc (4294962620)</td> </tr> <tr> <td>EnableNLAS</td> <td>REG_DWORD</td> <td>0xfffffedbc (4294962620)</td> </tr> <tr> <td>EnableSTE</td> <td>REG_DWORD</td> <td>0xfffffedbc (4294962620)</td> </tr> <tr> <td>EnableSuperResolution</td> <td>REG_DWORD</td> <td>0xfffffedbc (4294962620)</td> </tr> <tr> <td>EnableTCC</td> <td>REG_DWORD</td> <td>0xfffffedbc (4294962620)</td> </tr> <tr> <td>GCompMode</td> <td>REG_DWORD</td> <td>0x4444dbed (1145363437)</td> </tr> <tr> <td>GExpMode</td> <td>REG_DWORD</td> <td>0x999fedbd (2577395133)</td> </tr> <tr> <td>InputUVRange</td> <td>REG_DWORD</td> <td>0xfffff123 (4294963491)</td> </tr> <tr> <td>NLASLinearRegion</td> <td>REG_DWORD</td> <td>0xffffffff (4026531838)</td> </tr> <tr> <td>NLASNonLinearCrop</td> <td>REG_DWORD</td> <td>0xffffffff (4277071599)</td> </tr> <tr> <td>NLASVerticalCrop</td> <td>REG_DWORD</td> <td>0xffffffff (4277141231)</td> </tr> <tr> <td>NoiseReductionAutoDetectEnable...</td> <td>REG_DWORD</td> <td>0xffbecaaa (4290693802)</td> </tr> <tr> <td>NoiseReductionEnableChroma</td> <td>REG_DWORD</td> <td>0xffffeeee (4294897390)</td> </tr> <tr> <td>NoiseReductionEnabledAlways</td> <td>REG_DWORD</td> <td>0xffffeeee (4294897390)</td> </tr> <tr> <td>NoiseReductionFactor</td> <td>REG_DWORD</td> <td>0xabcf987ef (2882111471)</td> </tr> <tr> <td>ProcAmpApplyAlways</td> <td>REG_DWORD</td> <td>0xfeedfabd (4277131965)</td> </tr> <tr> <td>ProcAmpBrightness</td> <td>REG_DWORD</td> <td>0xfeedfabd (4277131965)</td> </tr> <tr> <td>ProcAmpContrast</td> <td>REG_DWORD</td> <td>0xfeedfabd (4277131965)</td> </tr> <tr> <td>ProcAmpHue</td> <td>REG_DWORD</td> <td>0xfeedfabd (4277131965)</td> </tr> <tr> <td>ProcAmpSaturation</td> <td>REG_DWORD</td> <td>0xfeedfabd (4277131965)</td> </tr> <tr> <td>SatFactorBlue</td> <td>REG_DWORD</td> <td>0xeeedffff (4008566783)</td> </tr> <tr> <td>SatFactorCyan</td> <td>REG_DWORD</td> <td>0xeeedffff (4008566783)</td> </tr> <tr> <td>SatFactorGreen</td> <td>REG_DWORD</td> <td>0xeeedffff (4008566783)</td> </tr> <tr> <td>SatFactorMagenta</td> <td>REG_DWORD</td> <td>0xeeedffff (4008566783)</td> </tr> <tr> <td>SatFactorRed</td> <td>REG_DWORD</td> <td>0xeeedffff (4008566783)</td> </tr> <tr> <td>SatFactorYellow</td> <td>REG_DWORD</td> <td>0xeeedffff (4008566783)</td> </tr> <tr> <td>SharpnessEnabledAlways</td> <td>REG_DWORD</td> <td>0xdecaffff (3737845759)</td> </tr> <tr> <td>SharpnessFactor</td> <td>REG_DWORD</td> <td>0xfabecaff (4206807807)</td> </tr> <tr> <td>SkinTone</td> <td>REG_DWORD</td> <td>0xcefdcaf (3472747695)</td> </tr> <tr> <td>SuperResolutionEnabled</td> <td>REG_DWORD</td> <td>0xbffaceff (3220885247)</td> </tr> <tr> <td>SuperResolutionMode</td> <td>REG_DWORD</td> <td>0xdecadeca (3737837258)</td> </tr> <tr> <td>UISharpnessOptimalEnabledAlways</td> <td>REG_DWORD</td> <td>0xaddeefff (2917068799)</td> </tr> </tbody> </table>	Name	Type	Data	(Default)	REG_SZ	(value not set)	AceLevel	REG_DWORD	0xfffffedbc (4294962620)	EnableACE	REG_DWORD	0xfffffedbc (4294962620)	EnableFMD	REG_DWORD	0xfffffedbc (4294962620)	EnableIS	REG_DWORD	0xfffffedbc (4294962620)	EnableNLAS	REG_DWORD	0xfffffedbc (4294962620)	EnableSTE	REG_DWORD	0xfffffedbc (4294962620)	EnableSuperResolution	REG_DWORD	0xfffffedbc (4294962620)	EnableTCC	REG_DWORD	0xfffffedbc (4294962620)	GCompMode	REG_DWORD	0x4444dbed (1145363437)	GExpMode	REG_DWORD	0x999fedbd (2577395133)	InputUVRange	REG_DWORD	0xfffff123 (4294963491)	NLASLinearRegion	REG_DWORD	0xffffffff (4026531838)	NLASNonLinearCrop	REG_DWORD	0xffffffff (4277071599)	NLASVerticalCrop	REG_DWORD	0xffffffff (4277141231)	NoiseReductionAutoDetectEnable...	REG_DWORD	0xffbecaaa (4290693802)	NoiseReductionEnableChroma	REG_DWORD	0xffffeeee (4294897390)	NoiseReductionEnabledAlways	REG_DWORD	0xffffeeee (4294897390)	NoiseReductionFactor	REG_DWORD	0xabcf987ef (2882111471)	ProcAmpApplyAlways	REG_DWORD	0xfeedfabd (4277131965)	ProcAmpBrightness	REG_DWORD	0xfeedfabd (4277131965)	ProcAmpContrast	REG_DWORD	0xfeedfabd (4277131965)	ProcAmpHue	REG_DWORD	0xfeedfabd (4277131965)	ProcAmpSaturation	REG_DWORD	0xfeedfabd (4277131965)	SatFactorBlue	REG_DWORD	0xeeedffff (4008566783)	SatFactorCyan	REG_DWORD	0xeeedffff (4008566783)	SatFactorGreen	REG_DWORD	0xeeedffff (4008566783)	SatFactorMagenta	REG_DWORD	0xeeedffff (4008566783)	SatFactorRed	REG_DWORD	0xeeedffff (4008566783)	SatFactorYellow	REG_DWORD	0xeeedffff (4008566783)	SharpnessEnabledAlways	REG_DWORD	0xdecaffff (3737845759)	SharpnessFactor	REG_DWORD	0xfabecaff (4206807807)	SkinTone	REG_DWORD	0xcefdcaf (3472747695)	SuperResolutionEnabled	REG_DWORD	0xbffaceff (3220885247)	SuperResolutionMode	REG_DWORD	0xdecadeca (3737837258)	UISharpnessOptimalEnabledAlways	REG_DWORD	0xaddeefff (2917068799)
Name	Type	Data																																																																																																																
(Default)	REG_SZ	(value not set)																																																																																																																
AceLevel	REG_DWORD	0xfffffedbc (4294962620)																																																																																																																
EnableACE	REG_DWORD	0xfffffedbc (4294962620)																																																																																																																
EnableFMD	REG_DWORD	0xfffffedbc (4294962620)																																																																																																																
EnableIS	REG_DWORD	0xfffffedbc (4294962620)																																																																																																																
EnableNLAS	REG_DWORD	0xfffffedbc (4294962620)																																																																																																																
EnableSTE	REG_DWORD	0xfffffedbc (4294962620)																																																																																																																
EnableSuperResolution	REG_DWORD	0xfffffedbc (4294962620)																																																																																																																
EnableTCC	REG_DWORD	0xfffffedbc (4294962620)																																																																																																																
GCompMode	REG_DWORD	0x4444dbed (1145363437)																																																																																																																
GExpMode	REG_DWORD	0x999fedbd (2577395133)																																																																																																																
InputUVRange	REG_DWORD	0xfffff123 (4294963491)																																																																																																																
NLASLinearRegion	REG_DWORD	0xffffffff (4026531838)																																																																																																																
NLASNonLinearCrop	REG_DWORD	0xffffffff (4277071599)																																																																																																																
NLASVerticalCrop	REG_DWORD	0xffffffff (4277141231)																																																																																																																
NoiseReductionAutoDetectEnable...	REG_DWORD	0xffbecaaa (4290693802)																																																																																																																
NoiseReductionEnableChroma	REG_DWORD	0xffffeeee (4294897390)																																																																																																																
NoiseReductionEnabledAlways	REG_DWORD	0xffffeeee (4294897390)																																																																																																																
NoiseReductionFactor	REG_DWORD	0xabcf987ef (2882111471)																																																																																																																
ProcAmpApplyAlways	REG_DWORD	0xfeedfabd (4277131965)																																																																																																																
ProcAmpBrightness	REG_DWORD	0xfeedfabd (4277131965)																																																																																																																
ProcAmpContrast	REG_DWORD	0xfeedfabd (4277131965)																																																																																																																
ProcAmpHue	REG_DWORD	0xfeedfabd (4277131965)																																																																																																																
ProcAmpSaturation	REG_DWORD	0xfeedfabd (4277131965)																																																																																																																
SatFactorBlue	REG_DWORD	0xeeedffff (4008566783)																																																																																																																
SatFactorCyan	REG_DWORD	0xeeedffff (4008566783)																																																																																																																
SatFactorGreen	REG_DWORD	0xeeedffff (4008566783)																																																																																																																
SatFactorMagenta	REG_DWORD	0xeeedffff (4008566783)																																																																																																																
SatFactorRed	REG_DWORD	0xeeedffff (4008566783)																																																																																																																
SatFactorYellow	REG_DWORD	0xeeedffff (4008566783)																																																																																																																
SharpnessEnabledAlways	REG_DWORD	0xdecaffff (3737845759)																																																																																																																
SharpnessFactor	REG_DWORD	0xfabecaff (4206807807)																																																																																																																
SkinTone	REG_DWORD	0xcefdcaf (3472747695)																																																																																																																
SuperResolutionEnabled	REG_DWORD	0xbffaceff (3220885247)																																																																																																																
SuperResolutionMode	REG_DWORD	0xdecadeca (3737837258)																																																																																																																
UISharpnessOptimalEnabledAlways	REG_DWORD	0xaddeefff (2917068799)																																																																																																																

Ygullanttyanallyannya: bcdefdbcdedeffe?

febcddeffbcdef4ce

Perryplex Parrapllett

Paraplett

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Ellemenntallyanallyannya\QZT			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Annogdallyyanallyannya\Ynnogdallyyaanogdallyya	REG_QWORD	0xfffffe4ced2ded2de (18446714175685055198)
	Dennogdallyyanna	REG_QWORD	0xfe4ced2dedeb2dede (18324281769424248542)
	Ynnogdallyyanna	REG_QWORD	0xfe4ced2dededede (18324281769427132126)

Ellemenntallyanallyannya – RPGZXDT

Zygollarmantyyanallyannya - DPPTZZZ

Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\RPGZX\QZT			
	Name	Type	Data
	(Default)	REG_SZ	(value not set)
	Annogdallyyanallyannya\Ynnogdallyyaanogdallyya	REG_QWORD	0xfffffe4ced2ded2de (18446714175685055198)
	Dennogdallyyanna	REG_QWORD	0xfe4ced2dedeb2dede (18324281769424248542)
	Ynnogdallyyanna	REG_QWORD	0xfe4ced2dededede (18324281769427132126)

Allambrottyya PRSTQRST - DQX

Frygullarmantyya DQRST - DQ

Qupystallya DDRT – QZT – DQZ

Allambrrorryttyya - ZXQPRST – QZQ – DZXZQ

3DLUT - fe4cdefe4cefedef

DDQ Reallnyya Dereallnyya

Alldonbrerrya, Radonbrerrya

Igfcui/MISC

Registry Editor																																																
File	Edit	View	Favorites																																													
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Intel\Display\igfcui\MISC																																																
			<table><thead><tr><th>Name</th><th>Type</th><th>Data</th></tr></thead><tbody><tr><td>(Default)</td><td>REG_SZ</td><td>(value not set)</td></tr><tr><td>3105</td><td>REG_BINARY</td><td>00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c</td></tr><tr><td>3106</td><td>REG_BINARY</td><td>00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c</td></tr><tr><td>3107</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>3108</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>3109</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>3fff</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>7fffffff</td><td>REG_QWORD</td><td>0xffffffffffff (18446744073709551615)</td></tr><tr><td>BKPDDisplayLACE</td><td>REG_QWORD</td><td>0xffffedbcdafedbcda (18446422800222502106)</td></tr><tr><td>HotKeyState</td><td>REG_DWORD</td><td>0x00000001 (1)</td></tr><tr><td>Install_State</td><td>REG_DWORD</td><td>0x00000002 (2)</td></tr><tr><td>InstallStage</td><td>REG_DWORD</td><td>0x00000001 (1)</td></tr><tr><td>OldLang</td><td>REG_DWORD</td><td>0x00000409 (1033)</td></tr><tr><td>UserSetDRRSDisableRR</td><td>REG_QWORD</td><td>0x00000100 (256)</td></tr></tbody></table>	Name	Type	Data	(Default)	REG_SZ	(value not set)	3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c	3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c	3107	REG_QWORD	0xffffffffffff (18446744073709551615)	3108	REG_QWORD	0xffffffffffff (18446744073709551615)	3109	REG_QWORD	0xffffffffffff (18446744073709551615)	3fff	REG_QWORD	0xffffffffffff (18446744073709551615)	7fffffff	REG_QWORD	0xffffffffffff (18446744073709551615)	BKPDDisplayLACE	REG_QWORD	0xffffedbcdafedbcda (18446422800222502106)	HotKeyState	REG_DWORD	0x00000001 (1)	Install_State	REG_DWORD	0x00000002 (2)	InstallStage	REG_DWORD	0x00000001 (1)	OldLang	REG_DWORD	0x00000409 (1033)	UserSetDRRSDisableRR	REG_QWORD	0x00000100 (256)
Name	Type	Data																																														
(Default)	REG_SZ	(value not set)																																														
3105	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c																																														
3106	REG_BINARY	00 00 3c 00 43 00 74 00 72 00 6c 00 3e 00 3c 00 41 00 6c																																														
3107	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
3108	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
3109	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
3fff	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
7fffffff	REG_QWORD	0xffffffffffff (18446744073709551615)																																														
BKPDDisplayLACE	REG_QWORD	0xffffedbcdafedbcda (18446422800222502106)																																														
HotKeyState	REG_DWORD	0x00000001 (1)																																														
Install_State	REG_DWORD	0x00000002 (2)																																														
InstallStage	REG_DWORD	0x00000001 (1)																																														
OldLang	REG_DWORD	0x00000409 (1033)																																														
UserSetDRRSDisableRR	REG_QWORD	0x00000100 (256)																																														

Possible options for DRRS-RR, in decimals, are best finishing with 9 as is 59, 109, and etc... All of the values I could think of are: 31, 59, 120, 256, 1024, 1759 of how much data you would like to be shown on the display and how for each user – so the best thing is to use all “f” – “ffffffffffff...”... Maybe you can use “fdcdabdabddabab” but I believe is wrong...

igfxcui/Media - Old photos and not good settings

Name	Type	Data
ab(Default)	REG_SZ	(value not set)
AceLevel	REG_QWORD	0xfffffffffffffff (18446744073709551615)
EnableACE	REG_QWORD	0xefefefefefefefe (18374403900871474942)
EnableFMD	REG_QWORD	0xefefefefefefefe (18374403900871474942)
EnableIS	REG_QWORD	0xefefefefefefefe (18374403900871474942)
EnableNLAS	REG_QWORD	0xfffffffffffffff (18446744073709551615)
EnableSTE	REG_QWORD	0xefefefefefefefe (18374403900871474942)
EnableSuperResolution	REG_QWORD	0xefefefefefefefe (18374403900871474942)
EnableTCC	REG_QWORD	0xefefefefefefefe (18374403900871474942)
GCompMode	REG_QWORD	0xefefefefefefefe (18374403900871474942)
GExpMode	REG_QWORD	0xefefefefefefefe (18374403900871474942)
InputYUVRange	REG_QWORD	0xfffffffffffffff (18446744073709551615)
NLASHLinearRegion	REG_QWORD	0eeeeeeeeeeeeeeee (17216961135462248174)
NLASNonLinearCrop	REG_QWORD	0eeeeeeeeeeeeeeee (17216961135462248174)
NLASVerticalCrop	REG_QWORD	0eeeeeeeeeeeeeeee (17216961135462248174)
NoiseReductionAutoDetectEnabledAlways	REG_QWORD	0xefefefefefefefe (18374403900871474942)
NoiseReductionEnableChroma	REG_QWORD	0xefefefefefefefe (18374403900871474942)
NoiseReductionEnabledAlways	REG_QWORD	0xefefefefefefefe (18374403900871474942)
NoiseReductionFactor	REG_QWORD	0xfffffffffffffff (18446744073709551615)
ProcAmpApplyAlways	REG_QWORD	0eeeeffffeeeeffff (17216979900174368767)
ProcAmpBrightness	REG_QWORD	0xdabddabddabddabd (15761994779820153533)
ProcAmpContrast	REG_QWORD	0xcadbcadbcadbcadb (14617500060911127259)
ProcAmpHue	REG_QWORD	0xadbdadbdadbdadbd (12519353569335160253)
ProcAmpSaturation	REG_QWORD	0xfadbfbadbfbadb (18076317352095120091)
SatFactorBlue	REG_DWORD	0xeeeeffff (4008640511)
SatFactorCyan	REG_DWORD	0xeeefffff (4008706047)
SatFactorGreen	REG_DWORD	0xeeffffff (4009754623)
SatFactorMagenta	REG_DWORD	0xfffffff (4026531839)
SatFactorRed	REG_DWORD	0xffefffff (4278190079)
SatFactorYellow	REG_DWORD	0xffefffff (4293918719)
SharpnessEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)
SharpnessFactor	REG_DWORD	0xdebedebe (3737050814)
SkinTone	REG_QWORD	0xfdebdecbdecddeca (18296962878320533194)
SuperResolutionEnabled	REG_DWORD	0xbdedeecee (3202280686)
SuperResolutionMode	REG_DWORD	0xeeeeeeee (4008636142)
UISharpnessOptimalEnabledAlways	REG_QWORD	0x3333333333333333 (3689348814741910323)

Name	Type	Data
ab (Default)	REG_SZ	(value not set)
o! SatFactorBlue	REG_DWORD	0xeeeeffff (4008640511)
o! SatFactorCyan	REG_DWORD	0xeeefffff (4008706047)
o! SatFactorGreen	REG_DWORD	0xeeffffff (4009754623)
o! SatFactorMagenta	REG_DWORD	0xefffffff (4026531839)
o! SatFactorRed	REG_DWORD	0xefffffff (4278190079)
o! SatFactorYellow	REG_DWORD	0xffefffff (4293918719)
o! SharpnessFactor	REG_DWORD	0xdebedebe (3737050814)
o! SuperResolutionEnabled	REG_DWORD	0xbedeceee (3202280686)
o! SuperResolutionMode	REG_DWORD	0xeeeeeeee (4008636142)
o! ProcAmpApplyAlways	REG_QWORD	0xeeeeffffeeeeffff (17216979900174368767)
o! InputYUVRange	REG_QWORD	0xfffffffffffffff (18446744073709551615)
o! NLASHLinearRegion	REG_QWORD	0eeeeeeeeeeeeeeee (17216961135462248174)
o! NLASNonLinearCrop	REG_QWORD	0eeeeeeeeeeeeeeee (17216961135462248174)
o! NLASVerticalCrop	REG_QWORD	0eeeeeeeeeeeeeeee (17216961135462248174)
o! NoiseReductionFactor	REG_QWORD	0xfffffffffffffff (18446744073709551615)
o! ProcAmpBrightness	REG_QWORD	0xdabddabddabddabd (15761994779820153533)
o! ProcAmpContrast	REG_QWORD	0xcadbcadbcadbcadb (14617500060911127259)
o! ProcAmpHue	REG_QWORD	0xadbdadbdadbdadbd (12519353569335160253)
o! ProcAmpSaturation	REG_QWORD	0xfadbfadbfadbfadb (18076317352095120091)
o! EnableSuperResolution	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o! SharpnessEnabledAlways	REG_QWORD	0x333333333333333 (3689348814741910323)
o! UISharpnessOptimalEnabledAlways	REG_QWORD	0x333333333333333 (3689348814741910323)
o! EnableNLAS	REG_QWORD	0xffffffffff (18446744073709551615)
o! AceLevel	REG_QWORD	0xffffffffff (18446744073709551615)
o! SkinTone	REG_QWORD	0xfdebdecdecdeca (18296962878320533194)
o! EnableFMD	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o! EnableACE	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o! EnableIS	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o! EnableSTE	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o! EnableTCC	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o! GExpMode	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o! GCompMode	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o! NoiseReductionAutoDetectEnabledAlways	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o! NoiseReductionEnabledAlways	REG_QWORD	0xfefefefefefefefe (18374403900871474942)
o! NoiseReductionEnableChroma	REG_QWORD	0xfefefefefefefefe (18374403900871474942)

Name	Type	Data
ab(Default)	REG_SZ	(value not set)
o AceLevel	REG_DWORD	0xfedbace (4275821262)
o EnableACE	REG_DWORD	0x00000001 (1)
o EnableFMD	REG_DWORD	0x00000001 (1)
o EnableIS	REG_DWORD	0x00000001 (1)
o EnableNLAS	REG_DWORD	0x00000001 (1)
o EnableSTE	REG_DWORD	0x00000001 (1)
o EnableSuperResolution	REG_DWORD	0x00000001 (1)
o EnableTCC	REG_DWORD	0x00000001 (1)
o GCompMode	REG_DWORD	0xffffdbac (4294957996)
o GExpMode	REG_DWORD	0xffffffff (4008636142)
o InputYUVRange	REG_DWORD	0xffffffff (4008636142)
o NLASHLinearRegion	REG_DWORD	0xffffffff (4008636142)
o NLASNonLinearCrop	REG_DWORD	0xffffffff (4008636142)
o NLASVerticalCrop	REG_DWORD	0xffffffff (4008636142)
o NoiseReductionAutoDetectEnabledAlways	REG_DWORD	0x00000001 (1)
o NoiseReductionEnableChroma	REG_DWORD	0x00000001 (1)
o NoiseReductionEnabledAlways	REG_DWORD	0x00000001 (1)
o NoiseReductionFactor	REG_DWORD	0xffffffff (4294967295)
o ProcAmpApplyAlways	REG_QWORD	0xffedbcedfd2a4cde (18441603779492728030)
o ProcAmpBrightness	REG_DWORD	0xfefedabd (4278115005)
o ProcAmpContrast	REG_DWORD	0xfefedabd (4278115005)
o ProcAmpHue	REG_DWORD	0xfefedabd (4278115005)
o ProcAmpSaturation	REG_DWORD	0xfefedabd (4278115005)
o SatFactorBlue	REG_DWORD	0xffffffff (4008640511)
o SatFactorCyan	REG_DWORD	0xffffffff (4008640511)
o SatFactorGreen	REG_DWORD	0xffffffff (4008640511)
o SatFactorMagenta	REG_DWORD	0xffffffff (4008640511)
o SatFactorRed	REG_DWORD	0xffffffff (4008640511)
o SatFactorYellow	REG_DWORD	0xffffffff (4008640511)
o SharpnessEnabledAlways	REG_DWORD	0x00000001 (1)
o SharpnessFactor	REG_DWORD	0xdebedebe (3737050814)
o SkinTone	REG_DWORD	0xcfdecraf (3472747695)
o SuperResolutionEnabled	REG_DWORD	0xbedeceee (3202280686)
o SuperResolutionMode	REG_DWORD	0xffffffff (4294967295)
o UISharpnessOptimalEnabledAlways	REG_DWORD	0xffffffff (4008636142)

Name	Type	Data
(Default)	REG_SZ	(value not set)
AceLevel	REG_DWORD	0xfffffedbc (4294962620)
EnableACE	REG_DWORD	0xfffffedbc (4294962620)
EnableFMD	REG_DWORD	0xfffffedbc (4294962620)
EnableIS	REG_DWORD	0xfffffedbc (4294962620)
EnableNLAS	REG_DWORD	0xfffffedbc (4294962620)
EnableSTE	REG_DWORD	0xfffffedbc (4294962620)
EnableSuperResolution	REG_DWORD	0xfffffedbc (4294962620)
EnableTCC	REG_DWORD	0xfffffedbc (4294962620)
GCompMode	REG_DWORD	0x4444dbed (1145363437)
GExpMode	REG_DWORD	0x999fedbd (2577395133)
InputYUVRange	REG_DWORD	0xfffff123 (4294963491)
NLASHLinearRegion	REG_DWORD	0xffffffff (4026531838)
NLASNonLinearCrop	REG_DWORD	0xfeeeeeef (4277071599)
NLASVerticalCrop	REG_DWORD	0xfeefffeef (4277141231)
NoiseReductionAutoDetectE...	REG_DWORD	0xffbecaaa (4290693802)
NoiseReductionEnableChro...	REG_DWORD	0xffffeeee (4294897390)
NoiseReductionEnabledAlw...	REG_DWORD	0xffffeeee (4294897390)
NoiseReductionFactor	REG_DWORD	0xabc987ef (2882111471)
ProcAmpApplyAlways	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpBrightness	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpContrast	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpHue	REG_DWORD	0xfeefdabd (4277131965)
ProcAmpSaturation	REG_DWORD	0xfeefdabd (4277131965)
SatFactorBlue	REG_DWORD	0xeeedffff (4008566783)
SatFactorCyan	REG_DWORD	0xeeedffff (4008566783)
SatFactorGreen	REG_DWORD	0xeeedffff (4008566783)
SatFactorMagenta	REG_DWORD	0xeeedffff (4008566783)
SatFactorRed	REG_DWORD	0xeeedffff (4008566783)
SatFactorYellow	REG_DWORD	0xeeedffff (4008566783)
SharpnessEnabledAlways	REG_DWORD	0xdecaffff (3737845759)
SharpnessFactor	REG_DWORD	0xfabecaff (4206807807)
SkinTone	REG_DWORD	0xcefdcaf (3472747695)
SuperResolutionEnabled	REG_DWORD	0xbffaceff (3220885247)
SuperResolutionMode	REG_DWORD	0xddecadeca (3737837258)
UISharpnessOptimalEnabled...	REG_DWORD	0xaddeefff (2917068799)

Special thanks

Special thanks to the Cosmos joke of the creator which represents ExollynyStawrya (belonging to AllyStawrya beings) greatest thinker named “Razymodu”...

Support me at: www.buymeacoffee.com/downness