

# Code Examples

## Release Notes

Product name: Code Examples

Release number and version: V1.0.9

Type of release: Official Release

Release method: Infineon GitHub

AUTOSAR specification: None

Compiler support: Tasking v1.1r8

Processor platform: AURIX™ TC2xx, AURIX™ TC3xx

Date: 2021-12-16

Previous release number and version: V1.0.8

## About this document

### Scope and purpose

This document details the release contents, all known issues in the release and the changes from the last release, together with information on tools, compiler options and support packages.

New issues identified since the last release of this document are detailed first, followed by all issues identified in previous versions of this release.

*Note: This release is not intended for production use.*

**Attention: Refer to the *Limitations and deviations* chapter before using the software for integration.**

### Intended audience

This document is intended for anyone using the AURIX™ Development Studio and the AURIX™ microcontroller products from Infineon Technologies AG.

### Reference documents

- None

## Table of contents

<b>About this document.....</b>	<b>1</b>
<b>Table of contents.....</b>	<b>2</b>
<b>1 Release contents .....</b>	<b>3</b>
1.1 Release overview .....	3
1.2 Released items .....	3
1.3 Compatibility .....	53
<b>2 Summary of changes .....</b>	<b>54</b>
<b>3 Limitations and deviations .....</b>	<b>64</b>
3.1 Limitations.....	64
3.2 Deviations .....	64
3.2.1 HIS-MISRA violations.....	64
<b>4 Installation .....</b>	<b>65</b>

## 1 Release contents

### 1.1 Release overview

The code examples provide a guide on how to use and configure the peripherals of AURIX™ TC2xx and AURIX™ TC3xx devices through the Infineon Low Level Drivers (iLLDs). All the projects should be compiled using the AURIX™ Development Studio.

### 1.2 Released items

The release contains 349 code examples, each providing all the required files for compiling and running it as a standalone project.

**Table 1 Release content**

Component	Version	Specifications
ADC_Background_Scan_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ADC_Background_Scan_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
ADC_Filtering_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ADC_Filtering_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
ADC_Filtering_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ADC_Filtering_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None

Component	Version	Specifications
ADC_Filtering_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
ADC_Group_Scan_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ADC_Group_Scan_1_KIT_TC297_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Version number increased to be synchronized with the tutorial document V1.0.2: Updated iLLDs to v1.0.1.12.0 V1.0.1: Changed baud rate from 9600 to 115200. Added a median filter on the oversampled bits for UART to improve reliability.
ADC_Queued_Scan_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ADC_Queued_Scan_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
ADC_Queued_Scan_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ADC_Queued_Scan_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None

Component	Version	Specifications
ADC_Queued_Scan_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Queue 0 is now firstly filled, then started. V1.0.1: Updated iLLDs to v1.0.1.12.1
ADC_Single_Channel_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ADC_Single_Channel_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Removed delay in Cpu0_Main.c, added macros for limits (changed to 0x555 and 0xAAA) in ASC_Single_Channel.c V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
ADC_Single_Channel_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ADC_Single_Channel_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
ADC_Single_Channel_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Moved the function to start the queue after it has been filled, changed limits in ASC_Single_Channel.c to 0x555 and 0xAAA

Component	Version	Specifications
		V1.0.1: Updated iLLDs to v1.0.1.12.1
ASCLIN_LIN_Master_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ASCLIN_LIN_Master_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
ASCLIN_LIN_Master_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ASCLIN_LIN_Master_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ASCLIN_LIN_Master_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.1
ASCLIN_Shell_UART_1_KIT_TC237_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Removed assert initialization, not needed for the scope of the training V1.0.1: Increased size of Tx and Rx buffers to 256 bytes; Updated iLLDs to v1.0.1.12.0
ASCLIN_Shell_UART_1_KIT_TC275_LK	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document

Component	Version	Specifications
		V1.0.1: Removed assert initialization, not needed for the scope of the training
ASCLIN_Shell_UART_1_KIT_TC275_SB	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Removed assert initialization, not needed for the scope of the training V1.0.1: Increased size of Tx and Rx buffers to 256 bytes; Updated iLLDs to v1.0.1.12.0
ASCLIN_Shell_UART_1_KIT_TC277_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Removed assert initialization, not needed for the scope of the training V1.0.1: Increased size of Tx and Rx buffers to 256 bytes; Updated iLLDs to v1.0.1.12.0
ASCLIN_Shell_UART_1_KIT_TC297_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Removed assert initialization, not needed for the scope of the training V1.0.2: Increased size of Tx and Rx buffers to 256 bytes; Updated iLLDs to v1.0.1.12.0 V1.0.1: Renamed macro ENDL to ENDLINE due to a conflict with iLLDs
ASCLIN_Shell_UART_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ASCLIN_Shell_UART_1_KIT_TC367_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Removed assert initialization, not needed for the scope of the training

Component	Version	Specifications
ASCLIN_Shell_UART_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Removed assert initialization, not needed for the scope of the training
ASCLIN_Shell_UART_1_KIT_TC375_SB	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Removed assert initialization, not needed for the scope of the training
ASCLIN_Shell_UART_1_KIT_TC377_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Removed assert initialization, not needed for the scope of the training
ASCLIN_Shell_UART_1_KIT_TC387_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Removed assert initialization, not needed for the scope of the training
ASCLIN_Shell_UART_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Removed assert initialization, not needed for the scope of the training V1.0.1: Increased size of Tx and Rx buffers to 256 bytes; Updated iLLDs to v1.0.1.12.1
ASCLIN_SPI_Master_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None



Component	Version	Specifications
ASCLIN_SPI_Master_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Added service provider selection V1.0.1: Updated iLLDs to v1.0.1.12.0
ASCLIN_SPI_Master_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ASCLIN_SPI_Master_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ASCLIN_SPI_Master_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Added service provider selection V1.0.1: Updated iLLDs to v1.0.1.12.1
ASCLIN_UART_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ASCLIN_UART_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Increased g_rxData buffer size; Updated iLLDs to v1.0.1.12.0
ASCLIN_UART_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ASCLIN_UART_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b>

Component	Version	Specifications
		None
ASCLIN_UART_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Increased g_rxData buffer size; Updated iLLDs to v1.0.1.12.1
Assembly_C_Code_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Assembly_C_Code_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
Assembly_C_Code_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Assembly_C_Code_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Assembly_C_Code_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.1
Blinky_LED_1_KIT_TC234_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
Blinky_LED_1_KIT_TC237_TFT	V1.0.1	<b>Type</b> Code example

Component	Version	Specifications
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
Blinky_LED_1_KIT_TC265_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
Blinky_LED_1_KIT_TC275_LK	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
Blinky_LED_1_KIT_TC275_SB	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
Blinky_LED_1_KIT_TC277_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
Blinky_LED_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b>

Component	Version	Specifications
		V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
Blinky_LED_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Blinky_LED_1_KIT_TC367_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Blinky_LED_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
Blinky_LED_1_KIT_TC375_SB	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Blinky_LED_1_KIT_TC377_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Blinky_LED_1_KIT_TC387_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Blinky_LED_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.1
BUS_Register_Protection_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
BUS_Register_Protection_1_KIT_TC297_TFT	V1.0.1	<b>Type</b>

Component	Version	Specifications
		Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
BUS_Register_Protection_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
BUS_Register_Protection_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
BUS_Register_Protection_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.1
CCU_Clock_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU_Clock_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU_Clock_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.1
CCU6_ADC_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_ADC_1_KIT_TC297_TFT	V1.0.2	<b>Type</b>

Component	Version	Specifications
		Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Changed baud rate from 9600 to 115200 V1.0.2: Updated iLLDs to v1.0.1.12.0
CCU6_ADC_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_ADC_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_ADC_1_KIT_TC397_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_Interrupt_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_Interrupt_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
CCU6_Interrupt_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_Interrupt_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_Interrupt_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b>

Component	Version	Specifications
		None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.1
CCU6_PWM_Capture_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_PWM_Capture_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
CCU6_PWM_Capture_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_PWM_Capture_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_PWM_Capture_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.1
CCU6_PWM_Generation_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_PWM_Generation_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None

Component	Version	Specifications
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
CCU6_PWM_Generation_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_PWM_Generation_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CCU6_PWM_Generation_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.1
CPU_Perf_Counters_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CPU_Perf_Counters_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Removed function to initialize OCDS; Updated iLLDs to v1.0.1.12.0
CPU_Perf_Counters_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CPU_Perf_Counters_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CPU_Perf_Counters_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b>



Component	Version	Specifications
		V1.0.1: Updated iLLDs to v1.0.1.12.1
CPU_Trap_Recognition_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CPU_Trap_Recognition_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
CPU_Trap_Recognition_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CPU_Trap_Recognition_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
CPU_Trap_Recognition_1_KIT_TC397_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
DMA_ADC_Transfer_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
DMA_ADC_Transfer_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Changed baud rate from 9600 to 115200. Added a median filter on the oversampled bits for UART to improve reliability. V1.0.2: Updated iLLDs to v1.0.1.12.0
DMA_ADC_Transfer_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None

Component	Version	Specifications
DMA_ADC_Transfer_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
DMA_ADC_Transfer_1_KIT_TC397_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
DMA_Linked_List_Mode_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
DMA_Linked_List_Mode_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.0
DMA_Linked_List_Mode_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
DMA_Linked_List_Mode_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
DMA_Linked_List_Mode_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.1
DMA_Mem_to_Mem_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
DMA_Mem_to_Mem_1_KIT_TC297_TFT	V1.0.3	<b>Type</b>

Component	Version	Specifications
		Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Added interrupt enable on CPU1 and CPU2 V1.0.2: Updated iLLDs to v1.0.1.12.0 V1.0.1: Added IfxCpu_enableInterrupts() function in Cpu0_Main.c file.
DMA_Mem_to_Mem_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
DMA_Mem_to_Mem_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated description, fixed used memory (DLMU RAM instead of LMU RAM)
DMA_Mem_to_Mem_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Updated description, fixed used memory (DLMU RAM instead of LMU RAM) V1.0.1: Updated iLLDs to v1.0.1.12.1
DSADC_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
DSADC_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
EDSADC_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b>

Component	Version	Specifications
		None
EDSADC_1_KIT_TC397_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ERU_Interrupt_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ERU_Interrupt_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.0
ERU_Interrupt_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ERU_Interrupt_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
ERU_Interrupt_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.1
Ethernet_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Ethernet_1_KIT_TC397_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None

Component	Version	Specifications
FCE_CRC_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
FCE_CRC_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.0
FCE_CRC_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
FCE_CRC_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
FCE_CRC_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.1
Flash_Programming_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Flash_Programming_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
Flash_Programming_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None

Component	Version	Specifications
Flash_Programming_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Flash_Programming_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.1
GPIO_LED_Button_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GPIO_LED_Button_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
GPIO_LED_Button_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GPIO_LED_Button_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GPIO_LED_Button_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.1
GPT12_PWM_Capture_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GPT12_PWM_Capture_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example

Component	Version	Specifications
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Changed variable names V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
GPT12_PWM_Capture_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GPT12_PWM_Capture_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GPT12_PWM_Capture_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Changed variable names V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.1
GPT12_PWM_Generation_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GPT12_PWM_Generation_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Update of version to be in line with the tutorial's version V1.0.1: Updated iLLDs to v1.0.1.12.0
GPT12_PWM_Generation_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GPT12_PWM_Generation_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b>

Component	Version	Specifications
		None
GPT12_PWM_Generation_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Update of version to be in line with the tutorial's version V1.0.1: Updated iLLDs to v1.0.1.12.1
GPT12_Timer_Concatenation_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GPT12_Timer_Concatenation_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.0
GPT12_Timer_Concatenation_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GPT12_Timer_Concatenation_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.1
GPT12_Timer_Interrupt_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GPT12_Timer_Interrupt_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None



Component	Version	Specifications
		<b>Release Changes</b> V1.0.2: Update of version to be in line with the tutorial's version V1.0.1: Updated iLLDs to v1.0.1.12.0
GPT12_Timer_Interrupt_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
GPT12_Timer_Interrupt_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
GPT12_Timer_Interrupt_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example <b>Known Issues</b> None <b>Release Changes</b> V1.0.2: Update of version to be in line with the tutorial's version V1.0.1: Updated iLLDs to v1.0.1.12.1
GTM_ATOM_Interrupt_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
GTM_ATOM_Interrupt_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example <b>Known Issues</b> None <b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
GTM_ATOM_Interrupt_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
GTM_ATOM_Interrupt_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
GTM_ATOM_Interrupt_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example <b>Known Issues</b>

Component	Version	Specifications
		None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.1
GTM_ATOM_PWM_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GTM_ATOM_PWM_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
GTM_ATOM_PWM_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GTM_ATOM_PWM_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GTM_ATOM_PWM_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.1
GTM_TIM_Capture_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GTM_TIM_Capture_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Update of version to be in line with the tutorial's version

Component	Version	Specifications
		V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
GTM_TIM_Capture_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GTM_TIM_Capture_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GTM_TIM_Capture_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Update of version to be in line with the tutorial's version V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.1
GTM_TOM_Interrupt_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GTM_TOM_Interrupt_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Update of version to be in line with the tutorial's version V1.0.1: Updated iLLDs to v1.0.1.12.0
GTM_TOM_Interrupt_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GTM_TOM_Interrupt_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b>

Component	Version	Specifications
		V1.0.1: Update of version to be in line with the tutorial's version
GTM_TOM_Interrupt_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Update of version to be in line with the tutorial's version
GTM_TOM_PWM_1_KIT_TC234_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
GTM_TOM_PWM_1_KIT_TC237_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
GTM_TOM_PWM_1_KIT_TC265_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
GTM_TOM_PWM_1_KIT_TC275_LK	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
GTM_TOM_PWM_1_KIT_TC275_SB	V1.0.1	<b>Type</b> Code example

Component	Version	Specifications
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
GTM_TOM_PWM_1_KIT_TC277_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
GTM_TOM_PWM_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
GTM_TOM_PWM_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GTM_TOM_PWM_1_KIT_TC367_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GTM_TOM_PWM_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
GTM_TOM_PWM_1_KIT_TC375_SB	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GTM_TOM_PWM_1_KIT_TC377_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b>

Component	Version	Specifications
		None
GTM_TOM_PWM_1_KIT_TC387_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
GTM_TOM_PWM_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.1
I2C_Read_Ext_Device_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
I2C_Read_Ext_Device_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
I2C_Read_Ext_Device_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.1
Interrupt_Prio_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Interrupt_Prio_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
Interrupt_Prio_1_KIT_TC334_LK	V1.0.0	<b>Type</b>

Component	Version	Specifications
		Code example
		<b>Known Issues</b> None
Interrupt_Prio_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Interrupt_Prio_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.1
IOM_PWM_Monitor_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
IOM_PWM_Monitor_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
IOM_Signals_Comparison_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
IOM_Signals_Comparison_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
IOM_Signals_Comparison_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example

Component	Version	Specifications
		<b>Known Issues</b> None
IOM_Signals_Comparison_1_KIT_TC397_TFT	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
MCMCAN_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
MCMCAN_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
MCMCAN_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example <b>Known Issues</b> None <b>Release Changes</b> V1.0.2: Updated macro names for GPIO pins V1.0.1: Removed clearing of “New Data” flag in canIsrRxHandler(), not needed; Updated iLLDs to v1.0.1.12.1
MCMCAN_FD_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
MCMCAN_FD_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
MCMCAN_FD_1_KIT_TC397_TFT	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
MCMCAN_Filtering_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
MCMCAN_Filtering_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example



Component	Version	Specifications
		<b>Known Issues</b> None
MCMCAN_Filtering_1_KIT_TC397_TFT	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
Memory_Access_Performance_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
Memory_Access_Performance_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example <b>Known Issues</b> None <b>Release Changes</b> V1.0.1: Reduced buffer size; Updated iLLDs to v1.0.1.12.0
Memory_Access_Performance_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
Memory_Access_Performance_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
Memory_Access_Performance_1_KIT_TC397_TFT	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
MPU_Memory_Protection_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example <b>Known Issues</b> None
MPU_Memory_Protection_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example <b>Known Issues</b> None <b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document

Component	Version	Specifications
		V1.0.1: Changed name of MPU_enable_protection() to enable_memory_protection(); Updated iLLDs to v1.0.1.12.0
MPU_Memory_Protection_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
MPU_Memory_Protection_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
MPU_Memory_Protection_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
MTU_MBIST_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
MTU_MBIST_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
MTU_MBIST_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
MTU_MBIST_1_KIT_TC397_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
MULTICAN_1_KIT_TC275_LK	V1.0.0	<b>Type</b>

Component	Version	Specifications
		Code example
		<b>Known Issues</b> None
MULTICAN_1_KIT_TC297_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Renamed macros for pin usage V1.0.2: Updated iLLDs to v1.0.1.12.0 V1.0.1: Renamed files from MULTICAN_1.c and MULTICAN_1.h to MULTICAN.c and MULTICAN.h, corrected accordingly the include instructions.
MULTICAN_FD_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
MULTICAN_FD_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Renamed macro for pin usage V1.0.1: Updated iLLDs to v1.0.1.12.0
MULTICAN_GW_TX_FIFO_KIT_1_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
MULTICAN_GW_TX_FIFO_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Renamed macro for pin usage V1.0.1: Updated iLLDs to v1.0.1.12.0
MULTICAN_RX_FIFO_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
MULTICAN_RX_FIFO_1_KIT_TC297_TFT	V1.0.2	<b>Type</b>

Component	Version	Specifications
		Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Fixed device type in metadata that could cause a bug importing the project, Updated linker file with declaration of int. vect. tables 1 and 2, updated ISR declaration using int. vect. table 1 V1.0.1: Updated iLLDs to v1.0.1.12.0
Multicore_1_KIT_TC275_LK	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
Multicore_1_KIT_TC275_SB	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
Multicore_1_KIT_TC277_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
Multicore_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
Multicore_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0

Component	Version	Specifications
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
Multicore_1_KIT_TC375_SB	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Multicore_1_KIT_TC377_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Multicore_1_KIT_TC387_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Multicore_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.1
PMS_Power_Down_Idle_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
PMS_Power_Down_Idle_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
PMS_Power_Down_Idle_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.1
PMS_Power_Down_Sleep_1_KIT_TC334_LK	V1.0.0	<b>Type</b>

Component	Version	Specifications
		Code example
		<b>Known Issues</b> None
PMS_Power_Down_Sleep_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
PMS_Power_Down_Sleep_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.1
PWM_Buzzer_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
PWM_Buzzer_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.1
RAM_Run_Function_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
RAM_Run_Function_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.0

Component	Version	Specifications
RAM_Run_Function_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
RAM_Run_Function_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.1
SCU_Clock_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SCU_Clock_1_KIT_TC297_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Version number increased to be synchronized with the tutorial document V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.0
SCU_Die_Temp_Sensor_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SCU_Die_Temp_Sensor_1_KIT_TC297_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Version number increased to be synchronized with the tutorial document V1.0.2: Updated iLLDs to v1.0.1.12.0 V1.0.1: Version number increased to be synchronized with the tutorial document
SCU_Die_Temp_Sensor_1_KIT_TC334_LK	V1.0.0	<b>Type</b>

Component	Version	Specifications
		Code example
		<b>Known Issues</b> None
SCU_Die_Temp_Sensor_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SCU_Die_Temp_Sensor_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.1
SCU_Emergency_Stop_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SCU_Emergency_Stop_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
SCU_Emergency_Stop_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SCU_Emergency_Stop_1_KIT_TC375_LK	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Changed input polarity to trigger the emergency stop as soon as the button is pressed
SCU_Emergency_Stop_1_KIT_TC397_TFT	V1.0.1	<b>Type</b>



Component	Version	Specifications
		Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.1
SCU_Power_Down_Idle_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SCU_Power_Down_Idle_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
SCU_Power_Down_Sleep_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SCU_Power_Down_Sleep_1_KIT_TC297_TFT	V1.0.5	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.5: Version number increased to be synchronized with the tutorial document V1.0.4: Version number increased to be synchronized with the tutorial document V1.0.3: Updated iLLDs to v1.0.1.12.0 V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Version number increased to be synchronized with the tutorial document
SCU_Power_Down_Standby_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SCU_Power_Down_Standby_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b>

Component	Version	Specifications
		None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
SCU_Reset_Detection_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SCU_Reset_Detection_1_KIT_TC297_TFT	V1.1.0	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.1.0: Code reworked. Detection of resets is shown with LEDs V1.0.1: Updated iLLDs to v1.0.1.12.0
SCU_Reset_Detection_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SCU_Reset_Detection_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SCU_Reset_Detection_1_KIT_TC397_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SMU_Emergency_Stop_Alarm_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SMU_Emergency_Stop_Alarm_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.0
SMU_Emergency_Stop_Alarm_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example

Component	Version	Specifications
		<b>Known Issues</b> None
SMU_Emergency_Stop_Alarm_1_KIT_TC375_LK	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Added function to clear AEX bit in the SMU ISR
SMU_Emergency_Stop_Alarm_1_KIT_TC397_TFT	V1.0.4	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.4: Version number increased to be synchronized with the tutorial document V1.0.3: Added function to clear AEX bit in the SMU ISR V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.1
SMU_Fault_Signaling_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SMU_Fault_Signaling_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: decreased wait time before releasing FSP V1.0.1: Updated iLLDs to v1.0.1.12.0
SMU_Fault_Signaling_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SMU_Fault_Signaling_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example

Component	Version	Specifications
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Fixed bug that was not setting correctly the minimum fault state time of the FSP
SMU_Fault_Signaling_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Fixed bug that was not setting correctly the minimum fault state time of the FSP V1.0.1: Updated iLLDs to v1.0.1.12.1
SMU_IR_Alarm_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SMU_IR_Alarm_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.0
SMU_IR_Alarm_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SMU_IR_Alarm_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Added function to clear AEX bit in the SMU ISR
SMU_IR_Alarm_1_KIT_TC397_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b>

Component	Version	Specifications
		None
SMU_Reset_Alarm_1_KIT_TC275_LK	V1.0.0	<b>Release Changes</b> V1.0.3: Added function to clear AEX bit in the SMU ISR V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.1
		<b>Type</b> Code example
SMU_Reset_Alarm_1_KIT_TC297_TFT	V1.0.0	<b>Known Issues</b> None
		<b>Type</b> Code example
SMU_Reset_Alarm_1_KIT_TC334_LK	V1.0.2	<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.0
SMU_Reset_Alarm_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SMU_Reset_Alarm_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
SMU_Reset_Alarm_1_KIT_TC397_TFT	V1.0.1	<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
		<b>Type</b> Code example
SMU_Reset_Alarm_1_KIT_TC397_TFT	V1.0.2	<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.1
SPI_CPU_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b>

Component	Version	Specifications
		None
SPI_CPU_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Changes in the implementation, in order to use interrupts. V1.0.2: Updated iLLDs to v1.0.1.12.0
SPI_CPU_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
SPI_CPU_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.1
SPI_DMA_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
SPI_DMA_1_KIT_TC297_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.0
SPI_DMA_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
SPI_DMA_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example

Component	Version	Specifications
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated iLLDs to v1.0.1.12.1
SPI_TLF_1_KIT_TC397_TFT	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
STM_Interrupt_1_KIT_TC234_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Version number increased to be synchronized with the tutorial document V1.0.2: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0 V1.0.1: Version number increased to be synchronized with the tutorial document
STM_Interrupt_1_KIT_TC237_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Version number increased to be synchronized with the tutorial document V1.0.2: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0 V1.0.1: Version number increased to be synchronized with the tutorial document
STM_Interrupt_1_KIT_TC265_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Version number increased to be synchronized with the tutorial document V1.0.2: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0 V1.0.1: Version number increased to be synchronized with the tutorial document
STM_Interrupt_1_KIT_TC275_LK	V1.0.2	<b>Type</b>

Component	Version	Specifications
		Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
STM_Interrupt_1_KIT_TC275_SB	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Version number increased to be synchronized with the tutorial document V1.0.2: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0 V1.0.1: Version number increased to be synchronized with the tutorial document
STM_Interrupt_1_KIT_TC277_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Version number increased to be synchronized with the tutorial document V1.0.2: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0 V1.0.1: Version number increased to be synchronized with the tutorial document
STM_Interrupt_1_KIT_TC297_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Version number increased to be synchronized with the tutorial document V1.0.2: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0 V1.0.1: Version number increased to be synchronized with the tutorial document
STM_Interrupt_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Version number increased to be synchronized with the tutorial document V1.0.2: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0 V1.0.1: Version number increased to be synchronized with the tutorial document



Component	Version	Specifications
		Code example
		<b>Known Issues</b> None
		<b>Type</b> Code example <b>Known Issues</b> None <b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
STM_Interrupt_1_KIT_TC367_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
STM_Interrupt_1_KIT_TC375_LK	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Version number increased to be synchronized with the tutorial document
STM_Interrupt_1_KIT_TC375_SB	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
STM_Interrupt_1_KIT_TC377_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
STM_Interrupt_1_KIT_TC387_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
STM_Interrupt_1_KIT_TC397_TFT	V1.0.2	<b>Type</b>

Component	Version	Specifications
		Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.1
STM_System_Time_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
STM_System_Time_1_KIT_TC297_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
STM_System_Time_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
STM_System_Time_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
STM_System_Time_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.1
UART_DMA_Transfer_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b>

Component	Version	Specifications
		None
UART_DMA_Transfer_1_KIT_TC297_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Added missing return in the main function of Cpu0 V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated iLLDs to v1.0.1.12.0
UART_DMA_Transfer_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
UART_DMA_Transfer_1_KIT_TC375_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
UART_DMA_Transfer_1_KIT_TC397_TFT	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.2: Corrected comments mentioning LMURAM, the used memory is DLMU0 V1.0.1: Updated iLLDs to v1.0.1.12.1
UART_VCOM_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
UART_VCOM_1_KIT_TC297_TFT	V1.0.4	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.4: Updated name of ISR V1.0.3: Updated iLLDs to v1.0.1.12.0 V1.0.2: Version number increased to be synchronized with the tutorial document

Component	Version	Specifications
		V1.0.1: Changed baud rate from 19200 to 115200
UART_VCOM_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
UART_VCOM_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.1: Updated name of ISR
UART_VCOM_1_KIT_TC397_TFT	V1.0.2	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes Release Changes</b> V1.0.2: Updated name of ISR V1.0.1: Updated iLLDs to v1.0.1.12.1
Watchdog_1_KIT_TC275_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Watchdog_1_KIT_TC297_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Version number increased to be synchronized with the tutorial document V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.0
Watchdog_1_KIT_TC334_LK	V1.0.0	<b>Type</b> Code example
		<b>Known Issues</b> None
Watchdog_1_KIT_TC375_LK	V1.0.1	<b>Type</b> Code example
		<b>Known Issues</b>

Component	Version	Specifications
		None
		<b>Release Changes</b> V1.0.1: Version number increased to be synchronized with the tutorial document
Watchdog_1_KIT_TC397_TFT	V1.0.3	<b>Type</b> Code example
		<b>Known Issues</b> None
		<b>Release Changes</b> V1.0.3: Version number increased to be synchronized with the tutorial document V1.0.2: Version number increased to be synchronized with the tutorial document V1.0.1: Updated code to calculate time variables; Updated iLLDs to v1.0.1.12.1

### 1.3 Compatibility

All the code examples are compatible with AURIX™ Development Studio V1.6.0.

## 2 Summary of changes

This chapter describes the fixes for issues from previous version(s).

### Version 1.0.9:

- Examples updated:
  - DMA\_Mem\_to\_Mem\_1\_KIT\_TC375\_LK (V1.0.1), DMA\_Mem\_to\_Mem\_1\_KIT\_TC397\_TFT (V1.0.2), SCU\_Emergency\_Stop\_1\_KIT\_TC375\_LK (V1.0.2), SMU\_Emergency\_Stop\_Alarm\_1\_KIT\_TC375\_LK (V1.0.2), SMU\_Emergency\_Stop\_Alarm\_1\_KIT\_TC397\_TFT (V1.0.4).
- Added the following code examples for the board KIT\_A2G\_TC334\_LITE:
  - ADC\_Filtering\_1\_KIT\_TC334\_LK, ADC\_Queued\_Scan\_1\_KIT\_TC334\_LK, ADC\_Single\_Channel\_1\_KIT\_TC334\_LK, ASCLIN\_LIN\_Master\_1\_KIT\_TC334\_LK, ASCLIN\_SPI\_Master\_1\_KIT\_TC334\_LK, ASCLIN\_UART\_1\_KIT\_TC334\_LK, Assembly\_C\_Code\_1\_KIT\_TC334\_LK, BUS\_Register\_Protection\_1\_KIT\_TC334\_LK, CCU\_Clock\_1\_KIT\_TC334\_LK, CCU6\_ADC\_1\_KIT\_TC334\_LK, CCU6\_Interrupt\_1\_KIT\_TC334\_LK, CCU6\_PWM\_Capture\_1\_KIT\_TC334\_LK, CCU6\_PWM\_Generation\_1\_KIT\_TC334\_LK, CPU\_Perf\_Counters\_1\_KIT\_TC334\_LK, CPU\_Trap\_Recognition\_1\_KIT\_TC334\_LK, DMA\_ADC\_Transfer\_1\_KIT\_TC334\_LK, DMA\_Linked\_List\_Mode\_1\_KIT\_TC334\_LK, DMA\_Mem\_to\_Mem\_1\_KIT\_TC334\_LK, ERU\_Interrupt\_1\_KIT\_TC334\_LK, FCE\_CRC\_1\_KIT\_TC334\_LK, Flash\_Programming\_1\_KIT\_TC334\_LK, GPIO\_LED\_Button\_1\_KIT\_TC334\_LK, GPT12\_PWM\_Capture\_1\_KIT\_TC334\_LK, GPT12\_PWM\_Generation\_1\_KIT\_TC334\_LK, GPT12\_Timer\_Interrupt\_1\_KIT\_TC334\_LK, GTM\_ATOM\_Interrupt\_1\_KIT\_TC334\_LK, GTM\_ATOM\_PWM\_1\_KIT\_TC334\_LK, GTM\_TIM\_Capture\_1\_KIT\_TC334\_LK, GTM\_TOM\_Interrupt\_1\_KIT\_TC334\_LK, Interrupt\_Prio\_1\_KIT\_TC334\_LK, MCMCAN\_1\_KIT\_TC334\_LK, MCMCAN\_FD\_1\_KIT\_TC334\_LK, MCMCAN\_Filtering\_1\_KIT\_TC334\_LK, Memory\_Access\_Performance\_1\_KIT\_TC334\_LK, MPU\_Memory\_Protection\_1\_KIT\_TC334\_LK, PMS\_Power\_Down\_Idle\_1\_KIT\_TC334\_LK, PMS\_Power\_Down\_Sleep\_1\_KIT\_TC334\_LK, SCU\_Die\_Temp\_Sensor\_1\_KIT\_TC334\_LK, SCU\_Emergency\_Stop\_1\_KIT\_TC334\_LK, SCU\_Reset\_Detection\_1\_KIT\_TC334\_LK, SMU\_Emergency\_Stop\_Alarm\_1\_KIT\_TC334\_LK, SMU\_Fault\_Signaling\_1\_KIT\_TC334\_LK, SMU\_IR\_Alarm\_1\_KIT\_TC334\_LK, SMU\_Reset\_Alarm\_1\_KIT\_TC334\_LK, STM\_System\_Time\_1\_KIT\_TC334\_LK, UART\_DMA\_Transfer\_1\_KIT\_TC334\_LK, UART\_VCOM\_1\_KIT\_TC334\_LK, Watchdog\_1\_KIT\_TC334\_LK.
- Added the following code examples for the board KIT\_A2G\_TC397\_5V\_TFT:
  - SPI\_TLF\_1\_KIT\_TC397\_TFT.

#### Version 1.0.8:

- Examples updated:
  - SMU\_Emergency\_Stop\_Alarm\_1\_KIT\_TC375\_LK (V1.0.1), SMU\_Emergency\_Stop\_Alarm\_1\_KIT\_TC397\_TFT (V1.0.3), SMU\_Fault\_Signaling\_1\_KIT\_TC375\_LK (V1.0.1), SMU\_Fault\_Signaling\_1\_KIT\_TC397\_TFT (V1.0.2), SMU\_IR\_Alarm\_1\_KIT\_TC375\_LK (V1.0.1), SMU\_IR\_Alarm\_1\_KIT\_TC397\_TFT (V1.0.3).
- Added the following code examples for the board KIT\_A2G\_TC375\_LITE:
  - IOM\_Signals\_Comparison\_1\_KIT\_TC375\_LK.
- Added the following code examples for the board KIT\_A2G\_TC397\_5V\_TFT:
  - IOM\_Signal\_Comparison\_1\_KIT\_TC397\_TFT.

#### Version 1.0.7:

- Examples updated:
  - ADC\_Group\_Scan\_1\_KIT\_TC297\_TFT (V1.0.3), ADC\_Single\_Channel\_1\_KIT\_TC375\_LK (V1.0.1), ASCLIN\_Shell\_UART\_1\_KIT\_TC275\_LK (V1.0.2), Blinky\_LED\_1\_KIT\_TC275\_LK (V1.0.2), DMA\_Mem\_to\_Mem\_1\_KIT\_TC297\_TFT (V1.0.3), FCE\_CRC\_1\_KIT\_TC297\_TFT (V1.0.2), GPT12\_PWM\_Generation\_1\_KIT\_TC297\_TFT (V1.0.2), GPT12\_PWM\_Generation\_1\_KIT\_TC397\_TFT (V1.0.2), GPT12\_Timer\_Interrupt\_1\_KIT\_TC297\_TFT (V1.0.2), GPT12\_Timer\_Interrupt\_1\_KIT\_TC397\_TFT (V1.0.2), GTM\_TIM\_Capture\_1\_KIT\_TC297\_TFT (V1.0.2), GTM\_TIM\_Capture\_1\_KIT\_TC397\_TFT (V1.0.2), GTM\_TOM\_Interrupt\_1\_KIT\_TC297\_TFT (V1.0.2), GTM\_TOM\_Interrupt\_1\_KIT\_TC375\_LK (V1.0.1), GTM\_TOM\_Interrupt\_1\_KIT\_TC397\_TFT (V1.0.1), GTM\_TOM\_PWM\_1\_KIT\_TC275\_LK (V1.0.2), IOM\_PWM\_Monitor\_1\_KIT\_TC297\_TFT (V1.0.2), IOM\_Signals\_Comparison\_1\_KIT\_TC297\_TFT (V1.0.2), MPU\_Memory\_Protection\_1\_KIT\_TC297\_TFT (V1.0.2), MPU\_Memory\_Protection\_1\_KIT\_TC375\_LK (V1.0.1), MPU\_Memory\_Protection\_1\_KIT\_TC397\_TFT (V1.0.1), MULTICAN\_1\_KIT\_TC297\_TFT (V1.0.3), MULTICAN\_FD\_1\_KIT\_TC297\_TFT (V1.0.2), MULTICAN\_GW\_TX\_FIFO\_1\_KIT\_TC297\_TFT (V1.0.2), MULTICAN\_RX\_FIFO\_1\_KIT\_TC297\_TFT (V1.0.2), Multicore\_1\_KIT\_TC275\_LK (V1.0.2), RAM\_Run\_Function\_1\_KIT\_TC297\_TFT (V1.0.2), RAM\_Run\_Function\_1\_KIT\_TC397\_TFT (V1.0.2), SCU\_Clock\_1\_KIT\_TC297\_TFT (V1.0.3), SCU\_Emergency\_Stop\_1\_KIT\_TC375\_LK (V1.0.1), SCU\_Power\_Down\_Sleep\_1\_KIT\_TC297\_TFT (V1.0.5), SMU\_Fault\_Signaling\_1\_KIT\_TC297\_TFT (V1.0.2), SMU\_Reset\_Alarm\_1\_KIT\_TC297\_TFT (V1.0.2), SMU\_Reset\_Alarm\_1\_KIT\_TC375\_LK (V1.0.1), SMU\_Reset\_Alarm\_1\_KIT\_TC397\_TFT (V1.0.2), SPI\_CPU\_1\_KIT\_TC375\_LK (V1.0.1), SPI\_DMA\_1\_KIT\_TC375\_LK (V1.0.1), STM\_Interrupt\_1\_KIT\_TC234\_TFT (V1.0.3), STM\_Interrupt\_1\_KIT\_TC237\_TFT (V1.0.3), STM\_Interrupt\_1\_KIT\_TC265\_TFT (V1.0.3), STM\_Interrupt\_1\_KIT\_TC275\_LK (V1.0.2), STM\_Interrupt\_1\_KIT\_TC275\_SB (V1.0.3), STM\_Interrupt\_1\_KIT\_TC277\_TFT (V1.0.3), STM\_Interrupt\_1\_KIT\_TC297\_TFT (V1.0.3), STM\_Interrupt\_1\_KIT\_TC367\_TFT (V1.0.1), STM\_Interrupt\_1\_KIT\_TC375\_LK (V1.0.2), STM\_Interrupt\_1\_KIT\_TC375\_SB (V1.0.1), STM\_Interrupt\_1\_KIT\_TC377\_TFT (V1.0.1), STM\_Interrupt\_1\_KIT\_TC387\_TFT (V1.0.1), STM\_Interrupt\_1\_KIT\_TC397\_TFT (V1.0.2), UART\_DMA\_Transfer\_1\_KIT\_TC297\_TFT (V1.0.3), UART\_VCOM\_1\_KIT\_TC297\_TFT (V1.0.4), UART\_VCOM\_1\_KIT\_TC375\_LK (V1.0.1), UART\_VCOM\_1\_KIT\_TC397\_TFT (V1.0.2),

Watchdog\_1\_KIT\_TC297\_TFT (V1.0.3), Watchdog\_1\_KIT\_TC375\_LK (V1.0.1),  
Watchdog\_1\_KIT\_TC397\_TFT (V1.0.3).

- Added the following code examples for the board KIT\_A2G\_TC397\_5V\_TFT:
  - Ethernet\_1\_KIT\_TC397\_TFT.
- Added the following code examples for the board KIT\_AURIX\_TC275\_LITE:
  - ADC\_Background\_Scan\_1\_KIT\_TC275\_LK, ADC\_Filtering\_1\_KIT\_TC275\_LK, ADC\_Group\_Scan\_1\_KIT\_TC275\_LK, ADC\_Queued\_Scan\_1\_KIT\_TC275\_LK, ADC\_Single\_Channel\_1\_KIT\_TC275\_LK, ASCLIN\_LIN\_Master\_1\_KIT\_TC275\_LK, ASCLIN\_SPI\_Master\_1\_KIT\_TC275\_LK, ASCLIN\_UART\_1\_KIT\_TC275\_LK, Assembly\_C\_Code\_1\_KIT\_TC275\_LK, BUS\_Register\_Protection\_1\_KIT\_TC275\_LK, CCU6\_ADC\_1\_KIT\_TC275\_LK, CCU6\_Interrupt\_1\_KIT\_TC275\_LK, CCU6\_PWM\_Capture\_1\_KIT\_TC275\_LK, CCU6\_PWM\_Generation\_1\_KIT\_TC275\_LK, CPU\_Perf\_Counters\_1\_KIT\_TC275\_LK, CPU\_Trap\_Recognition\_1\_KIT\_TC275\_LK, DMA\_ADC\_Transfer\_1\_KIT\_TC275\_LK, DMA\_Linked\_List\_Mode\_1\_KIT\_TC275\_LK, DMA\_Mem\_to\_Mem\_1\_KIT\_TC275\_LK, DSADC\_1\_KIT\_TC275\_LK, ERU\_Interrupt\_1\_KIT\_TC275\_LK, FCE\_CRC\_1\_KIT\_TC275\_LK, Flash\_Programming\_1\_KIT\_TC275\_LK, GPIO\_LED\_Button\_1\_KIT\_TC275\_LK, GPT12\_PWM\_Capture\_1\_KIT\_TC275\_LK, GPT12\_PWM\_Generation\_1\_KIT\_TC275\_LK, GPT12\_Timer\_Concatenation\_1\_KIT\_TC275\_LK, GPT12\_Timer\_Interrupt\_1\_KIT\_TC275\_LK, GTM\_ATOM\_Interrupt\_1\_KIT\_TC275\_LK, GTM\_ATOM\_PWM\_1\_KIT\_TC275\_LK, GTM\_TIM\_Capture\_1\_KIT\_TC275\_LK, GTM\_TOM\_Interrupt\_1\_KIT\_TC275\_LK, Interrupt\_Prio\_1\_KIT\_TC275\_LK, IOM\_PWM\_Monitor\_1\_KIT\_TC275\_LK, IOM\_Signals\_Comparison\_1\_KIT\_TC275\_LK, Memory\_Access\_Performance\_1\_KIT\_TC275\_LK, MPU\_Memory\_Protection\_1\_KIT\_TC275\_LK, MTU\_MBIST\_1\_KIT\_TC275\_LK, MULTICAN\_1\_KIT\_TC275\_LK, MULTICAN\_FD\_1\_KIT\_TC275\_LK, MULTICAN\_GW\_TX\_FIFO\_1\_KIT\_TC275\_LK, MULTICAN\_RX\_FIFO\_1\_KIT\_TC275\_LK, RAM\_Run\_Function\_1\_KIT\_TC275\_LK, SCU\_Clock\_1\_KIT\_TC275\_LK, SCU\_Die\_Temp\_Sensor\_1\_KIT\_TC275\_LK, SCU\_Emergency\_Stop\_1\_KIT\_TC275\_LK, SCU\_Power\_Down\_Idle\_1\_KIT\_TC275\_LK, SCU\_Power\_Down\_Sleep\_1\_KIT\_TC275\_LK, SCU\_Power\_Down\_Standby\_1\_KIT\_TC275\_LK, SCU\_Reset\_Detection\_1\_KIT\_TC275\_LK, SMU\_Emergency\_Stop\_Alarm\_1\_KIT\_TC275\_LK, SMU\_Fault\_Signaling\_1\_KIT\_TC275\_LK, SMU\_IR\_Alarm\_1\_KIT\_TC275\_LK, SMU\_Reset\_Alarm\_1\_KIT\_TC275\_LK, SPI\_CPU\_1\_KIT\_TC275\_LK, SPI\_DMA\_1\_KIT\_TC275\_LK, STM\_System\_Time\_1\_KIT\_TC275\_LK, UART\_DMA\_Transfer\_1\_KIT\_TC275\_LK, UART\_VCOM\_1\_KIT\_TC275\_LK, Watchdog\_1\_KIT\_TC275\_LK.
- Added the following code examples for the board KIT\_A2G\_TC334\_LITE:
  - ASCLIN\_Shell\_UART\_1\_KIT\_TC334\_LK, Blinky\_LED\_1\_KIT\_TC334\_LK, GTM\_TOM\_PWM\_1\_KIT\_TC334\_LK, STM\_Interrupt\_1\_KIT\_TC334\_LK.



**Version 1.0.6:**

- Examples updated:
  - ADC\_Queued\_Scan\_1\_KIT\_TC397\_TFT (V1.0.2), ASCLIN\_Shell\_UART\_1\_KIT\_TC237\_TFT (V1.0.2), ASCLIN\_Shell\_UART\_1\_KIT\_TC275\_LK (V1.0.1), ASCLIN\_Shell\_UART\_1\_KIT\_TC275\_SB (V1.0.2), ASCLIN\_Shell\_UART\_1\_KIT\_TC277\_TFT (V1.0.2), ASCLIN\_Shell\_UART\_1\_KIT\_TC297\_TFT (V1.0.3), ASCLIN\_Shell\_UART\_1\_KIT\_TC367\_TFT (V1.0.1), ASCLIN\_Shell\_UART\_1\_KIT\_TC375\_LK (V1.0.1), ASCLIN\_Shell\_UART\_1\_KIT\_TC375\_SB (V1.0.1), ASCLIN\_Shell\_UART\_1\_KIT\_TC377\_TFT (V1.0.1), ASCLIN\_Shell\_UART\_1\_KIT\_TC387\_TFT (V1.0.1), ASCLIN\_Shell\_UART\_1\_KIT\_TC397\_TFT (V1.0.2), ADC\_Single\_Channel\_1\_KIT\_TC297\_TFT (V1.0.2), ADC\_Single\_Channel\_1\_KIT\_TC397\_TFT (V1.0.2), ASCLIN\_SPI\_Master\_1\_KIT\_TC297\_TFT (V1.0.2), ASCLIN\_SPI\_Master\_1\_KIT\_TC397\_TFT (V1.0.2), Blinky\_LED\_1\_KIT\_TC375\_LK (V1.0.1), CCU\_Clock\_1\_KIT\_TC397\_TFT (V1.0.2), CCU6\_PWM\_Capture\_1\_KIT\_TC297\_TFT (V1.0.2), CCU6\_PWM\_Capture\_1\_KIT\_TC397\_TFT (V1.0.2), DMA\_Linked\_List\_Mode\_1\_KIT\_TC297\_TFT (V1.0.2), DMA\_Linked\_List\_Mode\_1\_KIT\_TC397\_TFT (V1.0.2), ERU\_Interrupt\_1\_KIT\_TC297\_TFT (V1.0.2), ERU\_Interrupt\_1\_KIT\_TC397\_TFT (V1.0.2), GPT12\_PWM\_Capture\_1\_KIT\_TC297\_TFT (V1.0.2), GPT12\_PWM\_Capture\_1\_KIT\_TC397\_TFT (V1.0.2), GPT12\_Timer\_Concatenation\_1\_KIT\_TC297\_TFT (V1.0.2), GPT12\_Timer\_Concatenation\_1\_KIT\_TC397\_TFT (V1.0.2), GTM\_TOM\_PWM\_1\_KIT\_TC375\_LK (V1.0.1), I2C\_Read\_Ext\_Device\_1\_KIT\_TC397\_TFT (V1.0.2), MCMCAN\_1\_KIT\_TC397\_TFT (V1.0.2), Multicore\_1\_KIT\_TC375\_LK (V1.0.1), PMS\_Power\_Down\_Idle\_1\_KIT\_TC397\_TFT (V1.0.2), PMS\_Power\_Down\_Sleep\_1\_KIT\_TC397\_TFT (V1.0.2), SCU\_Clock\_1\_KIT\_TC297\_TFT (V1.0.2), SCU\_Die\_Temp\_Sensor\_1\_KIT\_TC297\_TFT (V1.0.3), SCU\_Die\_Temp\_Sensor\_1\_KIT\_TC397\_TFT (V1.0.2), SCU\_Power\_Down\_Sleep\_1\_KIT\_TC297\_TFT (V1.0.4), SCU\_Reset\_Detection\_1\_KIT\_TC297\_TFT (V1.1.0), SMU\_Emergency\_Stop\_Alarm\_1\_KIT\_TC297\_TFT (V1.0.2), SMU\_Emergency\_Stop\_Alarm\_1\_KIT\_TC397\_TFT (V1.0.2), SMU\_IR\_Alarm\_1\_KIT\_TC297\_TFT (V1.0.2), SMU\_IR\_Alarm\_1\_KIT\_TC397\_TFT (V1.0.2), STM\_Interrupt\_1\_KIT\_TC375\_LK (V1.0.1), STM\_System\_Time\_1\_KIT\_TC297\_TFT (V1.0.2), STM\_System\_Time\_1\_KIT\_TC397\_TFT (V1.0.2), UART\_DMA\_Transfer\_1\_KIT\_TC297\_TFT (V1.0.2), UART\_DMA\_Transfer\_1\_KIT\_TC397\_TFT (V1.0.2), Watchdog\_1\_KIT\_TC297\_TFT (V1.0.2), Watchdog\_1\_KIT\_TC397\_TFT (V1.0.2).
- Added the following code examples for the board KIT\_A2G\_TC397\_5V\_TFT:
  - MCMCAN\_Filtering\_1\_KIT\_TC397\_TFT, MTU\_MBIST\_1\_KIT\_TC397\_TFT, SCU\_Reset\_Detection\_1\_KIT\_TC397\_TFT.
- Added the following code examples for the board KIT\_A2G\_TC375\_LITE:
  - ADC\_Filtering\_1\_KIT\_TC375\_LK, ADC\_Queued\_Scan\_1\_KIT\_TC375\_LK, ADC\_Single\_Channel\_1\_KIT\_TC375\_LK, ASCLIN\_LIN\_Master\_1\_KIT\_TC375\_LK, ASCLIN\_SPI\_Master\_1\_KIT\_TC375\_LK, ASCLIN\_UART\_1\_KIT\_TC375\_LK, Assembly\_C\_Code\_1\_KIT\_TC375\_LK, BUS\_Register\_Protection\_1\_KIT\_TC375\_LK, CCU\_Clock\_1\_KIT\_TC75\_LK, CCU6\_ADC\_1\_KIT\_TC375\_LK, CCU6\_Interrupt\_1\_KIT\_TC375\_LK, CCU6\_PWM\_Capture\_1\_KIT\_TC375\_LK, CCU6\_PWM\_Generation\_1\_KIT\_TC375\_LK, CPU\_Perf\_Counters\_1\_KIT\_TC375\_LK, CPU\_Trap\_Recognition\_1\_KIT\_TC375\_LK, DMA\_ADC\_Transfer\_1\_KIT\_TC375\_LK, DMA\_Linked\_List\_Mode\_1\_KIT\_TC375\_LK, DMA\_Mem\_to\_Mem\_1\_KIT\_TC375\_LK, EDSADC\_1\_KIT\_TC375\_LK, ERU\_Interrupt\_1\_KIT\_TC375\_LK, Ethernet\_1\_KIT\_TC375\_LK, FCE\_CRC\_1\_KIT\_TC375\_LK, Flash\_Programming\_1\_KIT\_TC375\_LK, GPIO\_LED\_Button\_1\_KIT\_TC375\_LK,

GPT12\_PWM\_Capture\_1\_KIT\_TC375\_LK, GPT12\_PWM\_Generation\_1\_KIT\_TC375\_LK,  
 GPT12\_Timer\_Concatenation\_1\_KIT\_TC375\_LK, GPT12\_Timer\_Interrupt\_1\_KIT\_TC375\_LK,  
 GTM\_ATOM\_Interrupt\_1\_KIT\_TC375\_LK, GTM\_ATOM\_PWM\_1\_KIT\_TC375\_LK,  
 GTM\_TIM\_Capture\_1\_KIT\_TC375\_LK, GTM\_TOM\_Interrupt\_1\_KIT\_TC375\_LK,  
 I2C\_Read\_Ext\_Device\_1\_KIT\_TC375\_LK, Interrupt\_Prio\_1\_KIT\_TC375\_LK,  
 MCMCAN\_1\_KIT\_TC375\_LK, MCMCAN\_FD\_1\_KIT\_TC375\_LK,  
 MCMCAN\_Filtering\_1\_KIT\_TC375\_LK, Memory\_Access\_Performance\_1\_KIT\_TC375\_LK,  
 MPU\_Memory\_Protection\_1\_KIT\_TC375\_LK, MTU\_MBIST\_1\_KIT\_TC375\_LK,  
 PMS\_Power\_Down\_Idle\_1\_KIT\_TC375\_LK, PMS\_Power\_Down\_Sleep\_1\_KIT\_TC375\_LK,  
 RAM\_Run\_Function\_1\_KIT\_TC375\_LK, SCU\_Die\_Temp\_Sensor\_1\_KIT\_TC375\_LK,  
 SCU\_Emergency\_Stop\_1\_KIT\_TC375\_LK, SCU\_Reset\_Detection\_1\_KIT\_TC375\_LK,  
 SMU\_Emergency\_Stop\_Alarm\_1\_KIT\_TC375\_LK, SMU\_Fault\_Signaling\_1\_KIT\_TC375\_LK,  
 SMU\_IR\_Alarm\_1\_KIT\_TC375\_LK, SMU\_Reset\_Alarm\_1\_KIT\_TC375\_LK,  
 SPI\_CPU\_1\_KIT\_TC375\_LK, SPI\_DMA\_1\_KIT\_TC375\_LK, STM\_System\_Time\_1\_KIT\_TC375\_LK,  
 UART\_DMA\_Transfer\_1\_KIT\_TC375\_LK, UART\_VCOM\_1\_KIT\_TC375\_LK,  
 Watchdog\_1\_KIT\_TC375\_LK.

#### Version 1.0.5:

- Examples updated:
  - ADC\_Background\_Scan\_1\_KIT\_TC297\_TFT (V1.0.1), ADC\_Filtering\_1\_KIT\_TC297\_TFT (V1.0.1),  
 ADC\_Filtering\_1\_KIT\_TC397\_TFT (V1.0.1), ADC\_Group\_Scan\_1\_KIT\_TC297\_TFT (V1.0.2),  
 ADC\_Queued\_Scan\_1\_KIT\_TC297\_TFT (V1.0.1), ADC\_Queued\_Scan\_1\_KIT\_TC397\_TFT (V1.0.1),  
 ADC\_Single\_Channel\_1\_KIT\_TC297\_TFT (V1.0.1), ADC\_Single\_Channel\_1\_KIT\_TC397\_TFT  
 (V1.0.1), ASCLIN\_LIN\_Master\_1\_KIT\_TC297\_TFT (V1.0.1),  
 ASCLIN\_LIN\_Master\_1\_KIT\_TC397\_TFT (V1.0.1), ASCLIN\_Shell\_UART\_1\_KIT\_TC237\_TFT  
 (V1.0.1), ASCLIN\_Shell\_UART\_1\_KIT\_TC275\_SB (V1.0.1), ASCLIN\_Shell\_UART\_1\_KIT\_TC277\_TFT  
 (V1.0.1), ASCLIN\_Shell\_UART\_1\_KIT\_TC297\_TFT (V1.0.2),  
 ASCLIN\_Shell\_UART\_1\_KIT\_TC397\_TFT (V1.0.1), ASCLIN\_SPI\_Master\_1\_KIT\_TC297\_TFT  
 (V1.0.1), ASCLIN\_SPI\_Master\_1\_KIT\_TC397\_TFT (V1.0.1), ASCLIN\_UART\_1\_KIT\_TC297\_TFT  
 (V1.0.1), ASCLIN\_UART\_1\_KIT\_TC397\_TFT (V1.0.1),  
 Assembly\_C\_Code\_1\_KIT\_TC297\_TFT (V1.0.1), Assembly\_C\_Code\_1\_KIT\_TC397\_TFT (V1.0.1),  
 Blinky\_LED\_1\_KIT\_TC234\_TFT (V1.0.1), Blinky\_LED\_1\_KIT\_TC237\_TFT (V1.0.1),  
 Blinky\_LED\_1\_KIT\_TC265\_TFT (V1.0.1), Blinky\_LED\_1\_KIT\_TC275\_LK (V1.0.1),  
 Blinky\_LED\_1\_KIT\_TC275\_SB (V1.0.1), Blinky\_LED\_1\_KIT\_TC277\_TFT (V1.0.1),  
 Blinky\_LED\_1\_KIT\_TC297\_TFT (V1.0.1), Blinky\_LED\_1\_KIT\_TC397\_TFT (V1.0.1),  
 BUS\_Register\_Protection\_1\_KIT\_TC297\_TFT (V1.0.1),  
 BUS\_Register\_Protection\_1\_KIT\_TC397\_TFT (V1.0.1), CCU\_Clock\_1\_KIT\_TC397\_TFT (V1.0.1),  
 CCU6\_ADC\_1\_KIT\_TC297\_TFT (V1.0.2), CCU6\_Interrupt\_1\_KIT\_TC297\_TFT (V1.0.1),  
 CCU6\_Interrupt\_1\_KIT\_TC397\_TFT (V1.0.1), CCU6\_PWM\_Capture\_1\_KIT\_TC297\_TFT (V1.0.1),  
 CCU6\_PWM\_Capture\_1\_KIT\_TC397\_TFT (V1.0.1), CCU6\_PWM\_Generation\_1\_KIT\_TC297\_TFT  
 (V1.0.1), CCU6\_PWM\_Generation\_1\_KIT\_TC397\_TFT (V1.0.1),  
 CPU\_Perf\_Counters\_1\_KIT\_TC297\_TFT (V1.0.1), CPU\_Perf\_Counters\_1\_KIT\_TC397\_TFT  
 (V1.0.1), CPU\_Trap\_Recognition\_1\_KIT\_TC297\_TFT (V1.0.1),  
 DMA\_ADC\_Transfer\_1\_KIT\_TC297\_TFT (V1.0.2), DMA\_Linked\_List\_Mode\_1\_KIT\_TC297\_TFT  
 (V1.0.1), DMA\_Linked\_List\_Mode\_1\_KIT\_TC397\_TFT (V1.0.1),  
 DMA\_Mem\_to\_Mem\_1\_KIT\_TC297\_TFT (V1.0.2),  
 DMA\_Mem\_to\_Mem\_1\_KIT\_TC397\_TFT (V1.0.1), DSADC\_1\_KIT\_TC297\_TFT (V1.0.1),

ERU\_Interrupt\_1\_KIT\_TC297\_TFT (V1.0.1), ERU\_Interrupt\_1\_KIT\_TC397\_TFT (V1.0.1),  
FCE\_CRC\_1\_KIT\_TC297\_TFT (V1.0.1), FCE\_CRC\_1\_KIT\_TC397\_TFT (V1.0.1),  
Flash\_Programming\_1\_KIT\_TC297\_TFT (V1.0.1), Flash\_Programming\_1\_KIT\_TC397\_TFT  
(V1.0.1), GPIO\_LED\_Button\_1\_KIT\_TC297\_TFT (V1.0.1), GPIO\_LED\_Button\_1\_KIT\_TC397\_TFT  
(V1.0.1), GPT12\_PWM\_Capture\_1\_KIT\_TC297\_TFT (V1.0.1),  
GPT12\_PWM\_Capture\_1\_KIT\_TC397\_TFT (V1.0.1), GPT12\_PWM\_Generation\_1\_KIT\_TC297\_TFT  
(V1.0.1), GPT12\_PWM\_Generation\_1\_KIT\_TC397\_TFT (V1.0.1),  
GPT12\_Timer\_Concatenation\_1\_KIT\_TC297\_TFT (V1.0.1),  
GPT12\_Timer\_Concatenation\_1\_KIT\_TC397\_TFT (V1.0.1),  
GPT12\_Timer\_Interrupt\_1\_KIT\_TC297\_TFT (V1.0.1), GPT12\_Timer\_Interrupt\_1\_KIT\_TC397\_TFT  
(V1.0.1), GTM\_ATOM\_Interrupt\_1\_KIT\_TC297\_TFT (V1.0.1),  
GTM\_ATOM\_Interrupt\_1\_KIT\_TC397\_TFT (V1.0.1), GTM\_ATOM\_PWM\_1\_KIT\_TC297\_TFT  
(V1.0.1), GTM\_ATOM\_PWM\_1\_KIT\_TC397\_TFT (V1.0.1), GTM\_TIM\_Capture\_1\_KIT\_TC297\_TFT  
(V1.0.1), GTM\_TIM\_Capture\_1\_KIT\_TC397\_TFT (V1.0.1), GTM\_TOM\_Interrupt\_1\_KIT\_TC297\_TFT  
(V1.0.1), GTM\_TOM\_PWM\_1\_KIT\_TC234\_TFT (V1.0.1), GTM\_TOM\_PWM\_1\_KIT\_TC237\_TFT  
(V1.0.1), GTM\_TOM\_PWM\_1\_KIT\_TC265\_TFT (V1.0.1), GTM\_TOM\_PWM\_1\_KIT\_TC275\_LK  
(V1.0.1), GTM\_TOM\_PWM\_1\_KIT\_TC275\_SB (V1.0.1), GTM\_TOM\_PWM\_1\_KIT\_TC277\_TFT  
(V1.0.1), GTM\_TOM\_PWM\_1\_KIT\_TC297\_TFT (V1.0.1), GTM\_TOM\_PWM\_1\_KIT\_TC397\_TFT  
(V1.0.1), I2C\_Read\_Ext\_Device\_1\_KIT\_TC297\_TFT (V1.0.1),  
I2C\_Read\_Ext\_Device\_1\_KIT\_TC397\_TFT (V1.0.1), Interrupt\_Prio\_1\_KIT\_TC297\_TFT (V1.0.1),  
Interrupt\_Prio\_1\_KIT\_TC397\_TFT (V1.0.1), IOM\_PWM\_Monitor\_1\_KIT\_TC297\_TFT (V1.0.1),  
IOM\_Signals\_Comparison\_1\_KIT\_TC297\_TFT (V1.0.1), MCMCAN\_1\_KIT\_TC397\_TFT (V1.0.1),  
Memory\_Access\_Performance\_1\_KIT\_TC297\_TFT (V1.0.1),  
MPU\_Memory\_Protection\_1\_KIT\_TC297\_TFT (V1.0.1), MTU\_MBIST\_1\_KIT\_TC297\_TFT (V1.0.1),  
MULTICAN\_1\_KIT\_TC297\_TFT (V1.0.2), MULTICAN\_FD\_1\_KIT\_TC297\_TFT (V1.0.1),  
MULTICAN\_GW\_TX\_FIFO\_1\_KIT\_TC297\_TFT (V1.0.1), MULTICAN\_RX\_FIFO\_1\_KIT\_TC297\_TFT  
(V1.0.1), Multicore\_1\_KIT\_TC275\_LK (V1.0.1), Multicore\_1\_KIT\_TC275\_SB (V1.0.1),  
Multicore\_1\_KIT\_TC277\_TFT (V1.0.1), Multicore\_1\_KIT\_TC297\_TFT (V1.0.1),  
Multicore\_1\_KIT\_TC397\_TFT (V1.0.1), PMS\_Power\_Down\_Idle\_1\_KIT\_TC397\_TFT (V1.0.1),  
PMS\_Power\_Down\_Sleep\_1\_KIT\_TC397\_TFT (V1.0.1), PWM\_Buzzer\_1\_KIT\_TC297\_TFT (V1.0.1),  
PWM\_Buzzer\_1\_KIT\_TC397\_TFT (V1.0.1), RAM\_Run\_Function\_1\_KIT\_TC297\_TFT (V1.0.1),  
RAM\_Run\_Function\_1\_KIT\_TC397\_TFT (V1.0.1), SCU\_Clock\_1\_KIT\_TC297\_TFT (V1.0.1),  
SCU\_Die\_Temp\_Sensor\_1\_KIT\_TC297\_TFT (V1.0.2), SCU\_Die\_Temp\_Sensor\_1\_KIT\_TC397\_TFT  
(V1.0.1), SCU\_Emergency\_Stop\_1\_KIT\_TC297\_TFT (V1.0.1),  
SCU\_Emergency\_Stop\_1\_KIT\_TC397\_TFT (V1.0.1), SCU\_Power\_Down\_Idle\_1\_KIT\_TC297\_TFT  
(V1.0.1), SCU\_Power\_Down\_Sleep\_1\_KIT\_TC297\_TFT (V1.0.3),  
SCU\_Power\_Down\_Standby\_1\_KIT\_TC297\_TFT (V1.0.1),  
SCU\_Reset\_Detection\_1\_KIT\_TC297\_TFT (V1.0.1),  
SMU\_Emergency\_Stop\_Alarm\_1\_KIT\_TC297\_TFT (V1.0.1),  
SMU\_Emergency\_Stop\_Alarm\_1\_KIT\_TC397\_TFT (V1.0.1),  
SMU\_Fault\_Signaling\_1\_KIT\_TC297\_TFT (V1.0.1), SMU\_Fault\_Signaling\_1\_KIT\_TC397\_TFT  
(V1.0.1), SMU\_IR\_Alarm\_1\_KIT\_TC297\_TFT (V1.0.1), SMU\_IR\_Alarm\_1\_KIT\_TC397\_TFT (V1.0.1),  
SMU\_Reset\_Alarm\_1\_KIT\_TC297\_TFT (V1.0.1), SMU\_Reset\_Alarm\_1\_KIT\_TC397\_TFT (V1.0.1),  
SPI\_CPU\_1\_KIT\_TC297\_TFT (V1.0.2), SPI\_CPU\_1\_KIT\_TC397\_TFT (V1.0.1),  
SPI\_DMA\_1\_KIT\_TC297\_TFT (V1.0.1), SPI\_DMA\_1\_KIT\_TC397\_TFT (V1.0.1),  
STM\_Interrupt\_1\_KIT\_TC234\_TFT (V1.0.2), STM\_Interrupt\_1\_KIT\_TC237\_TFT (V1.0.2),  
STM\_Interrupt\_1\_KIT\_TC265\_TFT (V1.0.2), STM\_Interrupt\_1\_KIT\_TC275\_LK (V1.0.1),  
STM\_Interrupt\_1\_KIT\_TC275\_SB (V1.0.2), STM\_Interrupt\_1\_KIT\_TC277\_TFT (V1.0.2),  
STM\_Interrupt\_1\_KIT\_TC297\_TFT (V1.0.2), STM\_Interrupt\_1\_KIT\_TC397\_TFT (V1.0.1),  
STM\_System\_Time\_1\_KIT\_TC297\_TFT (V1.0.1), STM\_System\_Time\_1\_KIT\_TC397\_TFT (V1.0.1),

UART\_DMA\_Transfer\_1\_KIT\_TC297\_TFT (V1.0.1), UART\_DMA\_Transfer\_1\_KIT\_TC397\_TFT (V1.0.1), UART\_VCOM\_1\_KIT\_TC297\_TFT (V1.0.3), UART\_VCOM\_1\_KIT\_TC397\_TFT (V1.0.1), Watchdog\_1\_KIT\_TC297\_TFT (V1.0.1), Watchdog\_1\_KIT\_TC397\_TFT (V1.0.1).

- Examples renamed:
  - PMS\_Power\_Down\_Sleep\_1\_KIT\_TC397\_TFT (was SCU\_Power\_Down\_Sleep\_1\_KIT\_TC397\_TFT)
- Added the following code examples for the board KIT\_A2G\_TC367\_5V\_TFT:
  - ASCLIN\_Shell\_UART\_1\_KIT\_TC367\_TFT, Blinky\_LED\_1\_KIT\_TC367\_TFT, GTM\_TOM\_PWM\_1\_KIT\_TC367\_TFT, STM\_Interrupt\_1\_KIT\_TC367\_TFT.
- Added the following code examples for the board KIT\_A2G\_TC375\_LITE:
  - ASCLIN\_Shell\_UART\_1\_KIT\_TC375\_LK, Blinky\_LED\_1\_KIT\_TC375\_LK, GTM\_TOM\_PWM\_1\_KIT\_TC375\_LK, Multicore\_1\_KIT\_TC375\_LK, STM\_Interrupt\_1\_KIT\_TC375\_LK.
- Added the following code examples for the board KIT\_A2G\_TC375\_ARD\_SB:
  - ASCLIN\_Shell\_UART\_1\_KIT\_TC375\_SB, Blinky\_LED\_1\_KIT\_TC375\_SB, GTM\_TOM\_PWM\_1\_KIT\_TC375\_SB, Multicore\_1\_KIT\_TC375\_SB, STM\_Interrupt\_1\_KIT\_TC375\_SB.
- Added the following code examples for the board KIT\_A2G\_TC377\_5V\_TFT:
  - ASCLIN\_Shell\_UART\_1\_KIT\_TC377\_TFT, Blinky\_LED\_1\_KIT\_TC377\_TFT, GTM\_TOM\_PWM\_1\_KIT\_TC377\_TFT, Multicore\_1\_KIT\_TC377\_TFT, STM\_Interrupt\_1\_KIT\_TC377\_TFT.
- Added the following code examples for the board KIT\_A2G\_TC387\_5V\_TFT:
  - ASCLIN\_Shell\_UART\_1\_KIT\_TC387\_TFT, Blinky\_LED\_1\_KIT\_TC387\_TFT, GTM\_TOM\_PWM\_1\_KIT\_TC387\_TFT, Multicore\_1\_KIT\_TC387\_TFT, STM\_Interrupt\_1\_KIT\_TC387\_TFT.
- Added the following code examples for the board KIT\_A2G\_TC397\_5V\_TFT:
  - CCU6\_ADC\_1\_KIT\_TC397\_TFT, CPU\_Trap\_Recognition\_1\_KIT\_TC397\_TFT, DMA\_ADC\_Transfer\_1\_KIT\_TC397\_TFT, EDSADC\_1\_KIT\_TC397\_TFT, GTM\_TOM\_Interrupt\_1\_KIT\_TC397\_TFT, MCMCAN\_FD\_1\_KIT\_TC397\_TFT, Memory\_Access\_Performance\_1\_KIT\_TC397\_TFT, MPU\_Memory\_Protection\_1\_KIT\_TC397\_TFT.
- Added the following code examples for the board KIT\_AURIX\_TC275\_LITE:
  - ASCLIN\_Shell\_UART\_1\_KIT\_TC275\_LK.

#### Version 1.0.4:

- Added the following code examples for the board KIT\_AURIX\_TC297\_TFT:
  - MPU\_Memory\_Protection\_1\_KIT\_TC297\_TFT, MULTICAN\_RX\_FIFO\_1\_KIT\_TC297\_TFT.
- Added the following code examples for the board KIT\_AURIX\_TC275\_LITE:
  - Blinky\_LED\_1\_KIT\_TC275\_LK, GTM\_TOM\_PWM\_1\_KIT\_TC275\_LK, Multicore\_1\_KIT\_TC275\_LK, STM\_Interrupt\_1\_KIT\_TC275\_LK.
- Added the following code examples for the board KIT\_A2G\_TC397\_5V\_TFT:
  - ADC\_Filtering\_1\_KIT\_TC397\_TFT, ADC\_Queued\_Scan\_1\_KIT\_TC397\_TFT, ADC\_Single\_Channel\_1\_KIT\_TC397\_TFT, MCMCAN\_1\_KIT\_TC397\_TFT.

#### Version 1.0.3:

- Added the following code examples for the board KIT\_A2G\_TC397\_5V\_TFT:
  - ASCLIN\_LIN\_Master\_1\_KIT\_TC397\_TFT, ASCLIN\_Shell\_UART\_1\_KIT\_TC397\_TFT, ASCLIN\_SPI\_Master\_1\_KIT\_TC397\_TFT, ASCLIN\_UART\_1\_KIT\_TC397\_TFT, Assembly\_C\_Code\_1\_KIT\_TC397\_TFT, Blinky\_LED\_1\_KIT\_TC397\_TFT, BUS\_Register\_Protection\_1\_KIT\_TC397\_TFT, CCU\_Clock\_1\_KIT\_TC397\_TFT, CCU6\_Interrupt\_1\_KIT\_TC397\_TFT, CCU6\_PWM\_Capture\_1\_KIT\_TC397\_TFT, CCU6\_PWM\_Generation\_1\_KIT\_TC397\_TFT, CPU\_Perf\_Counters\_1\_KIT\_TC397\_TFT, DMA\_Linked\_List\_Mode\_1\_KIT\_TC397\_TFT, DMA\_Mem\_to\_Mem\_1\_KIT\_TC397\_TFT, ERU\_Interrupt\_1\_KIT\_TC397\_TFT, FCE\_CRC\_1\_KIT\_TC397\_TFT, Flash\_Programming\_1\_KIT\_TC397\_TFT, GPIO\_LED\_Button\_1\_KIT\_TC397\_TFT, GPT12\_PWM\_Capture\_1\_KIT\_TC397\_TFT, GPT12\_PWM\_Generation\_1\_KIT\_TC397\_TFT, GPT12\_Timer\_Concatenation\_1\_KIT\_TC397\_TFT, GPT12\_Timer\_Interrupt\_1\_KIT\_TC397\_TFT, GTM\_ATOM\_Interrupt\_1\_KIT\_TC397\_TFT, GTM\_ATOM\_PWM\_1\_KIT\_TC397\_TFT, GTM\_TIM\_Capture\_1\_KIT\_TC397\_TFT, GTM\_TOM\_PWM\_1\_KIT\_TC397\_TFT, I2C\_Read\_Ext\_Device\_1\_KIT\_TC397\_TFT, Interrupt\_Prio\_1\_KIT\_TC397\_TFT, Multicore\_1\_KIT\_TC397\_TFT, PMS\_Power\_Down\_Idle\_1\_KIT\_TC397\_TFT, PWM\_Buzzer\_1\_KIT\_TC397\_TFT, RAM\_Run\_Function\_1\_KIT\_TC397\_TFT, SCU\_Die\_Temp\_Sensor\_1\_KIT\_TC397\_TFT, SCU\_Emergency\_Stop\_1\_KIT\_TC397\_TFT, SCU\_Power\_Down\_Sleep\_1\_KIT\_TC397\_TFT, SMU\_Emergency\_Stop\_Alarm\_1\_KIT\_TC397\_TFT, SMU\_Fault\_Signaling\_1\_KIT\_TC397\_TFT, SMU\_IR\_Alarm\_1\_KIT\_TC397\_TFT, SMU\_Reset\_Alarm\_1\_KIT\_TC397\_TFT, SPI\_CPU\_1\_KIT\_TC397\_TFT, SPI\_DMA\_1\_KIT\_TC397\_TFT, STM\_Interrupt\_1\_KIT\_TC397\_TFT, STM\_System\_Time\_1\_KIT\_TC397\_TFT, UART\_DMA\_Transfer\_1\_KIT\_TC397\_TFT, UART\_VCOM\_1\_KIT\_TC397\_TFT, Watchdog\_1\_KIT\_TC397\_TFT.
- Added the following code examples for the board KIT\_AURIX\_TC297\_TFT:
  - ADC\_Filtering\_1\_KIT\_TC297\_TFT, ADC\_Queued\_Scan\_1\_KIT\_TC297\_TFT, Assembly\_C\_Code\_1\_KIT\_TC297\_TFT, GPT12\_PWM\_Generation\_1\_KIT\_TC297\_TFT, Memory\_Access\_Performance\_1\_KIT\_TC297\_TFT

- Examples updated:
  - DMA\_Mem\_to\_Mem\_1\_KIT\_TC297\_TFT (V1.0.1), SCU\_Power\_Down\_Sleep\_1\_KIT\_TC297\_TFT (V1.0.2), STM\_Interrupt\_1\_KIT\_TC234\_TFT (V1.0.1), STM\_Interrupt\_1\_KIT\_TC237\_TFT (V1.0.1), STM\_Interrupt\_1\_KIT\_TC265\_TFT (V1.0.1), STM\_Interrupt\_1\_KIT\_TC275\_SB (V1.0.1), STM\_Interrupt\_1\_KIT\_TC277\_TFT (V1.0.1), STM\_Interrupt\_1\_KIT\_TC297\_TFT (V1.0.1), UART\_VCOM\_1\_KIT\_TC297\_TFT (V1.0.2)

#### Version 1.0.2:

- Updated the name of all the code examples developed for the board KIT\_AURIX\_TC297\_TFT to end with the suffix “\_KIT\_TC297\_TFT”
- Added the following code examples for the board KIT\_AURIX\_TC297\_TFT:
  - ADC\_Single\_Channel\_1\_KIT\_TC297\_TFT, BUS\_Register\_Protection\_1\_KIT\_TC297\_TFT, CPU\_Trap\_Recognition\_1\_KIT\_TC297\_TFT, Flash\_Programming\_1\_KIT\_TC297\_TFT, GPT12\_Timer\_Interrupt\_1\_KIT\_TC297\_TFT, SCU\_Power\_Down\_Standby\_1\_KIT\_TC297\_TFT, SMU\_Fault\_Signaling\_1\_KIT\_TC297\_TFT, STM\_System\_Time\_1\_KIT\_TC297\_TFT
- Added the following code examples for the board KIT\_AURIX\_TC234\_TFT:
  - Blinky\_LED\_1\_KIT\_TC234\_TFT, GTM\_TOM\_PWM\_1\_KIT\_TC234\_TFT, STM\_Interrupt\_1\_KIT\_TC234\_TFT
- Added the following code examples for the board KIT\_AURIX\_TC237\_TFT:
  - ASCLIN\_Shell\_UART\_1\_KIT\_TC237\_TFT, Blinky\_LED\_1\_KIT\_TC237\_TFT, GTM\_TOM\_PWM\_1\_KIT\_TC237\_TFT, STM\_Interrupt\_1\_KIT\_TC237\_TFT
- Added the following code examples for the board KIT\_AURIX\_TC265\_TFT:
  - Blinky\_LED\_1\_KIT\_TC265\_TFT, GTM\_TOM\_PWM\_1\_KIT\_TC265\_TFT, STM\_Interrupt\_1\_KIT\_TC265\_TFT
- Added the following code examples for the board KIT\_AURIX\_TC275\_SB:
  - ASCLIN\_Shell\_UART\_1\_KIT\_TC275\_SB, Blinky\_LED\_1\_KIT\_TC275\_SB, GTM\_TOM\_PWM\_1\_KIT\_TC275\_SB, Multicore\_1\_KIT\_TC275\_SB, STM\_Interrupt\_1\_KIT\_TC275\_SB
- Added the following code examples for the board KIT\_AURIX\_TC277\_TFT:
  - ASCLIN\_Shell\_UART\_1\_KIT\_TC277\_TFT, Blinky\_LED\_1\_KIT\_TC277\_TFT, GTM\_TOM\_PWM\_1\_KIT\_TC277\_TFT, Multicore\_1\_KIT\_TC277\_TFT, STM\_Interrupt\_1\_KIT\_TC277\_TFT
- examples updated (all to version V1.0.1):
  - ADC\_Group\_Scan\_1\_KIT\_TC297\_TFT, ASCLIN\_Shell\_UART\_1\_KIT\_TC297\_TFT, CCU6\_ADC\_1\_KIT\_TC297\_TFT, DMA\_ADC\_Transfer\_1\_KIT\_TC297\_TFT, SCU\_Die\_Temp\_Sensor\_1\_KIT\_TC297\_TFT, SPI\_CPU\_1\_KIT\_TC297\_TFT, SCU\_Power\_Down\_Sleep\_1\_KIT\_TC297\_TFT, UART\_VCOM\_1\_KIT\_TC297\_TFT

#### Version 1.0.1:

- Added the following code examples: ADC\_Background\_Scan\_1, ADC\_Group\_Scan\_1, Blinky\_LED\_1, CCU6\_ADC\_1, CCU6\_PWM\_Capture\_1, GTM\_TIM\_Capture\_1, GTM\_TOM\_PWM\_1, IOM\_PWM\_Monitor\_1, IOM\_Signals\_Comparison\_1, MTU\_MBIST\_1, MULTICAN\_FD\_1, Multicore\_1, RAM\_Run\_Function\_1, SCU\_Power\_Down\_Idle\_1, SCU\_Power\_Down\_Sleep\_1, SPI\_DMA\_1, Watchdog\_1
- MULTICAN\_1 updated to version V1.0.1

## **3 Limitations and deviations**

This chapter describes the limitations and deviations due to software/hardware design constraints.

### **3.1 Limitations**

There are no limitations towards the established usage of the projects for the purpose of demonstrating AURIX™ TC2xx, AURIX™ TC3xx microcontroller hardware and software products.

### **3.2 Deviations**

There are no deviations towards the established usage of the projects for the purpose of demonstrating AURIX™ TC2xx, AURIX™ TC3xx microcontroller hardware and software products.

#### **3.2.1 HIS-MISRA violations**

Not applicable for this product.



## **4 Installation**

Please refer to the **Infineon-AURIX\_Getting\_Started\_with\_AURIX\_Development\_Studio-EN.pdf** document, which can be found at <http://www.infineon.com/aurixdevelopmentstudio> .

#### Trademarks

All referenced product or service names and trademarks are the property of their respective owners.

**Edition 2021-12-16**

**Published by**

**Infineon Technologies AG**

**81726 Munich, Germany**

**© 2021 Infineon Technologies AG.**

**All Rights Reserved.**

**Do you have a question about this document?**

**Email: [erratum@infineon.com](mailto:erratum@infineon.com)**

**Document reference**

**Code\_Examples\_V1\_0\_9\_ReleaseNote**

#### IMPORTANT NOTICE

The information given in this document shall in no event be regarded as a guarantee of conditions or characteristics ("Beschaffenheitsgarantie").

With respect to any examples, hints or any typical values stated herein and/or any information regarding the application of the product, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind, including without limitation warranties of non-infringement of intellectual property rights of any third party.

In addition, any information given in this document is subject to customer's compliance with its obligations stated in this document and any applicable legal requirements, norms and standards concerning customer's products and any use of the product of Infineon Technologies in customer's applications.

The data contained in this document is exclusively intended for technically trained staff. It is the responsibility of customer's technical departments to evaluate the suitability of the product for the intended application and the completeness of the product information given in this document with respect to such application.

For further information on the product, technology delivery terms and conditions and prices please contact your nearest Infineon Technologies office ([www.infineon.com](http://www.infineon.com)).

#### WARNINGS

Due to technical requirements products may contain dangerous substances. For information on the types in question please contact your nearest Infineon Technologies office.

Except as otherwise explicitly approved by Infineon Technologies in a written document signed by authorized representatives of Infineon Technologies, Infineon Technologies' products may not be used in any applications where a failure of the product or any consequences of the use thereof can reasonably be expected to result in personal injury.