**Ministry of health & Family Welfare**
**Heath Economics Unit**
**SSK Cell.**
www.heu.gov.bd

## Facility Assessment checklist

Date: 14.09.2022

Name of Health Facility: Lakshmipur District Hospital

## Inventory of personnel for 100 bedded hospital

| Sl. No. | Type of post | Posts | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | Sanctioned | | Filled | | Vacant | | Deputation | |
| | | Rev | Developmt/ Adhoc | Rev | Developmt/ Adhoc | Rev | Developmt/ Adhoc | In | Out |
| 1. | Superintendent | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2. | RMO | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 3. | Medical Officer (MO) | 3 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| 4. | Junior Consultants Cardiology | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 5. | Junior Consultants Skin and VD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6. | Junior Consultants ENT | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 7. | Junior Consultants Eye | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 8. | Junior Consultants Gyn &Obs | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 9. | Junior Consultants Medicine | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10. | Junior Consultants Orthopaedics | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 11. | Junior Consultants Paediatrics | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 12. | Junior Consultants Surgery | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 13. | Junior Consultants Anesthesia | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 14. | Nursing Supervisor | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 15. | Sr. Staff Nurse,Staff Nurse & Asst Nurse | 87 | 0 | 67 | 0 | 20 | 0 | 0 | |
| 16. | Office staff | 33 | 0 | 22 | 0 | 11 | 0 | 0 | 0 |
| 17. | Cleaner | 4 | 0 | 3 | 0 | 1 | 0 | 0 | 0 |
| 18. | Security | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 19. | Medical Technologist, dental | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 20. | Pharmacist | 3 | 0 | 2 | 0 | 1 | 0 | 0 | 0 |
| 21. | Medical technologist, Physio | 0 | 0 | 0 | 0 | 0 | | 0 | 0 |
| 22. | Head Assistant | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 23. | Computer Operator | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 24. | Cashier | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| Sl. No. | Type of post | Posts | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | Sanctioned | | Filled | | Vacant | | Deputation | |
| | | Rev | Developmt/ Adhoc | Rev | Developmt/ Adhoc | Rev | Developmt/ Adhoc | In | Out |
| 25. | Store Keeper | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 26. | Office Assistant cum data entry operator | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 27. | Cardiographer | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 28. | Compounder | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 29. | Driver | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| 30. | Lab Attendant | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31. | OT boy/OT Attendant | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32. | Emergency attendant | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 33. | Searcher bearer | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 34. | Ward boy/ Ward servant | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 35. | Cook/Moshalchi | 3 | 0 | 1 | 0 | 2 | 0 | 0 | 0 |
| 36. | MLSS | 10 | 0 | 3 | 0 | 7 | 0 | 0 | 0 |
| 37. | Gardener | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 38. | Security guard | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 39. | Sweeper | 4 | 0 | 3 | 0 | 1 | 0 | 0 | 0 |

## Space for SSK Booth and SSK Pharmacy

| Particulars | Remarks |
|---|---|
| SSK Booth | |
| SSK Pharmacy | |

## Condition of building

| Particulars | Remarks |
|---|---|
| IPD (Male/Female/Child ward) | |
| OPD (doctors' room, ticket counter, waiting space, pharmacy, etc.) | |
| Emergency Room (Space and arrangement) | |
| Office Rooms | |

## Status of equipment and vehicles

| Areas/Conditions/Status need to examine to ascertain the status | | Functioning Number | Non-functioning Number | | Remarks |
|---|---|---|---|---|---|
| | | | Repairable | Non Rep. | |
| 1. | Ambulance | 3 | 0 | 2 | |
| 2. | Generator | 2 | 0 | 1 | |
| 3. | X-ray machine | 3 | 0 | 2 | |
| 4. | Anesthesia machine | 7 | 0 | 0 | |
| 5. | Re-freezarator | 4 | 0 | 0 | |
| 6. | Ultra sonogram machine | 0 | 2 | 3 | |
| 7. | ECG Machine | 7 | 0 | 0 | |
| 8. | Air Conditioner | 15 | 0 | 0 | |
| 9. | Autoclave | 3 | 0 | 0 | |
| 10. | Sterilizer | 3 | 0 | 2 | |
| 11. | Semi auto analyzer | 1 | 0 | 0 | |
| 12. | Photo therapy machine | 2 | 0 | 0 | |
| 13. | Oxyzen cylinder | 182 | 0 | 30 | |
| 14. | Fax Machiene | 0 | 0 | 0 | |
| 15. | Computer (desktop) | 15 | 0 | 3 | |
| 16. | Computer (laptop) | 2 | 0 | 0 | |
| 17. | Scanner | 1 | 0 | 0 | |
| 18. | Printer | 7 | 0 | 0 | |
| 19. | Hot air woven | 0 | 0 | 0 | |
| 20. | Centrifuge machine | 2 | 0 | 0 | |
| 21. | Dia thermi machine | 3 | 0 | 1 | |
| 22. | Water Pump machine | 3 | 0 | 2 | |

## Lab equipment, reagents/kits and logistics:

| Particulars | | Functioning Number | Non-functioning Number | | Remarks |
|---|---|---|---|---|---|
| | | | Repairable | Non Rep. | |
| 1. | Microscope | **5** | 0 | 0 | |
| 2. | Centrifuge machine | 2 | 0 | 0 | |
| 3. | Colorimeter | 1 | 0 | 0 | |
| 4. | ESR tube | 200 | 0 | 0 | |
| 5. | Semi-auto analyzer | 1 | 0 | 0 | |
| 6. | Glucometer | 7 | 0 | 0 | |
| 7. | Hemoglobinometer | 0 | 0 | 0 | |
| 8. | Glass slides | 1000 | 0 | 0 | |
| 9. | Pippette and micro pippette | 10 | 0 | 0 | |
| 10. | Relevant reagents for routine blood, stool, urine tests | Yes | | | |
| 11. | Bio-chemical reagents for liver & kidney function test | Yes | | | |
| 12. | Reagents for blood sugar and pregnancy test | Yes | | | |
| 13. | Blood grouping reagents (ABO and RH) | Yes | | | |
| 14. | All five screening kits/reagents (hepatitis B&C, syphilis, HIV and malaria) | Yes | | | |
| 15. | Blood collection bag with set | Yes | | | |
| 16. | BP machine | Yes | | | |
| 17. | Stethoscope | Yes | | | |
| 18. | Refrigerator (functioning) | Yes | | | |

**Equipment/instruments/ other necessary logistics for emergency room:**

| Particulars | | Present | Absent | Remarks |
|---|---|---|---|---|
| | | 1 | 0 | |
| 1. | Running ambulance service | Yes | | |
| 2. | Trolley/wheel chair/stretcher | Yes | | |
| 3. | Examination table | Yes | | |
| 4. | IV stand | Yes | | |
| 5. | BP machine with Stethoscope | Yes | | |
| 6. | Surgical drum (different size), Kidney tray, surgical tray | Yes | | |
| 7. | Spot light | Yes | | |
| 8. | Thermometer | Yes | | |
| 9. | Filled Oxygen cylinder with flow meter | Yes | | |
| 10. | Nebulizer machine | Yes | | |
| 11. | Sucker machine | Yes | | |
| 12. | Sterilizer | Yes | | |
| 13. | Suture materials with surgical instruments (needle, needle holder, toothed forceps, scissors, Knife etc.) | Yes | | |
| 14. | Alternative power source (generator) | Yes | | |
| 15. | Glucometer | Yes | | |
| 16. | ECG Machine | Yes | | |
| 17. | Stomach wash tube | Yes | | |
| 18. | IV cannula, IV fluid and other emergency drugs | Yes | | |
| 19. | Autoclave machine | Yes | | |
| 20. | Waste bins (colored) | Yes | | |

## Availability of Electricity supply (Yes/No):

| Particulars | | Present/Yes | | | | Absent/ No/ NA | Remarks |
|---|---|---|---|---|---|---|---|
| | | Very good | Good | Aver age | Poor | | |
| | | 4 | 3 | 2 | 1 | 0 | |
| 1. | Alternate arrangement of electricity during power failure | Yes | | | | | |
| 2. | Status of electric wiring | Yes | | | | | |
| 3. | Replacement/maintenance of electric goods | Yes | | | | | |
| 4. | Availability of electric maintenance tools | Yes | | | | | |
| 5. | Source of generator fuel | Yes | | | | | |

## Status of Water and sanitation:

| Particulars | | Present/Yes | | | | Absent/ No/ NA | Remarks |
|---|---|---|---|---|---|---|---|
| | | Very good | Good | Aver age | Poor | | |
| | | 4 | 3 | 2 | 1 | 0 | |
| 1. | Status of sewerage system | | Yes | | | | |
| 2. | Maintenance of water supply system | Yes | | | | | |
| 3. | Source of drinking water | Yes | | | | | |
| 4. | Alternate source of water supply | Yes | | | | | |

## Equipment, logistics and drugs for operation theatre

| Areas/Conditions/Status need to examine to ascertain the status | | Present | Absent | Remarks |
|---|---|---|---|---|
| | | 1 | 0 | |
| 1. | Anesthesia machine with drugs | Yes | | |
| 2. | Laryngoscope | Yes | | |
| 3. | Endotracheal tube | Yes | | |
| 4. | OT light (ceiling and stand by) | Yes | | |
| 5. | OT table | Yes | | |
| 6. | Three C-section sets | Yes | | |
| 7. | Laparotomy sets | Yes | | |
| 8. | DE&C set or manual vacuum aspirator | Yes | | |
| 9. | Spinal needle | Yes | | |
| 10. | Sucker machine | Yes | | |
| 11. | Diathermy machine | Yes | | |
| 12. | Autoclave | Yes | | |
| 13. | Sterilizer | Yes | | |
| 14. | BP machine with Stethoscope | Yes | | |
| 15. | Surgical drum (different size) | Yes | | |
| 16. | Ambu bag (adult and baby) | Yes | | |
| 17. | Baby weighing scale | Yes | | |
| 18. | Sterile gloves | Yes | | |
| 19. | Sterile gown | Yes | | |
| 20. | Air conditioner | Yes | | |
| 21. | Emergency light (generator or charger) | Yes | | |
| 22. | Spinal anesthesia set with drugs | Yes | | |
| 23. | General anesthesia set with drugs | Yes | | |

| | | | | |
|---|---|---|---|---|
| 24. | Emergency drugs with list | Yes | | |
| 25. | Decontamination done with 0.5% chlorine solution | Yes | | |
| 26. | Hand washing facility with running water and elbow tap | Yes | | |
| 27. | Maintains privacy | Yes | | |
| 28. | OT cleaned (mopped) daily | Yes | | |
| 29. | OT table and instrument trolleys decontaminated (with 0.5% chlorine solution) | Yes | | |
| 30. | OT register maintained properly (check) | Yes | | |

**Equipment, logistics, drugs for Delivery Room:**

| Particulars | | Present | Absent | Remarks |
|---|---|---|---|---|
| | | 1 | 0 | |
| 1. | Delivery table | Yes | | |
| 2. | Sufficient lights | Yes | | |
| 3. | Sucker machine (adult and baby) | Yes | | |
| 4. | Sterilizer (electrical) | Yes | | |
| 5. | Baby weighing scale | Yes | | |
| 6. | Filled oxygen cylinder | Yes | | |
| 7. | Ambu bag (adult) | Yes | | |
| 8. | Ambu bag (child) | Yes | | |
| 9. | Normal delivery sets (at least 3) | Yes | | |
| 10. | Episiotomy sets (at least 3) | Yes | | |
| 11. | Vacuum extractor (ventose) | Yes | | |
| 12. | Obstetric forceps | Yes | | |
| 13. | Instrument trolley | Yes | | |
| 14. | Baby tray | Yes | | |

| | | | | |
|---|---|---|---|---|
| 15. | Mucous sucker for neonates (Penguin type) | Yes | | |
| 16. | BP machine | Yes | | |
| 17. | Stethoscope | Yes | | |
| 18. | Measuring tape | Yes | | |
| 19. | IV stand | Yes | | |
| 20. | Sharp disposal container | Yes | | |
| 21. | Emergency light | Yes | | |
| 22. | Sterile gloves | Yes | | |
| 23. | Gown, musk and cap | Yes | | |
| 24. | Emergency drug list | Yes | | |

14/9/22

ডাঃ আহ্ছানুল কবীর
সিভিল সার্জন কাম তত্ত্বাবধায়ক
সদর হাসপাতাল, লক্ষ্মীপুর।

মূল্যায়নের জন্য প্রশ্নমালা:

খ) জেলা হাসপাতালের ক্ষেত্রে:

| | | | |
|---|---|---|---|
| ১) | জেলার নাম: | লক্ষ্মীপুর | |
| ২) | ক. তত্ত্বাবধায়কের নাম: | ডাঃ আহাম্মদ কবীর | |
| | খ. মোবাইল নং: | ০১৮৪২ ৫৮৭৪৫৬ | |
| | গ. ই-মেইল: | laxmipur@hospi.dghs.gov.bd | |
| ৩) | জেলা হাসপাতালের শয্যা সংখ্যা | ১০০ | |
| ৪) | জেলার তথ্য | | |
| | ক. জেলার মোট জনসংখ্যা | ১৯,৩৮,১১১ | |
| | খ. মোট গর্ভবতী মায়ের সংখ্যা | ৬০৩০৭ | |
| | গ. মোট ০-১ বছরের শিশু সংখ্যা | ৫৮৯৭৯ | |
| | ঘ. মোট ০-৫ বছরের শিশু সংখ্যা | ২ ৯৩ ৪১৩ | |
| ৫) | মাসিক এইচএসএস নম্বরে অবস্থান | | |
| | ক. সর্বনিম্ন: (বর্তমান বছরে) | ৫৫ | |
| | খ. সর্বোচ্চ: (বর্তমান বছরে) | ১ | |
| ৬) | বায়োমেট্রিক হাজিরা আগের মাসের (%) | | |
| | ক.সর্বোচ্চ (বর্তমান বছরে) | | |
| | খ.সর্বনিম্ন (বর্তমান বছরে) | | |
| ৭) | মানবসম্পদ | পদ সংখ্যা | শূন্যপদ |
| | ১.ক. চিকিৎসকঃ | ২৩ | ৮ |
| | ১.খ. মেডিকেল অফিসার | ৩ | ৩ |
| | ১.গ. মেডিকেল অফিসার (ওএসডি) | ০ | ০ |
| | ১.ঘ. কনসালটেন্ট | ১৩ | ৭ |
| | ২. ক. নার্স | ৮২ | ১৮ |
| | ২. খ. মিড-ওয়াইফ | ০ | ০ |
| | ৩. পরিচ্ছন্ন কর্মী | ৪ | ১ |
| | ৪. ওয়ার্ড বয়/আয়া | ০ | ০ |
| ৮) | মোট রোগীর সংখ্যা (আগের মাসের) | ০ | |
| | ক. অন্তঃবিভাগ | ৩০১৭ | |
| | খ. জরুরী বিভাগ | ১৯৮৯ | |
| | গ. বহিঃবিভাগ | ২৪০০৪ | |
| ৯) | শয্যা ব্যবহারের হার (%) (আগের মাসের) | ২৫২.২২ | |
| ১০) | মোট গর্ভবতী পরিচর্যা (আগের মাসের) | | |
| | ক. ১ম ভিজিট (সংখ্যা) | ৩০২ | |
| | খ. চতুর্থ ভিজিট (সংখ্যা) | ৯৯ | |
| | গ. মোট (সংখ্যা) | ৪০২ | |
| ১১) | মোট প্রসব সংখ্যা (আগের মাসের) | ২০৬ | |

| | | | |
|---|---|---|---|
| | ক. মোট স্বাভাবিক প্রসব | ১৩৫ | |
| | খ. মোট সিজারিয়ান প্রসব | ৪১ | |
| | গ. রাতে সিজারিয়ান প্রসব | ০ | |
| ১২) | মৃত জন্ম শিশুর সংখ্যা (আগের মাসের) | ৮ | |
| ১৩) | নবজাতক শিশু মৃত্যুর সংখ্যা (আগের মাসের) | ০ | |
| ১৪) | হাসপাতালে মাতৃমৃত্যুর সংখ্যা (আগের মাসের) | ১ | |
| ১৫) | মোট প্রসবোত্তর পরিচর্যা (আগের মাসের) | ৭৪০ | |
| ১৬) | মেজর (বড়) অপারেশন (আগের মাসের) | ১২৫ | |
| | ক. জেনারেল সার্জারি (সংখ্যা) | ৮ | |
| | খ. গাইনি/অবস (সংখ্যা) | ১০ | |
| | গ. অর্থোপেডিক (সংখ্যা) | ২১ | |
| | ঘ. নাক-কান-গলা অপারেশন (সংখ্যা) | ০ | |
| | ঙ. চক্ষু অপারেশন (সংখ্যা) | ০ | |
| | চ. ডেন্টাল অপারেশন (সংখ্যা) | ০ | |
| | ছ. মোট মেজর অপারেশন (সংখ্যা) | ১২৫ | |
| ১৭) | সার্বক্ষণিক রক্ত পরিসঞ্চালন কার্যক্রম | হ্যাঁ√ | না |
| ১৮) | রোগ নির্ণয় ও পরীক্ষা-নিরীক্ষা (চালু কি না) | | |
| | ১.ক. আল্ট্রাসনোগ্রাফি | হ্যাঁ | না√ |
| | ১.খ. এক্স-রে | হ্যাঁ | না√ |
| | ১.গ. ই.সি.জি | হ্যাঁ | না√ |
| | ২.ক. সি.বি.সি | হ্যাঁ | না√ |
| | ২.খ. বায়োকেমিস্ট্রি ও ইমিউনোলোজি | হ্যাঁ | না√ |
| | ২.খ.১. লিপিড প্রোফাইল | হ্যাঁ | না√ |
| | ২.খ.২. সেরাম ইলেক্ট্রোলাইট | হ্যাঁ | না√ |
| | ২.খ.৩. সেরাম ক্রিয়েটিনিন | হ্যাঁ√ | না |
| | ২.খ.৪. সেরাম ইউরিয়া | হ্যাঁ | না√ |
| | ৩.ক. এইস.বি.এস. এ.জি | হ্যাঁ√ | না |
| | ৩.খ. ব্লাড গ্লুকোজ | হ্যাঁ√ | না |
| | ৩. গ. রক্তগ্রুপ ও স্ক্রিনিং | হ্যাঁ√ | না |
| ১৯) | চিকিৎসকদের আবাসিক (হাসপাতাল ক্যাম্পাসে) অবস্থান | | |
| | ক. তত্ত্বাধায়ক | হ্যাঁ | না√ |
| | খ. আবাসিক মেডিক্যাল অফিসার | হ্যাঁ√ | না |
| | গ. কনসালটেন্ট, মেডিসিন | হ্যাঁ | না√ |
| | ঘ. কনসালটেন্ট, সার্জারি | হ্যাঁ | না√ |
| | ঙ. কনসালটেন্ট, এনেসথেসিয়া | হ্যাঁ | না√ |
| | চ. কনসালটেন্ট, অবস গাইনি | হ্যাঁ | না√ |

| | | | |
|---|---|---|---|
| | ছ. কনসালটেন্ট, অর্থোপেডিকস | হ্যাঁ | না√ |
| | জ. কনসালটেন্ট, কার্ডিওলজি | হ্যাঁ | না√ |
| | ঝ. কনসালটেন্ট, শিশু স্বাস্থ্য | হ্যাঁ | না√ |
| | ঞ. কনসালটেন্ট, নাক,কান, গলা | হ্যাঁ | না√ |
| | ট. কনসালটেন্ট চক্ষু | হ্যাঁ | না√ |
| ২০) | নার্স/অন্যান্যদের আবাসিক অবস্থান | | |
| | ক. নার্সিং সুপার | হ্যাঁ | না√ |
| | খ. ওটি সিস্টার | হ্যাঁ√ | না |
| | গ. ইওসি সিস্টার | হ্যাঁ√ | না |
| | ঘ. ইমার্জেন্সি ইন চার্জ | হ্যাঁ | না√ |
| | ঙ. স্টোর ইন চার্জ | হ্যাঁ√ | না |
| | চ. প্রধান অফিস সহকারি | হ্যাঁ√ | না |
| ২১) | কমিউনিটি সহায়তা গ্রুপ গঠন | হ্যাঁ√ | না |
| ২২) | কমিউনিটি হতে প্রাপ্ত সহযোগিতা | ০ | |
| | ক. জনবল সহায়তা | ০ | |
| | খ. চিকিৎসা সামগ্রী সহায়তা | ০ | |
| | গ. আর্থিক সহায়তার পরিমাণ | ০ | |
| ২৩) | মাসিক সভার সংখ্যা (আগের মাসের) | ০ | |
| | ক. স্বাস্থ্য সেবা উন্নয়ন কমিটি | ০ | |
| | খ. কমিউনিটি সহায়তা কমিটি | ০ | |
| | গ. সমন্বয় কমিটি | ০ | |
| | ঘ. কিউআইসি কমিটি | ০ | |
| | ঙ. ডাব্লুআইটি কমিটি (প্রতি সপ্তাহে সভার সংখ্যা) | ০ | |
| ২৪) | অভ্যর্থনা/তথ্য কেন্দ্র | হ্যাঁ | না√ |
| ২৫) | হাসপাতালের প্রবেশ পথে সাইকেল স্ট্যান্ড | হ্যাঁ | না√ |
| ২৬) | বিষয়ভিত্তিক কর্নারের কার্যকারিতা | | |
| | ক. এএনসি | হ্যাঁ√ | না |
| | খ. পিএনসি | হ্যাঁ√ | না |
| | গ. ভায়া | হ্যাঁ√ | না |
| | ঘ. ইপিআই | হ্যাঁ√ | না |
| | ঙ. এনসিডি | হ্যাঁ√ | না |
| | চ. মাতৃদুগ্ধ পান | হ্যাঁ√ | না |
| | ছ. স্বাস্থ্য শিক্ষা | হ্যাঁ√ | না |
| ২৭) | দর্শনার্থী নিয়ন্ত্রণ কার্যক্রম | হ্যাঁ√ | না |
| ২৮) | রাত্রীকালীন ওয়ার্ড পরিদর্শনঃ | | |

| | | | |
|---|---|---|---|
| | ক. তত্ত্বাবধায়ক নার্সিং | হ্যাঁ | না |
| | খ. আবাসিক মেডিকেল অফিসার | হ্যাঁ√ | না |
| | গ. নার্সিং সুপার | হ্যাঁ√ | না |
| ২৯) | কনসালটেন্টদের রাত্রিকালীন ওয়ার্ড পরিদর্শন | | |
| | ক. মেডিসিন | হ্যাঁ√ | না |
| | খ. সার্জারি | হ্যাঁ√ | না |
| | গ. গাইনি | হ্যাঁ√ | না |
| | ঘ. ইএনটি | হ্যাঁ | না |
| | ঙ. অর্থোপেডিকস | হ্যাঁ√ | না |
| | চ. চক্ষু | হ্যাঁ | না |
| | ছ. কার্ডিওলজি | হ্যাঁ√ | না |
| | জ. শিশু | হ্যাঁ√ | না |
| ৩০) | রাত্রীকালীন জরুরী অপারেশন সুবিধা | | |
| | ক. সাধারণ সার্জারি | হ্যাঁ | না√ |
| | খ. ইওসি | হ্যাঁ | না√ |
| | গ. অর্থোপেডিক | হ্যাঁ | না√ |
| | ঘ. চক্ষু | হ্যাঁ | না√ |
| | ঙ. নাক-কান-গলা | হ্যাঁ | না√ |
| ৩১) | রোগীদের খাবার সরবরাহ তদারকি:<br>ক) প্রতিদিন রোগীদের খাবার সামগ্রী কোনো কর্মকর্তা বুঝে নেন কিনা? | হ্যাঁ√ | না |
| | খ)রান্না করা রোগীর খাদ্য কর্মকর্তা পরীক্ষা করেন কিনা? | হ্যাঁ√ | না |
| ৩২) | বাৎসরিক মোট রাজস্ব আয় | ৪০,০০ ,০০০ | |
| ৩৩) | বাৎসরিক মোট মৃত্যুর সংখ্যা | | |
| ৩৪) | মাসিক মৃত্যু পর্যালোচনা | হ্যাঁ√ | না |
| ৩৫) | এম্বুলেন্স সার্ভিস | | |
| | ক. সচল কি না | হ্যাঁ√ | না |
| | খ. এম্বুলেন্স সার্ভিস থেকে আয় (আগের মাসের) | ৪৫০০০ | |
| | গ. এম্বুলেন্সের তেল বাবদ কত বাকি | | |

| বছর | ইমার্জেন্সি | আউটডোর | ইনডোর | ইওসি ভর্তি | শয্যা ব্যবহারের হার (%) |
|---|---|---|---|---|---|
| ২০১৮ | ১৬৮৮০ | ২৩২৫০৩ | ২৮৪০৮ | ৩৬২৬ | |
| ২০১৯ | ১৮৪৭৭ | ২৫২৩৬৮ | ৩৪৪৫৩ | ৪৩২৯ | |
| ২০২০ | ১৬৫৬৩ | ২১৬৫৬৩ | ২১৩০৫ | ৩৬৭২ | |
| ২০২১ | ১৮৯১১ | ২৮২৫৩৫ | ২৯২৭৭ | ৪৩২০ | |
| ২০২২ | ১৪৫৪০ | ২০৬১৯৮১ | ২৩২৭২ | ৩১৯৮ | |

## নিরাপদ মাতৃত্বসেবা

| বছর | গর্ভবতী সংক্রান্ত ১ম ভিজিট | গর্ভবতী সংক্রান্ত ৪র্থ ভিজিট | সর্বমোট ডেলিভারি | ডেলিভারি | | পিএনসি | |
|---|---|---|---|---|---|---|---|
| | | | | নরমাল | সিজার | পিএনসি ১ম | সর্বমোট ডেলিভারি |
| ২০১৮ | ৮৯৬৭ | ৫৮৫ | ১৬২৩ | ১০৬১ | ৫৬২ | ১৯৩৫ | ১৬২৩ |
| ২০১৯ | ৫৮৯৭ | ৩৬৯৫ | ১৯৮০ | ১৬২৯ | ৩৫১ | ২৮৩৫ | ১৯৮০ |
| ২০২০ | ৬৫৯৮ | ২২০৮ | ১৯৪৭ | ১২০৭ | ৭৪০ | ২০৫১ | ১৯৪৭ |
| ২০২১ | ৭৩৫০ | ১৭৩৫ | ২১৭৬ | ১৭৪৪ | ৪৩২ | ২১৭৬ | ২১৭৬ |
| ২০২২ | ২৬৬৪ | ১১০০ | ১৪০১ | ১১২৩ | ২৭৮ | ১৫০৭ | ১৪০১ |

১৫/৭/২২

ডাঃ আহাম্মেদ কবীর
সিভিল সার্জন কাম তত্ত্বাবধায়ক
সদর হাসপাতাল, লক্ষ্মীপুর।