```
MediaTake.pro
```

```
1
```

```
# Project created by QtCreator 2013-11-14T02:19:20
QT
         += core gui
greaterThan(QT_MAJOR_VERSION, 4): QT += widgets
TARGET = MediaTake
TEMPLATE = app
SOURCES += main.cpp\
        mainwindow.cpp \
    selectfiledialog.cpp \
    databaseoperations.cpp \
    qtgstreamerdriver.cpp \
    videosink.cpp \
    databaseoperationsaudio.cpp \
    databaseoperationsvideo.cpp \
    filefinderaudio.cpp \
    filefindervideo.cpp \
    librarymanageraudio.cpp \
    librarymanagervideo.cpp
HEADERS += mainwindow.h \
    selectfiledialog.h \
    databaseoperations.h \
    qtgstreamerdriver.h \
    videosink.h \
    databaseoperationsaudio.h \
    databaseoperationsvideo.h \
    filefinderaudio.h \
    filefindervideo.h \
    librarymanageraudio.h \
    librarymanagervideo.h
FORMS
         += mainwindow.ui \
    selectfiledialog.ui \
    videosink.ui
unix{
LIBS += -lmongoclient\
        -lboost_thread-mt\
-lboost_filesystem\
-lboost_program_options\
        -lboost system\
QMAKE_CXXFLAGS += -std=c++11 -pthread -Wno-deprecated #-fpermissive -pedantic
LIBS += -pthread
LIBS += -ltag\
         -lQt5GStreamer-0.10 -lQt5GLib-2.0 -lQt5Core -lQt5GStreamerUi-0.10 -
lQt5GStreamerUtils-0.10\
         -L/usr/local/Qt5.0.1/5.0.1/gcc_64/lib\
        -L/usr/local/lib
INCLUDEPATH+= /usr/local/include
#CONFIG += link pkgconfig
#PKGCONFIG += gstreamer-1.0
#CONFIG += link_pkgconfig
#PKGCONFIG += \
#Qt5GLib-2.0\ #- the libraries needed to use QtGLib
```

```
#Qt5GStreamer-0.10\ #- the libraries needed to use QtGStreamer
#Qt5GStreamerUi-0.10\ #- the libraries needed to use QtGStreamerUi
#Qt5GStreamerUtils-0.10\ #-the libraries needed to use QtGStreamerUtils

CONFIG += link_pkgconfig
PKGCONFIG += \
 QtGLib-2.0\ #- the libraries needed to use QtGLib
QtGStreamer-0.10\ #- the libraries needed to use QtGStreamer
QtGStreamerUi-0.10\ #- the libraries needed to use QtGStreamerUi
QtGStreamerUtils-0.10\ #-the libraries needed to use QtGStreamerUtils
}

RESOURCES += \
 UiResources.qrc
```