

D10 — GI Addendum

Dr. H. Nakamura, Gastroenterology | Gastroenterology | 02/22/2026 05:15

Patient: Pemberton, Harold J. **MRN:** 847-29-3156 **DOB:** 04/12/1951 **Allergies:** Sulfa drugs (rash)

GASTROENTEROLOGY ADDENDUM

Patient: Harold J. Pemberton | MRN: 847-29-3156
Date: 02/22/2026 05:15 | Provider: Dr. H. Nakamura, Gastroenterology

CLINICAL UPDATE:
Patient had recurrent melanotic stool overnight. AM Hgb: 6.2 (from 7.4 post-EGD yesterday). Tachycardic to 118, SBP dropped to 88. Two units pRBCs being transfused.

ASSESSMENT:
Concern for re-bleeding from index gastric ulcer despite clip placement.

RECOMMENDATION:
Recommend repeat EGD with bipolar cautery and additional clip placement. Endoscopic re-intervention has 70-80% success rate for Forrest IIa lesions with re-bleeding. This should be first-line management before escalation to angiographic intervention.

I have discussed this case with Interventional Radiology who have been consulted, and I respectfully disagree with proceeding directly to embolization. The endoscopic approach carries lower risk and should be attempted again before invasive vascular intervention.

Electronically signed by: Dr. H. Nakamura, MD
Date: 02/22/2026 05:30