telrad

User Manual — Tele-radiology Platform

Version 1.0 · October 2026 · pacs.caredeoghar.com

1. Signing in

Open `https://pacs.caredeoghar.com/` in your browser. You will see the login form.



telrad
email
passphrase
Sign in

Figure 1 — Login form. Enter your email and passphrase, then click Sign in.

Steps

1. Enter your registered email address.
2. Enter your passphrase (minimum 14 characters).
3. Click **Sign in**.


> **Two-factor authentication (2FA):** If your account has 2FA enabled, you will be prompted for a 6-digit code from your authenticator app (Google Authenticator, Authy, etc.) or a backup code after entering your password.

Session

Sessions last 12 hours. If your session expires while the tab is open, the page returns to the login form. Your unsaved work on a report draft is preserved in the browser until you refresh.

2. Dashboard — Reader panel

The Dashboard is the first page after login. It shows who is available to read cases right now.


telrad
Abinash · owner
Dashboard
Delivery
Criticals
Notices
Search
Operations
Admin
Settings
Dashboard
updated 12:02:20 PM
0 routable
0 not routable
0 off
Nobody is routable right now. Anything waiting will wait.
Reader panel
name or sub-specialty
Any modality
routable only
Refresh
READER
STATUS
QUEUE
No clinician has a profile yet. A user needs a clinician profile to appear here.




Figure 2 — Dashboard. The Reader panel shows every clinician with a profile, their status, queue load, modalities, and roster window.

What you see

- **Counts bar** (top right): green = routable readers, amber = not routable (paused/away/at-cap), red = signed off.
- **Reader panel table**: one row per clinician who has a profile. Columns: name/grade, status (with colour dot), queue load (held / max), modalities and sub-specialties, roster window.
- **Filters**: search by name or sub-specialty, filter by modality, "routable only" checkbox.

For readers

If you are a radiologist or reviewer, your own status card appears above the panel. Use the buttons to declare your availability:

- **Take cases** — you are receiving offers.
- **Pause** — you stop receiving new offers but keep cases already held.
- **Step away** — same as pause, signals a longer break.
- **Sign off panel** — you are removed from routing entirely.

> **Tip:** The panel refreshes every 5 seconds. If the "feed lost" banner appears, the colours may be stale — click Refresh.

3. My Cases — Worklist

Visible to radiologists and reviewers. Shows every case currently held by you, including offers waiting for your accept/decline.

What you see

- **Offered cases** — cases the dispatcher has offered to you. Each shows priority, modality, sub-specialty, accession, wait time, and a countdown until the offer lapses.
- **Held cases** — cases you have accepted. Shows when you accepted them and whether a draft report exists.

Actions

- **Accept** — takes the case. It moves to your queue and the SLA clock starts.
- **Decline** — sends the case back to the pool. You must give a reason.
- **Open** — opens the DICOM viewer for that study.
- **Share** — opens WhatsApp with a link to the study.
- **Bulk accept** — when multiple offers are waiting, select checkboxes and accept them all at once.

> **Offer expiry:** If you do not accept or decline within the countdown, the offer lapses and rotates to the next eligible reader. Repeated lapses are audited.

4. Reports — Signed and awaiting review

Two lists: reports you have signed (and their state), and reports signed by others that are awaiting your countersignature.

Awaiting a second name

Reports that have been signed by one radiologist and need a second name. Each row shows the accession, modality, version, author, and whether you are permitted to clear it. If you cannot clear it, the reason is shown (e.g. "you are the author").

Reports I signed

Your own signed reports. Each row shows the state (`signed` , `verified` , `delivered`), version, timestamp, and second name if applicable.

Actions

- **Review** — opens the viewer to countersign.
- **Open** — opens the viewer without signing.
- **Rate** — rate a report on a 1–5 scale with an optional comment.
- **Share** — WhatsApp link.

5. Delivery — Releasing reports to clinics

Visible to center desk staff, owners, and console operators. Shows every signed report that has not yet been released to the referring clinic.




Figure 3 — Delivery page. Empty when no reports are awaiting release. Each row will show accession, modality, patient, state, and a Deliver button.

What each row means

- **Deliver** button — the report is ready. Clicking it releases the PDF to the clinic, records the SHA-256 hash, and moves the report to `delivered`.
- **Amber status** — the report cannot be released yet. The reason is shown: "awaiting a second name", "not signed yet", "already sent", or "a finding is unanswered".
- **Action needed** — flag a report for attention with a message. The flag stays until someone clears it.
- **PDF** — download the rendered report PDF.
- **Open** — open the viewer (operator roles only).

> **Critical findings gate:** A report with an unacknowledged critical finding cannot be delivered. The finding must be marked as answered (with the name of the person who was telephoned) before the Deliver button appears.

6. Criticals — Unacknowledged findings

Visible to desk staff and operators. Shows every critical finding that has been declared by a reader but not yet acknowledged by the referring clinic.




Figure 4 — Criticals page. Empty when no critical findings are awaiting acknowledgement. Each row shows the finding, who declared it, when, and how long it has been waiting.

Workflow

1. A reader signs a report and declares a critical finding from a closed list (e.g. "acute intracranial haemorrhage").
2. The reader names the person they telephoned at the referring clinic.
3. The report is held in the critical queue until someone at the clinic acknowledges it.
4. If nobody acknowledges within the SLA window, the worker stamps a breach and the row turns red.

> **Today "alert" means the board, not a phone call.** The system records the acknowledgement; it does not place calls. The reader declares who they telephoned; the desk follows up if the acknowledgement does not arrive.

7. Notices — Unsent notifications

Shows every notification that has been queued but not yet delivered to a referring clinic. Includes email notices for report delivery and critical findings.




Figure 5 — Notices page. Shows unsent notifications with their channel (email), recipient, attempt number, and next retry time. "Dead" rows have given up after exhausting retries.

Status colours

- **Green** — pending, will retry at the scheduled time.

- **Amber** — failed, will retry with backoff.
- **Red (dead)** — exhausted all retries. A person must intervene.

> **Tip:** A "dead" notice usually means the recipient email address is wrong. Fix the address in the tenant settings and the notice can be retried manually.

8. Search — Find any report

Available to all roles. Search across all reports you have permission to see by patient name, accession number, or findings text.




Figure 6 — Search page. Type a patient name, accession, or finding to search. Results appear below the search box.


Search tips

- Search is case-insensitive.
- Partial matches work: "kumar" finds "Ramesh Kumar".

- Accession numbers can be searched without the full string.
- Findings text is searched across all versions of the report.
- Center-scoped users only see their own tenant's reports.

9. Operations — Late board, orphans, performance

Visible to owners and console operators. The operator's working board: what is running out, what cannot be routed, and how the system is performing.


telrad
Abinash · owner
Dashboard
Delivery
Criticals
Notices
Search
Operations
Admin
Settings
Operations updated 12:03:20 PM
0 routable
0 not routable
0 off
Waiting · 3 late · 3 cannot route
CASE
PRIORITY
DEADLINE
HELD BY
ACC-UPLOAD-0003
telrad · CT ct-head
URGENT
overdue by 2241 min
3836% of the window · stage 3
nobody (3 such)
Open
ACC-UPLOAD-0001
telrad · CT ct-head
ROUTINE
overdue by 2201 min
1934% of the window · stage 3
nobody (3 such)
Open
ACC-UPLOAD-0002
telrad · CT ct-head
ROUTINE
overdue by 2189 min
1924% of the window · stage 3
nobody (3 such)
Open
CANNOT ROUTE AUTOMATICALLY
Assign to...
Assign selected (0)
STAT
study 8
CT ct-head · waiting 2321 min · stage 3
nearest: nobody on the panel · pool widened
Open
STAT
study 11
CT ct-head · waiting 2309 min · stage 3
nearest: nobody on the panel · pool widened
Open
STAT
study 14
CT ct-head · waiting 2301 min · stage 3
nearest: nobody on the panel · pool widened
Open
Orphan studies · 7 unlinked
Study
no accession · ?
received 10/12/2026 · study date 20261012
3 candidate orders:

Order #1: Ramesh Kumar · ? · routine Link Open Unlink

Order #2: Ramesh Kumar · ? · routine Link

Order #3: Ramesh Kumar · ? · routine Link

Study

no accession · ?

received 10/12/2026 · study date 20261012

3 candidate orders:

Order #1: Ramesh Kumar · ? · routine Link Open Unlink

Order #2: Ramesh Kumar · ? · routine Link

Order #3: Ramesh Kumar · ? · routine Link

Study

no accession · ?

received 10/12/2026 · study date 20261012

3 candidate orders:

Order #1: Ramesh Kumar · ? · routine Link Open Unlink

Order #2: Ramesh Kumar · ? · routine Link

Order #3: Ramesh Kumar · ? · routine Link

Study

no accession · ?

received 10/12/2026 · study date 20261012

3 candidate orders:

Order #1: Ramesh Kumar · ? · routine Link Open Unlink

Order #2: Ramesh Kumar · ? · routine Link

Order #3: Ramesh Kumar · ? · routine Link

Study

no accession · ?

received 10/12/2026 · study date 20261012

3 candidate orders:

Order #1: Ramesh Kumar · ? · routine Link Open Unlink

Order #2: Ramesh Kumar · ? · routine Link

Order #3: Ramesh Kumar · ? · routine Link

Study

no accession · ?




Figure 7 — Operations page. Shows the Waiting board (late cases, second-name queue, unrouteable cases), Orphan studies, Reader performance, Turn-around targets, and Film exports.

Waiting board

Three sub-sections:

- **Late cases** — cases past their SLA deadline. Shows how overdue, who holds them, and the escalation stage. Click **Open** to view the study.
- **Awaiting second name** — signed reports waiting for countersignature. Shows author and wait time.
- **Cannot route automatically** — cases with no eligible reader. Select cases and assign them manually to a named radiologist.

Orphan studies

Studies that arrived but could not be matched to an order or patient. Each orphan shows candidate orders it might link to. Use **Link** to attach it to the correct order, or **Unlink** to detach it.

Reader performance

Date-range report of who accepted, who completed, and how long each read took. Set a date range and click **Apply**.

Turn-around targets


Set SLA targets per modality and priority. Changing a target moves the live deadlines for cases that have not yet breached.

Film exports

Record a film/disc export against a study. Each export becomes a line item on the next invoice for that tenant.

10. Admin — Users, sites, tariffs, audit, billing

Configuration pages for owners and console operators. Each card is independent.


telrad
Abinash · owner
Dashboard
Delivery
Criticals
Notices
Search
Operations
Admin
Settings
Admin updated 12:03:30 PM
0 routable
0 not routable
0 off
Users
Add user
internal_error
NAME EMAIL ROLE STATUS 2FA LAST LOGIN
Imaging sites
site name
AE title (optional)
Add site
Demo CT (upload test)
AE: CT_SCANNER_1
created 10/12/2026
Manage tokens
Test Sender
AE: TELRAD_TEST
created 10/12/2026
Manage tokens
Tariffs
tenant_required
code (e.g. MRI-BRAIN)
label
price in ₹
modality (optior
night multip
Add tariff
Image retention
· per center; pixels are deleted, reports and billing always stay
CENTER POLICY DAYS
telrad Telrad Teleradiology
kept forever
days (empty = forever
Save
Empty = keep images forever. A pinned study is never swept. The nightly sweep deletes pixels only — the report, the billable events and the audit chain stay.
Audit trail
· latest 50 entries, hash-chained
Export CSVExport JSON
WHEN ACTION ENTITY ACTOR CHAIN

10/14/2026, 12:03:30 PM	**dispatch.unassigned_read**	studies	1	→ 58dbd971
10/14/2026, 12:03:30 PM	**escalations.read**	sla_clocks	1	→ 58dbd971
10/14/2026, 12:03:25 PM	**dispatch.unassigned_read**	studies	1	→ f7f9d0b1
10/14/2026, 12:03:25 PM	**escalations.read**	sla_clocks	1	→ f7f9d0b1
10/14/2026, 12:03:20 PM	**dispatch.unassigned_read**	studies	1	→ fdf2bbd5
10/14/2026, 12:03:20 PM	**orphans.list**	studies	1	→ fdf2bbd5
10/14/2026, 12:03:20 PM	**escalations.read**	sla_clocks	1	→ fdf2bbd5
10/14/2026, 12:03:04 PM	**dispatch.unassigned_read**	studies	1	→ 47e650b0
10/14/2026, 12:03:04 PM	**escalations.read**	sla_clocks	1	→ 47e650b0
10/14/2026, 12:03:04 PM	**critical.board**	critical_events	1	→ 47e650b0
10/14/2026, 12:03:04 PM	**report.delivery_queue**	reports	1	→ 47e650b0
10/14/2026, 12:03:04 PM	**report.outbox_board**	report_deliveries	1	→ 47e650b0
10/14/2026, 12:02:58 PM	**report.outbox_board**	report_deliveries	1	→ 1af9df0f
10/14/2026, 12:02:51 PM	**critical.board**	critical_events	1	→ 25474fbf
10/14/2026,	**report.delivery_queue**	reports	1	→

12:02:44 PM				8548569d
10/14/2026, 12:02:04 PM	**dispatch.unassigned_read**	studies	1	→ 9374ca2f
10/14/2026, 12:02:04 PM	**escalations.read**	sla_clocks	1	→ 9374ca2f
10/14/2026, 12:02:04 PM	**critical.board**	critical_events	1	→ 9374ca2f
10/14/2026, 12:02:04 PM	**report.delivery_queue**	reports	1	→ 9374ca2f
10/14/2026, 12:02:04 PM	**report.outbox_board**	report_deliveries	1	→ 9374ca2f
10/14/2026, 12:01:34 PM	**auth.login**	users 1	1	→ 0fddae0d
10/14/2026, 12:01:05 PM	**dispatch.unassigned_read**	studies	1	→ 0277fc7d
10/14/2026, 12:01:05 PM	**escalations.read**	sla_clocks	1	→ 0277fc7d
10/14/2026, 12:01:05 PM	**report.outbox_board**	report_deliveries	1	→ 0277fc7d
10/14/2026, 12:01:05 PM	**critical.board**	critical_events	1	→ 0277fc7d
10/14/2026, 12:01:05 PM	**report.delivery_queue**	reports	1	→ 0277fc7d
10/14/2026, 12:00:04 PM	**report.outbox_board**	report_deliveries	1	→ b43c8087
10/14/2026, 12:00:04 PM	**dispatch.unassigned_read**	studies	1	→ b43c8087
10/14/2026, 12:00:04 PM	**escalations.read**	sla_clocks	1	→ b43c8087

10/14/2026, 12:00:04 PM	**critical.board**	critical_events	1	→ b43c8087
10/14/2026, 12:00:04 PM	**report.delivery_queue**	reports	1	→ b43c8087
10/14/2026, 12:00:02 PM	**user.change_password**	users 1	1	→ eb1e16a9
10/14/2026, 11:59:04 AM	**dispatch.unassigned_read**	studies	1	→ e3ffda5d
10/14/2026, 11:59:04 AM	**escalations.read**	sla_clocks	1	→ e3ffda5d
10/14/2026, 11:59:04 AM	**report.outbox_board**	report_deliveries	1	→ e3ffda5d
10/14/2026, 11:59:04 AM	**critical.board**	critical_events	1	→ e3ffda5d
10/14/2026, 11:59:04 AM	**report.delivery_queue**	reports	1	→ e3ffda5d
10/14/2026, 11:58:40 AM	**orphans.list**	studies	1	→ b5b325e0
10/14/2026, 11:58:40 AM	**escalations.read**	sla_clocks	1	→ b5b325e0
10/14/2026, 11:58:40 AM	**dispatch.unassigned_read**	studies	1	→ b5b325e0
10/14/2026, 11:58:36 AM	**report.outbox_board**	report_deliveries	1	→ 1abd4d48
10/14/2026, 11:58:33 AM	**critical.board**	critical_events	1	→ 14540c05
10/14/2026, 11:58:27 AM	**report.delivery_queue**	reports	1	→ 901d71ca
10/14/2026,	**escalations.read**	sla_clocks	1	→




Figure 8 — Admin page. Users, Imaging sites, Tariffs, Image retention, Audit trail, and Billing cards.

Users

Create and manage user accounts. Each user has a role: `owner`, `console`, `center_staff`, `radiologist`, or `reviewer`. Radiologists and reviewers need a clinician profile (council registration, grade, modalities, sub-specialties, max queue, night charge).

- **Add user** — creates an account with a temporary password shown once.
- **Status dropdown** — change between active, suspended, and disabled.
- **Reset password** — generates a new temporary password shown once.

Imaging sites

Centers that send studies. Each site has an AE Title for DICOM routing and an optional CIDR allowlist. Manage tokens for the upload agent.

Tariffs

Price per study by modality and priority. Night multipliers apply automatically. The tariff in force on the delivery day is used for billing.

Image retention

Per-tenant pixel retention in days. NULL keeps images forever. The sweep purges pixels only — reports, billing, and audit records are never deleted. A pinned study is never swept.

Audit trail

Every mutation is recorded: who, when, what changed, before and after values. The chain is hash-linked so tampering is detectable. Export as CSV.

Billing

Preview billable events, create draft invoices, issue them, and export as CSV. Invoices are numbered in an unbroken financial-year sequence per tenant.

11. Settings — Profile and tenant configuration

Available to all roles. Two sections: your own profile, and (for owners) the tenant's configuration.




Figure 9 — Settings page. My profile with password change, and Tenant settings with legal identity, contact, reports signature line, and locale.

My profile

- **Name** and **Role** — shown for reference, not editable here.
- **Change password** — enter your current password, then a new one (minimum 14 characters), confirm it, and click Change password.

Tenant settings (owners only)

- **Legal identity** — legal name, billing name, country, state code, GSTIN.
- **Contact** — contact name, email, phone.
- **Reports** — signature line that appears on every signed report PDF.
- **Locale** — timezone (affects night-charge calculations and SLA clocks).

> **Every change is audited.** The before and after values are recorded in the audit trail with your user ID and timestamp.
