

5C Network Pvt Ltd

C9, 1st C Main, C Cross, MCHS Colony, Sector 6, HSR Layout, Bengaluru,
Karnataka 560102

Tel - 97739 52953

Email - kalyan@5cnetwork.com

Patient Name	JAYNANDAN SINGH	Patient Id	E:09/16/2022 11:22:16
Age/DOB	65	Gender	M
Ref.Doctor		Reported Date and Time	Sep 16, 2022 01:31 pm

MRI Spine Lumbo Sacral Plain

Technique

T1W, T2W Sagittal, T1W, T2W axial

T2W IRM coronal SI joints

Observations

The study reveals evidence of diffuse osteoporosis with spondylotic changes involving lumbar spine with anterior and posterior marginal osteophytic lipping with loss of lumbar lordosis.

Severe destruction of L1 vertebra is noted with retrolisthesis of L1 over L2. Mild retropulsion of fracture fragment is seen causing compression over lumbar dural theca and cauda equina with canal stenosis.

Wedging compression of L2 vertebra is noted.

Posterior asymmetrical herniation with extrusion of D12-L1 and L1-L2 intervertebral disc with ligamentum flavum thickening and facet arthropathy is seen causing compression over ventral aspect of lumbar dural theca, bilateral traversing and exiting nerve roots with central and lateral canal stenosis. Myelographic cut-off is seen at this level.

Fluid signal is noted in L1-L2 intervertebral disc space.

Mild pre and paravertebral soft tissue edematous changes noted at level of L1-L2 .

The facet joints and neural foraminae are normal otherwise.

The ligamentum flavum thickness is within normal limits otherwise.

The pedicles, laminae spinous process and transverse process of the lumbar vertebrae show normal morphology.

Lumbar canal AP diameter at L1 to L5 levels

Level L1-L2 L2-L3 L3-L4 L4-L5 L5-S1

AP Mm 5 11 12 12 11

The conus medullaris and the sub arachnoid space are normal.

The nerve roots of the cauda equina appear normal.

The paraspinal soft tissues appear normal otherwise.

5C Network Pvt Ltd

C9, 1st C Main, C Cross, MCHS Colony, Sector 6, HSR Layout, Bengaluru,
Karnataka 560102

Tel - 97739 52953


Email - kalyan@5cnetwork.com

SACROILIAC JOINTS:

The sacroiliac joints shows appear normal. No articular surface erosions or edema noted.

Impression

- **Degenerative spondylotic changes involving lumbar spine.**
- **Severe destruction of L1 vertebra is noted with retrolisthesis of L1 over L2. Mild retropulsion of fracture fragment is seen causing compression over lumbar dural theca and cauda equina with canal stenosis.**
- **Wedging compression of L2 vertebra is noted.**
- **Posterior asymmetrical herniation with extrusion of D12-L1 and L1-L2 intervertebral disc resulting compression with early central and lateral canal stenosis. Myelographic cut-off is seen at this level.**
- **Fluid signal is noted in L1-L2 intervertebral disc space.**
- **Mild pre and paravertebral soft tissue edematous changes noted at level of L1-L2.**



Dr. Anand Vachhani
MBBS, MD
Consultant Radiologist
G-28633

Contact: 9773952953, Ext: 138

Disclaimer: The medical diagnostic report generated is based on the image and patient information obtained from the source of origin, 5C Network assumes no responsibility for errors or omission of or in the image, in the contents of the report generated are a direct interpretation for the image sent from source. In no event shall 5C Network be liable for any special, direct, indirect, consequential, or incidental damages or any damages whatsoever, whether in an action of negligence or other tort, arising out of or in connection with the use of the Service or the contents of the Service. This report neither replaces professional medical advice nor it changes the treatment. This report cannot be used for medico-legal purposes as the radiologist has given report as per the images sent by the center with the assumption that personal information of the patient was verified by the center and not the reporting radiologist.