CARE DIAGNOSTICS
Near Bajla Mahila College, St. Francis School Road, Castair's Town, DEOGHAR-814 112 (JHARKHAND)
Phone: 75490 99099, 99734 97200
Email: care.deoghar@gmail.com
www.caredeoghar.com

NAME: TEST PATIENT GAMMA **AGE/SEX: 32 / M**
REFD. BY: TEST REFERRING DOCTOR **DATE: 15/10/2026**
UHID: TEST-003 **ACCESSION: ACC-MRI-LS-001**

MRI LUMBOSACRAL SPINE

CLINICAL HISTORY:

Low back pain, rule out disc herniation

TECHNIQUE:

Multiplanar, multisequence MRI of the lumbosacral spine was performed without intravenous contrast.
Sequences acquired: Sagittal T1, T2, STIR; Axial T2.

MEASUREMENTS:

Measurement	Value
L1-L2 Canal AP	15.2 mm
L2-L3 Canal AP	14.8 mm
L3-L4 Canal AP	14.5 mm
L4-L5 Canal AP	14 mm
L5-S1 Canal AP	13.8 mm

FINDINGS:

Alignment

Normal lumbar lordosis is maintained.

No spondylolisthesis.

Vertebral Bodies

Normal heights and signal intensity.

No marrow edema or compression fracture.

Bone Marrow

Normal signal intensity throughout.

Endplates

Normal.

No Modic changes.

Intervertebral Discs

Normal disc heights at all levels.

Normal disc signal intensity.

Posterior Elements

Normal.

Ligamentum Flavum

Normal thickness.

Facet Joints

Normal bilaterally at all levels.

No facet arthropathy.

Spinal Canal

Normal caliber.

Neural Foramina

Patent bilaterally at all levels.

Conus Medullaris

Terminates at L1 level.

Normal signal intensity.

Cauda Equina

Unremarkable.

Dr. Sugandha Priyadarshini
MD (Radiodiagnosis & Medical Imaging)

Radiological diagnosis is not always conclusive & often vary with clinical course of the disease or response to treatment. This report is not for medico-legal purpose.

Level	AP Diameter
L1-L2	15.2 mm
L2-L3	14.8 mm
L3-L4	14.5 mm
L4-L5	14.0 mm
L5-S1	13.8 mm

IMPRESSION:

1. Normal MRI of the lumbosacral spine.

REPORT

Radiological diagnosis is not always conclusive & often vary with clinical course of the disease or response to treatment. This report is not for medico-legal purpose.