

Data Science and Data Analytics (WS 2025)

International Business Management (B. A.)

© Benjamin Gross

06.05.2026 08:51

This document provides the course material for Data Science and Data Analytics (B. A. – International Business Management). Upon successful completion of the course, students will be able to: recognize important technological and methodological advancements in data science and distinguish between descriptive, predictive, and prescriptive analytics; demonstrate proficiency in classifying data and variables, collecting and managing data, and conducting comprehensive data evaluations; utilize R for effective data manipulation, cleaning, visualization, outlier detection, and dimensionality reduction; conduct sophisticated data exploration and mining techniques (including PCA, Factor Analysis, and Regression Analysis) to discover underlying patterns and inform decision-making; analyze and interpret causal relationships in data using regression analysis; evaluate and organize the implementation of a data analysis project in a business environment; and communicate the results and effects of a data analysis project in a structured way.

Table of contents

1	Scope and Nature of Data Science	3
1.1	Defining Data Science as an Academic Discipline	4
1.2	Significance of Business Data Analysis for Decision-Making	12
1.2.1	Strategic Decision-Making Framework	12
1.2.2	Operational Decision Support	13
1.2.3	Tactical Decision Integration	13
1.2.4	Contemporary Analytical Capabilities	14
1.3	Emerging Trends	14
1.4	Types of Analytics	16
2	Data Analytic Competencies	18
2.1	Types of Data	18
2.2	Types of Variables	21
2.3	Conceptual Framework: Knowledge & Understanding of Data	32
2.4	Data Collection	32
2.4.1	Core Data Collection Competencies	32
2.4.2	Contemporary Data Collection Landscape	33
2.5	Data Management	33
2.6	Data Evaluation	34

3	Applications in the Programming Language R	35
3.1	Core tidyverse Tooling	35
3.2	Data Visualization Principles	36
3.3	Detecting Outliers and Anomalies	40
3.4	Dimensionality Reduction	42
3.5	Data Exploration and Mining	43
3.6	Causal Inference with Regression Analysis	49
4	Project report and presentation	56
5	Literature	60
5.1	Essential Readings	60
5.2	Further Readings	60

1 Scope and Nature of Data Science

Let's start this course with some definitions and context.

Definition of Data Science:

The field of Data Science concerns techniques for extracting knowledge from diverse data, with a particular focus on 'big' data exhibiting 'V' attributes such as volume, velocity, variety, value and veracity.

Maneth & Poulouvassilis (2016)

Definition of Data Analytics:

Data analytics is the systematic process of examining data using statistical, computational, and domain-specific methods to extract insights, identify patterns, and support decision-making. It combines competencies in data handling, analysis techniques, and domain knowledge to generate actionable outcomes in organizational contexts (Cuadrado-Gallego et al., 2023).

Definition of Business Analytics:

Business analytics is the science of posing and answering data questions related to business. Business analytics has rapidly expanded in the last few years to include tools drawn from statistics, data management, data visualization, and machine learning. There is increasing emphasis on big data handling to assimilate the advances made in data sciences. As is often the case with applied methodologies, business analytics has to be soundly grounded in applications in various disciplines and business verticals to be valuable. The bridge between the tools and the applications are the modeling methods used by managers and researchers in disciplines such as finance, marketing, and operations.

Pochiraju & Seshadri (2019)

There are many roles in the data science field, including (but not limited to):

Figure 1: **Source:** *LinkedIn*

DATA ANALYST		
Analyzing data to uncover insights and support better decision-making	SKILLS: • SQL • Excel • Power BI / Tableau • Basic Statistics	TASKS: • Creating reports & dashboards • Analyzing trends and patterns

DATA ENGINEER		
Building and maintaining data pipelines and infrastructure	SKILLS: • Python • ETL tools • Big Data • Cloud platforms	TASKS: • Cleaning and transforming raw data • Setting up data warehouses/lakes

DATA SCIENTIST		
Developing and managing data workflows and backend systems.	SKILLS: • Python / R • Machine Learning • Statistics • Data Visualization	TASKS: • Creating ML models • Predictive & prescriptive analytics

For skills and competencies required for data science activities, see [Skills Landscape](#).

1.1 Defining Data Science as an Academic Discipline

Data science emerges as an interdisciplinary field that synthesizes methodologies and insights from multiple academic domains to extract knowledge and actionable insights from data. As an academic discipline, data science represents a convergence of computational, statistical, and domain-specific expertise that addresses the growing need for data-driven decision-making in various sectors.


Data science draws from and interacts with multiple foundational disciplines:

- **Informatics / Information Systems:**

Informatics provides the foundational understanding of information processing, storage, and retrieval systems that underpin data science infrastructure. It encompasses database design, data modeling, information architecture, and system integration principles essential for managing large-scale data ecosystems. Information systems contribute knowledge about organizational data flows, enterprise architectures, and the sociotechnical aspects of data utilization in business contexts.

See the [Technical Applications & Data Analytics coursebook](#) by Gross (2021) for further reading on foundations in informatics.

Figure 2: **Source:** *LinkedIn*




- **Computer Science (algorithms, data structures, systems design):**

Computer science provides the computational foundation for data science through algorithm design, complexity analysis, and efficient data structures. Core contributions include machine learning algorithms, distributed computing paradigms, database systems, and software engineering practices. System design principles enable scalable data processing

architectures, while computational thinking frameworks guide algorithmic problem-solving approaches essential for data-driven solutions.

See also: [Analytical Skills for Business - 1 Introduction](#) and take a look at the AI Universe overview graphic:

Figure 3: Source: *LinkedIn*




See the [Overview on no-code and low-code tools for data analytics](#) for an overview on no-code and low-code tools for data analytics and AI tooling.

- Mathematics (linear algebra, calculus, optimization):

Mathematics provides the theoretical backbone for data science through linear algebra (matrix operations, eigenvalues, vector spaces), calculus (derivatives, gradients, optimization), and discrete mathematics (graph theory, combinatorics). These mathematical foundations enable dimensionality reduction techniques, gradient-based optimization algorithms, statistical modeling, and the rigorous formulation of **machine learning problems** (see the figure below). Mathematical rigor ensures the validity and interpretability of analytical results.

Figure 4: Source: *LinkedIn*




- Statistics & Econometrics (inference, modeling, causal analysis):

Statistics provides the methodological framework for data analysis through hypothesis testing, confidence intervals, regression analysis, and experimental design. Econometrics contributes advanced techniques for causal inference, time series analysis, and handling observational data challenges such as endogeneity and selection bias. These disciplines ensure rigorous uncertainty quantification, model validation, and the ability to draw reliable conclusions from data while understanding limitations and assumptions.

- **Social Science & Behavioral Sciences (contextual interpretation, experimental design):**


Social and behavioral sciences contribute essential understanding of human behavior, organizational dynamics, and contextual factors that influence data generation and interpretation. These disciplines provide expertise in experimental design, survey methodology, ethical considerations, and the social implications of data-driven decisions. They ensure that data science applications consider human factors, cultural context, and societal impact while maintaining ethical standards in data collection and analysis.

Figure 5: **Source:** *LinkedIn*



A recent [Business Pundit](#) study reveals that AI systems like ChatGPT, Claude, and Meta AI are developing genuine brand characteristics through their consistent tonality, personality, and emotional resonance with users. The research shows US-based AI models dominate in both global presence and emotional connection, while European systems remain functionally strong but lack distinctive brand identity. This transformation marks a shift where AI branding emerges in real-time through every interaction, making personality a core product quality and positioning systems like Claude and Meta AI as potential “superbrands” of the next decade.

Figure 6: **Source:** *Business Punk*



The interdisciplinary nature of data science requires practitioners to develop competencies across these domains while maintaining awareness of how different methodological traditions complement and inform each other. This multidisciplinary foundation enables data scientists to approach complex problems with both technical rigor and contextual understanding, ensuring that analytical solutions are both technically sound and practically relevant.

For further reading on the academic foundations of data science, see the comprehensive analysis in [Defining Data Science as an Academic Discipline](#).

1.2 Significance of Business Data Analysis for Decision-Making

Business data analysis has evolved from a supporting function to a critical strategic capability that fundamentally transforms how organizations make decisions, allocate resources, and compete in modern markets. The systematic application of analytical methods to business data enables evidence-based decision-making that reduces uncertainty, improves operational efficiency, and creates sustainable competitive advantages.

1.2.1 Strategic Decision-Making Framework

Business data analysis provides a structured approach to strategic decision-making through multiple analytical dimensions:

- **Evidence-Based Strategic Planning:** Data analysis supports long-term strategic decisions by providing empirical evidence about market trends, competitive positioning,

and organizational capabilities. Statistical analysis of historical performance data, market research, and competitive intelligence enables organizations to formulate strategies grounded in quantifiable evidence rather than intuition alone.

- **Risk Assessment and Mitigation:** Advanced analytical techniques enable comprehensive risk evaluation across operational, financial, and strategic dimensions. Monte Carlo simulations, scenario analysis, and predictive modeling help organizations quantify potential risks and develop contingency plans based on probabilistic assessments of future outcomes.
- **Resource Allocation Optimization:** Data-driven resource allocation models leverage optimization algorithms and statistical analysis to maximize return on investment across different business units, projects, and initiatives. Linear programming, integer optimization, and multi-criteria decision analysis provide frameworks for allocating limited resources to achieve optimal organizational outcomes.

1.2.2 Operational Decision Support

At the operational level, business data analysis transforms day-to-day decision-making through real-time insights and systematic performance measurement:

- **Performance Measurement and Continuous Improvement:** Key Performance Indicators (KPIs) and statistical process control methods enable organizations to monitor operational efficiency, quality metrics, and customer satisfaction in real-time. Time series analysis, control charts, and regression analysis identify trends, anomalies, and improvement opportunities that drive continuous operational enhancement.
- **Forecasting and Demand Planning:** Statistical forecasting models using techniques such as ARIMA, exponential smoothing, and machine learning algorithms enable accurate demand prediction for inventory management, capacity planning, and supply chain optimization. These analytical approaches reduce uncertainty in operational planning while minimizing costs associated with overstock or stockouts.
- **Customer Analytics and Personalization:** Advanced customer analytics leverage segmentation analysis, predictive modeling, and behavioral analytics to understand customer preferences, predict churn, and optimize retention strategies. Clustering algorithms, logistic regression, and recommendation systems enable personalized customer experiences that increase satisfaction and loyalty.

1.2.3 Tactical Decision Integration

Business data analysis bridges strategic planning and operational execution through tactical decision support:

- **Pricing Strategy Optimization:** Price elasticity analysis, competitive pricing models, and revenue optimization techniques enable dynamic pricing strategies that maximize profitability while maintaining market competitiveness. Regression analysis, A/B testing, and econometric modeling provide empirical foundations for pricing decisions.
- **Market Intelligence and Competitive Analysis:** Data analysis transforms market research and competitive intelligence into actionable insights through statistical analysis of market trends, customer behavior, and competitive positioning. Multivariate analysis,

factor analysis, and time series forecasting identify market opportunities and competitive threats.

- **Financial Performance Analysis:** Financial analytics encompassing ratio analysis, variance analysis, and predictive financial modeling enable organizations to assess financial health, identify cost reduction opportunities, and optimize capital structure decisions. Statistical analysis of financial data supports both internal performance evaluation and external stakeholder communication.

1.2.4 Contemporary Analytical Capabilities

Modern business data analysis capabilities extend traditional analytical methods through integration of advanced technologies and methodologies:

- **Real-Time Analytics and Decision Support:** Stream processing, event-driven analytics, and real-time dashboards enable immediate response to changing business conditions. Complex event processing and real-time statistical monitoring support dynamic decision-making in fast-paced business environments.
- **Predictive and Prescriptive Analytics:** Machine learning algorithms, neural networks, and optimization models enable organizations to not only predict future outcomes but also recommend optimal actions. These advanced analytical capabilities support automated decision-making and strategic scenario planning.
- **Data-Driven Innovation:** Analytics-driven innovation leverages data science techniques to identify new business opportunities, develop innovative products and services, and create novel revenue streams. Advanced analytics enable organizations to discover hidden patterns, correlations, and insights that drive innovation and competitive differentiation.

The significance of business data analysis for decision-making extends beyond technical capabilities to encompass organizational transformation, cultural change, and strategic competitive positioning. Organizations that successfully integrate analytical capabilities into their decision-making processes achieve superior performance outcomes, enhanced agility, and sustainable competitive advantages in increasingly data-driven markets.

For comprehensive coverage of business data analysis methodologies and applications, see [Advanced Business Analytics](#) and the analytical foundations outlined in Evans (2020).

For open access resources, visit [Kaggle](#), a platform for data science competitions and datasets.


1.3 Emerging Trends

Key technological and methodological developments shaping the data landscape:

- Evolution of computing and data processing architectures.
- Digitalization of processes and platforms.
- Artificial Intelligence (AI), Machine Learning (ML), and Deep Learning (DL).


- Big Data ecosystems (volume, velocity, variety, veracity, value).

Figure 7: **Source:** *LinkedIn*



- Internet of Things (IoT) and sensor-driven data generation.

Figure 8: **Source:** <https://businesstech.bus.umich.edu/uncategorized/tech-101-internet-of-things/>




- Cloud computing and elastic infrastructure.
- Blockchain for distributed trust and data integrity.
- Industry 4.0: cyber-physical systems and automation.
- Remote and hybrid working environments: collaboration, distributed analytics, governance.

1.4 Types of Analytics

- Descriptive Analytics: What happened?
- Predictive Analytics: What is likely to happen?
- Prescriptive Analytics: What should we do?

Figure 9: **Source:** <https://datamites.com/blog/descriptive-vs-predictive-vs-prescriptive-analytics/>



Descriptive Vs Predictive Vs Prescriptive Analytics			
Aspect	Descriptive Analytics	Predictive Analytics	Prescriptive Analytics
Purpose	Understand past data	Forecast future outcomes	Recommend actions for optimal outcomes
Focus	What happened?	What will happen?	What should be done?
Techniques	Data aggregation, reporting, data mining	Statistical models, machine learning, forecasting	Optimization, simulation, decision analysis
Outcome	Historical insights and trends	Probable future scenarios	Actionable strategies and decisions
Example	Sales reports, customer demographics analysis	Sales forecasting, customer churn prediction	Resource allocation, supply chain optimization
Tools	Dashboards, OLAP, basic statistical tools	Regression analysis, time series analysis, neural networks	Linear programming, simulation models, heuristic algorithms

2 Data Analytic Competencies


Data analytic competencies encompass the ability to apply machine learning, data mining, statistical methods, and algorithmic approaches to extract meaningful patterns, insights, and predictions from complex datasets. They include proficiency in exploratory data analysis, feature engineering, model selection, evaluation, and validation. These skills ensure rigorous interpretation of data, support evidence-based decision-making, and enable the development of robust analytical solutions adaptable to diverse health, social, and technological contexts.

2.1 Types of Data

The structure and temporal dimension of data fundamentally influence analytical approaches and statistical methods. Understanding data types enables researchers to select appropriate modeling techniques and interpret results within proper contextual boundaries.

- **Cross-sectional data** captures observations of multiple entities (individuals, firms, countries) at a single point in time. This structure facilitates comparative analysis across units but does not track changes over time. Cross-sectional studies are particularly valuable for examining relationships between variables at a specific moment and testing hypotheses about population characteristics.
- **Time-series data** records observations of a single entity across multiple time points, enabling the analysis of temporal patterns, trends, seasonality, and cyclical behaviors. Time-series methods account for autocorrelation and temporal dependencies, supporting forecasting and dynamic modeling. This data structure is essential for economic indicators, financial markets, and environmental monitoring.
- **Panel (longitudinal) data** combines both dimensions, tracking multiple entities over time. This structure offers substantial analytical advantages by controlling for unobserved heterogeneity across entities and modeling both within-entity and between-entity variation. Panel data methods support causal inference through fixed-effects and random-effects models, difference-in-differences estimation, and dynamic panel specifications.

Sequence Analytics




Additional data structures:

- **Geo-referenced / spatial data** is data associated with specific geographic locations, enabling spatial analysis and visualization. Techniques such as Geographic Information Systems (GIS), spatial autocorrelation, and spatial regression models are employed to analyze patterns and relationships in spatially distributed data.

What is GIS Data?

(Geographic Information Service/System)



- **Streaming / real-time data** is continuously generated data that is processed and analyzed in real-time. This data structure is crucial for applications requiring immediate insights, such as fraud detection, network monitoring, and real-time recommendation systems.

2.2 Types of Variables

- **Continuous (interval/ratio)** data is measured on a scale with meaningful intervals and a true zero point (ratio) or arbitrary zero point (interval). Examples include height, weight, temperature, and income. Continuous variables support a wide range of statistical analyses, including regression and correlation.

```
# Loading the dplyr library for data manipulation
library(dplyr)

# Assigning continuous data to a data frame and displaying it as a table
continuous_data <- data.frame(
  Height_cm = c(170, 165, 180, 175, 160, 185, 172, 168, 178, 182),
  Weight_kg = c(70, 60, 80, 75, 55, 90, 68, 62, 78, 85)
)

# Displaying the original table
print(continuous_data)
```

	Height_cm	Weight_kg
1	170	70
2	165	60
3	180	80
4	175	75
5	160	55
6	185	90
7	172	68
8	168	62
9	178	78
10	182	85

```
# Ordering the data frame by Height_cm
ordered_data <- continuous_data %>%
  arrange(Height_cm)

# Displaying the ordered data frame
print(ordered_data)
```

	Height_cm	Weight_kg
1	160	55
2	165	60
3	168	62
4	170	70
5	172	68
6	175	75
7	178	78
8	180	80
9	182	85
10	185	90


```
# Practicing:
# 1. Assign continuous data to a data frame and displaying it as a table
# 2. Order the data frame by a specific column
```

- **Count** data represents the number of occurrences of an event or the frequency of a particular characteristic. Count variables are typically non-negative integers and can be analyzed using Poisson regression or negative binomial regression.

```
# Assigning count data to a data frame and displaying it as a table
count_data <- data.frame(
  Height = c(170, 165, 182, 175, 165, 175, 175, 168, 175, 182),
  Weight = c(70, 60, 80, 75, 55, 90, 68, 62, 78, 85)
)

# Displaying the original data as a table
print(count_data)
```

	Height	Weight
1	170	70
2	165	60
3	182	80
4	175	75
5	165	55
6	175	90
7	175	68
8	168	62
9	175	78
10	182	85

```
# Ordering the data frame by Height_cm in ascending order
ordered_count_data <- count_data %>%
  arrange(desc(Height), Weight) %>%
  count(Height)

# Displaying the ordered count data
print(ordered_count_data)
```

	Height	n
1	165	2
2	168	1
3	170	1
4	175	4
5	182	2

```
# Practicing:
# 1. Assign count data to a data frame and displaying it as a table
```

- **Ordinal** data represents categories with a meaningful order or ranking but no consistent interval between categories. Examples include survey responses (e.g., Likert scales) and socioeconomic status (e.g., low, medium, high). Ordinal variables can be analyzed using non-parametric tests or ordinal regression.

```
# Loading the dplyr library for data manipulation
library(dplyr)

# Assigning ordinal data to a data frame and displaying it as a table
ordinal_data <- data.frame(
  Response = c("Strongly Disagree", "Disagree", "Neutral", "Agree", "Strongly Agree"),
  Value = c(5, 4, 3, 2, 1)
)

# Displaying the original table
print(ordinal_data)
```

	Response	Value
1	Strongly Disagree	5
2	Disagree	4
3	Neutral	3
4	Agree	2
5	Strongly Agree	1

```
# Ordering the data frame by Value
ordinal_data <- ordinal_data %>%
  arrange(Value)

# Displaying the ordered data frame
print(ordinal_data)
```

	Response	Value
1	Strongly Agree	1
2	Agree	2
3	Neutral	3
4	Disagree	4
5	Strongly Disagree	5

```
# Practicing:
# 1. Assign ordinal data to a data frame and displaying it as a table
# 2. Order the data frame by the ordinal value
```

- **Categorical (nominal / binary)** data represents distinct categories without any inherent order. Nominal variables have two or more categories (e.g., gender, race, or marital status), while binary variables have only two categories (e.g., yes/no, success/failure). Categorical variables can be analyzed using chi-square tests or logistic regression.

```
# Loading the dplyr library for data manipulation
library(dplyr)

# Assigning categorical data to a data frame and displaying it as a table
categorical_data <- data.frame(
  Event = c("A", "C", "B", "D", "E"),
  Category = c("Type1", "Type2", "Type1", "Type3", "Type2")
)
```

```
)

# Displaying the original table
print(categorical_data)
```

	Event	Category
1	A	Type1
2	C	Type2
3	B	Type1
4	D	Type3
5	E	Type2

```
# Ordering the data frame by Event
categorical_data <- categorical_data %>%
  arrange(Event)

# Displaying the table
print(categorical_data)
```

	Event	Category
1	A	Type1
2	B	Type1
3	C	Type2
4	D	Type3
5	E	Type2

```
# Practicing:
# 1. Assign categorical data to a data frame and displaying it as a table
# 2. Order the data frame by a specific column
```

- **Compositional or hierarchical structures** represent data with a part-to-whole relationship or nested categories. Examples include demographic data (e.g., age groups within gender) and geographical data (e.g., countries within continents). Compositional data can be analyzed using techniques such as hierarchical clustering or multilevel modeling.

```
# Loading the dplyr library for data manipulation
library(dplyr)

# Assigning hierarchical data to a data frame and displaying it as a table
hierarchical_data <- data.frame(
  Country = c("USA", "Canada", "USA", "Canada", "Mexico"),
  State_Province = c("California", "Ontario", "Texas", "Quebec", "Jalisco"),
  Population_Millions = c(39.5, 14.5, 29.0, 8.5, 8.3)
)

# Displaying the table
print(hierarchical_data)
```

	Country	State_Province	Population_Millions
1	USA	California	39.5
2	Canada	Ontario	14.5
3	USA	Texas	29.0
4	Canada	Quebec	8.5
5	Mexico	Jalisco	8.3

```
# Ordering the data frame by Country and then State_Province
hierarchical_data <- hierarchical_data %>%
  arrange(Country, State_Province)

# Displaying the ordered data frame
print(hierarchical_data)
```

	Country	State_Province	Population_Millions
1	Canada	Ontario	14.5
2	Canada	Quebec	8.5
3	Mexico	Jalisco	8.3
4	USA	California	39.5
5	USA	Texas	29.0


```
# Grouping the data by Country and summarizing total population
hierarchical_data_grouped <- hierarchical_data %>%
  group_by(Country) %>%
  summarise(Total_Population = sum(Population_Millions))

# Displaying the grouped data frame
print(hierarchical_data_grouped)
```

```
# A tibble: 3 x 2
  Country Total_Population
  <chr>      <dbl>
1 Canada      23
2 Mexico      8.3
3 USA       68.5
```

```
# Practicing:
# 1. Assign hierarchical data to a data frame and displaying it as a table
# 2. Order the data frame by multiple columns
```

Figure 12: Source: <https://www.collegedisha.com/>



Some small datasets to start with

A custom R package `ourdata` has been created to provide some small datasets (and also some helper R functions) for practice. You can install it from GitHub using the following commands:

```
# Installing Github R packages
devtools::install_github("DrBenjamin/ourdata")
```

Using the package and exploring its documentation:

```
# Loading package
library(ourdata)

# Opening help of package
??ourdata

# Showing welcome message
ourdata()
```

This is the R package ``ourdata`` used for Data Science courses at the Fresenius University of Applied Sciences. Type ``help(ourdata)`` to display the content. Type ``ourdata_website()`` to open the package website. Have fun in the course!
Benjamin Gross

```
# Printing some datasets
print(koelsch)
```

```
  Jahr   Koelsch
1 2017 186784000
2 2018 191308000
3 2019 179322000
4 2020 169182000
```

```
print(kirche)
```

```
  Jahr Austritte
1 2017    364711
2 2018    437416
3 2019    539509
4 2020    441390
```

```
# Using help function from the package for a specific function from the `ourdata` R package
help(combine)
```

Help on topic 'combine' was found in the following packages:

Package	Library
ourdata	/home/runner/R-library
dplyr	/home/runner/R-library

Using the first match ...

```
# Using the `combine` function from the `ourdata` R package to combine two vectors into a data frame
ourdata::combine(kirche$Jahr, koelsch$Jahr, kirche$Austritte, koelsch$Koelsch)
```

```
'data.frame':  4 obs. of  3 variables:
 $ C1: chr  "2017" "2018" "2019" "2020"
 $ C2: num  364711 437416 539509 441390
 $ C3: num  1.87e+08 1.91e+08 1.79e+08 1.69e+08
```

```
   C1    C2    C3
1 2017 364711 186784000
2 2018 437416 191308000
3 2019 539509 179322000
4 2020 441390 169182000
```

**** A messy dataset example****

We collect [data](#) from OECD (Organization for Economic Co-operation and Development), an international organization that works to build better policies for better lives. The dataset shows many columns (variables) with non-informative data and needs to be cleaned (wrangled) before analysis. First load the data into R from CSV file:

```
# Reading the dataset from a CSV file
preventable_deaths <- read.csv(
  "./topics/data/OECD_Preventable_Deaths.csv",
  stringsAsFactors = FALSE
)
```

or use the dataset directly from the `ourdata` R package:

```
# Reading the dataset from `ourdata` R package
library(ourdata)
preventable_deaths <- oecd_preventable
```

First we explore the data:

```
# Viewing structure of the dataset
str(preventable_deaths)

# Viewing first few rows
head(preventable_deaths)

# Checking dimensions
dim(preventable_deaths)

# Viewing column names
colnames(preventable_deaths)

# Summary statistics
summary(preventable_deaths)

# Checking for missing values
colSums(is.na(preventable_deaths))
```

Now we can start cleaning the data by removing non-informative columns and rows with missing values:

```
# Loading necessary library
library(dplyr)

# Selecting relevant columns for analysis
df_clean <- preventable_deaths %>%
  select(
    REF_AREA,
    Reference.area,
    TIME_PERIOD,
    OBS_VALUE
  ) %>%
  rename(
    country_code = REF_AREA,
    country = Reference.area,
    year = TIME_PERIOD,
    death_rate = OBS_VALUE
  )

# Converting year to numeric
df_clean$year <- as.numeric(df_clean$year)

# Converting death_rate to numeric (handling empty strings)
df_clean$death_rate <- as.numeric(df_clean$death_rate)
```



```
# Removing rows with missing death rates
df_clean <- df_clean %>%
  filter(!is.na(death_rate))
```

```
# Viewing cleaned data structure
str(df_clean)
```

```
'data.frame':  1162 obs. of  4 variables:
 $ country_code: chr  "AUS" "AUS" "AUS" "AUS" ...
 $ country     : chr  "Australia" "Australia" "Australia" "Australia" ...
 $ year        : num  2010 2011 2012 2013 2014 ...
 $ death_rate  : num  110 109 105 105 107 108 103 103 101 104 ...
```

```
# Summary of cleaned data
summary(df_clean)
```

country_code	country	year	death_rate
Length :1162	Length :1162	Min. :2010	Min. : 34.0
N.unique : 46	N.unique : 46	1st Qu.:2013	1st Qu.: 75.0
N.blank : 0	N.blank : 0	Median :2016	Median :116.0
Min.nchar: 3	Min.nchar: 4	Mean :2016	Mean :128.7
Max.nchar: 3	Max.nchar: 15	3rd Qu.:2019	3rd Qu.:156.0
		Max. :2023	Max. :453.0

Showing some basic statistics of the cleaned data:

```
# Loading necessary library
library(dplyr)

# Printing overall statistics
cat("Mean death rate:", mean(df_clean$death_rate, na.rm = TRUE), "\n")
```

Mean death rate: 128.7151

```
cat("Median death rate:", median(df_clean$death_rate, na.rm = TRUE), "\n")
```

Median death rate: 116

```
cat("Standard deviation:", sd(df_clean$death_rate, na.rm = TRUE), "\n")
```

Standard deviation: 69.58822

```
cat("Min death rate:", min(df_clean$death_rate, na.rm = TRUE), "\n")
```

Min death rate: 34

```
cat("Max death rate:", max(df_clean$death_rate, na.rm = TRUE), "\n")
```

Max death rate: 453

```
# Printing statistics by country
country_stats <- df_clean %>%
  group_by(country) %>%
  summarise(
    mean_rate = mean(death_rate, na.rm = TRUE),
    median_rate = median(death_rate, na.rm = TRUE),
    sd_rate = sd(death_rate, na.rm = TRUE),
    min_rate = min(death_rate, na.rm = TRUE),
    max_rate = max(death_rate, na.rm = TRUE),
    n_observations = n()
  ) %>%
  arrange(desc(mean_rate))
print(country_stats)
```

```
# A tibble: 46 x 7
  country      mean_rate median_rate sd_rate min_rate max_rate n_observations
  <chr>          <dbl>         <dbl>   <dbl>   <dbl>   <dbl>         <int>
1 South Africa    330.          338     53.1    241     438           22
2 Latvia          230.          226     65.8    151     364           28
3 Lithuania       225.          204     67.9    134     340           28
4 Romania         223.          220     46.5    172     303           24
5 Hungary         218.          208     72.4    141     375           28
6 Mexico          216.          217     75.5    155     453           26
7 Bulgaria        193.          186     45.5    156     378           26
8 Brazil          185.          172     51.6    133     356           24
9 Slovak Republ~  178.          167     43.4    130     308           24
10 Estonia        172.          167     59.7    100     265           26
# i 36 more rows
```

```
# Printing statistics by year
year_stats <- df_clean %>%
  group_by(year) %>%
  summarise(
    mean_rate = mean(death_rate, na.rm = TRUE),
    median_rate = median(death_rate, na.rm = TRUE),
    n_countries = n_distinct(country)
  ) %>%
  arrange(year)
print(year_stats)
```


```
# A tibble: 14 x 4
  year mean_rate median_rate n_countries
  <dbl>   <dbl>         <dbl>         <int>
1  2010    141.          128             45
2  2011    135.          124             44
```

3	2012	133.	120	45
4	2013	130.	116	45
5	2014	126.	117	46
6	2015	125.	114.	45
7	2016	124.	112.	46
8	2017	122.	111	45
9	2018	121.	108.	45
10	2019	118.	106.	44
11	2020	137.	118.	42
12	2021	148.	118.	40
13	2022	120.	108.	35
14	2023	112.	99.5	14

To visualize the cleaned data, we can create a distribution plot of preventable death rates:

```
# Loading necessary library
library(ggplot2)

# Plotting distribution of death rates
ggplot(df_clean, aes(x = death_rate)) +
  geom_histogram(bins = 30, fill = "#9B59B6", color = "white", alpha = 0.8) +
  labs(
    title = "Distribution of Preventable Death Rates",
    x = "Death Rate per 100,000",
    y = "Frequency",
    caption = "Source: OECD Health Statistics"
  ) +
  theme_minimal() +
  theme(
    plot.title = element_text(face = "bold", size = 14)
  )
```




2.3 Conceptual Framework: Knowledge & Understanding of Data

- **Clarify analytical purpose and domain context** to guide data selection and interpretation.
- **Define entities, observational units, and identifiers** to ensure accurate data representation.
- **Align business concepts with data structures** for meaningful analysis.

2.4 Data Collection

Data collection forms the foundational stage of any data science project, requiring systematic approaches to gather information that aligns with research objectives and analytical requirements. As outlined in modern statistical frameworks, effective data collection strategies must balance methodological rigor with practical constraints (M. & Hardin, 2021).

Figure 13: Methods of Data Collection



2.4.1 Core Data Collection Competencies

The competencies required for effective data collection encompass both technical proficiency and methodological understanding (see [Data Collection Competencies.pdf](#)):

- **Source Identification and Assessment:** Systematically identify internal and external data sources, evaluating their relevance, quality, and accessibility for the analytical objectives.

- **Data Acquisition Methods:** Implement appropriate collection techniques including APIs (for instance see [Spotify API tutorial](#) and [Postman Spotify tutorial](#)), database queries, survey instruments, sensor networks, web scraping, and third-party vendor partnerships, ensuring methodological alignment with research design.

For the two projects below, here are some data sources recommendations (automatically created by Perplexity AI Deep Research):

- [Project car emission/sales](#)
- [Project Spotify](#)
- **Quality and Governance Framework:** Establish protocols for assessing data provenance, licensing agreements, ethical compliance, and regulatory requirements (GDPR, industry-specific standards).
- **Methodological Considerations:** Apply principles from research methodology to ensure data collection approaches support valid statistical inference and minimize bias introduction during the acquisition process.

2.4.2 Contemporary Data Collection Landscape

Modern data collection operates within an increasingly complex ecosystem characterized by diverse data types, real-time requirements, and distributed sources. The integration of traditional survey methods with emerging IoT sensors, social media APIs, and automated data pipelines requires comprehensive competency frameworks that address both technical implementation and methodological validity.

For comprehensive coverage of data collection methodologies and best practices, refer to: [Research Methodology - Data Collection](#)

2.5 Data Management

- Organize: schema design, naming conventions.
- Clean: resolve duplicates, inconsistencies, missingness.
- Convert: type casting, normalization, encoding.
- Curate: maintain lineage, documentation, metadata.
- Preserve: backups, versioning (see also [Analytical Skills for Business - Implementing version control systems](#)), retention policies.

Data Management in data science curricula requires a coherent, multi-facet framework that spans data quality, FAIR stewardship, master data governance, privacy/compliance, and modern architectures. Data quality assessment and governance define objective metrics (completeness, accuracy, consistency, plausibility, conformance) and governance processes that balance automated checks with human oversight. FAIR data principles provide a practical blueprint for metadata-rich stewardship to support findability, accessibility, interoperability, and reuse through machine-actionable metadata and persistent identifiers.

Master Data Management ensures clean, trusted core entities across systems via governance and harmonization. Data privacy, security, and regulatory compliance embed responsible data handling and risk management, guided by purpose limitation, data minimization, accuracy, storage limitations, integrity/confidentiality, and accountability. Emerging trends in cloud-native data platforms, ETL/ELT (Extract, Transform, Load or Extract, Load, Transform), data lakes/lakehouses, and broader metadata automation shape scalable storage/compute and

governance, enabling reproducible analytics and ML workflows. Together, these strands underpin trustworthy, discoverable, and compliant data inputs for research and coursework (Weiskopf & Weng, 2016; Wilkinson et al., 2016; GO FAIR Foundation, n.d.; Semarchy, n.d.; IBM, n.d.).

Tools like [dbt](#), [Apache Airflow](#), and data catalog platforms (e.g., [Alation](#), [Collibra](#)) operationalize data management practices. Also the [n8n](#) automation tool can be used for automating data workflows. See the [Analytical Skills for Business course handbook](#) on this topic. In late 2025 there was a free [n8n certification course](#) added to the n8n documentation.

2.6 Data Evaluation

- Define data quality dimensions and assessment frameworks.
- Distinguish validation from verification in data pipelines.
- Apply statistical methods and data profiling for evaluation.
- Balance automated and manual (human-in-the-loop) evaluation approaches.
- Implement tools, workflows, and governance for data evaluation.

Data evaluation ensures datasets are fit-for-purpose, reliable, and trustworthy throughout the analytical lifecycle. It encompasses systematic assessment of data quality dimensions (completeness, accuracy, consistency, validity, timeliness, uniqueness), validation and verification processes, and strategic application of statistical methods and data profiling. Quality dimensions provide measurable criteria for determining whether data meets analytical requirements, while assessment frameworks translate these into actionable metrics enabling objective measurement and contextual interpretation.

Validation and verification are complementary processes essential for data integrity. Validation checks occur at entry points, preventing bad data through constraint checks, format validation, and business rule enforcement. Verification involves post-collection checks ensuring data remains accurate and consistent over time and across system boundaries, supporting reproducibility and traceability. Together, validation acts as a gatekeeper while verification provides ongoing quality assurance.

Statistical methods form the technical foundation for evaluation. Outlier detection techniques (z-score, IQR, DBSCAN) identify anomalous observations requiring investigation. Distribution checks assess whether data conforms to expected patterns, while profiling describes dataset structure, missingness patterns, and statistical properties. Regression analysis and hypothesis testing diagnose quality issues and quantify relationships between quality metrics and analytical outcomes.

Modern data evaluation balances automated and manual approaches. Automated evaluation offers speed, scalability, and consistency for large datasets through rule-based validation, statistical profiling, and machine learning-based anomaly detection. Manual evaluation contributes domain expertise, contextual understanding, and interpretative judgment that automated systems cannot replicate. Human-in-the-loop approaches combine automation's efficiency with human interpretability, optimizing both throughput and quality.

Tools, workflows, and governance frameworks provide infrastructure for systematic evaluation across the data lifecycle. Data profiling tools (e.g., Pandas Profiling, Great Expectations, Deequ) automate quality assessment. Validation frameworks embed checks into ETL/ELT pipelines. Data lineage tracking and metadata management support traceability and impact analysis. Governance frameworks establish roles, responsibilities, and processes aligning evaluation practices with regulatory requirements and reproducibility needs.

3 Applications in the Programming Language R

Please read the [How to Use R for Data Science](#) by Prof. Dr. Huber for any basic questions regarding R programming.

3.1 Core tidyverse Tooling

Fundamental packages:

- `dplyr` for data manipulation (filter, mutate, summarize, joins).

```
# Loading necessary library
library(dplyr)

# Using dplyr to pipe
df_summary <- df_clean %>%
  group_by(country) %>%
  summarize(
    mean_death_rate = mean(death_rate, na.rm = TRUE),
    max_death_rate = max(death_rate, na.rm = TRUE),
    min_death_rate = min(death_rate, na.rm = TRUE)
  ) %>%
  arrange(desc(mean_death_rate))

# Displaying the summary statistics
print(df_summary)
```

```
# A tibble: 46 x 4
  country          mean_death_rate max_death_rate min_death_rate
  <chr>              <dbl>          <dbl>          <dbl>
1 South Africa      330.           438            241
2 Latvia            230.           364            151
3 Lithuania         225.           340            134
4 Romania            223.           303            172
5 Hungary           218.           375            141
6 Mexico            216.           453            155
7 Bulgaria          193.           378            156
8 Brazil            185.           356            133
9 Slovak Republic   178.           308            130
10 Estonia          172.           265            100
# i 36 more rows
```

- `tidyr` for data reshaping (pivoting, nesting, separating, unnesting).

```
# Loading necessary library
library(tidyr)

# Using tidyr to pivot data
df_wide <- df_clean %>%
  pivot_wider(
```

```

    names_from = year,
    values_from = death_rate
  )

# Displaying the wide format data
print(df_wide)

# A tibble: 46 x 16
  country_code country `2010` `2011` `2012` `2013` `2014` `2015` `2016` `2017`
  <chr>         <chr>   <list> <list> <list> <list> <list> <list> <list>
1 AUS          Austral~ <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
2 AUT          Austria <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
3 BEL          Belgium <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
4 CAN          Canada  <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
5 CHL          Chile   <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
6 COL          Colombia <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
7 CRI          Costa R~ <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
8 CZE          Czechia <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
9 DNK          Denmark <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
10 EST         Estonia <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
# i 36 more rows
# i 6 more variables: `2018` <list>, `2019` <list>, `2020` <list>,
#   `2021` <list>, `2022` <list>, `2023` <list>

```

- `ggplot2` for layered grammar-based visualization. See the example above.
- some more R libraries:
 - `readr` for ingestion of CSV and other flat files.
 - `readxl` for ingestion of Excel files.
 - `lubridate` for date-time handling.
 - `purrr` for functional iteration.
 - `stringr` for text handling.
 - `forcats` for factor handling.

for ingestion, functional iteration, text, and factor handling.

3.2 Data Visualization Principles

Choose encodings appropriate to variable types:

- Continuous (Quantitative) variables → Position, Length Examples: x/y coordinates in scatter plots, bar heights, line positions
- Categorical (Nominal) variables → Color hue, Shape, Facets Examples: different colors for groups, point shapes, separate panels
- Ordinal variables → Ordered position, Color saturation Examples: ordered categories on axis, gradient colors from light to dark
- Temporal variables → Position along x-axis, Line connections Examples: time on horizontal axis, connected points showing progression
- Compositional (Part-to-whole) → Stacked position, Area Examples: stacked bars, proportional areas

Emphasize clarity: reduce chart junk; apply perceptual best practices:


Clarity in data visualization requires removing unnecessary elements that distract from the data while applying principles of human perception to enhance understanding.

- Remove decorative elements (3D effects, shadows, gradients)
- Eliminate redundant labels and gridlines
- Minimize non-data ink (borders, background colors)
- Avoid unnecessary legends when direct labeling is possible
- Use position over angle for quantitative comparisons (bar charts > pie charts)
- Maintain consistent scales across comparable charts
- Respect aspect ratios that emphasize meaningful patterns
- Choose colorblind-friendly palettes
- Ensure sufficient contrast between data and background

```
# Loading necessary libraries
library(ggplot2)
library(dplyr)

# Creating data for demonstration
country_subset <- df_clean %>%
  filter(country %in% c("Germany", "France", "United Kingdom")) %>%
  filter(year >= 2015)

# Example: Clean, minimal visualization
ggplot(country_subset, aes(x = year, y = death_rate, color = country)) +
  geom_line(linewidth = 1) +
  geom_point(size = 2) +
  labs(
    title = "Preventable Death Rates (2015-2023)",
    x = "Year",
    y = "Deaths per 100,000",
    color = "Country"
  ) +
  theme_minimal() +
  theme(
    panel.grid.minor = element_blank(), # Removing unnecessary gridlines
    legend.position = "bottom",
    plot.title = element_text(face = "bold")
  )
```



Support comparison, trend detection, and anomaly spotting:

Effective visualizations should facilitate three key analytical tasks: comparing values across groups, identifying trends over time, and detecting unusual patterns.

Support comparison:

- Align items on common scales for direct comparison
- Use small multiples (facets) for comparing across categories
- Order categorical variables meaningfully (by value, alphabetically, or logically)
- Keep consistent ordering across related charts

Enable trend detection:

- Use connected lines for temporal data to show continuity
- Add trend lines (linear, loess) to highlight overall patterns
- Display sufficient time periods to establish meaningful trends
- Avoid over-smoothing that hides important variations

Facilitate anomaly spotting:

- Use reference lines or bands for expected ranges
- Highlight outliers through color or annotation
- Include context (confidence intervals, historical ranges)
- Maintain consistent scales to make deviations visible

```
# Loading necessary libraries
library(ggplot2)
library(dplyr)

# Calculating statistics for anomaly detection
country_stats <- df_clean %>%
  group_by(country) %>%
  summarise(
```

```

    mean_rate = mean(death_rate, na.rm = TRUE),
    sd_rate = sd(death_rate, na.rm = TRUE)
  )

# Joining back to identify anomalies
df_annotated <- df_clean %>%
  left_join(country_stats, by = "country") %>%
  mutate(
    z_score = (death_rate - mean_rate) / sd_rate,
    is_anomaly = abs(z_score) > 2 # Flagging values > 2 standard deviations
  )


# Example: Visualization supporting comparison, trends, and anomaly detection
selected_countries <- c("Germany", "France", "United Kingdom", "Italy", "Spain")
df_subset <- df_annotated %>% filter(country %in% selected_countries)

ggplot(df_subset, aes(x = year, y = death_rate, color = country)) +
  geom_line(linewidth = 0.8) +
  geom_point(aes(size = is_anomaly, alpha = is_anomaly)) +
  scale_size_manual(values = c(1.5, 3), guide = "none") +
  scale_alpha_manual(values = c(0.6, 1), guide = "none") +
  facet_wrap(~ country, ncol = 2) + # Small multiples for comparison
  labs(
    title = "Preventable Death Rates: Trends and Anomalies",
    subtitle = "Larger points indicate statistical anomalies (>2 SD from country mean)",
    x = "Year",
    y = "Deaths per 100,000",
    color = "Country"
  ) +
  theme_minimal() +
  theme(
    legend.position = "none",
    strip.text = element_text(face = "bold"),
    plot.title = element_text(face = "bold")
  )

```

Preventable Death Rates: Trends and Anomalies

Larger points indicate statistical anomalies (>2 SD from country mean)



3.3 Detecting Outliers and Anomalies

- **Rule-based methods (IQR, z-scores):** These classical univariate approaches identify outliers by establishing statistical thresholds, where observations falling beyond predefined boundaries (e.g., $1.5 \times \text{IQR}$ or ± 3 standard deviations) are flagged as potential anomalies. While computationally efficient and interpretable, these methods assume underlying distributional properties and may overlook multivariate patterns.

```
# Loading necessary library
library(dplyr)

# Calculating z-scores for death_rate
df_zscores <- df_clean %>%
  group_by(country) %>%
  mutate(
    mean_rate = mean(death_rate, na.rm = TRUE),
    sd_rate = sd(death_rate, na.rm = TRUE),
    z_score = (death_rate - mean_rate) / sd_rate,
    is_outlier = abs(z_score) > 3 # Flagging z-scores beyond ±3
  ) %>%
  ungroup()

# Displaying observations flagged as outliers
outliers <- df_zscores %>%
  filter(is_outlier)
print(outliers)
```

A tibble: 10 x 8

country_code	country	year	death_rate	mean_rate	sd_rate	z_score	is_outlier
<chr>	<chr>	<dbl>	<dbl>	<dbl>	<dbl>	<dbl>	<lgl>

1	COL	Colombia	2021	304	142.	48.2	3.35	TRUE
2	CRI	Costa Rica	2021	209	114.	28.3	3.36	TRUE
3	MEX	Mexico	2020	445	216.	75.5	3.03	TRUE
4	MEX	Mexico	2021	453	216.	75.5	3.14	TRUE
5	SVK	Slovak Re~	2021	308	178.	43.4	3.00	TRUE
6	ARG	Argentina	2021	269	149.	27.1	4.42	TRUE
7	BRA	Brazil	2021	356	185.	51.6	3.31	TRUE
8	BGR	Bulgaria	2021	378	193.	45.5	4.07	TRUE
9	PER	Peru	2020	408	124.	90.4	3.14	TRUE
10	PER	Peru	2021	447	124.	90.4	3.57	TRUE

- **Robust statistics (median, MAD):** Resistant measures such as the median and median absolute deviation (MAD) provide reliable central tendency and dispersion estimates that are less influenced by extreme values compared to mean and standard deviation. These statistics form the foundation for outlier detection in skewed or heavy-tailed distributions where parametric assumptions are violated.

```
# Loading necessary library
library(dplyr)

# Calculating robust statistics for death_rate
df_robust <- df_clean %>%
  group_by(country) %>%
  mutate(
    median_rate = median(death_rate, na.rm = TRUE),
    mad_rate = mad(death_rate, constant = 1, na.rm = TRUE),
    robust_z = 0.6745 * (death_rate - median_rate) / mad_rate,
    is_robust_outlier = abs(robust_z) > 3.5
  ) %>%
  ungroup()

# Displaying observations flagged as robust outliers
robust_outliers <- df_robust %>%
  filter(is_robust_outlier)
print(robust_outliers)
```

```
# A tibble: 10 x 8
  country_code country    year death_rate median_rate mad_rate robust_z
  <chr>         <chr>    <dbl>    <dbl>    <dbl>    <dbl>    <dbl>
1 COL          Colombia 2021      304      132      27      4.30
2 MEX          Mexico   2020      445      217      34      4.52
3 MEX          Mexico   2021      453      217      34      4.68
4 ARG          Argentina 2020      194      144.      5.5      6.19
5 ARG          Argentina 2021      269      144.      5.5     15.4
6 BRA          Brazil    2021      356      172.      31      4.01
7 BGR          Bulgaria 2021      378      186      20.5     6.32
8 PER          Peru     2020      408      97.5      6.5     32.2
9 PER          Peru     2021      447      97.5      6.5     36.3
10 PER         Peru     2022      146      97.5      6.5      5.03

# i 1 more variable: is_robust_outlier <lgl>
```

- **Model-based or multivariate detection (e.g., Mahalanobis distance, clustering residuals):** Advanced techniques account for correlation structures and multidimensional relationships, enabling detection of outliers that appear normal in individual dimensions but are anomalous in multivariate space. Mahalanobis distance measures how many standard deviations an observation is from the distribution center, while clustering residuals identify observations that deviate from expected cluster membership patterns.
- **Distinguish errors vs. novel but valid observations:** Critical analytical judgment is required to differentiate between measurement errors, data entry mistakes, and legitimate extreme values that represent rare but genuine phenomena. This distinction has profound implications for data quality management and scientific discovery, as premature removal of valid outliers may obscure important patterns or emerging trends.

3.4 Dimensionality Reduction

- **Motivation: mitigate multicollinearity, noise, and curse of dimensionality:** High-dimensional datasets present computational challenges and statistical complications, including increased sparsity, model overfitting, and reduced discriminatory power of distance-based methods. Dimensionality reduction addresses these issues by transforming data into lower-dimensional representations while preserving essential variance and structural relationships.
- **Techniques: Principal Component Analysis (PCA), Factor Analysis, (optionally) t-SNE / UMAP (for exploration):** PCA identifies orthogonal linear combinations of variables that maximize variance, creating uncorrelated components suitable for regression and classification tasks. Factor Analysis assumes latent constructs underlying observed variables, focusing on shared variance and theoretical interpretation, while non-linear methods like t-SNE and UMAP preserve local neighborhood structures for exploratory visualization of complex data manifolds.

```
# Loading necessary libraries
library(dplyr)

# Preparing data for PCA (using numeric variables only)
df_pca <- df_clean %>%
  select(year, death_rate) %>%
  na.omit()

# Performing PCA
pca_result <- prcomp(df_pca, scale. = TRUE)

# Displaying summary of PCA
summary(pca_result)
```

Importance of components:

	PC1	PC2
Standard deviation	1.0189	0.9807
Proportion of Variance	0.5191	0.4809
Cumulative Proportion	0.5191	1.0000

```
# Showing principal component loadings
print(pca_result$rotation)
```

```

              PC1      PC2
year          0.7071068 0.7071068
death_rate -0.7071068 0.7071068

```

```
# Calculating proportion of variance explained
var_explained <- pca_result$sdev^2 / sum(pca_result$sdev^2)
cat("Proportion of variance explained by PC1:", round(var_explained[1], 3), "\n")
```

Proportion of variance explained by PC1: 0.519

```
cat("Proportion of variance explained by PC2:", round(var_explained[2], 3), "\n")
```

Proportion of variance explained by PC2: 0.481

- **Interpretability vs. compression trade-offs:** Dimensionality reduction inherently balances the competing objectives of achieving parsimonious data representations and maintaining interpretable relationships to original variables. While aggressive compression maximizes computational efficiency and reduces noise, it may obscure meaningful features and complicate domain-specific interpretation of analytical results.

3.5 Data Exploration and Mining


- **Structured EDA workflow: question → visualize → quantify → refine:** Exploratory Data Analysis follows a systematic iterative process that begins with research questions, employs visualization to generate hypotheses, quantifies patterns through statistical measures, and refines understanding through successive analytical cycles. This disciplined approach prevents data dredging while ensuring comprehensive investigation of data characteristics and relationships.

```
# Loading necessary libraries
library(ggplot2)
library(dplyr)

# Step 1: Question - Are death rates declining over time?

# Step 2: Visualize
ggplot(df_clean, aes(x = year, y = death_rate)) +
  geom_point(alpha = 0.3) +
  geom_smooth(method = "lm", color = "red") +
  labs(
    title = "EDA: Death Rates Over Time",
    x = "Year",
    y = "Deaths per 100,000"
  ) +
  theme_minimal()
```

EDA: Death Rates Over Time



```
# Step 3: Quantify
trend_model <- lm(death_rate ~ year, data = df_clean)
summary(trend_model)
```

Call:

```
lm(formula = death_rate ~ year, data = df_clean)
```

Residuals:

Min	1Q	Median	3Q	Max
-89.80	-54.93	-13.16	27.95	327.80

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1544.5523	1087.6865	1.420	0.156
year	-0.7023	0.5395	-1.302	0.193

Residual standard error: 69.57 on 1160 degrees of freedom

Multiple R-squared: 0.001459, Adjusted R-squared: 0.0005978

F-statistic: 1.694 on 1 and 1160 DF, p-value: 0.1933

```
# Step 4: Refine - Examine by country
country_trends <- df_clean %>%
  group_by(country) %>%
  summarise(
    correlation = cor(year, death_rate, use = "complete.obs")
  ) %>%
  arrange(correlation)

print(head(country_trends))
```



```
# A tibble: 6 x 2
  country      correlation
  <chr>        <dbl>
1 South Africa -0.663
2 Israel       -0.473
3 Korea        -0.338
4 Japan        -0.324
5 Luxembourg   -0.317
6 Lithuania    -0.290
```

- **PCA for variance structure:** Principal Component Analysis reveals the underlying variance-covariance structure of multivariate data, identifying dimensions of maximum variability and reducing redundancy among correlated variables. By examining eigenvalues and component loadings, analysts determine the effective dimensionality of the dataset and detect dominant patterns in the data.
- **Factor Analysis for latent constructs:** This technique assumes that observed variables are manifestations of unobservable latent factors, making it particularly valuable for psychometric research and construct validation. Unlike PCA, Factor Analysis models measurement error explicitly and focuses on shared rather than total variance, facilitating theoretical interpretation of underlying psychological or economic constructs.

```
# Loading necessary libraries
library(dplyr)
library(tidyr)

# Creating a wider dataset for factor analysis
# First, get unique country-year combinations by averaging any duplicates
df_wide_fa <- df_clean %>%
  filter(year >= 2018) %>%
  select(country, year, death_rate) %>%
  group_by(country, year) %>%
  summarise(death_rate = mean(death_rate, na.rm = TRUE), .groups = "drop") %>%
  pivot_wider(names_from = year, values_from = death_rate, names_prefix = "year_") %>%
  select(-country) %>%
  na.omit()

# Performing factor analysis using base R stats package
if(nrow(df_wide_fa) > 10 && ncol(df_wide_fa) >= 3) {
  # Determining number of factors (minimum of 2 or ncol-1)
  n_factors <- min(2, ncol(df_wide_fa) - 1)

  # Using factanal from stats package
  fa_result <- factanal(df_wide_fa, factors = n_factors, rotation = "varimax")

  # Displaying factor loadings
  cat("Factor Loadings:\n")
  print(fa_result$loadings)

  # Calculating proportion of variance explained
  loadings_sq <- fa_result$loadings^2
  var_explained <- colSums(loadings_sq) / nrow(loadings_sq)
```

```

cat("\nProportion of variance explained by each factor:\n")
print(var_explained)

# Displaying uniquenesses (proportion of variance not explained by factors)
cat("\nUniqueness (1 - communality):\n")
print(fa_result$uniquenesses)
} else {
  cat("Note: Not enough observations or variables for factor analysis.\n")
  cat("Factor analysis requires at least 3 variables and sufficient observations.\n")
}

```

Factor Loadings:

Loadings:

	Factor1	Factor2
year_2018	0.759	0.650
year_2019	0.754	0.655
year_2020	0.673	0.736
year_2021	0.731	0.668
year_2022	0.775	0.630
year_2023	0.729	0.664

	Factor1	Factor2
SS loadings	3.262	2.676
Proportion Var	0.544	0.446
Cumulative Var	0.544	0.990

Proportion of variance explained by each factor:

Factor1	Factor2
0.5437206	0.4460732

Uniqueness (1 - communality):

year_2018	year_2019	year_2020	year_2021	year_2022	year_2023
0.00500000	0.00500000	0.00500000	0.01875942	0.00500000	0.02905113

- **Regression Analysis for relationships and predictive structure:** Linear and non-linear regression models quantify relationships between dependent and independent variables, enabling both explanatory analysis of associations and predictive modeling of outcomes. These methods provide parameter estimates, statistical inference, and diagnostic tools to assess model adequacy and identify influential observations.

```

# Loading necessary library
library(dplyr)

# Preparing data with a categorical variable
df_regression <- df_clean %>%
  mutate(
    time_period = case_when(
      year < 2015 ~ "Early",
      year >= 2015 & year < 2020 ~ "Middle",

```

```

    year >= 2020 ~ "Recent"
  )
) %>%
filter(!is.na(time_period))

# Simple linear regression
model_simple <- lm(death_rate ~ year, data = df_regression)
summary(model_simple)

```

Call:

```
lm(formula = death_rate ~ year, data = df_regression)
```

Residuals:

Min	1Q	Median	3Q	Max
-89.80	-54.93	-13.16	27.95	327.80

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1544.5523	1087.6865	1.420	0.156
year	-0.7023	0.5395	-1.302	0.193

Residual standard error: 69.57 on 1160 degrees of freedom

Multiple R-squared: 0.001459, Adjusted R-squared: 0.0005978

F-statistic: 1.694 on 1 and 1160 DF, p-value: 0.1933

```

# Multiple regression with categorical predictor
model_multiple <- lm(death_rate ~ year + time_period, data = df_regression)
summary(model_multiple)

```

Call:

```
lm(formula = death_rate ~ year + time_period, data = df_regression)
```

Residuals:

Min	1Q	Median	3Q	Max
-98.10	-54.76	-12.67	27.19	319.30

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	6960.638	3073.466	2.265	0.0237 *
year	-3.393	1.528	-2.221	0.0265 *
time_periodMiddle	5.755	8.892	0.647	0.5177
time_periodRecent	31.218	14.975	2.085	0.0373 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 69.32 on 1158 degrees of freedom

Multiple R-squared: 0.01036, Adjusted R-squared: 0.007793

F-statistic: 4.04 on 3 and 1158 DF, p-value: 0.007176

```
# Extracting and interpreting coefficients
cat("\nCoefficient interpretation:\n")
```

Coefficient interpretation:

```
cat("Year coefficient:", round(coef(model_simple)[2], 3), "\n")
```

Year coefficient: -0.702

```
cat("This means death rate changes by", round(coef(model_simple)[2], 3),
    "per 100,000 per year\n")
```

This means death rate changes by -0.702 per 100,000 per year

- **Clustering (k-means, hierarchical) for pattern discovery (if included):** Unsupervised clustering algorithms partition observations into homogeneous groups based on similarity metrics, revealing natural taxonomies and segment structures within data. K-means optimizes within-cluster variance through iterative assignment, while hierarchical methods create nested groupings that can be visualized through dendrograms to inform cluster selection.

```
# Loading necessary libraries
library(dplyr)
library(ggplot2)


# Preparing data for clustering - average death rate by country
df_cluster <- df_clean %>%
  group_by(country) %>%
  summarise(
    mean_death_rate = mean(death_rate, na.rm = TRUE),
    trend = cor(year, death_rate, use = "complete.obs")
  ) %>%
  na.omit()

# K-means clustering
set.seed(123)
kmeans_result <- kmeans(df_cluster[, c("mean_death_rate", "trend")], centers = 3)

# Adding cluster assignment to data
df_cluster$cluster <- as.factor(kmeans_result$cluster)

# Visualizing clusters
ggplot(df_cluster, aes(x = mean_death_rate, y = trend, color = cluster)) +
  geom_point(size = 3) +
  labs(
    title = "K-means Clustering of Countries",
    x = "Mean Death Rate",
    y = "Time Trend (correlation)",
```

```
color = "Cluster"
) +
theme_minimal()
```



```
# Displaying cluster centers
cat("\nCluster Centers:\n")
```

Cluster Centers:

```
print(kmeans_result$centers)
```

	mean_death_rate	trend
1	91.57995	-0.13751640
2	159.63393	0.08403368
3	240.58291	-0.15086402

3.6 Causal Inference with Regression Analysis

- **Distinguish association vs. causation:** Statistical association measures correlation between variables without implying directionality, whereas causal inference attempts to establish that changes in one variable directly produce changes in another. Demonstrating causality requires careful consideration of temporal precedence, theoretical mechanisms, and elimination of alternative explanations through research design and statistical controls.

```
# Loading necessary library
library(dplyr)

# Example: Association between year and death rate
association <- cor(df_clean$year, df_clean$death_rate, use = "complete.obs")
cat("Association (correlation) between year and death rate:", round(association, 3), "\n")
```

Association (correlation) between year and death rate: -0.038

```
cat("\nThis shows association, but does NOT prove that time causes death rate changes.\n")
```

This shows association, but does NOT prove that time causes death rate changes.

```
cat("Potential confounders: healthcare improvements, policy changes, etc.\n")
```

Potential confounders: healthcare improvements, policy changes, etc.

```
# Demonstrating how confounders can affect interpretation
# Creating a hypothetical scenario
df_confound <- df_clean %>%
  mutate(
    developed = country %in% c("Germany", "France", "United Kingdom",
                              "United States", "Japan")
  )

# Correlation in developed vs developing countries
cor_developed <- df_confound %>%
  filter(developed == TRUE) %>%
  summarise(cor = cor(year, death_rate, use = "complete.obs")) %>%
  pull(cor)

cor_developing <- df_confound %>%
  filter(developed == FALSE) %>%
  summarise(cor = cor(year, death_rate, use = "complete.obs")) %>%
  pull(cor)

cat("\nCorrelation in developed countries:", round(cor_developed, 3), "\n")
```

Correlation in developed countries: 0.002

```
cat("Correlation in developing countries:", round(cor_developing, 3), "\n")
```

Correlation in developing countries: -0.046

```
cat("\nDifferent correlations suggest development level may be a confounder.\n")
```


Different correlations suggest development level may be a confounder.

- **Model specification and confounding control:** Proper model specification identifies relevant covariates and functional forms to isolate the causal effect of interest while controlling for confounding variables that influence both treatment and outcome. Omitted variable bias, measurement error, and incorrect functional forms threaten causal identification, necessitating theory-driven variable selection and specification testing.
- **Assumptions: linearity, independence, homoskedasticity, exogeneity:** Valid causal inference from regression requires that relationships are linear in parameters, observations are independent, error variance is constant across predictor levels, and explanatory variables are uncorrelated with the error term. Violations of these assumptions bias coefficient estimates, invalidate standard errors, and compromise hypothesis tests, requiring diagnostic assessment and remedial measures.

```
# Loading necessary libraries
library(ggplot2)
library(dplyr)
library(lmtest)

# Fitting a regression model
model <- lm(death_rate ~ year, data = df_clean)

# Checking assumptions through diagnostic plots
par(mfrow = c(2, 2))
plot(model)
```



```
par(mfrow = c(1, 1))

# Testing for homoskedasticity (Breusch-Pagan test)
bp_test <- bptest(model)
cat("\nBreusch-Pagan test for homoskedasticity:\n")
```

Breusch-Pagan test for homoskedasticity:

```
cat("p-value:", bp_test$p.value, "\n")
```

p-value: 0.2263175

```
if(bp_test$p.value < 0.05) {
  cat("Evidence of heteroskedasticity (non-constant variance)\n")
} else {
  cat("No strong evidence against homoskedasticity\n")
}
```

No strong evidence against homoskedasticity

```
# Checking for normality of residuals
shapiro_test <- shapiro.test(residuals(model)[1:5000]) # Shapiro test limited to 5000 obs
cat("\nShapiro-Wilk test for normality of residuals:\n")
```

Shapiro-Wilk test for normality of residuals:

```
cat("p-value:", shapiro_test$p.value, "\n")
```

p-value: 9.063082e-29

- **Interpretation of coefficients and marginal effects:** Regression coefficients represent the expected change in the dependent variable associated with a one-unit change in the independent variable, holding other factors constant. Marginal effects extend this interpretation to non-linear models and interaction terms, quantifying how the impact of one variable varies across levels of another variable.

```
# Loading necessary library
library(dplyr)

# Creating interaction term
df_interaction <- df_clean %>%
  mutate(
    recent_period = ifelse(year >= 2020, 1, 0),
    year_centered = year - mean(year)
  )
```



```
# Model with interaction
model_interaction <- lm(death_rate ~ year_centered * recent_period,
                        data = df_interaction)
summary(model_interaction)
```

Call:

```
lm(formula = death_rate ~ year_centered * recent_period, data = df_interaction)
```

Residuals:

Min	1Q	Median	3Q	Max
-104.90	-54.62	-13.11	28.45	318.36

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	123.948	2.607	47.541	< 2e-16 ***
year_centered	-2.313	0.807	-2.866	0.00423 **
recent_period	56.979	22.746	2.505	0.01238 *
year_centered:recent_period	-6.947	4.376	-1.588	0.11267

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 69.25 on 1158 degrees of freedom

Multiple R-squared: 0.01215, Adjusted R-squared: 0.00959

F-statistic: 4.747 on 3 and 1158 DF, p-value: 0.002694

```
# Interpreting coefficients
coefs <- coef(model_interaction)
cat("\nCoefficient Interpretation:\n")
```

Coefficient Interpretation:

```
cat("-----\n")
```

```
cat("Main effect of year:", round(coefs["year_centered"], 3), "\n")
```

Main effect of year: -2.313

```
cat(" -> In pre-2020 period, each year is associated with a",
     round(coefs["year_centered"], 3), "change in death rate\n\n")
```

-> In pre-2020 period, each year is associated with a -2.313 change in death rate

```
cat("Interaction effect:", round(coefs["year_centered:recent_period"], 3), "\n")
```

Interaction effect: -6.947

```
cat("  -> In 2020+, the year effect changes by an additional",  
    round(coefs["year_centered:recent_period"], 3), "\n")
```

-> In 2020+, the year effect changes by an additional -6.947

```
cat("  -> Total effect in 2020+:",  
    round(coefs["year_centered"] + coefs["year_centered:recent_period"], 3), "\n")
```

-> Total effect in 2020+: -9.26

- **Sensitivity and robustness checks:** Assessing the stability of causal conclusions across alternative model specifications, sample restrictions, and analytical choices strengthens inference and identifies fragile results dependent on specific assumptions. Techniques include varying control variables, testing different functional forms, examining subgroup effects, and conducting placebo tests to validate identification strategies.

```
# Loading necessary library  
library(dplyr)  
  
# Base model  
model1 <- lm(death_rate ~ year, data = df_clean)  
  
# Alternative specification 1: Adding squared term  
df_robust <- df_clean %>%  
  mutate(year_sq = year^2)  
model2 <- lm(death_rate ~ year + year_sq, data = df_robust)  
  
# Alternative specification 2: Different time periods  
df_subset1 <- df_clean %>% filter(year >= 2015)  
model3 <- lm(death_rate ~ year, data = df_subset1)  
  
df_subset2 <- df_clean %>% filter(year < 2020)  
model4 <- lm(death_rate ~ year, data = df_subset2)  
  
# Comparing coefficients across models  
cat("Robustness Check: Year Coefficient Across Specifications\n")
```

Robustness Check: Year Coefficient Across Specifications

```
cat("-----\n")
```

```
cat("Model 1 (Base):", round(coef(model1)["year"], 4), "\n")
```

Model 1 (Base): -0.7023

```
cat("Model 2 (Quadratic):", round(coef(model2)["year"], 4), "\n")
```

Model 2 (Quadratic): -1105.846

```
cat("Model 3 (2015+):", round(coef(model3)["year"], 4), "\n")
```

Model 3 (2015+): 0.9826

```
cat("Model 4 (Pre-2020):", round(coef(model4)["year"], 4), "\n")
```

Model 4 (Pre-2020): -2.3126

```
cat("\nInterpretation: If coefficients are similar across specifications,\n")
```

Interpretation: If coefficients are similar across specifications,

```
cat("this suggests the relationship is robust to model choices.\n")
```

this suggests the relationship is robust to model choices.

```
# Comparing R-squared values  
cat("\nModel Fit Comparison:\n")
```

Model Fit Comparison:

```
cat("Model 1 R-squared:", round(summary(model1)$r.squared, 4), "\n")
```

Model 1 R-squared: 0.0015

```
cat("Model 2 R-squared:", round(summary(model2)$r.squared, 4), "\n")
```

Model 2 R-squared: 0.0042

4 Project report and presentation

You will find all formal instructions for the project report and presentation in the [guidelines](#).

Presentation timetable:

- Project *Spotify* **Presentation** and **Report** by Jill, Leonie and Isabel
- Project *Environmental Pollution* **Presentation** by Frederik
- Project *Elon Musk* **Presentation** and **Report** by Esra & Mira
- Project *Influencer Engagement* **Presentation** and **Report** by Stella & Athina
- Project *Soccer Player Valuation* **Presentation** and **Report** by Dominic
- Project *COVID-19 pandemic* **Presentation** and **Report** by Mats, Laurine and Eric (17.12.2025)
- Project *AI companion* **Presentation** by Hosna

Assessment criteria for the report:

- Clarity of Research Question (and Objectives)
- Data Understanding and Preparation
- Appropriateness of Methods and Analysis
- Implementation and Code Quality (in R)
- Interpretation of Results
- Visualization and Communication
- Structure and Presentation of the Report
- Critical Reflection and Limitations

Example linear regression analysis and storytelling:

```
# Loading necessary libraries
library(ourdata)
library(dplyr)

# Creating data frames from the ourdata package datasets
hdi_df <- hdi
imr_df <- imr

# Combining two data frames
combined_df <- ourdata::combine(imr_df$name, hdi_df$country, imr_df$`deaths/1`, hdi_df$HumanDevelopmentIndex_2024,
                                col1 = "Country", col2 = "IMR", col3 = "HDI")
```


```
'data.frame':  181 obs. of  3 variables:
 $ Country: chr  "Afghanistan" "Somalia" "Central African Republic" "Equatorial Guinea" ...
 $ IMR    : num  101.3 83.6 80.5 77.4 71.2 ...
 $ HDI    : num  0.496 0.404 0.414 0.674 0.467 0.419 0.416 0.388 0.493 0.419 ...
```

```
# or combining with dplyr
combined_df <- inner_join(imr_df, hdi_df, by = c("name" = "country")) %>%
  select(Country = name, IMR = `deaths/1`, HDI = HumanDevelopmentIndex_2024)

# Creating scatter plot
plot(combined_df$HDI, combined_df$IMR, main = "Influence of HDI (Human Development Index) on IMR (Infant Mortality Rate) / HDI = Independent Variable) / IMR = Dependent Variable", ylab = "IMR", xlab = "HDI")
```

```
# Adding regression line
model <- lm(combined_df$IMR ~ combined_df$HDI)
abline(model, col = "red")
```

ence of HDI (Human Development Index) on IMR (Infant Mort



HDI = Independent Variable) / IMR = Dependent Variable

```
# Showing summary of the model
summary(model)
```

Call:

```
lm(formula = combined_df$IMR ~ combined_df$HDI)
```

Residuals:

Min	1Q	Median	3Q	Max
-24.387	-5.474	-0.017	4.470	54.530

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	99.893	3.623	27.57	<2e-16 ***
combined_df\$HDI	-107.103	4.775	-22.43	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 9.723 on 179 degrees of freedom

Multiple R-squared: 0.7376, Adjusted R-squared: 0.7361

F-statistic: 503.2 on 1 and 179 DF, p-value: < 2.2e-16

Conclusion and interpretation of the results:

The fitted linear model ($IMR \sim HDI$) shows a very strong, negative association: the HDI coefficient is -113.23 ($SE = 4.73$, $t = -23.92$, $p < 2e-16$).

This means that a one-unit increase in HDI (note: HDI ranges roughly 0–1) is associated with a predicted decrease in infant mortality of about 113 deaths per 1,000 live births.

Practical meaning Higher human development (better education, income and health components of HDI) is strongly associated with lower infant mortality.

Caveats and diagnostics to check Correlation → causation: this is observational. Confounding (e.g., health spending, access to care, urbanization) could drive both HDI and IMR. Avoid causal claims without further analysis.

Summary HDI and IMR are strongly negatively associated: higher HDI is linked to substantially lower infant mortality (HDI explains ~77% of IMR variation here), but confirmatory causal analysis and diagnostic checks are needed before policy attribution.


Example of a heatmap visualization:

```
# Loading necessary libraries
library(ggplot2)
library(dplyr)
library(tidyr)

# Preparing data for heatmap
heatmap_data <- df_clean %>%
  filter(year >= 2010 & year <= 2023) %>%
  group_by(country, year) %>%
  summarise(mean_death_rate = mean(death_rate, na.rm = TRUE), .groups = "drop")

# Creating heatmap
ggplot(heatmap_data, aes(x = year, y = country, fill = mean_death_rate)) +
  geom_tile(color = "white") +
  scale_fill_viridis_c(option = "plasma", na.value = "grey50") +
  labs(
    title = "Heatmap of Mean Preventable Death Rates by Country (2010–2023)",
    x = "Year",
    y = "Country",
    fill = "Mean Death Rate"
  ) +
  theme_minimal() +
  theme(
    axis.text.y = element_text(size = 6),
    plot.title = element_text(face = "bold")
  )
```

Heatmap of Mean Preventable Death Rates by Country



5 Literature

All references for this course.

5.1 Essential Readings

Békés, G. and G. Kézdi (2021). *Resources for Data Analysis for Business, Economics, and Policy*. <https://www-cambridge-org.eux.idm.oclc.org/highereducation/books/data-analysis-for-business-economics-and-policy/D67A1B0B56176D6D6A92E27F3F82AA20/resources/instructor-resources/F57C5762D1593E72250729668A08A53B>. https://github.com/DrBenjamin/Analytical-Skills-for-Business/blob/c2ec1b2061c7dc36200977cfd58daf6020c1c774/literature/B%C3%A9k%C3%A9s_Data%20Analysis%20for%20Business%2C%20Economics%2C%20and%20Policy__2021_First%20Day%20of%20Class%20Slides.pdf/?raw=true.}

Evans, J. R. (2020). “Evans, J. R. (2020). Business analytics’.

Huntington-Klein, N. (2025). *The Effect: An Introduction to Research Design and Causality*. <https://theeffectbook.net/>.

Wickham, H., M. Çetinkaya-Rundel, and G. Grolemund (2023). *R for Data Science (2e)*. <https://r4ds.hadley.nz/>.

5.2 Further Readings

ActivityInfo (2023). *A six-step guide to data quality assessments*. Web article. <https://www.activityinfo.org/blog/posts/2023-03-10-a-six-step-guide-to-data-quality-assessments.html>.

Collibra (2022). *The 6 dimensions of data quality*. Web article. <https://www.collibra.com/blog/the-6-dimensions-of-data-quality>.

Cuadrado-Gallego, J. J., Y. Demchenko, J. G. Pérez, et al. (2023). “Data Analytics: A Theoretical and Practical View from the EDISON Project’’. In: *Data Analytics: A Theoretical and Practical View from the EDISON Project*, pp. 1-477. DOI: 10.1007/978-3-031-39129-3/COVER.

Foundation, G. F. *The FAIR Principles*. <https://www.go-fair.org/fair-principles/>.

Gross, B. (2021). *Technical Applications & Data Analytics coursebook*. <https://github.com/DrBenjamin/ourdata>. <https://github.com/DrBenjamin/Data-Science-and-Data-Analytics/blob/66da3d5a65a1f57ab9ca5e35fd91df4077a7bad7/literature/Technical%20Applications%20%26%20Data%20Analytics.pdf/?raw=true>.}

IBM *Data Warehouses vs. Data Lakes vs. Data Lakehouse*. <https://www.ibm.com/think/topics/data-warehouse-vs-data-lake-vs-data-lakehouse>.

Irizarry, R. A. (2024). *Introduction to Data Science: Data Wrangling and Visualization with R*. <https://rafalab.dfci.harvard.edu/dsbook-part-1/>.

Kumar, U. D. (2017). “Business analytics: The science of data-driven decision making.’

Lee, K., N. G. Weiskopf, and J. Pathak (2018). “A framework for data quality assessment in clinical research datasets’’. In: *AMIA Annual Symposium Proceedings*. , pp. 1080–1089. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5977591/>.

M., Ç. and J. Hardin (2021). *Introduction to Modern Statistics*. <https://www.openintro.org/book/ims/>. <https://github.com/DrBenjamin/Analytical-Skills-for-Business/blob/>

491a9a84dd0227aab44e0a6db7e6330830a05a6b/literature/Introduction_to_Modern_Statistics_2e.pdf/?raw=true.

Maneth, S. and A. Poulouvassilis (2016). “Data Science’’. In: *Advance Access publication on* 12. DOI: 10.1093/comjnl/bxw073. <https://academic.oup.com/comjnl/article/60/3/285/2608072>.

Pochiraju, B. and S. Seshadri (2019). *Essentials of Business Analytics*. Ed. by B. Pochiraju and S. Seshadri. Vol. 264. <https://link.springer.com/10.1007/978-3-319-68837-4>. Springer International Publishing. ISBN: 978-3-319-68836-7. DOI: 10.1007/978-3-319-68837-4. <https://github.com/DrBenjamin/Analytical-Skills-for-Business/blob/c2ec1b2061c7dc36200977cfd58daf6020c1c774/literature/Essentials%20of%20Business%20Analytics.pdf/?raw=true>.}

Precisely *Data validation vs. data verification: What’s the difference?* Web article. <https://www.precisely.com/data-quality/data-validation-vs-data-verification/>.

Semarchy *Master Data Management Frameworks Explained*. <https://semarchy.com/blog/master-data-management-frameworks/>.

Vaughan, D. (2020). “Analytical skills for AI and data science’’.

<https://learning.oreilly.com/library/view/analytical-skills-for/9781492060932/preface01.html#idm46388898852872>.

Weiskopf, N. G. and C. Weng (2013). “Methods and dimensions of electronic health record data quality assessment: Enabling reuse for clinical research’’. In: *Journal of the American Medical Informatics Association* 20.1, pp. 144–151. DOI: 10.1136/amiajnl-2011-000681.

——— (2016). “Data quality assessment framework to assess electronic medical record data for use in research’’. In: *International Journal of Medical Informatics* 90, pp. 40–47. <https://pmc.ncbi.nlm.nih.gov/articles/PMC12335082/>.

Wilkinson, M. D., M. Dumontier, I. J. Aalbersberg, et al. (2016). “The FAIR guiding principles for scientific data management and stewardship’’. In: *Scientific Data* 3.160018. <https://www.nature.com/articles/sdata.2016.18>.