Git in 15 Schritten.

Ich glaub das mit denen eiengen branches ist Unsinn gewesen! Man sollte zu jedem issue einen neuen branch auf machen! Die Screenshots sind zu nem anderen pull request

Fragen an John

Filters - | is:pr is:open


```
1. Master auf neuesten Stand bringen
$ git pull
Already up-to-date.
2. Neuen Branch ISSUEXXX erstellen
$ git branch ISSUE20
3. Branch wechseln
$ git checkout ISSUE20
Switched to a new branch 'ISSUE20'
4. Ansehen auf welchem branch man ist
$ git branch
* ISSUE20
  master
5. Eigenen Branch auf den neuesten Stand bringen
$ git rebase master
First, rewinding head to replay your work on top of it...
Fast-forwarded ISSUE20 to master.
6. Das eigene Tickt lösen und TicktName in die commit-Nachricht: ISSSUE
#20
$ git commit −a
[ISSUE20 7429f1d] ISSUE 20 Add LDX, LDY + Test
 3 files changed, 471 insertions(+), 14 deletions(-)
7. In eignen brnach pushen: git push origin XXX
$ git push origin ISSUE20
Counting objects: 9, done.
Delta compression using up to 2 threads.
Compressing objects: 100% (8/8), done.
Writing objects: 100\% (9/9), 1.71 KiB | 0 bytes/s, done.
Total 9 (delta 7), reused 0 (delta 0)
remote: Resolving deltas: 100% (7/7), completed with 7 local objects.
To https://github.com/JonnyWalker/PySNES.git
 * [new branch]
                        ISSUE20 -> ISSUE20
8. Im Browser auf pull request klicken und 'new pull request'
  JonnyWalker / PySNES
                                                        O Unwatch ▼ 4
                                                                    ★ Star 1
   <> Code
          ! Issues 32
                    The Pull requests 0
                                            Wiki Wiki
                                                           Settings
                          Label issues and pull requests for new contributors
                                                                             Dismiss
                        Now, GitHub will help potential first-time contributors discover issues
                              labeled with help wanted or good first issue
```

Labels


Milestones

New pull request

9. Im drop down base master compare dein branch (im Beispiel ISSUE20). Dann create pull request (Bild weicht ab, dort heißt das Ding witulski)



10. Unter reviewer jemand wählen der heute Zeit hat. Bei approve wird merge grün und klicken, ansonsten lokal ändern und commiten nochmal auf reviwer warten



11. Danach wieder auf Rechner auf master wechseln, neue pullen, auf eigenen branch wechseln und rebasen (Schritt 1 bis 5)

Ziele: Änderungen Tickets zuordnen, Wissen an reviewer weiter geben und fehlerhaften Code vermeiden