




XML Tutorial

[XML HOME](#)[XML Introduction](#)[XML How to use](#)[XML Tree](#)[XML Syntax](#)[XML Elements](#)[XML Attributes](#)[XML Namespaces](#)[XML Display](#)[XML XSLT](#)[XML XPath](#)[XML XLink](#)[XML Doctypes](#)[XML Validator](#)[XML DTD](#)[XML Schema](#)[XML Server](#)[XML Applications](#)[XML Examples](#)[XML Quiz](#)

XML Attributes

[« Previous](#)[Next Chapter »](#)

XML elements can have attributes, just like HTML.

Attributes are designed to contain data related to a specific element.

XML Attributes Must be Quoted

Attribute values must always be quoted. Either single or double quotes can be used.

For a person's gender, the <person> element can be written like this:

```
<person gender="female">
```

XML DOM

DOM Intro

DOM Nodes

DOM XMLHttpRequest

DOM Accessing

DOM Node Info

DOM Node List

DOM Traversing

DOM Navigating

DOM Get Values

DOM Change Nodes

DOM Remove Nodes

DOM Replace Nodes

DOM Create Nodes

DOM Add Nodes

DOM Clone Nodes

DOM Examples

DOM Reference

DOM Node Types

DOM Node

DOM NodeList

DOM NamedNodeMap

DOM Document

or like this:

```
<person gender='female'>
```

If the attribute value itself contains double quotes you can use single quotes, like in this example:

```
<gangster name='George "Shotgun" Ziegler'>
```

or you can use character entities:

```
<gangster name="George &quot;Shotgun&quot; Ziegler">
```

XML Elements vs. Attributes

Take a look at these examples:

```
<person gender="female">
  <firstname>Anna</firstname>
  <lastname>Smith</lastname>
</person>
```

DOM Element

DOM Attribute

DOM Text

DOM CDATA

DOM Comment

DOM XMLHttpRequest

DOM Parser

Web Services

XML Services

XML WSDL

XML SOAP

XML RDF

XML RSS

XML DTD

DTD Intro

DTD Building Blocks

DTD Elements

DTD Attributes

DTD Elements vs Attr

DTD Entities

DTD Examples

XSD Schema

```
<person>
  <gender>female</gender>
  <firstname>Anna</firstname>
  <lastname>Smith</lastname>
</person>
```

In the first example gender is an attribute. In the last, gender is an element. Both examples provide the same information.

There are no rules about when to use attributes or when to use elements in XML.

My Favorite Way

The following three XML documents contain exactly the same information:

A date attribute is used in the first example:

```
<note date="2008-01-10">
  <to>Tove</to>
  <from>Jani</from>
</note>
```

XSD Intro
XSD Why Use
XSD How To
XSD <schema>

XSD Simple

XSD Elements
XSD Attributes
XSD Restrictions

XSD Complex

XSD Elements
XSD Empty
XSD Elements Only
XSD Text Only
XSD Mixed
XSD Indicators
XSD <any>
XSD <anyAttribute>
XSD Substitution
XSD Example

XSD Data

XSD String
XSD Date

A <date> element is used in the second example:

```
<note>  
  <date>2008-01-10</date>  
  <to>Tove</to>  
  <from>Jani</from>  
</note>
```

An expanded <date> element is used in the third example: (THIS IS MY FAVORITE):

```
<note>  
  <date>  
    <year>2008</year>  
    <month>01</month>  
    <day>10</day>  
  </date>  
  <to>Tove</to>  
  <from>Jani</from>  
</note>
```

Avoid XML Attributes?

Some things to consider when using attributes are:

- attributes cannot contain multiple values (elements can)

XSD Numeric

XSD Misc

- attributes cannot contain tree structures (elements can)
- attributes are not easily expandable (for future changes)

Don't end up like this:

XSD References

XSD Reference

```
<note day="10" month="01" year="2008"  
to="Tove" from="Jani" heading="Reminder"  
body="Don't forget me this weekend!">  
</note>
```

XML Attributes for Metadata

Sometimes ID references are assigned to elements. These IDs can be used to identify XML elements in much the same way as the id attribute in HTML. This example demonstrates this:

```
<messages>  
  <note id="501">  
    <to>Tove</to>  
    <from>Jani</from>  
    <heading>Reminder</heading>  
    <body>Don't forget me this weekend!</body>  
  </note>  
  <note id="502">  
    <to>Jani</to>  
    <from>Tove</from>
```


```
<heading>Re: Reminder</heading>  
<body>I will not</body>  
</note>  
</messages>
```

The id attributes above are for identifying the different notes. It is not a part of the note itself.

What I'm trying to say here is that metadata (data about data) should be stored as attributes, and the data itself should be stored as elements.


[« Previous](#)

[Next Chapter »](#)



W3SCHOOLS EXAMS

COLOR PICKER




SHARE THIS PAGE



W

Take Your Photoshop
To The Web.



Request A Demo

Resellers

Reduce expenses and
Save money @ M3



[REPORT ERROR](#)
[PRINT PAGE](#)
[FORUM](#)
[ABOUT](#)

Top 10 Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[SQL Tutorial](#)
[PHP Tutorial](#)
[jQuery Tutorial](#)
[Bootstrap Tutorial](#)
[Angular Tutorial](#)
[ASP.NET Tutorial](#)
[XML Tutorial](#)

Top 10 References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[Browser Statistics](#)
[HTML DOM](#)
[PHP Reference](#)
[jQuery Reference](#)
[HTML Colors](#)
[HTML Character Sets](#)
[XML Reference](#)

Top 10 Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)

[HTML DOM Examples](#)

[PHP Examples](#)

[jQuery Examples](#)

[XML Examples](#)

[ASP Examples](#)

[SVG Examples](#)

Web Certificates

[HTML Certificate](#)

[HTML5 Certificate](#)

[CSS Certificate](#)

[JavaScript Certificate](#)

[jQuery Certificate](#)

[PHP Certificate](#)

[Bootstrap Certificate](#)

[XML Certificate](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2015 by Refsnes Data. All Rights Reserved.

