

HTML

CSS

JAVASCRIPT

SQL

TUTORIALS -



Q

XML Tutorial

XML HOME

XML Introduction

XML How to use

XML Tree

XML Syntax

XML Elements

XML Attributes

XML Namespaces

XML Display

XML XSLT

XML XPath

XML XLink

XML Doctypes

XML Validator

XML DTD

XML Schema

XML Server

XML Applications

XML Examples

XML Quiz


XML and XPath

« Previous

Next Chapter »

XPath (the XML Path language) is a language for finding information in an XML document.

What is XPath?



- XPath is a syntax for defining parts of an XML document
- XPath uses path expressions to navigate in XML documents
- XPath contains a library of standard functions
- XPath is a major element in XSLT
- XPath is also used in XQuery, XPointer and XLink
- XPath is a W3C recommendation

XML DOM

DOM Intro

DOM Nodes

DOM XMLHttpRequest

DOM Accessing

DOM Node Info

DOM Node List

DOM Traversing

DOM Navigating

DOM Get Values

DOM Change Nodes

DOM Remove Nodes

DOM Replace Nodes

DOM Create Nodes

DOM Add Nodes

DOM Clone Nodes

DOM Examples

DOM Reference

DOM Node Types

DOM Node

DOM NodeList

DOM NamedNodeMap

DOM Document

XPath Path Expressions

XPath uses path expressions to select nodes or node-sets in an XML document. These path expressions look very much like the expressions you see when you work with a traditional computer file system.

Today XPath expressions can also be used in JavaScript, Java, XML Schema, PHP, Python, C and C++, and lots of other languages.

XPath is Used in XSLT

XPath is a major element in the XSLT standard. Without XPath knowledge you will not be able to create XSLT documents.

XPath Example

We will use the following XML document:

```
<?xml version="1.0" encoding="UTF-8"?>

<bookstore>

<book category="cooking">
        <title lang="en">Everyday Italian</title>
        <author>Giada De Laurentiis</author>
```

DOM Element

DOM Attribute

DOM Text

DOM CDATA

DOM Comment

DOM XMLHttpRequest

DOM Parser

Web Services

XML Services

XML WSDL

XML SOAP

XML RDF

XML RSS

XML DTD

DTD Intro

DTD Building Blocks

DTD Elements

DTD Attributes

DTD Elements vs Attr

DTD Entities

DTD Examples

XSD Schema

```
<year>2005</year>
 <price>30.00</price>
</book>
<book category="children">
 <title lang="en">Harry Potter</title>
 <author>J K. Rowling</author>
 <year>2005</year>
 <price>29.99</price>
</book>
<book category="web">
 <title lang="en">XQuery Kick Start</title>
  <author>James McGovern</author>
 <author>Per Bothner</author>
 <author>Kurt Cagle</author>
 <author>James Linn</author>
 <author>Vaidyanathan Nagarajan
 <year>2003</year>
 <price>49.99</price>
</book>
<book category="web">
 <title lang="en">Learning XML</title>
 <author>Erik T. Ray</author>
 <year>2003</year>
 <price>39.95</price>
</book>
</bookstore>
```

XSD Intro

XSD Why Use

XSD How To

XSD <schema>

XSD Simple

XSD Elements

XSD Attributes

XSD Restrictions

XSD Complex

XSD Elements

XSD Empty

XSD Elements Only

XSD Text Only

XSD Mixed

XSD Indicators

XSD <any>

XSD <anyAttribute>

XSD Substitution

XSD Example

XSD Data

XSD String

XSD Date

In the table below we have listed some XPath expressions and the result of the expressions:

XPath Expression	Result
/bookstore/book[1]	Selects the first book element that is the child of the bookstore element
/bookstore/book[last()]	Selects the last book element that is the child of the bookstore element
/bookstore/book[last()-1]	Selects the last but one book element that is the child of the bookstore element
/bookstore/book[position()<3]	Selects the first two book elements that are children of the bookstore element
//title[@lang]	Selects all the title elements that have an attribute named lang
//title[@lang='en']	Selects all the title elements that have a "lang" attribute with a value of "en"
/bookstore/book[price>35.00]	Selects all the book elements of the bookstore element that have a price element with a value greater than 35.00
/bookstore/book[price>35.00]/title	Selects all the title elements of the book elements of the bookstore element that have a price element with a value greater than 35.00

If you want to learn more about XPath, please read our XPath tutorial.

XSD Misc

« Previous

Next Chapter »

XSD References

XSD Reference



W3SCHOOLS EXAMS

HTML, CSS, JavaScript, PHP, jQuery, and XML Certifications

COLOR PICKER




SHARE THIS PAGE













REPORT ERROR PRINT PAGE FORUM ABOUT

Top 10 Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
SQL Tutorial
PHP Tutorial
jQuery Tutorial
Bootstrap Tutorial
Angular Tutorial
ASP.NET Tutorial
XML Tutorial

Top 10 References

HTML Reference
CSS Reference
JavaScript Reference
Browser Statistics
HTML DOM
PHP Reference
jQuery Reference
HTML Colors
HTML Character Sets
XML Reference

Top 10 Examples

HTML Examples

CSS Examples
JavaScript Examples
HTML DOM Examples
PHP Examples
jQuery Examples
XML Examples
ASP Examples
SVG Examples

Web Certificates

HTML Certificate
HTML5 Certificate
CSS Certificate
JavaScript Certificate
jQuery Certificate
PHP Certificate
Bootstrap Certificate
XML Certificate

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2015 by Refsnes Data. All Rights Reserved.

