

Evidence and Validation Pack

Audit-friendly remediation evidence, validation commands, and closure requirements.

Report Type	Remediation
Tool Source	Tenable.sc
Reporting Date	July 2026
Document Type	Remediation Guide

Contents

1. Evidence Matrix
2. Validation Commands
3. Closure Checklist

1. Evidence Matrix

Finding	Evidence Source	Validation Required	Closure Evidence
Apache Tomcat AJP Request Injection and Potential RCE	https://tomcat.apache.org/security-9.html https://nvd.nist.gov/vuln/detail/CVE-2020-1938	Run a new authenticated vulnerability scan and confirm the CVE-2020-1938 finding is closed.	Follow-up scan result, command output, and change record.
SSL Certificate Cannot Be Trusted	https://www.tenable.com/plugins/nessus/51192 https://docs.tenable.com/whitepapers/useful-plugins/Content/UsefulPlugins/Resolving51192.htm	Confirm OpenSSL chain verification returns OK using the approved CA bundle.	Follow-up scan result, command output, and change record.
Microsoft SQL Server Unsupported Version Detection	https://learn.microsoft.com/en-us/sql/sql-server/end-of-support/sql-server-end-of-support-overview https://learn.microsoft.com/en-us/troubleshooting/sql/releases/find-my-sql-version	Confirm the version/build maps to a supported Microsoft lifecycle state.	Follow-up scan result, command output, and change record.
SMB Signing Not Required	https://learn.microsoft.com/en-us/windows-server/storage/file-server/smb-signing https://learn.microsoft.com/en-us/windows-server/storage/file-server/smb-signing-overview	Confirm both RequireSecuritySignature values return True where policy requires signing.	Follow-up scan result, command output, and change record.

2. Validation Commands

Apache Tomcat AJP Request Injection and Potential RCE

Secure AJP when it is required

```
<!-- Example server.xml connector - adjust secret and address for the environment -->
<Connector protocol="AJP/1.3"
    address="127.0.0.1"
    port="8009"
    secretRequired="true"
    secret="CHANGE_ME_TO_A_LONG_RANDOM_SECRET" />
```

SSL Certificate Cannot Be Trusted

Tenable scanner trust handling when an internal CA is valid

```
# Tenable VM/Nessus: upload PEM encoded internal CA as documented by Tenable.
# Tenable.sc: create custom_CA.inc and custom_feed_info.inc, then upload the custom plugin feed bundle.
```

Microsoft SQL Server Unsupported Version Detection

Post-upgrade validation

```
SELECT @@VERSION;
SELECT name, state_desc, compatibility_level
FROM sys.databases
ORDER BY name;
```

SMB Signing Not Required

Validate after change

```
Get-SmbClientConfiguration | Format-List RequireSecuritySignature
Get-SmbServerConfiguration | Format-List RequireSecuritySignature
gpupdate /force
```

3. Closure Checklist

- Attach command output to the change record.

- Attach follow-up scan evidence.
- Confirm asset, port, protocol, and plugin/definition ID no longer appear as open.
- Record exceptions separately with risk acceptance evidence.