

Remediation Guide

Vulnerability remediation plan

Report Type	Remediation
Tool Source	OpenShift
Reporting Month	July 2026

Table of Contents

- 1. Portfolio Risk Overview
- 2. Remediation Actions
- 3. Validation Requirements
- 4. References

1. Portfolio Risk Overview

Tool Source: OpenShift

Reporting Month: July 2026

Total Open Findings: 140

2. Remediation Actions

1. openssl - CVE-2026-3015

- Affected Findings: 3 across 3 assets
- Asset Examples: identity/scheduler-1, integration/web-1, shared-services/scheduler-1
- CVE: CVE-2026-3015
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. No fixed component version was supplied by the scanner. Confirm vendor guidance, apply an approved compensating control, and re-evaluate when a supported fix becomes available.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
openssl version -a
sudo apt-get update
sudo apt-get install --only-upgrade openssl
sudo systemctl restart <affected-service>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

2. krb5-libs - CVE-2026-3021

- Affected Findings: 3 across 3 assets
- Asset Examples: customer-portal/scheduler-2, edge/scheduler-2, integration/gateway-2
- CVE: CVE-2026-3021
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update krb5-libs to krb5-libs-4.4.3 or a later supported fixed version, rebuild the container image, and redeploy scheduler-2.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

3. curl - CVE-2026-3027

- Affected Findings: 3 across 3 assets
- Asset Examples: customer-portal/api-3, monitoring/gateway-3, payments/gateway-3
- CVE: CVE-2026-3027
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update curl to curl-2.1.9 or a later supported fixed version, rebuild the container image, and redeploy gateway-3.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

4. go-toolset - CVE-2026-3033

- Affected Findings: 3 across 3 assets
- Asset Examples: analytics/api-4, payments/worker-4, shared-services/gateway-4
- CVE: CVE-2026-3033
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update go-toolset to go-toolset-4.7.2 or a later supported fixed version, rebuild the container image, and redeploy gateway-4.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

5. expat - CVE-2026-3039

- Affected Findings: 3 across 3 assets
- Asset Examples: identity/worker-5, integration/api-5, shared-services/worker-5
- CVE: CVE-2026-3039
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update expat to expat-2.4.8 or a later supported fixed version, rebuild the container image, and redeploy api-5.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

6. openssl - CVE-2026-3000

- Affected Findings: 3 across 3 assets
- Asset Examples: customer-portal/worker-1, edge/worker-1, integration/web-1
- CVE: CVE-2026-3000
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. No fixed component version was supplied by the scanner. Confirm vendor guidance, apply an approved compensating control, and re-evaluate when a supported fix becomes available.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
openssl version -a
sudo apt-get update
sudo apt-get install --only-upgrade openssl
sudo systemctl restart <affected-service>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

7. krb5-libs - CVE-2026-3006

- Affected Findings: 3 across 3 assets
- Asset Examples: customer-portal/scheduler-2, monitoring/web-2, payments/web-2
- CVE: CVE-2026-3006
- Severity: Critical
- Patch Priority: P2

- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update krb5-libs to krb5-libs-2.7.7 or a later supported fixed version, rebuild the container image, and redeploy web-2.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

8. curl - CVE-2026-3012

- Affected Findings: 4 across 4 assets
- Asset Examples: analytics/scheduler-3, identity/web-3, payments/gateway-3, shared-services/web-3
- CVE: CVE-2026-3012
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update curl to curl-4.4.13 or a later supported fixed version, rebuild the container image, and redeploy web-3.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

9. go-toolset - CVE-2026-3018

- Affected Findings: 3 across 3 assets
- Asset Examples: edge/web-4, identity/gateway-4, integration/scheduler-4
- CVE: CVE-2026-3018
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update go-toolset to go-toolset-2.1.6 or a later supported fixed version, rebuild the container image, and redeploy scheduler-4.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

10. expat - CVE-2026-3024

- Affected Findings: 3 across 3 assets
- Asset Examples: customer-portal/gateway-5, edge/gateway-5, monitoring/scheduler-5
- CVE: CVE-2026-3024
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update expat to expat-4.7.12 or a later supported fixed version, rebuild the container image, and redeploy gateway-5.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

11. openssl - CVE-2026-3030

- Affected Findings: 3 across 3 assets
- Asset Examples: analytics/gateway-1, monitoring/api-1, payments/api-1
- CVE: CVE-2026-3030
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. No fixed component version was supplied by the scanner. Confirm vendor guidance, apply an approved compensating control, and re-evaluate when a supported fix becomes available.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
openssl version -a
sudo apt-get update
sudo apt-get install --only-upgrade openssl
sudo systemctl restart <affected-service>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

12. krb5-libs - CVE-2026-3036

- Affected Findings: 3 across 3 assets
- Asset Examples: analytics/worker-2, identity/api-2, shared-services/api-2
- CVE: CVE-2026-3036
- Severity: Critical
- Patch Priority: P2

- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update krb5-libs to krb5-libs-4.1.11 or a later supported fixed version, rebuild the container image, and redeploy api-2.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

13. curl - CVE-2026-3042

- Affected Findings: 3 across 3 assets
- Asset Examples: edge/api-3, identity/web-3, integration/worker-3
- CVE: CVE-2026-3042
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update curl to curl-2.7.4 or a later supported fixed version, rebuild the container image, and redeploy worker-3.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

14. go-toolset - CVE-2026-3003

- Affected Findings: 3 across 3 assets
- Asset Examples: customer-portal/web-4, edge/web-4, monitoring/worker-4
- CVE: CVE-2026-3003
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update go-toolset to go-toolset-4.4.10 or a later supported fixed version, rebuild the container image, and redeploy web-4.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

15. expat - CVE-2026-3009

- Affected Findings: 3 across 3 assets
- Asset Examples: analytics/web-5, monitoring/scheduler-5, payments/scheduler-5
- CVE: CVE-2026-3009
- Severity: Critical
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update expat to expat-2.1.3 or a later supported fixed version, rebuild the container image, and redeploy scheduler-5.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

16. zlib - CVE-2026-3010

- Affected Findings: 4 across 4 assets
- Asset Examples: edge/worker-1, identity/scheduler-1, integration/web-1, shared-services/scheduler-1
- CVE: CVE-2026-3010
- Severity: High
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. No fixed component version was supplied by the scanner. Confirm vendor guidance, apply an approved compensating control, and re-evaluate when a supported fix becomes available.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

17. krb5-libs - CVE-2026-3011

- Affected Findings: 4 across 4 assets
- Asset Examples: customer-portal/scheduler-2, edge/scheduler-2, monitoring/web-2, payments/web-2
- CVE: CVE-2026-3011
- Severity: High
- Patch Priority: P2

- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update krb5-libs to krb5-libs-2.3.6 or a later supported fixed version, rebuild the container image, and redeploy web-2.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

18. glibc - CVE-2026-3016

- Affected Findings: 3 across 3 assets
- Asset Examples: customer-portal/scheduler-2, edge/scheduler-2, monitoring/web-2
- CVE: CVE-2026-3016
- Severity: High
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update glibc to glibc-3.8.11 or a later supported fixed version, rebuild the container image, and redeploy web-2.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

19. curl - CVE-2026-3017

- Affected Findings: 3 across 3 assets
- Asset Examples: analytics/scheduler-3, payments/gateway-3, shared-services/web-3
- CVE: CVE-2026-3017
- Severity: High
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update curl to curl-4.9.12 or a later supported fixed version, rebuild the container image, and redeploy web-3.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

20. python3-libs - CVE-2026-3022

- Affected Findings: 3 across 3 assets
- Asset Examples: analytics/scheduler-3, monitoring/gateway-3, payments/gateway-3
- CVE: CVE-2026-3022
- Severity: High
- Patch Priority: P2
- Advisory: <https://access.redhat.com/security/security-updates/cve>

Remediation steps:

1. Update python3-libs to python3-libs-5.5.4 or a later supported fixed version, rebuild the container image, and redeploy scheduler-3.
2. Validate application and service health after the change.
3. Run a follow-up vulnerability scan and retain evidence.

```
# Replace placeholders with the approved product-specific command
<apply-approved-security-update>
<validate-service-health>
<run-follow-up-scan>
```

Rollback and validation:

- Use the approved change rollback procedure if service-health checks fail.
- Confirm the installed version or configuration, validate service health, and verify closure in a follow-up scan.

3. Validation Requirements

Confirm service health, review change evidence, and verify closure in a follow-up vulnerability scan.

4. References

- <https://access.redhat.com/security/security-updates/cve>