

Vulnerability Analysis Report

Tenable.sc

REPORTING PERIOD

July 2026

REPORT TYPE


Executive dashboard

OPEN FINDINGS


125

Contents


1. Executive summary
2. Discovery and remediation trend
3. Total open vulnerabilities
4. Patch priority distribution
5. Age and patch priority
6. Top affected assets and vulnerabilities
7. Definitions and calculation logic



Severity posture



Patch priority posture




Executive observations

- 72 of 125 open findings require P1 or P2 handling.
- 51 findings contain positive exploit-availability evidence from the selected source exports.
- 25 findings were no longer observed since June 2026.

Vulnerabilities discovered




Vulnerabilities remediated



Calculation

- Discovered: findings whose First Discovered date falls in the reporting period.
- Remediated: findings present in the previous report and absent from the current report.
- A missing historical file is not treated as remediation evidence.



TOTAL OPEN

125

New + not closed

NEW

30

Since June 2026

NOT CLOSED

95

Persisting from prior report


PATCHED

25

No longer observed

Reconciliation

- 120 previous open + 30 new - 125 current open = 25 patched.



Priority matrix

Severity	Exploit available	No exploit
Critical	P1	P2
High	P1	P2
Medium	P2	P3
Low	P2	P4

Priority interpretation

- P1 and P2 are included in Immediate Patch Needed.
- Exploit availability must be supported by a source field. OpenShift Fixable indicates remediation availability, not exploitability.
- Different vulnerabilities on the same asset remain separate findings.

Open Findings by Age and Patch Priority

Cumulative thresholds: >7, >30, >60, and >180 days

Priority	>7 days	>30 days	>60 days	>180 days
P1	41	34	27	6
P2	29	26	21	5
P3	26	19	16	2
P4	27	21	19	5

How to read this page

- Thresholds are cumulative. A finding older than 180 days is also counted in >60, >30, and >7 days.
- Age uses the scanner vulnerability-age field when supplied; otherwise it is calculated from First Discovered to the report date.
- Missing age evidence is not assigned to a threshold.

Top affected assets

Asset	Open	P1/P2	Critical
asset-016.corp.local	4	1	0
asset-017.corp.local	4	4	4
asset-018.corp.local	4	4	0
asset-019.corp.local	4	0	0
asset-020.corp.local	4	1	0
asset-001.corp.local	3	3	3
asset-002.corp.local	3	3	0
asset-003.corp.local	3	0	0
asset-004.corp.local	3	1	0
asset-005.corp.local	3	3	3

Top vulnerabilities

Vulnerability	Open	Assets	Priority
Linux Kernel Security Update Available	13	4	P1
Nginx Security Update Available	13	4	P1
Oracle Java Unsupported Version	13	4	P1
SMB Signing Not Required	13	4	P1
TLS 1.0 Protocol Detection	13	4	P1
Apache Log4j Remote Code Execution	12	4	P1
Apache Tomcat AJP Request Injection	12	4	P1
Microsoft SQL Server Unsupported Version	12	4	P1
OpenSSL Security Update Available	12	4	P1
Remote Desktop Weak Encryption Enabled	12	4	P1

Measure	Definition
Total open	New findings plus findings still open from the previous comparable report.
New	Finding key is present in the current report but not the previous report.
Patched	Previous open + new - current open, reconciled against finding-key removal.
Finding identity	Asset identity + vulnerability identity + protocol + port/service. Different vulnerabilities on one asset are never deduplicated.
Exploit available	Positive evidence from the scanner exploit field. Empty, unavailable, unproven, or negative values are false.
P1-P4	Severity crossed with exploit availability using the approved priority matrix.
Age thresholds	Cumulative >7, >30, >60, and >180 day counts by patch priority.
OpenShift Fixable	Remediation availability only; it does not change exploit availability.

Source contribution

Tenable.sc		125
------------	--	-----