EMPLOYER TEST HANDOFF

Install alo on your iPhone

Use this guide after the developer supplies a signed test build.

Current status: no installable iPhone build yet.

The iOS source project is prepared. Native Xcode compilation, Apple signing and real-iPhone testing have not been completed. The source ZIP is not an installer, and no TestFlight invitation has been issued.

Device
iPhone with iOS 17 or later.

Storage
Several GB free for installation and local model preparation.

Delivery
A developer-issued TestFlight invitation or correctly signed device build.

Recommended: install through TestFlight [1]

1. Install **TestFlight** from the App Store on the iPhone you will use for testing.
2. Open the developer's invitation email and tap **View in TestFlight**, or open the developer's public invitation link.
3. Tap **Accept**, then **Install**. Once installation finishes, tap **Open**.
4. Check the alo build number in TestFlight. Keep a record of the iPhone model and iOS version.
5. When alo requests microphone access, tap **Allow**. On the first voice attempt, keep alo open while the embedded models are prepared.
6. Start with a short test sentence. Review all extracted fields before confirming a transaction.

TestFlight builds can expire after up to 90 days. If the build expires, request an updated invitation/build. TestFlight does not require Developer Mode. [1] [2]

If the developer supplies an IPA instead

An Ad Hoc build must be signed for your registered device. Ask the developer for the approved installation method, such as a device installation link or Apple Configurator on a Mac. Do not expect an IPA attachment to install by opening it in Files or WhatsApp. Follow Developer Mode prompts only when the chosen developer installation method requires it. [3] [2]

Privacy: recognition and readout are designed to run locally. Device backups and any feedback files you choose to share are separate. Do not share Apple passwords or use signing services from unknown providers.

FINANCIAL ACCURACY

Verify the numbers, not just the transcript

Use an empty test ledger, not real financial records. Choose the Personal ledger and today's date. First type each sentence and cancel after checking; then speak it, review the fields and save it **once**. This avoids duplicate test records.

1 · Expense

امروز پانصد هزار تومان خرج کردم

Expected: Type: **Expense** · Amount: **500,000 toman**.

2 · Quantity × unit price

سه عدد دفتر خریدم هرکدام دویست و پنجاه هزار تومان

Expected: Quantity: **3** · Unit price: **250,000 toman** · Total: **750,000 toman** · Type: **Expense**.

3 · Income

امروز پنج میلیون تومان درآمد داشتم

Expected: Type: **Income** · Amount: **5,000,000 toman**.

4 · Receivable

علی هشتصد هزار تومان به من بدهکار است

Expected: Type: **Receivable** · Person: **Ali / علی** · Amount: **800,000 toman**. This must not count as income.

5 · Payable

من پانصد هزار تومان به رضا بدهکارم

Expected: Type: **Payable** · Person: **Reza / رضا** · Amount: **500,000 toman**. This must not count as an expense.

Personal dashboard after saving the five cases once

Income	**5,000,000 toman**
Expenses	**1,250,000 toman**
Net income minus expenses	**3,750,000 toman**
Outstanding receivables / payables	**800,000 / 500,000 toman**

Filter by Personal and the test dates. Net is **not** a bank balance. With existing records, compare changes against your baseline.

SAFETY, USABILITY & FEEDBACK

Complete the acceptance checks

6 · Multiple transactions in one voice input

Use the separate Business ledger so this optional test does not change the Personal totals.

سه عدد دفتر خریدم هرکدام دویست و پنجاه هزار تومان و پنج میلیون تومان درآمد داشتم

Expected: **two draft rows** — expense **750,000** and income **5,000,000 toman**. Review and confirm each row separately, then save the batch. Business net for this test alone: **4,250,000 toman**.

Financial safeguards

- ☐ Say or type پانصد هزار تومان. An amount alone must not be silently saved as an expense.
- ☐ Try a planned purchase: میخواهم پانصد هزار تومان خرید کنم. It must require manual classification/review, not become an actual expense automatically.
- ☐ Cancel a draft. No new ledger row or dashboard change should appear.
- ☐ Pay **200,000 toman** against Reza's test payable using the linked debt-payment action. Remaining payable: **300,000 toman**; expenses stay **1,250,000**.

Device & visual checks

- ☐ After installation/model preparation, turn on Airplane Mode. Test recognition, readout and saving.
- ☐ Deny microphone access: expect a clear message and usable typed entry, not a crash.
- ☐ Test large text, keyboard visibility and Reduce Motion. No button or amount should overlap the bottom navigation or safe area.
- ☐ Listen to the transaction summary and confirm that the spoken amount agrees with the displayed amount.
- ☐ Close and reopen alo. Saved test rows, amounts and linked debt balances should remain correct.

Report a failure with enough detail to reproduce it

Include: iPhone model, iOS version, alo build, spoken sentence, raw transcript, extracted fields, expected values, screenshot and whether the issue repeats. Compare the typed and spoken versions to help separate transcription errors from parsing errors. Share audio only with explicit permission; financial data is private.

Acceptance: no unconfirmed saves, exact arithmetic, correct income/expense/debt classification, persistent rows and no visual overlap. Voice accuracy, RAM use, speed and heat still need measurement on the actual iPhone; no device benchmark or accuracy percentage is claimed.

Official installation references

[1] Apple — Testing Apps with TestFlight · [2] Apple — Developer Mode
[3] Apple — Ad Hoc provisioning profiles