



جوستاف روسي انترناشيونال - مصر (EPE) * طلب علاج أول مرة / متكرر

إسم المريض ربيعاً : ياسمين نصر زيدان السيد
المحافظة : الجيزة
الحى / المدينة : البدرشين
رقم البطاقة : 28608302101161 رقم التليفون : 01108939164
العنوان : 0
العمر (تاريخ الميلاد) : 30-08-1986 المهنة : ربه منزل
تاريخ تسجيل الإستمارة : 27-09-2026

الإقرار

أقر أنا الموقع أدناه أنني لا اتمتع بأي نظام علاج مثل:- التأمين الصحي-القوات المسلحة-الشرطة-الهيئات-المؤسسات أو أي نظام يتعارض مع نظام العلاج علي نفقة الدولة- وسوف اتحمل كافة نفقات العلاج في حالة ثبوت غير ذلك
الإحصائي الاجتماعي
التوقيع: (-----)
المقرر بما فيه
التوقيع: (-----)

التشخيص الإكلينيكي : سرطان بالثدي (مبادرة)

نتائج الأبحاث : (مرفق)

التشخيص النهائي : سرطان بالثدي (مبادرة)

خطة العلاج : أبحاث أورام ماموجرام وسونار علي الثديين [10888] قسم العلاج : الاورام

التعليق على التشخيص : -----

تقرير اللجنة الثلاثية المتخصصة

الاسم: د/محمد كيلاني
الاسم: د/ندى حسن
الاسم: د/نرمين رمضان
الوظيفة: -----
الوظيفة: -----
الوظيفة: -----
التوقيع: -----
التوقيع: -----
التوقيع: -----
أطلعت اللجنة علي لائحة العلاج الخاصة بالمجالس وتلتزم جهة العلاج بلائحة المجالس الطبية. كما تقرر اللجنة بأن البيانات المدونة في هذا النموذج صحيحة.
تعتمد صحة البيانات المرفقة
رئيس اللجنة ومدير
المستشفى.

تعهد المستشفى أن لا يتم تنفيذ القرار إلا بعد مراجعة الملف الطبي للمريض وإعادة مناظرة المريض بالمستشفى قبل الصرف.

أعضاء اللجنة

د. / ----- د. / ----- د. / -----

قرار اللجنة

التشخيص النهائي : -----
خطة العلاج : -----
المستشفى : -----
قسم : -----
جهة العلاج : -----
نفقات : -----
ملاحظات : -----

ختم
شعار الجمهورية

مدير عام
مديرية الشؤون الصحية

رئيس
المجلس الطبي المتخصص

--

Name: ياسمين نصر زيدان السيد National ID: 28608302101161	
---	---

تقرير طبي

السيد
تحية طبية وبعد,,

إيماء للطلب المقدم من	بشأن تقرير طبي للمريض
بقسم:	رقم طبي:

نتشرف بان نوضح فيما يلي تقريرنا عن حالته
--

تاريخ وساعة الدخول : -- --:-- yyyy-mm-dd	تاريخ وساعة الخروج : PM 01:17 05-07-2026
---	---

وبعد الكشف والفحوصات والمتابعة وجد انه
--

المریضة تعاني من ورم غير حمید بالثدي و تحتاج الي Bilateral mammogram and breast ultrasound
--

التاريخ : 05-07-2026	الوقت : -- --:--
	الطبيب المعالج : د/شيماء لاشين

جمهورية مصر العربية
بطاقة تحقيق الشخصية

ياسمين
نصر زيدان السيد جاد
قرية الشويك الغربى
مركز البدرشين - الجيزة

١٩٨٦/٠٨/٢٨
٢٨٦٠٨٣٠٢١٠١١٦١
JV2729727

~~١١٠٨٩٣٩١٦٤~~

١١٠٨٩٣٩١٦٤
١١٤٦٨٤٠٧٠٨

٢٠٢٢/١٢ ٢٨٦٠٨٣٠٢١٠١١٦١
بدون عمل

انتقى
مسلمة
متروجة
حسن محمد حسن منصور
البطاقة سارية حتى ٢٠٢٩/١٢/٣٠

١



جوهرة بنت محمد صالح بن عبد الله
بطاقة هوية شخصية


باسم
نصر زيدان السيد جاد
قرية الشويك الغربي
مركز البدر بطن - الجيزة

٢٨٦٠٨٣٠٢١٠١١٦١


JV2729727



٢٠٢٢/١٢ ٢٨٦٠٨٣٠٢١٠١١٦١
بدون عمل



أنثى مسلمة متزوجة
حسن محمد حسن منصور
البطاقة سارية حتى ٢٠٢٩/١٢/٣٠ ١





Gustave Roussy International-Egypt- Pathology Lab
جوستاف روسي الدولي للعلوم الطبية - مصر - مركز جوستاف روسي الدولي للعلوم الطبية



Patient Name	ياسمين نصر زيدان السيد	Case No.	361872
Sex/Age	Female 40 Y	Patient No.	26573
Registered Date	01/9/2026 10:12:39 AM	Referred By Dr.	Interventional Radiology
Validation Date	24/9/2026 11:12:52 AM	Branch	Gustave Roussy
Reporting Date	27/9/2026 12:16:34 PM	Pathology No.	2816/26

Pathology Report

Clinical Data: Left breast mass.

Nature of Specimen: Tru-cut biopsy, collected on 1/09/2026. Cold ischemia time is 20 seconds.

Gross Examination:

Four greyish, white tissue cores, ranging in size between 1.5 cm & 2.0 cm long, totally submitted.

Technique:

- Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for;
- ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

Microscopic examination:

- Histologic type: Invasive duct carcinoma.
- Histologic grade: 3 (differentiation 3, pleomorphism 3, mitosis 2)
- DCIS: Absent.
- Microcalcification: Absent.
- Angioinvasion: Absent.
- Perineural invasion: Absent.
- Tumor infiltrating lymphocytes (TILs): Mild

Results:

* IPT (All controls showed appropriate reactivity):

- ER: Strong nuclear reaction in 90% of tumor cells (score 8/8).
- PR: Strong nuclear reaction in 80% of tumor cells (score 8/8).
- Her2: Strong membrane staining in more than 10% of the tumor cells (score 3+)
- Ki67%: 70%.

Conclusion:

Left breast mass, Tru-cut biopsy:

- Invasive duct carcinoma, Grade 2.

IPT:

- ER: Positive (score 8/8).



مركز جوستاف روسي الدولي للعلوم الطبية - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche - Mistr El Qadema - Cairo, Egypt

Gustave Roussy International-Egypt- Pathology Lab
جوستاف روسي قتر زيلوئول - مصر عمل الباثولوجي

Patient Name	ياسمين نصر زيان السيد	Case No.	361872
Sex/Age	Female 40 Y	Patient No.	26573
Registered Date	01/9/2026 10:12:39 AM	Referred By Dr.	Interventional Radiology
Validation Date	24/9/2026 11:12:52 AM	Branch	Gustave Roussy
Reporting Date	27/9/2026 12:16:34 PM	Pathology No.	2816/26

- PR: Positive (score 8/8).

- Her2: Positive (score 3+)

- Ki67%: 70%.

****Scoring system: "ER, PR"**

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66%; 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak; 2, intermediate; and 3, strong). Total score from 0 to 8.

**** Scoring system: "Her2"**

Reference: ASCO-CAP Her2 Test Guideline Recommendation. IHC 0 (Null): as defined by no staining observed. IHC 0+ (Ultra-low) as defined by membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within > 10% of the invasive tumor cells.

IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within >10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is complete, intense > 10% of tumor cells.

Signature

Dr. Walaa Ibrahim Ghonaim, MD.



غرفة رقم (4) - الدور الأول - مبنى رقم (987) - كورنيش النيل - مصر الطبية - القاهرة - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche- Mistr El Qadema - Cairo, Egypt

Patient Name	ياسمين نصر زيدان السيد	Case No.	361872
Sex/Age	Female 40 Y	Patient No.	26573
Registered Date	01/9/2026 10:12:39 AM	Referred By Dr.	Interventional Radiology
Validation Date	24/9/2026 11:12:52 AM	Branch	Gustave Roussy
Reporting Date	27/9/2026 12:16:34 PM	Pathology No.	2816/26

Pathology Report

Clinical Data: Left breast mass.

Nature of Specimen: Tra-cut biopsy, collected on 1/09/2026. Cold ischemia time is 20 seconds.

Gross Examination:

Four greyish white tissue cores, ranging in size between 1.5 cm & 2.0 cm long, totally submitted.

Technique:

Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for; technique.

- ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

Microscopic examination:

-Histologic type: Invasive duct carcinoma.

- Histologic grade: 3 (differentiation 3, pleomorphism 3, mitosis 2)

- DCIS: Absent.

-Microcalcification: Absent.

-Angioinvasion: Absent.

- Perineural invasion: Absent.

- Tumor infiltrating lymphocytes (TILs): Mild

Results:

* IPT (All controls showed appropriate reactivity):

- ER: Strong nuclear reaction in 90% of tumor cells (score 8/8).

- PR: Strong nuclear reaction in 80% of tumor cells (score 8/8).

- Her2: Strong membrane staining in more than 10% of the tumor cells (score 3+)

-Ki67%: 70%.

Conclusion:

Left breast mass, Tru-cut biopsy:

- Invasive duct carcinoma, Grade 2.

IP1:

- ER: Positive (score 8/8).



خريطة رقم (4) - الدور الأول - مبنى رقم (987) - كورنيش النيل - مصر القديمة - القاهرة - مصر
Room No. (4) - First Floor-Building No. 987 - Nile Corniche - Mir El Qadema - Cairo, Egypt

Patient Name	ياسمين نصر زيان السيد	Case No.	361872
Sex/Age	Female 40 Y	Patient No.	26573
Registered Date	01/9/2026 10:12:39 AM	Referred By Dr.	Interventional Radiology
Validation Date	24/9/2026 11:12:52 AM	Branch	Gustave Roussy
Reporting Date	27/9/2026 12:16:34 PM	Pathology No.	2816/26

- PR: Positive (score 8/8).

- Her2: Positive (score 3+)

- Ki67%: 70%.

****Scoring system: "ER, PR"**

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66%; 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak; 2, intermediate; and 3, strong). Total score from 0 to 8.

**** Scoring system: "Her2"**

Reference: ASCO-CAP Her2 Test Guideline Recommendation. IHC 0 (Null): as defined by no staining observed. IHC 0+ (Ultra-low) as defined by membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within > 10% of the invasive tumor cells.

IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within >10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is complete, intense > 10% of tumor cells.

Signature


Dr. Walaa Ibrahim Ghonaim, MD.





1917. 1918. 1919. 1920.

1917. 1918. 1919. 1920.



بیادون عمل

منه

البطاقة سارية حتى ٢٠٢٩/١٢/٣٠





Gustave Roussy International-Egypt- Pathology Lab
جوستاف روسي الدولي - مصر - مركز عمل الباثولوجي



Patient Name	ياسمين نصر زيدان السيد	Case No.	361872
Sex/Age	Female 40 Y	Patient No.	26573
Registered Date	01/9/2026 10:12:39 AM	Referred By Dr.	Interventional Radiology
Validation Date	24/9/2026 11:12:52 AM	Branch	Gustave Roussy
Reporting Date	27/9/2026 12:16:34 PM	Pathology No.	2816/26

Pathology Report

Clinical Data: Left breast mass.

Nature of Specimen: Tru-cut biopsy, collected on 1/09/2026. Cold ischemia time is 20 seconds.

Gross Examination:

Four greyish, white tissue cores, ranging in size between 1.5 cm & 2.0 cm long, totally submitted.

Technique:

- Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for;
- ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

Microscopic examination:

- Histologic type: Invasive duct carcinoma.
- Histologic grade: 3 (differentiation 3, pleomorphism 3, mitosis 2)
- DCIS: Absent.
- Microcalcification: Absent.
- Angioinvasion: Absent.
- Perineural invasion: Absent.
- Tumor infiltrating lymphocytes (TILs): Mild

Results:

* IPT (All controls showed appropriate reactivity):

- ER: Strong nuclear reaction in 90% of tumor cells (score 8/8).
- PR: Strong nuclear reaction in 80% of tumor cells (score 8/8).
- Her2: Strong membrane staining in more than 10% of the tumor cells (score 3+)
- Ki67%: 70%.

Conclusion:

Left breast mass, Tru-cut biopsy:

- Invasive duct carcinoma, Grade 2.

IPT:

- ER: Positive (score 8/8).



مركز جوستاف روسي الدولي - مصر - مبنى رقم (987) - كورنيش النيل - مصر القديمة - القاهرة 5 - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche - First El Qadema - Cairo, Egypt

Gustave Roussy International-Egypt- Pathology Lab
جوستاف روسي قتر باثولوجيال - مصر عمل الباثولوجي

Patient Name	ياسمين نصر زيان السيد	Case No.	361872
Sex/Age	Female 40 Y	Patient No.	26573
Registered Date	01/9/2026 10:12:39 AM	Referred By Dr.	Interventional Radiology
Validation Date	24/9/2026 11:12:52 AM	Branch	Gustave Roussy
Reporting Date	27/9/2026 12:16:34 PM	Pathology No.	2816/26

- PR: Positive (score 8/8).

- Her2: Positive (score 3+)

- Ki67%: 70%.

****Scoring system: "ER, PR"**

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66%; 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak; 2, intermediate; and 3, strong). Total score from 0 to 8.

**** Scoring system: "Her2"**

Reference: ASCO-CAP Her2 Test Guideline Recommendation. IHC 0 (Null): as defined by no staining observed. IHC 0+ (Ultra-low) as defined by membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within > 10% of the invasive tumor cells.

IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within >10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is complete, intense > 10% of tumor cells.

Signature

Dr. Walaa Ibrahim Ghonaim, MD.



غرفة رقم (4) - الدور الأول - مبنى رقم (987) - كورنيش النيل - مصر الطبية - القاهرة - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche- Mistr El Qadema - Cairo, Egypt