

--

Name: اميرة محسن ابراهيم عيسى National ID: 28007070101564	
--	---

تقرير طبي

السيد
تحية طبية وبعد,,

إيماء للطلب المقدم من	بشأن تقرير طبي للمريض
بقسم:	رقم طبي:

نتشرف بان نوضح فيما يلي تقريرنا عن حالته
--

تاريخ وساعة الدخول : -- --:-- yyyy-mm-dd	تاريخ وساعة الخروج : PM 01:17 05-07-2026
---	---

وبعد الكشف والفحوصات والمتابعة وجد انه
--

المریضة تعاني من ورم غير حميد بالثدى و تحتاج الي Bilateral mammogram and breast ultrasound
--

التاريخ : 05-07-2026	الوقت : -- --:--
	الطبيب المعالج : د/شيماء لاشين

جمهورية مصر العربية
بطاقة تحقيق الشخصية

أميرة
محسن إبراهيم عيسى
٣٣ ش ورشة سمعان ش احمدلوى
شبرا - القاهرة

١٩٨٠/٠٧/١٩ ٢٨٠٠٧٠٧٠١٠١٥٦٤

LP6745758

٢٠٢٦/٠٢ ٢٨٠٠٧٠٧٠١٠١٥٦٤
ربة منزل

أنثى
ياسر محمد زين العابدين محمد السيد
البطاقة سارية حتى ٢٠٣٣/٠٢/٠٢

متزوجة مسلمة

١



A-Patient ID:

1- Name : اميرة محسن ابراهيم عيسى

Sex:

MDT form

3- Medical number:
Female


83146737

Old Med :

2159-2023

2-ID number: 28007070101564

Patient Age : 44 Y



Family history	Family history	Phone	Phone	BMI	BMI	REASON OF MDT	REASON OF MDT
marital status	Marital Status	NRS Score	NRS Score	GROUP	GROUP	Date of MDT	Date of MDT
Co morbidity	Co Morbidity	Menopausal status	Menopausal status	Initial STAGE	Initial STAGE		30/01/2024

Clinical data					
Breast Imaging :			Mets Workup :		
			CT CAP : Free		
BX IDC	ER S/S	PR S/S	Her 2 Neu	SISH	Ki67
ER COMMENT	ER COMMENT	PR COMMENT	Her 2 Neu COMMENT	SISH COMMENT	Ki67
T 3			N 0		
			M 0		

Sonomammography

LIO 5,6 o'clock mass
ca+ 4 o'clock mass
10 o'clock mass
non specific

PATIENT HISTORY

RT SLNB2/S (frozen 0/5)
free deep margins , nipple , areola

MDT OUTCOME & PLAN

MDT OUTCOME & PLAN

FOR ADJ FEMARA- ZOLADEX
PORT

SIGNATURE			
MEDICAL ONCOLOGY	MEDICAL ONCOLOGY	RADIOLOGY	RADIOLOGY
URGERY	URGERY	PATHOLOGY	PATHOLOGY
psychiatric	Psychiatric	Nutrition	Nutrition

it blank

Name: <u>اميره محسن ابراهيم عيسي</u>		
MR. : <u>6709</u>		
Detailed Medical Report		
		السيد
تحتية طبية وبعد,,		
	بشأن تقرير طبي للمريض	إيماء للطلب المقدم من
	رقم طبي:	بقسم:
ننشر بأن نوضح فيما يلي تقريراً عن حالته		
	تاريخ وساعة الخروج :	تاريخ وساعة الدخول :
وبعد الكشف والفحوصات والمتابعة وجد انه The patient was seen for follow-up after completing a 3-month course of ZOLADex 10.8 mg plus Femara (letrozole) administered for three months. The current plan is to schedule the next follow-up visit.		
تحريراً في ,		
	التاريخ :	19-09-2026
	الوقت :	Doctor2
		الطبيب المعالج :
يعتمد ,		



Patient Name : الأستاذ / اميره محسن ابراهيم عيسى	Request No. : 13002813
Patient No. : 28007070101564	Request Date : 20/12/2023
Path No. : 4498/23	Verification Date : 09/01/2024
Sex : Female	Financial Category : نفقة الدولة - اورام دار السلام
Age : 43 Y	Department : Out Patient
Referring Doc :	Registered by : marwa mohamed youss

Pathology Report

Clinical Data: Right breast cancer post NACT
Nature of Specimen: Right simple mastectomy and sentinel lymph node biopsy.

Gross Examination:
Procedure: Right simple mastectomy specimen measured 23x14x3.5 cm with covering skin
Thickness measured 16x10 cm .
Tumor extent: Two greyish white tumor bed sites 4 cm away from each other
Size: 1st mass measured 1.8x1.8x1 cm and away 0.3 cm from deep margin, 2nd mass
measured 1.5x1x0.3 cm away from deep margin by 2.5 cm. away 4 cm from the first mass.
Skin involvement: Nipple & areola were unremarkable grossly
Lymph nodes number and size: Two fibrofatty tissue pieces measured 5x4.5 cm and 4x4
cm enclosing 5 SLNs up to 2 x1.5 cm.
Frozen section: Free SLNs (0/5)

Microscopic Examination:
Histological type: Multifocal invasive duct carcinoma
Grade (differentiation+ nuclear pleomorphism + mitosis):
Grade II (3+2+1)
Angioinvasion: No
Ductal carcinoma in situ: No
Skin involvement: Free nipple and areola
Resection Margins: Free inked deep margins
Lymph node involvement: Positive SLNs (2/5)
Histologic response to therapy: Pathologic partial response
IHC: CK7: Positive in neoplastic cells.

Diagnosis:
Right breast cancer, (Post NACT), Simple mastectomy and SLNB:

Verified by :





Patient Name : الأستاذة / اميره محسن ابراهيم عيسى

Patient No. : 28007070101564

Path No. : 4498/23

Sex : Female

Age : 43 Y

Referring Doc :

Request No. : 13002813

Request Date : 20/12/2023

Verification Date : 09/01/2024

Financial Category : اورام دار السلام - نفقة الدولة

Department : Out Patient

Registered by : marwa mohamed youss

Pathology Report

Multifocal invasive duct carcinoma, Grade II.

Free inked deep margins

Free nipple and areola

Positive SLNs (2/5)

Pathologic partial response.

Stage: ypT2, ypN1

Comment : There is disparity

between frozen and paraffin section results, However final diagnosis is based in the paraffin results.

Signature

Prof. Dr. Gamal Abdelaty

Dr. Rana Fathy

Dr. Heba Hassan

Verified by :

Printing Date : 09/01/2024 14:08:19

Page 2 of 2

Printing By : Ali mostafa



غرفة رقم (4) - الدور الأول - مبنى رقم (987) - كورنيش النيل - مصر القديمة - القاهرة - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche - Mixr El Qadema - Cairo, Egypt



Patient Name	: الأستاذ / امير محمد ابراهيم عيسى	Request No.	: 13004886
Patient No.	: 28007070101564	Request Date	: 16/05/2023
Path No.	: 1474/23	Verification Date	: 07/06/2023
Sex	: Female	Financial Category	: نفقة الدولة
Age	: 42 Y	Department	: Out Patient
Referring Doc. :		IHC No.	:
		Registered by	: marwa mohamed yousse

IMMUNOHISTOCHEMISTRY REPORT

Clinical Data: Right breast mass.

Nature of Specimen: Tru-cut biopsy, collected at 16/05/2023, 11:26 am.

Gross Examination:

Multiple grayish white tissue cores up to 1 cm, totally submitted.

Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for ER, PR, Her2, ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

Microscopic Examination:

Histological type: Invasive duct carcinoma

Grade (differentiation+ nuclear pleomorphism+ mitosis): (2+2+2) Grade II.

Ductal carcinoma in situ: Absent

Perineural invasion: Absent

Angioinvasion: Absent

PT (Positive control showed appropriate reactivity):

ER: Strong nuclear reaction in 95 % of tumor cells (Allred score 8/8).

PR: Strong nuclear reaction in 50 % of tumor cells (Allred score 7 /8).

Her2: Faint incomplete membrane reaction in >10 % of tumor cells (score 1+).

Ki67: 25 % nuclear reaction of tumor cells.

Diagnosis:

Right breast mass, Tru-cut biopsy:
Invasive duct carcinoma, Grade II.

ER: Positive (score 8 /8).

PR: Positive (score 8/8).

Her2: Negative (score 1+).

Verified by :

DR. Menna Nabil

Printing Date : 11/06/2023 11:51:31

Page 1 of 2

Printed By : Ali mostafa



Patient Name الأستاذة / اميرة محسن ابراهيم عيسى
Patient No. 28007070101564
Path No. 1474/23
Sex Female
Age 42 Y
Referreing Doc.

Request No. 13004886
Request Date 16/05/2023
Verification Date 07/06/2023
Financial Category اورام دار السلام - نفقة الدولة
Department Out Patient

Registered by marwa mohamed yousse

IMMUNOHISTOCHEMISTRY REPORT

Ki67: Positive in 25 % of tumor cells.

Signature
Prof. Dr. Amal Hareedy
Dr. Nermeen Mohamed

Verified by :
DR.Menna Nabil

Printing Date : 11/06/2023 11:51:31

Page 2 of 2

Printed By : Ali mostafa



Patient Name الأستاذ / اميره محسن ابراهيم عيسى
Patient No. 28007070101564
Path No. 1474/23
Sex Female
Age 42 Y
Referring Doc.

Request No. 13004886
Request Date 16/05/2023
Verification Date 07/06/2023
Financial Category اورام دار السلام - نفقة الدولة
Department Out Patient

Registered by .marwa mohamed yousse

IMMUNOHISTOCHEMISTRY REPORT

Ki67: Positive in 25 % of tumor cells.

Signature
Prof. Dr. Amal Hareedy
Dr. Nermeen Mohamed

Verified by :
DR.Menna Nabil

Visit Number: 66023507926

Patient Name: امير محمد حسن ابراهيم عيسى

Age / Sex: 43 year / Female

Patient ID: 2117632041

Client Name: جلوب ميديك مصر -Globe Med Egypt

Referred by Prof: د. هيثم مصطفى المالح

Exam Date: 12 Jun 2023

Printed: 6/13/2023 10:31:36 AM

CT

MULTISLICE POST CONTRAST CT SCAN OF THE CHEST, ABDOMEN AND PELVIS:

TECHNIQUE: Multislice axial CT images of the chest, abdomen and pelvis obtained from the lower neck to the symphysis pubis with multiplanar reconstruction. IV contrast was used.

CLINICAL HISTORY: Recently diagnosed breast cancer patient pretreatment for evaluation.

FINDINGS:**(I) Chest:**

- Heterogeneous texture of the right breast with ill-defined irregular shaped speculated soft tissue lesion is seen within the inner lower quadrant measuring about 2.8x2.3 cm with overlying skin thickening measuring about 1.2 cm in thickness.
- Patent central air ways with well inflated both lungs.
- Both lungs are clear showing no parenchymal nodules, cavitary lesions, consolidative patches or bronchiectatic changes.
- No CT evidence of hilar or mediastinal lymph node enlargement.
- No pleural or pericardial collections seen.
- No gross cardiac abnormality.

(II) Abdomen and pelvis:

- Bulky heterogeneously enhancing cervix measuring about 5.7x6.3 cm with few non enhancing cysts within, largest measuring about 1.8x1.9 cm in axial dimeters for US/MRI correlation
- Bulky uterus size measuring about 9x7.9x7.1 cm in axial and craniocaudal dimensions.
- Bilateral external iliac and obturator subcentemetric lymph nodes ,largest measuring about 9 mm.
- The liver is mildly enlarged in size showing homogenous CT hypodensity with no focal lesions.
- Patent and homogeneously enhancing portal vein.
- No intra or extra hepatic biliary radicles dilatation.



08 ش. عبد المتعم رياض - برج الأطباء - المهندسين
 09 شارع شبرا
 17 شارع الميرغني
 محطة التعاون - فيصل
 كابتال بزنس بارك - BS - الدور الثالث - الشيخ زايد
 20 شارع الجزائر - المعادي

Visit Number: 66023507926

Patient Name: اميره محسن ابراهيم عيسى

Age / Sex: 43 year / Female

Patient ID: 2117632041

Client Name: جلوب ميد مصر - Globe Med Egypt

Referred by Prof: د. م. مصطفى المالح

Exam Date: 12 Jun 2023

Printed: 6/13/2023 10:31:36 AM

CT

- Normal CT appearance of the spleen, pancreas, suprarenal glands, both kidneys, aorta and IVC.
- Regular filling of the urinary bladder showing no stones, masses or diverticulae.
- No retro-crural, para-aortic or pelvic lymphadenopathy.
- No ascites.

OPINION:

Reported of newly discovered breast cancer patient showing:

- Heterogeneous texture of the right breast with ill-defined inner lower quadrant irregular shaped speculated soft tissue lesion and overlying skin thickening as described for correlation with the clinical, laboratory data, US/ mamography study and histopathology.
- Mild fatty hepatomegaly without evident focal lesions.
- Bulky heterogeneously enhancing cervix with few non enhancing cysts within likely nabothian cysts for US assessment.
- Unremarkable CT study of the chest.

Dr .Aya Sedky.Msc

Dr. Farid Gamil, MD.



00 ش. عيد المتعم رياض - برج الأطباء - المهندسين
09 شارع شبرا
7V شارع المبرغي
محطة التعاون - فيصل
كاسال بيريس بارك - BS - الدور الثالث - الشيخ زايد
٢٠ شارع الجزائر - المعادي