

إسم المريض ربيعاً : سميره سعيد جرجس واصف
المحافظة : سوهاج
رقم البطاقة : 28601202106781 رقم التليفون : 01501873200
العمر(تاريخ الميلاد) : 20-01-1986 المهنة : ربه منزل
العنوان : 0
تاريخ تسجيل الإستمارة : 05-10-2026

أقر انا الموقع أدناه انني لا اتمتع باي نظام علاج مثل:- التأمين الصحي-القوات المسلحة-الشرطة-
الهيئات-المؤسسات او اي نظام يتعارض مع نظام العلاج علي نفقة الدولة- وسوف اتحمل كافة
نفقات العلاج في حالة ثبوت غير ذلك
الإخصائي الاجتماعي
التوقيع: (-----)

التعليق على التشخيص : -----

GR1-E

جوسٹاف
روستاف
لیدی
جوسٹاف
روستاف

صحة الشباب والمرافعة
اللجنة ومدير

كما تقر اللجنة بأن البيانات المدونة في هذا النموذج صحيحة.

تتعهد المستشفى أن لا يتم تنفيذ القرار إلا بعد مراجعة الملف الطبي للمريض وإعادة مناظرة المريض بالمستشفى قبل الصرف.

----- / د ----- / د ----- / د. | ----- / د. |

ملاحظات : ---

رئيس
المجلس الطبي المتخصص

--

Name: سميره سعيد جرجس واصف National ID: 28601202106781	
---	---

تقرير طبي

السيد
تحية طبية وبعد,,

إيماء للطلب المقدم من	بشأن تقرير طبي للمريض
بقسم:	رقم طبي:

نتشرف بان نوضح فيما يلي تقريرنا عن حالته
--

تاريخ وساعة الدخول : -- --:-- yyyy-mm-dd	تاريخ وساعة الخروج : PM 01:17 05-07-2026
---	---

وبعد الكشف والفحوصات والمتابعة وجد انه
--

المریضة تعاني من ورم غير حميد بالثدي و تحتاج الي Bone scintigraphy
--

التاريخ : 05-07-2026	الوقت : -- --:--
	الطبيب المعالج : د/شيماء لاشين



سميرة
سعيد جرجس واصف
اولاد يحيى قبلى
مركز دار السلام - سوهاج



LM4219906

٢٨٦٠١٢٠٢١٠٦٧٨١

١٥٠/٨٧٣٢٠٠
١٢٧٣٤٠٠٠٠



٢٠٢٥/١١ ٢٨٦٠١٢٠٢١٠٦٧٨١
رية منزل

مسيحية

أنثى



البطاقة سارية حتى ٢٠٢٢/١١/٢٩



Name: Mrs. Samira Saied Gerges Wasef

Date: 22/8/2026

ID:1126020476

Acc.:291363560

Referring: Clinics El-Quddees Loka.

Digital 3D soft tissue mammography & tomosynthesis with ultrasound examination of right breast revealed:

Indication: Mastalgia with right breast lump.

- (ACR-C).
- Right breast shows at least 3-4 ill-defined spiculated dense mass lesions located at middle 1/3 UIQ and LIQ, largest one measuring about 16.5 x 14 mm and about 11 mm.
- Normal skin thickness and contour.
- Normal areola / nipple complex.

Ultrasonographic examination showed:

- Right breast shows at least 3-4 ill-defined hypoechoic mass lesions as the following:
 - Largest one located at 5-6 ° clock position (Index lesion) with tiny adjacent interconnected similar satellite and measuring collectively about 18.2 x 11 mm and about 9.2 mm from the nipple.
 - One located at 2-3 ° clock position and measures about 11.6 x 9.5 mm.
 - One located at 4 ° clock position and measures about 15.2 x 9.6 mm.
- Prominent glandular elements of the breast tissue with mottled appearance
- No dilated retroareolar ducts.
- Normal skin thickness and contour
- Normal nipple /areola complex
- Right enlarged axillary lymph nodes with preserved oval shaped. Some of them shows (<3) focal cortical thickening at level I measuring about 3.6 mm.

Opinion:

- Right UIQ and LIQ multiple malignant mass lesions as described (**BIRADS 5**)

Recommendation:

- For tru cut biopsy from right LIQ mass lesion (index lesion)
- Dynamic MRI breast study is recommended.

***Truly yours,
Dr. Hedaya Nour, MD***

Name: Mrs. Samira Saied Gerages Wasef

BIRADS scoring is the breast imaging and reporting data system for classifying the radiological diagnosis of breast lesions:

- **BIRADS 0:** Incomplete - need additional imaging evaluation or comparison with previous films.
- **BIRADS 1:** Normal examination - nothing to comment on - Routine mammography screening is recommended.
- **BIRADS 2:** Benign findings - routine mammography screening is recommended.
- **BIRADS 3:** Probably benign <2% malignancy - short interval follow-up is suggested.
- **BIRADS 4:** Suspicious >2 but <95% - Biopsy should be considered.
 - **4A:** low suspicion of malignancy: 2-20%.
 - **4B:** Mod suspicion of malignancy: 20-50%.
 - **4C:** High suspicion of malignancy: 50-90%.
- **BIRADS 5:** Highly suspicious of malignancy >95% - appropriate action should be taken.
- **BIRADS 6:** Known - biopsy proven malignancy. Surgical excision when clinically appropriate.

American college of radiology (ACR) scoring of breast density:

- **ACR. a:** Almost entirely fatty.
- **ACR. b:** Scattered areas of fibro-glandular density.
- **ACR. c:** Heterogeneously dense.
- **ACR. d:** Extremely dense.

جمهورية مصر العربية
بطاقة تحقيق الشخصية



سميرة

سعيد جرجس واصف

اولاد يحيى قبلى

مركز دار السلام - سوهاج



٢٨٦.٠١٢٠٢١.٦٧٨٩

LM4219906

Nation ID - Front
[IDOC: 79E10.F.17]



٢٠٢٥/١١

٢٨٦.١٢.٢١.٦٧٨١

ربة منزل


مسيحية

أنثى

البطاقة سارية حتى ٢٠٢٢/١١/٢٩

١١





Nation ID - Track
[[DOC: P/2025-030533]]

10/5/26, 1:09 PM

362365163131

GUSTAVE
ROUSSY
HOSPITAL

مستشفى
غوستاف روصي
الطريق ٩٨٧ - حي
البريد - القاهرة

مستشفى
غوستاف روصي
الطريق ٩٨٧ - حي
البريد - القاهرة

Patient Name	سعيدة محمد جرجس	Case No.	362365
Sex/Age	Female 40 Y	Patient No.	26672
Registered Date	03/9/2026 12:53:28 PM	Referred By Dr.	Interventional Radiology
Validation Date	05/10/2026 01:09:25 PM	Branch	Gustave Roussy
Reporting Date	05/10/2026 01:09:37 PM	Pathology No.	2856/26

Pathology Report

Clinical Data: Right breast mass (BIRADS 5).

Nature of Specimen: Tru-cut biopsy, collected on 3/09/2026, cold ischemia time is 20 seconds.

Gross Examination:

Five grayish white tissue cores, ranging in size between 0.3 cm & 1.0 cm long, totally submitted.

Technique:

- Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for.
- ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

Microscopic examination:

- Histologic type: Invasive lobular carcinoma.
- Histologic grade: 1 (differentiation 3, pleomorphism 1, mitosis 1).
- DCIS: Absent.
- LCIS: Present.
- Microcalcification: Absent.
- Angiolinvasion: Present.
- Perineural invasion: Absent.
- Tumor infiltrating lymphocytes (TILs): 1%.
- Additional Pathological Findings: Positive LCIS.

Results:

* IPT (All controls showed appropriate reactivity):

- ER: Strong nuclear reaction in 90% of tumor cells (score 8/8).
- PR: Strong nuclear reaction in 95% of tumor cells (score 8/8).
- Her2: Moderate complete membrane reaction in >10% of tumor cells (score 2+).
- Ki67%: 5%.
- SISH: Amplified with clusters.

Conclusion:

Right breast mass, Tru-cut biopsy:
Invasive lobular carcinoma, Grade 2.

CAP

طريق ٩٨٧ - حي البريد - القاهرة - مستشفى غوستاف روصي - (٩٨٧) رقم الهاتف - (٩٨٧) فاكس
Room No. (4) - First Floor-Building No. 987- Nile Corniche - After El Ghabana - Cairo, Egypt

10/5/26, 1:09 PM

362365|6313|

GUSTAVE
ROUSSYGustave Roussy Institute
114, rue de la Santé
94800 Vincennes, France
T: +33 (0)1 47 37 70 00
F: +33 (0)1 47 37 70 01
www.gustaveroussy.frGustave Roussy
Institute
114, rue de la Santé
94800 Vincennes, France
T: +33 (0)1 47 37 70 00
F: +33 (0)1 47 37 70 01
www.gustaveroussy.fr

Patient Name	سليمة بنت محمد جرجس	Case No.	362365
Sex/Age	Female 40 Y	Patient No.	26672
Registered Date	03/9/2026 12:53:28 PM	Referred By Dr.	Interventional Radiology
Validation Date	05/10/2026 01:09:25 PM	Branch	Gustave Roussy
Reporting Date	05/10/2026 01:09:37 PM	Pathology No.	2856/26

IPT:

- ER: Positive (score 8/8).
- PR: Positive (score 8/8).
- Her2: Equivocal (score 2+).
- Ki67%: 5%.
- SISH: Amplified with clusters.

**Scoring system: "ER, PR"

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66% and 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak; 2, intermediate; and 3, strong). Total score from 0 to 8.

** Scoring system: "Her2"

Reference: ASCO-CAP Her2 Test Guideline Recommendation. IHC 0 (Null): as defined by no staining observed. IHC 0+ (Ultra-low) as defined by membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within > 10% of the invasive tumor cells.

IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within >10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is complete, intense > 10% of tumor cells. ISH groups:

The ratio is calculated and the results is interpreted as:

- Group I (Positive): HER2/CEP17 ratio is more than 2 & Average HER2 copy number/ cell is more than 4.
- Group II (Negative): HER2/CEP17 ratio is more than 2 & Average HER2 copy number/ cell is less than 4. (Recounting give the same result).
- Group III (Positive): HER2/CEP17 ratio is less than 2 & Average HER2 copy number/ cell is more than 6 (Recounting give the same result).
- Group IV (Negative): HER2/CEP17 ratio is less than 2 & Average HER2 copy number/ cell is more than 4 but less than 6. (Recounting give the same result).
- Group V (Negative): HER2/CEP17 ratio is less than 2 & Average HER2 copy number/ cell is less than 4.

Signature

Dr. Walaa Ibrahim Ghonain, MD.

CAP

جهاز تنظيم الممارسة الطبية - مصر
Koum Nn, (4) - First Floor-Building No. 987, Nile Corniche - Niter El Qadima - Cairo, Egypt