جوستاف روسي انترناشيونال - مصر (EPE) * **طلب علاج أول مرة / متردد**

إسم المريض رباعياً : اسماء مصطفى سيد فرح
المحافظة : الشرقيه **الحي / المدينة :** بلبيس **العنوان :** -----
رقم البطاقة : 30107011303181 **رقم التليفون :** 01019639158 **تاريخ تسجيل الإستمارة :** 11-10-2026
العمر(تاريخ الميلاد) : 01-07-2001 **المهنة :** ربه منزل

الإقرار

أقر انا الموقع أدناه انني لا اتمتع باي نظام علاج مثل:-التأمين الصحي-القوات المسلحه-الشرطة-الهيئات-المؤسسات او اي نظام يتعارض مع نظام العلاج علي نفقة الدولة- وسوف اتحمل كافة نفقات العلاج في حالة ثبوت غير ذلك

الإخصائي الاجتماعي **المقر بما فيه**
التوقيع:(----------) **التوقيع:**(----------)

التشخيص الإكلينيكي : سرطان بالثدي (مبادرة)
نتائج الأبحاث : (مرفق)
التشخيص النهائي : سرطان بالثدي (مبادرة)
خطة العلاج : علاج مبادرة سرطان الثدي علاج تدعيمي وتلطيفي [6579] **قسم العلاج :** الاورام
التعليق على التشخيص : ----------

تقرير اللجنة الثلاثية المتخصصة

الاسم: د/محمد كيلاني **الوظيفة:** ---------- **التوقيع:** ----------
الاسم: د/ندى حسن **الوظيفة:** ---------- **التوقيع:** ----------
الاسم: د/نرمين رمضان **الوظيفة:** ---------- **التوقيع:** ----------

أطلعت اللجنة علي لائحة العلاج الخاصة بالمجالس وتلتزم جهة العلاج بلائحة المجالس الطبية.
كما تقر اللجنة بأن البيانات المدونة فى هذا النموذج صحيحة.

تعتمد صحة البيانات المرفقة
رئيس اللجنة و مدير المستشفي.

تتعهد المستشفى أن لا يتم تنفيذ القرار إلا بعد مراجعة الملف الطبي للمريض وإعادة مناظرة المريض بالمستشفي قبل الصرف.

أعضاء اللجنة

ا.د/ ---------- **ا.د/** ---------- **د/** ---------- **د/** ----------

قرار اللجنة

التشخيص النهائي : ----------
خطة العلاج : ----------
المستشفي : ----------**قسم :** ----------
جهة العلاج : ----------**نفقات :** ----------
ملاحظات : ----------

رئيس	مدير عام	ختم
المجلس الطبي المتخصص	مديرية الشئون الصحية	شعار الجمهورية

Name: اسماء مصطفى سيد فرج
National ID: 30107011303181

تقرير طبي

السيد

تحية طيبة وبعد,,

إيماء للطلب المقدم من	**بشأن تقرير طبي للمريض**
بقسم:	**رقم طبي:**

نتشرف بأن نوضح فيما يلي تقريرا عن حالته

تاريخ وساعة الدخول : -- --:-- yyyy-mm-dd	**تاريخ وساعة الخروج :** PM 01:17 05-07-2026

وبعد الكشف والفحوصات والمتابعة وجد انة

المريضة تعاني من ورم غير حميد بالثدى و تحتاج الي **Supportive and palliative Treatment**

التاريخ : **05-07-2026**	**الوقت :** **-- --:--**
	الطبيب المعالج : د/شيماء لاشين

[[DOCTYPE:ID_FRONT_BACK]]
National ID – Front & Back

جمهورية مصر العربية
بطاقة تحقيق الشخصية



اسماء
مصطفى سيد فرح

العلية
مركز بلبيس - الشرقية

٣٠١٠٧٠١١٣٠٣١٨١

LZ4519935

في سلعة
د/ مصطفى
٢٠٢٦/١٠/١١



٣٠١٠٧٠١١٣٠٣١٨١ ٢٠٢٦/٠٩

بدون عمل

انثى مسلمة متزوجة
محمود ايمن حسن حسن سالم
البطاقة سارية حتى ٢٠٣٣/٠٩/٢٦



[[DOCTYPE:CT_SCAN]]
CT Scan

PATIENT NAME: ASMAA MOSTAFA SAYED FARAH
GENDER: Female
DATE : 07-Oct-2026 09:57 AM

PATIENT ID: 20226033855
AGE: 25 y
ORDER: Z534094,Z534096

POST CONTRAST MULTI-SLICE CT SCAN OF THE CHEST, ABDOMEN AND PELVIS WITH TRIPHASIC STUDY OF THE LIVER

FINDINGS:

1-CHEST

- Right breast pathologically enhanced mass lesions the largest one retroareolar measures 39 x 40 mm with diffuse overlying skin thickening
- Right axillary level I & II multiple pathologically enlarged axillary lymph nodes, the largest measured about 17 x 23 mm.
- Prominent right supraclavicular lymph node measures 11x 8 mm.
- Left lower lobe superior segment pulmonary nodule measures 7 mm.
- No CT evidence of pathologically enlarged hilar or mediastinal lymph nodes.
- Bilateral mild pleural effusion.
- Normal cardiac size and shape with no gross abnormality of the cardiac chambers.
- No pericardial effusion detected.
- Diffuse thyroid enlargement for US correlation

2- ABDOMEN AND PELVIS

- The liver is enlarged in size with homogenous CT texture. No focal lesions or intra-hepatic or extra-hepatic biliary radicles dilatation..
- Patent homogenously enhancing portal vein and is main branches as well as its main tributaries.
- Surgical clips of cholecystectomy noted.
- Normal appearance of the pancreas, spleen, kidneys, adrenals, aorta, I. V.C and the pelvic organs.
- Smooth filling of the urinary bladder with no filling defects or diverticular outpouching.
- No pathologically enlarged abdominal or pelvic lymph nodes.
- No abdominal or pelvic masses or collections.
- Bulky uterus with distended endometrial cavity by hypodense content?? Secretion.
- Bilateral adnexal hypodense cystic lesions the largest at right side

www.Baheya.org
16602
مركز بهية الهرم
4 شارع علوية أول شارع الهرم بجوار داري , الجيزة
مستشفى بهية الشيخ زايد
٤٠ الحي الأول - الشيخ زايد أمام كلية الهندسة

measures 19 x 23 mm.

- Lower anterior abdominal wall skin thickening, bulky both recti abdominal muscles more at left side with stranding of surrounding fat planes likely of previous intervention.
- **The revised bone window revealed:**

1. No CT evidence of vertebral collapse or extra-osseous soft tissue component.
2. Manubrium sterni lucent area is seen

Opinion:

- **Right breast malignant mass lesions with ipsilateral pathological axillary level I & II lymph nodes.**
- **Prominent right supraclavicular lymph node.**
- **Left pulmonary nodule for follow up.**
- **No CT evidence of hepatic metastatic deposits.**
- **Bulky uterus for US correlation**
- **Manubrium sterni lucent for bone scan.**

Reported By,
Dr. WAFAA HEIDER, MSc
Dr. Mennatallah Mohamed Hanafy,MD **08-Oct-2026 12:55 PM**

www.Baheya.org
16602
مركز بهية الهرم
4 شارع علوية أول شارع الهرم بجوار داري , الجيزة
مستشفى بهية الشيخ زايد
٤٠ الحي الأول - الشيخ زايد أمام كلية الهندسة

CT Scan
[[DOCTYPE:CT_SCAN]]

بهية
مركز بهية للاكتشاف المبكر
وعلاج سرطان السيدات

Baheya Zayed

T 16602
F 16602
W info@baheya.org
E www.baheya.org
شارع عزبة أول شارع الهرم بجوار داري , الجيزة , مصر 4
شارع عزبة أول شارع الهرم بجوار داري , الجيزة , مصر 4
Giza
Giza, Egypt

Patient Name: **ASMAA MOSTAFA SAYED FARAH**	Gender: **Female**
MRN: **20226033855**	Ordered By: **Rodina Ali Hussien Abd-Elghany**
DOB: **01/07/2001** Age: **25 Y 2 M 22 D**	Order ID: **523185**

3D mammography

Procedure Date: 23/09/2026 02:30:00 PM

Report:

Report:

FULL FIELD DIGITAL MAMMOGRAPHY AND COMPLEMENTARY ULTRASOUND

INDICATION:

- Long standing right breast lump.
- Patient delivered from 4 days.

TECHNIQUE:

- CC and MLO view.
- Complementary ultrasound.
- Right 3d tomo.

REPORT:

- Extremely dense breasts (ACR D), which lowers accuracy of the mammography.

Right breast:

- Right retro areolar and UOQ scattered dense masses and nodules. The most sizable mass appears speculated and inseparable from the nipple, and measures about 7 x 3.1 cm.
- Complementary 3D tomo shows scattered masses and nodules in all breast quadrants more at outer quadrants.
- Complementary ultra sound revealed right breast pathological process is seen extending from 4 to 11 o'clock in the form of scattered heterogeneous masses and nodules. Most sizable is seen at 7-8 o'clock zone a, b, retro and para areolar, which appears ill defined and speculated. It is seen inseparable from overlying skin and nipple, with no significant vascularity on applied color Doppler. It roughly measures about 6 x 3.6 cm.
- Diffuse skin thickening mainly para areolar region.
- Left axilla (level I and II) shows more than 3 discrete globular pathological lymph nodes, most sizable measures about 2.5 x 1.5 cm.
- No pathological supra or infra clavicular (level III) lymph nodes.

Left breast:

- No spiculated mass lesions or grouped microcalcifications.
- Complementary ultrasound showed no left solid or cystic mass lesions.
- Normal left skin thickness and contour.
- Normal left nipple areola complex.
- Left nonspecific axillary lymph nodes with central fatty hila.
- No pathological supra or infra clavicular lymph nodes.

OPINION:

- Right breast malignant process/lesions with ipsilateral pathological axillary lymph nodes as detailed above

Mammogram
[[DOCTYPE:MAMMOGRAM]]

مركز بهية للاكتشاف المبكر
وعلاج سرطان السيدات

Baheya Zayed

T 16602
F 16602
W info@baheya.org
E www.baheya.org
شارع علوية أول شارع الهرم بجوار داري , الجيزة , مصر 4
شارع علوية أول شارع الهرم بجوار داري , الجيزة , مصر 4
Giza
Giza, Egypt

Patient Name:	**ASMAA MOSTAFA SAYED FARAH**	Gender:	**Female**
MRN:	**20226033855**	Ordered By:	**Rodina Ali Hussien Abd-Elghany**
DOB:	**01/07/2001** Age: **25 Y 2 M 22 D**	Order ID:	**523185**

(BIRADS 5).
- No suspicious lesions of the left breast.

Approved by: Ola Aboulnour,MD
Date:23/09/2026 Time:14:07

Mammogram
[[DOCTYPE:MAMMOGRAM]]

Patient Name	:	اسماء مصطفى سيد فرج	Gender	:	Female
MRN	:	20226033855	Location	:	Surgical Oncology Z
Date of Birth	:	01/07/2001	Collection Date	:	23/09/2026 16:55
Specimen Id	:	992609230245	Validation Date	:	23/09/2026 17:04
Sample Type	:	Plasma			

HEMATOLOGY HEMOSTASIS

est	Results	Unit	Reference Range
ntrol	12.7		
	12.7	Sec	(11 - 14)
ncentration	100		(70 - 100)
R	1		(0 - 1)
tio	1		

Validated by: Mohamed Ali Ali Mohamed Hassanein

Lab. Manager
Dr. Lamiaa A. Fathalla

Lab Test
[[DOCTYPE:LAB_TEST]]

MRN:	20226033855		
Patient Name:	ASMAA MOSTAFA SAYED FARAH	D.O.B:	01/07/2001
ID No.:	30107011303181	Sex:	Female
Location:	External Clinic		

SURGICAL PATHOLOGY

Biopsy Small - (1 Site)

Specimen Id	992609260241	**Collection Date**	26/09/2026 03:20 PM
Accession No	Z-SUR-26-204476	**Received Date**	26/09/2026 03:20 PM
Sample Type	Tissue	**Doctor**	Radwa Sayed Mohamed Tolba

Clinical Information
R breast 7 o'clock highly suspicious lesion (BIRADS 5).

Gross Picture
tissue cores 1-1.2 cm

Microscopic Picture
case of invasive duct carcinoma, grade 2. No DCIS component nor lymph vascular emboli were detected .Stroma is desmoplastic with mild inflammatory cell reaction.

Diagnostic Summary

Tumour type:
Invasive duct carcinoma

Laterality
right

Specimen type:
US-guided biopsy

Location
7 o'clock

Histological grade

Mitosis score (1-3):

Tubular formation score (1-3):

Nuclear grade (1-3):

Histological grade (1-3):

www.Baheya.org 16602
مركز بهية الهرم
4 شارع علوية أول شارع الهرم بجوار داري , الجيزة
مستشفى بهية الشيخ زايد
٤٠ الحي الأول - الشيخ زايد أمام كلية الهندسة

Pathology Report
[[DOCTYPE:PATHOLOGY_REPORT]]

eritumoural lymphovascular invasion
osent

iagnosis

T breast (7 o'clock), US-guided biopsy:
ıvasive duct carcinoma, grade 2.

omments
R, PR and HER2 immunostaining is ordered.

iopsy reporting category
5b= Invasive cancer

gnature
r. Hazem Abdelazim, MD, IFCAP

o-signed by:
r.Mahitab Eltohamy ,MD

Reported and electronically endorsed by
Mahitab Mohamed Eltohamy Mohamed

Pathology lab director:
Dr. Hazem Abdelazim, MD, IFCAP

مركز بهية الهرم
4 شارع علوبة أول شارع الهرم بجوار داري , الجيزة
مستشفى بهية الشيخ زايد
٤٠ الحي الأول - الشيخ زايد أمام كلية الهندسة
www.Baheya.org
16602

IRN:	20226033855		
Patient Name:	ASMAA MOSTAFA SAYED FARAH	D.O.B:	01/07/2001
ID No.:	30107011303181	Sex:	Female
Location:	External Clinic		

IMMUNOPATHOLOGY

Her2 Receptors

Specimen Id	992609280108	**Collection Date**	28/09/2026 09:54 AM
Accession No	Z-IMM-26-203738	**Received Date**	28/09/2026 09:54 AM
Sample Type	Paraffin Block	**Doctor**	Mohamed Mostafa Mohamed Mostafa

Immunohistochemical Report

Pathology number
04476/26

Clinical Data
IT breast cancer.

Gross Picture :
Referred block submitted for HER 2 immunostaining.

System Used :
Ventana BenchMark ULTRA autostainer.

Antibody:
Ventana anti-HER-2 [4B5] rabbit monoclonal antibody.

Scoring system :
Reference: ASCO–CAP HER2 Test Guideline Recommendations, 2018. IHC 0 :as defined by no staining observed or membrane staining that is incomplete and is faint/barely perceptible and within <=10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within >10% of the invasive tumor cells. IHC 2+: The revised definition of IHC 2+ (equivocal) is weak to moderate complete membrane staining observed in >10% of tumor cells.. IHC 3+: based on circumferential membrane staining that is complete, intense in >10 % of tumor cells.

(Laterality) breast Cancer:

Laterality - 1

Her2 Result - 1
positive [score 3+]

Comment - 1

مركز بهية الهرم
4 شارع علوية أول شارع الهرم بجوار داري , الجيزة
مستشفى بهية الشيخ زايد
٤٠ الحي الأول - الشيخ زايد أمام كلية الهندسة
www.Baheya.org
16602

Immunohistochemistry
[[DOCTYPE:IHC]]

PATIENT NAME: ASMAA MOSTAFA SAYED FARAH
GENDER: Female
DATE : 23-Sep-2026 01:21 PM

PATIENT ID: 20226033855
AGE: 25 y
ORDER: Z522891,Z523047, Z523135

FULL FIELD DIGITAL MAMMOGRAPHY AND COMPLEMENTARY ULTRASOUND

INDICATION:

- **Long standing right breast lump.**
- **Patient delivered from 4 days.**

TECHNIQUE:

- CC and MLO view.
- Complementary ultrasound.
- Right 3d tomo.

REPORT:

- **Extremely dense breasts (ACR D), which lowers accuracy of the mammography.**

Right breast:

- **Right retro areolar and UOQ scattered dense masses and nodules. The most sizable mass appears speculated and inseparable from the nipple, and measures about 7 x 3.1 cm.**
- **Complementary 3D tomo shows scattered masses and nodules in all breast quadrants more at outer quadrants.**
- **Complementary ultra sound revealed right breast pathological process is seen extending from 4 to 11 o'clock in the form of scattered heterogeneous masses and nodules. Most sizable is seen at 7-8 o'clock zone a, b, retro and para areolar, which appears ill defined and speculated. It is seen inseparable from overlying skin and nipple, with no significant vascularity on applied color Doppler. It roughly measures about 6 x 3.6 cm.**
- **Diffuse skin thickening mainly para areolar region.**
- **Left axilla (level I and II) shows more than 3 discrete globular pathological lymph nodes, most sizable measures about 2.5 x 1.5 cm.**
- No pathological supra or infra clavicular (level III) lymph nodes.

Left breast:

- No spiculated mass lesions or grouped microcalcifications.

www.Baheya.org
16602
مركز بهية الهرم
4 شارع علوية أول شارع الهرم بجوار داري , الجيزة
مستشفى بهية الشيخ زايد
٤٠ الحي الأول - الشيخ زايد أمام كلية الهندسة

Mammogram
[[DOCTYPE:MAMMOGRAM]]

- **Complementary ultrasound showed no left solid or cystic mass lesions.**
- Normal left skin thickness and contour.
- Normal left nipple areola complex.
- Left nonspecific axillary lymph nodes with central fatty hila.
- No pathological supra or infra clavicular lymph nodes.

OPINION:

- **Right breast malignant process/lesions with ipsilateral pathological infra clavicular (level I and II) as detailed above (BIRADS 5).**
- **No suspicious lesions of the left breast.**

Reported By,

Dr. Ola Aboulnour,MD **24-Sep-2026 10:14 AM**

مركز بهية الهرم
4 شارع علوية أول شارع الهرم بجوار داري , الجيزة
مستشفى بهية الشيخ زايد
٤٠ الحي الأول - الشيخ زايد أمام كلية الهندسة
www.Baheya.org
16602

Mammogram
[[DOCTYPE:MAMMOGRAM]]

PATIENT NAME: ASMAA MOSTAFA SAYED FARAH **GENDER:** Female **DATE :** 23-Sep-2026 01:21 PM	**PATIENT ID:** 20226033855 **AGE:** 25 y **ORDER:** Z522891,Z523047, Z523135

FULL FIELD DIGITAL MAMMOGRAPHY AND COMPLEMENTARY ULTRASOUND

INDICATION:

- **Long standing right breast lump.**
- **Patient delivered from 4 days.**

TECHNIQUE:

- CC and MLO view.
- Complementary ultrasound.
- Right 3d tomo.

REPORT:

- **Extremely dense breasts (ACR D), which lowers accuracy of the mammography.**

Right breast:

- **Right retro areolar and UOQ scattered dense masses and nodules. The most sizable mass appears speculated and inseparable from the nipple, and measures about 7 x 3.1 cm.**
- **Complementary 3D tomo shows scattered masses and nodules in all breast quadrants more at outer quadrants.**
- **Complementary ultra sound revealed right breast pathological process is seen extending from 4 to 11 o'clock in the form of scattered heterogeneous masses and nodules. Most sizable is seen at 7-8 o'clock zone a, b, retro and para areolar, which appears ill defined and speculated. It is seen inseparable from overlying skin and nipple, with no significant vascularity on applied color Doppler. It roughly measures about 6 x 3.6 cm.**
- **Diffuse skin thickening mainly para areolar region.**
- **Left axilla (level I and II) shows more than 3 discrete globular pathological lymph nodes, most sizable measures about 2.5 x 1.5 cm.**
- No pathological supra or infra clavicular (level III) lymph nodes.

Left breast:

- No spiculated mass lesions or grouped microcalcifications.

www.Baheya.org
16602
مركز بهية الهرم
4 شارع علوية أول شارع الهرم بجوار داري , الجيزة
مستشفى بهية الشيخ زايد
٤٠ الحي الأول - الشيخ زايد أمام كلية الهندسة

Mammogram
[[DOCTYPE:MAMMOGRAM]]

- **Complementary ultrasound showed no left solid or cystic mass lesions.**
- Normal left skin thickness and contour.
- Normal left nipple areola complex.
- Left nonspecific axillary lymph nodes with central fatty hila.
- No pathological supra or infra clavicular lymph nodes.

OPINION:

- **Right breast malignant process/lesions with ipsilateral pathological infra clavicular (level I and II) as detailed above (BIRADS 5).**
- **No suspicious lesions of the left breast.**

Reported By,

Dr. Ola Aboulnour,MD **24-Sep-2026 10:14 AM**

www.Baheya.org 16602
مركز بهية الهرم
4 شارع علوية أول شارع الهرم بجوار داري , الجيزة
مستشفى بهية الشيخ زايد
٤٠ الحي الأول - الشيخ زايد أمام كلية الهندسة

Mammogram
[[DOCTYPE:MAMMOGRAM]]