جوستاف روسي انترناشيونال - مصر (EPE) * **طلب علاج أول مرة / متردد**

إسم المريض رباعياً : هناء محمد علي عبدالصمد
المحافظة : القاهره **الحي / المدينة :** عين شمس **العنوان :** 1 ش عين شمس
رقم البطاقة : 27911100108245 **رقم التليفون :** 01101090453 **تاريخ تسجيل الإستمارة :** 11-10-2026
العمر(تاريخ الميلاد) : 10-11-1979 **المهنة :** ربه منزل

الإقرار

أقر انا الموقع أدناه انني لا اتمتع باي نظام علاج مثل:-التأمين الصحي-القوات المسلحه-الشرطة-الهيئات-المؤسسات او اي نظام يتعارض مع نظام العلاج علي نفقة الدولة- وسوف اتحمل كافة نفقات العلاج في حالة ثبوت غير ذلك

المقر بما فيه **الإخصائي الاجتماعي**
التوقيع:(----------) **التوقيع:**(----------)

التشخيص الإكلينيكي : اورام ليمفاويه
نتائج الأبحاث : (مرفق)
التشخيص النهائي : اورام ليمفاويه
خطة العلاج : أورام كيماوي علاج تدعيمي وتلطيفي [6396] **قسم العلاج :** الاورام
التعليق على التشخيص : ----------

تقرير اللجنة الثلاثية المتخصصة

الاسم: د/محمد كيلاني **الوظيفة:** ---------- **التوقيع:** ----------
الاسم: د/ندى حسن **الوظيفة:** ---------- **التوقيع:** ----------
الاسم: د/نرمين رمضان **الوظيفة:** ---------- **التوقيع:** ----------

أطلعت اللجنة علي لائحة العلاج الخاصة بالمجالس وتلتزم جهة العلاج بلائحة المجالس الطبية.
كما تقر اللجنة بأن البيانات المدونة فى هذا النموذج صحيحة.

تعتمد صحة البيانات المرفقة
رئيس اللجنة و مدير المستشفي.

تتعهد المستشفى أن لا يتم تنفيذ القرار إلا بعد مراجعة الملف الطبي للمريض وإعادة مناظرة المريض بالمستشفي قبل الصرف.

أعضاء اللجنة

ا.د/ ---------- **ا.د/** ---------- **د/** ---------- **د/** ----------

قرار اللجنة

التشخيص النهائي : ----------
خطة العلاج : ----------
المستشفي : ----------**قسم :** ----------
جهة العلاج : ----------**نفقات :** ----------
ملاحظات : ----------

رئيس	مدير عام	ختم
المجلس الطبي المتخصص	مديرية الشئون الصحية	شعار الجمهورية

Name: هناء محمد علي عبدالصمد
National ID: 27911100108245

تقرير طبي

السيد

تحية طيبة وبعد,,

إيماء للطلب المقدم من	**بشأن تقرير طبي للمريض**
بقسم:	**رقم طبي:**

نتشرف بأن نوضح فيما يلي تقريرا عن حالته

تاريخ وساعة الدخول : -- --:-- yyyy-mm-dd	**تاريخ وساعة الخروج :** PM 01:17 05-07-2026

وبعد الكشف والفحوصات والمتابعة وجد انة

A patient of lymphoma for Supportive and palliative care with follow-up

التاريخ : 05-07-2026	**الوقت :** -- --:--
	الطبيب المعالج : د/شيماء لاشين

٢٧٩١١١٠٠١٠٨٤٤٥

جوستاف روسي
انترناشونال
مصر

إسم المريض ثلاثي: .....
رقم الملف: .....

تقريـــر طبـــى

السيد/ .....

تحية طيبة وبعد،،

إيماء الطلب المقدم من .....

بقسم ..... بشان تقرير طبي للمريض/ .....

رقم طبي .....

نتشرف بأن نوضح فيما يلي تقريرا عن حالته :

تاريخ وساعة الدخول..... تاريخ وساعة الخروج.....

وبعد الكشف والفحوصات والمتابعة وجد انه:

E/64 y old female patient case
Chronic lymphocytic leukemia IGHV unmutated
& patient indicated for treatment
Ibrutinib 140mg 3tablet daily Continuous

تحريرا في

الوقت: ..... **التاريخ :** / /

الطبيب المعالج

29/9/2024

يعتمد ،،

Sonography
[[DOCTYPE:SONOGRAPHY]]

BTK

كاوكس

جوستاف زوسي
انكولوجي مصر

إسم المريض ثلاثي: .....
رقم الملف: .....

تقريـــر طبـــي

السيد/.....

تحية طيبة وبعد،،

إيماء للطلب المقدم من ..... بشـان تقرير طبي للمريض: هناء محمد علي عبد الله

بقسم امراض دم ..... رقم طبي .....

نتشرف بأن نوضح فيما يلي تقريرا عن حالته :

تاريخ وساعة الدخول..... تاريخ وساعة الخروج.....

وبعد الكشف والفحوصات والمتابعة وجد انه:

المريضة تعاني من لوكيميا الخلايا الليمفاوية المزمنة وتحتاج
لعقار Ibrutinib 140mg ١ ٢ أقراص يوميا
IGHV unmutated
& Patient indicated for Treatment

تحريرا في

الوقت: ..... **التاريخ :** / /

الطبيب المعالج

.....

يعتمد ،،

8/9/2026

Sonography
[[DOCTYPE:SONOGRAPHY]]

جمهورية مصر العربية
بطاقة تحقيق الشخصية



هناء
محمد على عبدالصمد
١٧ش حمدى عبدالسميع ش الساقيه
حدائق القبة - القاهره

١٩٧٩/١١

٢٧٩ ١١ ١٠ ٠١ ٠٨٢ ٤٥

LR3608755

٢٠٢٦/٠٣ ٢٧٩١١١٠٠١٠٨٢٤٥

ربة منزل

أنثى مسلمة متزوجة
سامح احمد سيد دسوقى
البطاقة سارية حتى ٢٠٣٣/٠٣/١١

١

National ID – Front & Back
[[DOCTYPE:ID_FRONT_BACK]]

C.M.L.
سي.ام.ال

Patient Name	Hanaa Mohamed Ali	Diagnosis	CLL
Date of Birth	-	Referring Physician	Dr. Hager Shaheen
Gender	Female	Sample type	Blood Sample
Sample receipt date	12/08/2026	Report issue date	31/08/2026
Patient ID	Hv 1346		

IGHV mutational status analysis

Clinical History:

B-cell lymphoproliferative disorder/Chronic Lymphocytic Leukemia (CLL)

Tissue type: blood

Molecule type: genomic DNA

Result:

Non MUTATED clonal IGH rearrangement identified.

% IGHV mutations: 100% identity (LESS THAN 2% MUTATIONS)

Stereotyped Subset: Unassigned

Most homologous germline V sequence: Homsap IGHV4-4*02 F
Most homologous germline J sequence: Homsap IGHJ5*02 F
Most homologous germline D sequence: Homsap IGHD2-2*02 F

Result Summary:

Result summary: Contig1-P2-1346-hANAA_mOHAMED_aLI_H	Productive IGH rearranged sequence (no stop codon and in-frame junction)		
V-GENE and allele	Homsap IGHV4-4*02 F	score = 1440	identity = 100.00% (288/288 nt)
J-GENE and allele	Homsap IGHJ5*02 F	score = 255	identity = 100.00% (51/51 nt)
D-GENE and allele by IMGT/JunctionAnalysis	Homsap IGHD2-2*02 F	D-REGION is in reading frame 3	
FR-IMGT lengths, CDR-IMGT lengths and AA JUNCTION	[25.17.38.11]	[9.7.22]	CARVSIVVVPAAISLSDYNWFDPW
JUNCTION length (in nt) and decryption	72 nt = (10)-1(5)-5(24)-2(12)+1(20)	(3'V\)3' (N1)5'(D)3'(N2) 5'(5'J)	

Result summary and Interpretation

- Examination of the productive clonal IGH rearrangement in comparison to the most homologous germline sequence shows **more than 98% nucleotide identity (less than 2% mutation rate).**
- The identified productive rearrangement is considered **UNMUTATED**.
- Patients showing Unmutated CLL (less than 2% mutation) have a relatively aggressive disease course and the disease shows poorer prognosis when compared to mutated CLL while patients with mutated CLL have loner overall survival.

Assay Description:

Genomic DNA is extracted from peripheral blood, fresh tissue or cells suspended in flow cytometry media.

Lab Test
[[DOCTYPE:LAB_TEST]]

C.M.L.
سي.أم.ال

Patient Name	Hanaa Mohamed Ali	Diagnosis	CLL
Date of Birth	-	Referring Physician	Dr. Hager Shaheen
Gender	Female	Sample type	Blood Sample
Sample receipt date	12/08/2026	Report issue date	31/08/2026
Patient ID	Hv 1346		

Bidirectional leader (VHL) sequence PCR is performed using the IGH Hypermutation Assay 2.0 (Invivoscribe) WITH Primers covering leader sequence and the resulting monoclonal product (if present) is sequenced via Sanger sequencing using BigDye terminator kit v3.1 (Lifetech). Determination of the most homologous germline IGH sequence and mutational burden is performed using the International Immunogenetics Information System (IMGT/V-Quest) (http://www.imgt.org/IMGT_vquest/input) and examination for possible stereotyped subsets is performed via the ARResT/AsignSubsets bioinformatics website
(http://tools.bat.infspire.org/arrest/assignsubsets/).

Test Limitation:

Due to the random nature of somatic hypermutation within the IGH locus, there is the possibility of a false negative result in true IGH monoclonal due to mutation of PCR primer sites in the IGH loci.
This Sanger sequencing assay cannot separate biallelic IGH clones and is unable to provide SHM status in these instances (Indeterminant).
This assay is not validated on formalin fixed paraffin embedded tissue (FFPE) and FFPE samples will not be accepted for testing.
This assay does not identify 100% of clonal cell populations.
This assay cannot reliably detect less than 5 positive cells per 100 normal cells

Clinical Disclaimer:

Disclaimer: Interpretation of the above results must occur within the context of other clinical data.

Performed By	Reviewed and verified by
Toqa Abdelaziz	Dr.Sally El Fishawi

Lab Test
[[DOCTYPE:LAB_TEST]]

Ain Shams University Hospital
External clinics

مستشفيات جامعة عين شمس
العيادات الخارجية

Lab. No.	-11131132			Patient No.	10210126133942
Name	هناء محمد على			Request Date	25/07/2026 11:52 AM
Age	46 Y	Sex	Female	Sample Type	Flow
Location	خدمات خارجية			Verified Date	26/07/2026 12:43 PM
National Id	27911100108245				

Immunophenotyping Report

Test	Result
B-Cell	
Sample Type	Peripheral Blood
Sample Quality	Adequate
CD20%	95% positive
CD 5/CD 19	90%positive
CD23	96% positive
CD79b	96% positive
FMC7	13% negative
CD 200	99% positive
Others	
CD 10	1% negative
CD 38	98% positive
CD 123	1% negative
CD 103	1% negative

Comments :

Immunophenotyping is performed on the provided peripheral blood sample by using CD45/CD19/SSC gating strategy. It reveals about 90% B-clonal lymphoid cells as listed in table. This imunophenotype pattern is consistent with the diagnosis of mature B-LPN (mostly CLL/SLL). Integration with clinical picture, other laboratory work up ,relevant cytogenetic/molecular tests is recommended.

Notes:
- Specimen was collected outside the central laboratory of Ain Shams University Hospitals.

- Positivity threshold is 20% for all markers except for MPO, TdT and cyt.CD3 10% is considered positive.

Doctor's signature

Prof. Sahar Samir Abdelmal


Lab Test
[[DOCTYPE:LAB_TEST]]

Patient Name	:	السيدة / هناء محمد علي	
Sampling Date	:	Wednesday 2026-08-05 10:23 PM	
Issuing Date	:	Thursday 2026-08-06 05:32 AM	
Referred by	:	معمل دار القرعان	

Request: 2601182447
Passport:
Patient: 618444
Female – 48Y
SAMPLE COLLECTED OUTSIDE LAB.
Research Test -Lab

Complete Blood Count

Test name	Result		Reference range
Hemoglobin Level	↓ 11.4	g/dl	(11.5 - 15.0)
Red cell count	5.07	millions/ul	(4 - 5.2)
Hematocrit	41.8	%	(33 - 45)
M.C.V	82.45	fl	(75 - 100)
M.C.H	↓ 22.49	pg	(26.4 - 33)
M.C.H.C	↓ 27.27	g\dL	(31 - 36)
RDW-CV	↑ 17.9	%	(11.0 - 16.0)
RDW-SD	49.2	%	(37.0 - 54.0)
Total Leucocytic Count	↑ **54.9**	x10^3/ul	(4 - 11.0)



	Relative			Absolute	
Neutrophils Band	1	% (1 - 6)	0.55	x10^3/ul	(0 - 0.8)
Segmented Neutrophils	↓ 10	% (40 - 75)	5.49	x10^3/ul	(2 - 7)
Lymphocytes	↑ 85	% (18 - 44)	↑ 46.66	x10^3/ul	(0.8 - 4.8)
Monocytes	3	% (1 - 10)	↑ 1.65	x10^3/ul	(0 - 1)
Eosinophils	1	% (0 - 5.0)	↑ 0.55	x10^3/ul	(0 - 0.45)
Basophils	0	% (0 - 1)	0	x10^3/ul	(0.0 - 1.0)

Platelet Count	236	x10^3/ul	(140 - 450)	PDW	16	%	(8.0 - 18.0)
MPV	11.2	fl	(0.8 - 12)	PLCR	50.7		(-)
PCT	0.32	%	(0.1 - 0.5)				

Lab Test
[[DOCTYPE:LAB_TEST]]

alfa

A B S

Collection Date: 06/08/2026
Review Date: 17/08/2026

Referring Doctor: ا.د Hospitals

Patient Name: الاستاذة/ هناء محمد علي
Patient No.: 114-53468
Accession No.: 11426088945
Age: 46Y

CYTOGENETICS

Test Name	Result	Unit	Reference Interval
17 P (p53) by FISH			
Specimen type:	Blood		
Number of cells analyzed:	200	Cells	
Number of cells with deletion	16	Cells	Cut off up to 18
Result:	8	%	Less than or equal 9 : Negative More than 9 : Positive

The technique used was nuc ISH using 17p probes.
The patient has negative 17p(p53) deletion in the studied cells.

Reviewed By:

Pt. Branch: دار السلام

Printed by: 310502ريهام احمد زكي حسين

AMG A MEDICAL GROUP A MEMBER OF ALFA MEDICAL GROUP
معامل الفا
Pathology Report
[[DOCTYPE:PATHOLOGY_REPORT]]

Patient Name	:	السيدة / هناء محمد علي
Sampling Date	:	Wednesday 2026-08-05 10:23 PM
Issuing Date	:	Thursday 2026-08-06 05:32 AM
Referred by	:	معمل دار القرعان

Request: 2601182447
Passport:
Patient: 618444
Female – 48Y
SAMPLE COLLECTED OUTSIDE LAB

Complete Blood Count

comments

- Marked leucocytosis ...
- WBCs show absolute monocytosis and absolute eosinophilia ...
- Mild normocytic hypochromic anemia with anisocytosis ...
- WBCs show absolute lymphocytosis and absolute monocytosis ...