جوستاف روسي انترناشيونال - مصر (EPE) *

طلب علاج أول مرة / متردد

إسم المريض رباعياً : عزه شويمى محمد عبدالجيد
المحافظة : الجيزه **الحي / المدينة :** اطفيح **العنوان :** الصالحيه مركز اطفيح
رقم البطاقة : 28307032102941 **رقم التليفون :** 01503801408 **تاريخ تسجيل الإستمارة :** 11-10-2026
العمر(تاريخ الميلاد) : 03-07-1983 **المهنة :** ربه منزل

الإقرار

أقر انا الموقع أدناه انني لا اتمتع باي نظام علاج مثل:-التأمين الصحي-القوات المسلحه-الشرطة-الهيئات-المؤسسات او اي نظام يتعارض مع نظام العلاج علي نفقة الدولة- وسوف اتحمل كافة نفقات العلاج في حالة ثبوت غير ذلك

المقر بما فيه الإخصائي الاجتماعي
التوقيع:(----------) **التوقيع:**(----------)

التشخيص الإكلينيكي : سرطان بالثدي (مبادرة)
نتائج الأبحاث : (مرفق)
التشخيص النهائي : سرطان بالثدي (مبادرة)
خطة العلاج : علاج مبادرة سرطان الثدي علاج تدعيمي وتلطيفي [6579] **قسم العلاج :** الاورام
التعليق على التشخيص : ----------

تقرير اللجنة الثلاثية المتخصصة

الاسم: د/محمد كيلاني **الوظيفة:** ---------- **التوقيع:** ----------
الاسم: د/ندى حسن **الوظيفة:** ---------- **التوقيع:** ----------
الاسم: د/نرمين رمضان **الوظيفة:** ---------- **التوقيع:** ----------

أطلعت اللجنة علي لائحة العلاج الخاصة بالمجالس وتلتزم جهة العلاج بلائحة المجالس الطبية.
كما تقر اللجنة بأن البيانات المدونة فى هذا النموذج صحيحة.

تعتمد صحة البيانات المرفقة
رئيس اللجنة و مدير المستشفي.

تتعهد المستشفى أن لا يتم تنفيذ القرار إلا بعد مراجعة الملف الطبي للمريض وإعادة مناظرة المريض بالمستشفي قبل الصرف.

أعضاء اللجنة

ا.د/ ---------- **ا.د/** ---------- **د/** ---------- **د/** ----------

قرار اللجنة

التشخيص النهائي : ----------
خطة العلاج : ----------
المستشفي : ----------**قسم :** ----------
جهة العلاج : ----------**نفقات :** ----------
ملاحظات : ----------

رئيس	مدير عام	ختم
المجلس الطبي المتخصص	مديرية الشئون الصحية	شعار الجمهورية

Name: عزه شوبمى محمد عبدالجيد
National ID: 28307032102941

تقرير طبي

السيد

تحية طيبة وبعد,,

إيماء للطلب المقدم من	**بشأن تقرير طبي للمريض**
بقسم:	**رقم طبي:**

نتشرف بأن نوضح فيما يلي تقريرا عن حالته

تاريخ وساعة الدخول : -- --:-- yyyy-mm-dd	**تاريخ وساعة الخروج :** PM 01:17 05-07-2026

وبعد الكشف والفحوصات والمتابعة وجد انة

المريضة تعاني من ورم غير حميد بالثدى و تحتاج الي Supportive and palliative Treatment

التاريخ : 05-07-2026	**الوقت :** -- --:--
	الطبيب المعالج : د/شيماء لاشين

[[DOCTYPE:MDT_FORM]]
MDT Form

٢٠٢٦/ ١٠/ ١١

جوستافروسي انترناشونال مصر

مبادرة رئيس الجمهورية لدعم صحة المرأة المصرية

الست المصرية هي صحة مصر

MDT FORM / / 20 G

Name	غزه شويخي محمد	MRN	
		ID	
Age	٤٣ سنه	Phone	٠١٠٥٠٢٨٠٤٢٨
Menopausal status		Marital status	
NRS SCORE		Family history	
BMI		REASON OF MDT	
CO morbidity			

Clinical Data


BX: IMC G III

ER:	PR:	HER 2:	Ki67:
8/8	8/8	1+	70%

Sonomammography: ACRC :
Rt UOQ & Central 2 masses

Mets Workup:
CESM is highly recommended

R L



TNM

Recommendations:

MDT OUTCOME & PLAN
CESM

SIGNATURE

MEDICAL ONCOLOGY	SURGERY	RADIOLOGY	PATHOLOGY	Nutrition	Psychiatric
	١١/١٠/٢٠٢٦				

[[DOCTYPE:PATHOLOGY_REPORT]]
Pathology Report

NHTMRI

الهيئة العامة للمستشفيات والمعاهد التعليمية
المعهد القومى للكبد والجهاز الهضمي
والأمراض المعدية

قسم الباثولوجى

PATHOLOGY DEPARTMENT
HISTOPATHOLOGICAL REPORT

Patient name: عزه شويمي محمد عبدالجيد	**Age: 43 years**	**Sex:** female
Request type: مبادره	**Sub request type:**	
Hospital no:	**Pathology no.:**1026-2026	
Department: صحه مرأه	**Date of result:**29/9/2026	
Referred by: د/ايمان علي	**Date of biopsy:**23/9/2026	
Nature of specimen: Tru-cut biopsy	**I.D. Number:28307032102941**	
Clinical diagnosis: Right breast mass		

Gross pathology :

Multiple fragmented grayish white tissue cores up to 1cm long, totally submitted.

Immunohistochemical Technique:

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against: -ER- PR- Her2- KI67

Microscopic picture:

Section examined revealed core of tumor showing malignant growth formed of nests, files, targetoid pattern, tubules and cribriform pattern infiltrating among desmoplastic stroma. Tumor cells showing marked anaplasia and poor tendency to from tubules. There is moderate number of mitotic figures.

Immunohistochemical Result

ER: Strong nuclear staining in 90 % of tumor cells (Allred Score 8/8).
PR: Strong nuclear staining in 90 % of tumor cells (Allred Score 8/8).
Her2: Weak incomplete membranous staining in >10% of tumor cells (score 1+) low.
Ki67: Positive nuclear staining of 70% of tumor cells.

Diagnosis: Right breast mass ,Tru-cut biopsy :

Invasive Mammary Carcinoma, Grade III.

Signature:
Dr.Mona Mohamed.M.D

Pathology Lab. Manager

BASMA REFAAT M.D

[[DOCTYPE:MAMMOGRAM]]
Mammogram

كود المريض: 100725	اسم المريض بالإنجليزية: Azzah shoimi Mohamed Abd Algid
السن: ٤٣ سنة, ٢ شهر	تاريخ التقرير: 2026/09/20 10:25:10 AM

Women's Health Outreach Program

Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 44 years old female patient with right breast lump.

Right breast:

- Heterogeneously fibro glandular densities (ACR density C).
- The right breast shows middle/posterior 1/3 outer central region an ill-circumscribed spiculated dense mass lesion with internal microcalcifications within and architectural distortion.

Ultrasound revealed:

- Prominent glandular elements of breast parenchyma with mottled appearance.
- Right outer central 9 o'clock position an ill-defined irregular hypoechoic mass lesion with fine internal microcalcifications measuring about 2.4 x 2 x 1.5 cm about 4 mm deep to the skin and about 6.8 cm from the nipple.
- Related anteriorly prominent retroareolar ducts??Extension.
- Normal nipple/areolar complex.
- Enlarged right axillary lymph node with focal cortical thickness about 3.5 mm, measuring about 19.5 x 7mm.

Left breast:

- Heterogeneously fibro glandular densities (ACR density C).
- No masses, asymmetric densities, distortion or suspicious clusters of micro calcifications.
- Ultrasound demonstrated no solid or cystic lesions.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

Impression:

- **Right breast (BIRADS 4C): right outer central highly suspicious mass lesion as described. for Tru cut biopsy and CESM study is highly recommended.**
- **Left breast (BIRADS 2): fibroadenosis.**

Much obliged,

Dr. Ayat Nadi, FEBR, ABR

[[DOCTYPE:MAMMOGRAM]]
Mammogram

Azzah shoimi Mohamed Abd Algid :اسم المريض بالإنجليزية	كود المريض: 100725
2026/09/20 10:25:10 AM :تاريخ التقرير	السن: ٤٣ سنة, ٢ شهر

Women's Health Outreach Program

Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 44 years old female patient with right breast lump.

Right breast:

- Heterogeneously fibro glandular densities (ACR density C).
- The right breast shows middle/posterior 1/3 outer central region an ill-circumscribed spiculated dense mass lesion with internal microcalcifications within and architectural distortion.

Ultrasound revealed:

- Prominent glandular elements of breast parenchyma with mottled appearance.
- Right outer central 9 o'clock position an ill-defined irregular hypoechoic mass lesion with fine internal microcalcifications measuring about 2.4 x 2 x 1.5 cm about 4 mm deep to the skin and about 6.8 cm from the nipple.
- Related anteriorly prominent retroareolar ducts??Extension.
- Normal nipple/areolar complex.
- Enlarged right axillary lymph node with focal cortical thickness about 3.5 mm, measuring about 19.5 x 7mm.

Left breast:

- Heterogeneously fibro glandular densities (ACR density C).
- No masses, asymmetric densities, distortion or suspicious clusters of micro calcifications.
- Ultrasound demonstrated no solid or cystic lesions.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

Impression:

- Right breast (BIRADS 4C): right outer central highly suspicious mass lesion as described. for Tru cut biopsy and CESM study is highly recommended.
- Left breast (BIRADS 2): fibroadenosis.

Much obliged,
Dr. Ayat Nadi, FEBR, ABR



National ID – Front
[[DOCTYPE:ID_FRONT]]



National ID – Back
[[DOCTYPE:ID_BACK]]

[[DOCTYPE:PATHOLOGY_REPORT]]
Pathology Report

NHTMRI

الهيئة العامة للمستشفيات والمعاهد التعليمية
المعهد القومى للكبد والجهاز الهضمي
والأمراض المعدية

قسم الباثولوجى

PATHOLOGY DEPARTMENT
HISTOPATHOLOGICAL REPORT

Patient name: عزه شويمي محمد عبدالجيد	**Age: 43 years**	**Sex:** female
Request type: مبادره	**Sub request type:**	
Hospital no:	**Pathology no.:**1026-2026	
Department: صحه مرأه	**Date of result:**29/9/2026	
Referred by: د/ايمان علي	**Date of biopsy:**23/9/2026	
Nature of specimen: Tru-cut biopsy	**I.D. Number:28307032102941**	

Clinical diagnosis: Right breast mass

Gross pathology :

Multiple fragmented grayish white tissue cores up to 1cm long, totally submitted.

Immunohistochemical Technique:

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against: -ER- PR- Her2- KI67

Microscopic picture:

Section examined revealed core of tumor showing malignant growth formed of nests, files, targetoid pattern, tubules and cribriform pattern infiltrating among desmoplastic stroma. Tumor cells showing marked anaplasia and poor tendency to from tubules. There is moderate number of mitotic figures.

Immunohistochemical Result

ER: Strong nuclear staining in 90 % of tumor cells (Allred Score 8/8).
PR: Strong nuclear staining in 90 % of tumor cells (Allred Score 8/8).
Her2: Weak incomplete membranous staining in >10% of tumor cells (score 1+) low.
Ki67: Positive nuclear staining of 70% of tumor cells.

Diagnosis: Right breast mass ,Tru-cut biopsy :

Invasive Mammary Carcinoma, Grade III.

Signature:
Dr.Mona Mohamed.M.D

Pathology Lab. Manager

BASMA REFAAT M.D

[[DOCTYPE:MAMMOGRAM]]
Mammogram

كود المريض: 100725	اسم المريض بالإنجليزية: Azzah shoimi Mohamed Abd Algid
السن: ٤٣ سنة, ٢ شهر	تاريخ التقرير: 2026/09/20 10:25:10 AM

Women's Health Outreach Program

Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 44 years old female patient with right breast lump.

Right breast:

- Heterogeneously fibro glandular densities (ACR density C).
- The right breast shows middle/posterior 1/3 outer central region an ill-circumscribed spiculated dense mass lesion with internal microcalcifications within and architectural distortion.

Ultrasound revealed:

- Prominent glandular elements of breast parenchyma with mottled appearance.
- Right outer central 9 o'clock position an ill-defined irregular hypoechoic mass lesion with fine internal microcalcifications measuring about 2.4 x 2 x 1.5 cm about 4 mm deep to the skin and about 6.8 cm from the nipple.
- Related anteriorly prominent retroareolar ducts??Extension.
- Normal nipple/areolar complex.
- Enlarged right axillary lymph node with focal cortical thickness about 3.5 mm, measuring about 19.5 x 7mm.

Left breast:

- Heterogeneously fibro glandular densities (ACR density C).
- No masses, asymmetric densities, distortion or suspicious clusters of micro calcifications.
- Ultrasound demonstrated no solid or cystic lesions.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

Impression:

- **Right breast (BIRADS 4C): right outer central highly suspicious mass lesion as described. for Tru cut biopsy and CESM study is highly recommended.**
- **Left breast (BIRADS 2): fibroadenosis.**

Much obliged,
Dr. Ayat Nadi, FEBR, ABR



٠١٠٢٨٠١٤٠٨

هامو

٩١ ث



National ID – Front & Back
[[DOCTYPE:ID_FRONT_BACK]]

Azzah shoimi Mohamed Abd Algid :اسم المريض بالإنجليزية	100725 :كود المريض
2026/09/20 10:25:10 AM :تاريخ التقرير	السن: ٤٣ سنة, ٢ شهر

Women's Health Outreach Program

Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 44 years old female patient with right breast lump.

Right breast:

- Heterogeneously fibro glandular densities (ACR density C).
- The right breast shows middle/posterior 1/3 outer central region an ill-circumscribed spiculated dense mass lesion with internal microcalcifications within and architectural distortion.

Ultrasound revealed:

- Prominent glandular elements of breast parenchyma with mottled appearance.
- Right outer central 9 o'clock position an ill-defined irregular hypoechoic mass lesion with fine internal microcalcifications measuring about 2.4 x 2 x 1.5 cm about 4 mm deep to the skin and about 6.8 cm from the nipple.
- Related anteriorly prominent retroareolar ducts??Extension.
- Normal nipple/areolar complex.
- Enlarged right axillary lymph node with focal cortical thickness about 3.5 mm, measuring about 19.5 x 7mm.

Left breast:

- Heterogeneously fibro glandular densities (ACR density C).
- No masses, asymmetric densities, distortion or suspicious clusters of micro calcifications.
- **Ultrasound** demonstrated no solid or cystic lesions.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

Impression:

- **Right breast (BIRADS 4C): right outer central highly suspicious mass lesion as described. for Tru cut biopsy and CESM study is highly recommended.**
- **Left breast (BIRADS 2): fibroadenosis.**

Much obliged,

Dr. Ayat Nadi, FEBR, ABR

Mammogram
[[DOCTYPE:MAMMOGRAM]]