



جوستاف روسي انترناشيونال - مصر (EPE) * طلب علاج أول مرة / متكرر

إسم المريض رباعياً : شوفيه محمد السيد علي
المحافظة : الجيزة
الحى / المدينة : الهرم
رقم البطاقة : 26712112100707 رقم التليفون : 01153952395
العنوان : 0
العمر (تاريخ الميلاد) : 11-12-1967 المهنة : بدون عمل
تاريخ تسجيل الإستمارة : 24-09-2026

الإقرار

أقر انا الموقع أدناه انني لا اتمتع باي نظام علاج مثل:-التأمين الصحي-القوات المسلحة-الشرطة-الهيئات-المؤسسات او اي نظام يتعارض مع نظام العلاج علي نفقة الدولة- وسوف اتحمل كافة نفقات العلاج في حالة ثبوت غير ذلك
الإخصائي الاجتماعي
التوقيع: (-----)
المقرر بما فيه
التوقيع: (-----)

التشخيص الإكلينيكي : سرطان بالثدي (مبادرة)

نتائج الأبحاث : (مرفق)

التشخيص النهائي : سرطان بالثدي (مبادرة)

خطة العلاج : أبحاث أورام تصوير مقطعي للصدر والبطن والحوض بالصبغة
قسم العلاج :
الأورام

[11129]

التعليق على التشخيص : -----

تقرير اللجنة الثلاثية المتخصصة

الاسم : د/محمد كيلاني
الاسم : د/ندى حسن
الاسم : د/نرمين رمضان
الوظيفة :
الوظيفة :
الوظيفة :
التوقيع :
التوقيع :
التوقيع :
أطلعت اللجنة علي لائحة العلاج الخاصة بالمجالس وتلتزم جهة العلاج بلائحة المجالس الطبية. كما تقرر اللجنة بأن البيانات المدونة فى هذا النموذج صحيحة.
تعتمد صحة البيانات المرفقة
رئيس اللجنة ومدير
المستشفى.

تتعهد المستشفى أن لا يتم تنفيذ القرار إلا بعد مراجعة الملف الطبي للمريض وإعادة مناظرة المريض بالمستشفى قبل الصرف.

أعضاء اللجنة

أ.د. /----- /د. /----- /د. /----- /د. /-----

قرار اللجنة

التشخيص النهائي :
خطة العلاج :
المستشفى :
قسم :
جهة العلاج :
نفقات :
ملاحظات :

ختم
شعار الجمهورية

مدير عام
مديرية الشؤون الصحية

رئيس
المجلس الطبي المتخصص

--

Name: شوفيه محمد السيد علي National ID: 26712112100707	
---	---

تقرير طبي

السيد
تحية طبية وبعد,,

إيماء للطلب المقدم من	بشأن تقرير طبي للمريض
بقسم:	رقم طبي:

نتشرف بان نوضح فيما يلي تقريرنا عن حالته
--

تاريخ وساعة الدخول : -- --:-- yyyy-mm-dd	تاريخ وساعة الخروج : PM 01:17 05-07-2026
---	---

وبعد الكشف والفحوصات والمتابعة وجد انه
--

المریضة تعاني من ورم غير حمید بالثدي و تحتاج الي Contrast-enhanced CT of chest, abdomen and pelvis.

التاريخ : 05-07-2026	الوقت : -- --:--
	الطبيب المعالج : د/شيماء لاشين



جمهورية مصر العربية
بطاقة تحقيق الشخصية

شوقيه

محمد سيد على

١ ش الايمان - بجوار مطعم الايمان


التبين - القاهرة



٢٦٧١٢١١٢١٠٠٧٠٧

LK6936784

National ID - Front
[[DOCT RE ID FR 1]]



Name : Shawqiya Mohammed Said Ali

Date : 15-08-2026 01:46

Branch : Maadi

Medical No. : 439901

Ref.Physician Prof : Islam Hussain

Ins.Company : شركة مياه الشرب للقاهرة الكبرى

DIGITALIZED LOW DOSE SOFT TISSUE MAMMOGRAPHY WITH COMPLEMENTARY BREAST US EXAMINATION OF BOTH BREASTS REVEALED:

- A well defined speculated hyperdense lesion is seen at the LIQ of the left breast corresponding by US to well defined globular shaped heterogeneous hypoechoic lesion at 8 o'clock position , surrounded by echogenic halo and causing posterior shadowing , subcutaneous infiltration. It measures about 22x15 mm in its max dimensions with about 4.5 cm distance from adjacent nipple .
- left axillary tail enlarged lymph node, with cortical thickening and lost fatty hila , measures 19x16 mm .
- ACR B: Mixed fibro-fatty-glandular breast parenchyma.
- No pathological microcalcification clusters.
- No right breast solid or cystic lesions. with Clear lumpectomy bed
- Normal central ducts system.
- Normal skin thickness and contour as well as right nipple areola complexes.
- Right non specific axillary lymph nodes showing preserved fatty hila.

Opinion:

- ✓ Left breast LIQ malignant looking lesion (BIRADS V) associated with ipsilateral axillary lymphadenopathy .
- ✓ Clear Right breast lumpectomy bed

BIRADS scoring is the breast imaging and reporting data system for classifying the radiological diagnosis of breast lesions:

BIRADS 0 : Needs further investigations.

BIRADS 1: Normal findings.

BIRADS 2: Benign.

BIRADS 3: Probably benign.

BIRADS 4: Probably malignant.

BIRADS 5: Malignant.

BIRADS 6: Proven pathologically malignant

Best regards

Dr Mahmoud Abdelmohsen.FEBR.FABR

Patient Name	شوقيه محمد سيد على	Case No.	359981
Sex/Age	Female 58 Y	Patient No.	26142
Registered Date	23/8/2026 02:28:02 PM	Referred By Dr.	Interventional Radiology
Validation Date	07/9/2026 01:06:37 PM	Branch	Gustave Roussy
Reporting Date	19/9/2026 10:41:09 AM	Pathology No.	2673/26

Pathology Report

Clinical Data: Left LIQ breast mass (BIRADS 5).

Nature of Specimen: Tru-cut biopsy, collected on 20/08/2026, at 03:10 pm. Cold ischemia time is 20 seconds.

Gross Examination:

- Four grey, white tissue cores, ranging in size between 0.8 cm & 1.2 cm long, totally submitted.

Technique:

- Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for;
 - ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

Microscopic examination:

- **Histologic type:** Invasive duct carcinoma with micropapillary features.
 - **Histologic grade:** 2 (differentiation 2, pleomorphism 2, mitosis 2).
 - **DCIS:** Absent.
 - **Microcalcification:** Absent.
 - **Angioinvasion:** Suspicious.
 - **Perineural invasion:** Absent.

Results:

* IPT (All controls showed appropriate reactivity):
 - ER: Moderate nuclear reaction in 10% of tumor cells (score 4/8).
 - PR: Weak nuclear reaction in <1% of tumor cells (score 2/8).
 - Her2: Strong complete membrane reaction in more than 10% of tumor cells (score 3+).
 - Ki67%: 45%.

Conclusion:

Left breast mass, Tru-cut biopsy:

- **Invasive duct carcinoma, Grade 2 with micropapillary features.**

IPT:

- **ER: Positive (score 4/8).**
 - **PR: Negative (score 2/8).**

Patient Name	شوقيه محمد سيد على	Case No.	359981
Sex/Age	Female 58 Y	Patient No.	26142
Registered Date	23/8/2026 02:28:02 PM	Referred By Dr.	Interventional Radiology
Validation Date	07/9/2026 01:06:37 PM	Branch	Gustave Roussy
Reporting Date	19/9/2026 10:41:09 AM	Pathology No.	2673/26

- Her2: Positive (score 3+).
- Ki67%: 45%.

****Scoring system: "ER, PR"**

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66% and 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak, 2, intermediate; and 3, strong). Total score from 0 to 8.

**** Scoring system: "Her2"**

Reference: ASCO-CAP Her2 Test Guideline Recommendation. IHC 0 (Null): as defined by no staining observed. IHC 0+ (Ultra-low) as defined by membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within > 10% of the invasive tumor cells.

IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within >10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is complete, intense > 10% of tumor cells.

Signature

Prof. Dr. Maha Guimei, MD, PhD.
Dr. Walaa Ibrahim Ghoneim, MD.



جمهورية مصر العربية
بطاقة تحقيق الشخصية

شوقيه

محمد سيد على

١ ش الايمان - بجوار مطعم الايمان
التبين - القاهرة



٢٦٧١٢١١٢١٠٠٧٠٧

LK6936784



٢٠٢٥/١٠

٢٦٧١٢١١٢١٠٠٧٠٧

حاصله على دبلوم تجارة

أرملة


مسلمة

أنثى



البطاقة سارية حتى ٢٠٣٢/١٠/١١

١



Name : Shawqiya Mohammed Said Ali

Date : 15-08-2026 01:46

Branch : Maadi

Medical No. : 439901

Ref.Physician Prof : Islam Hussain

Ins.Company : شركة مياه الشرب للقاهرة الكبرى

DIGITALIZED LOW DOSE SOFT TISSUE MAMMOGRAPHY WITH COMPLEMENTARY BREAST US EXAMINATION OF BOTH BREASTS REVEALED:

- A well defined speculated hyperdense lesion is seen at the LIQ of the left breast corresponding by US to well defined globular shaped heterogeneous hypoechoic lesion at 8 o'clock position , surrounded by echogenic halo and causing posterior shadowing , subcutaneous infiltration. It measures about 22x15 mm in its max dimensions with about 4.5 cm distance from adjacent nipple .
- left axillary tail enlarged lymph node, with cortical thickening and lost fatty hila , measures 19x16 mm .
- ACR B: Mixed fibro-fatty-glandular breast parenchyma.
- No pathological microcalcification clusters.
- No right breast solid or cystic lesions. with Clear lumpectomy bed
- Normal central ducts system.
- Normal skin thickness and contour as well as right nipple areola complexes.
- Right non specific axillary lymph nodes showing preserved fatty hila.

Opinion:

- ✓ Left breast LIQ malignant looking lesion (BIRADS V) associated with ipsilateral axillary lymphadenopathy .
- ✓ Clear Right breast lumpectomy bed

BIRADS scoring is the breast imaging and reporting data system for classifying the radiological diagnosis of breast lesions:

BIRADS 0 : Needs further investigations.

BIRADS 1: Normal findings.

BIRADS 2: Benign.

BIRADS 3: Probably benign.

BIRADS 4: Probably malignant.

BIRADS 5: Malignant.

BIRADS 6: Proven pathologically malignant

Best regards

Dr Mahmoud Abdelmohsen.FEBR.FABR

Patient Name	شوقيه محمد سيد على	Case No.	359981
Sex/Age	Female 58 Y	Patient No.	26142
Registered Date	23/8/2026 02:28:02 PM	Referred By Dr.	Interventional Radiology
Validation Date	07/9/2026 01:06:37 PM	Branch	Gustave Roussy
Reporting Date	19/9/2026 10:41:09 AM	Pathology No.	2673/26

Pathology Report

Clinical Data: Left LIQ breast mass (BIRADS 5).

Nature of Specimen: Tru-cut biopsy, collected on 20/08/2026, at 03:10 pm. Cold ischemia time is 20 seconds.

Gross Examination:

- Four grey, white tissue cores, ranging in size between 0.8 cm & 1.2 cm long, totally submitted.

Technique:

- Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for;
- ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

Microscopic examination:

- **Histologic type:** Invasive duct carcinoma with micropapillary features.
- **Histologic grade:** 2 (differentiation 2, pleomorphism 2, mitosis 2).
- **DCIS:** Absent.
- **Microcalcification:** Absent.
- **Angioinvasion:** Suspicious.
- **Perineural invasion:** Absent.

Results:

* IPT (All controls showed appropriate reactivity):
- ER: Moderate nuclear reaction in 10% of tumor cells (score 4/8).
- PR: Weak nuclear reaction in <1% of tumor cells (score 2/8).
- Her2: Strong complete membrane reaction in more than 10% of tumor cells (score 3+).
- Ki67%: 45%.

Conclusion:

Left breast mass, Tru-cut biopsy:

- **Invasive duct carcinoma, Grade 2 with micropapillary features.**

IPT:

- **ER: Positive (score 4/8).**
- **PR: Negative (score 2/8).**

Patient Name	شوقيه محمد سيد على	Case No.	359981
Sex/Age	Female 58 Y	Patient No.	26142
Registered Date	23/8/2026 02:28:02 PM	Referred By Dr.	Interventional Radiology
Validation Date	07/9/2026 01:06:37 PM	Branch	Gustave Roussy
Reporting Date	19/9/2026 10:41:09 AM	Pathology No.	2673/26

- Her2: Positive (score 3+).

- Ki67%: 45%.

****Scoring system: "ER, PR"**

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66% and 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak, 2, intermediate; and 3, strong). Total score from 0 to 8.

**** Scoring system: "Her2"**

Reference: ASCO-CAP Her2 Test Guideline Recommendation. IHC 0 (Null): as defined by no staining observed. IHC 0+ (Ultra-low) as defined by membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within > 10% of the invasive tumor cells.

IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within >10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is complete, intense > 10% of tumor cells.

Signature

Prof. Dr. Maha Guimei, MD, PhD.

Dr. Walaa Ibrahim Ghoneim, MD.



جمهورية مصر العربية
بطاقة تحقيق الشخصية

شوقيه

محمد سيد على

١ ش الايمان - بجوار مطعم الايمان
التبين - القاهرة



٢٦٧١٢١١٢١٠٠٧٠٧

LK6936784



٢٠٢٥/١٠

٢٦٧١٢١١٢١٠٠٧٠٧

حاصله على دبلوم تجارة

أرملة


مسلمة

أنثى



البطاقة سارية حتى ٢٠٣٢/١٠/١١

١



Name : Shawqiya Mohammed Said Ali

Date : 15-08-2026 01:46

Branch : Maadi

Medical No. : 439901

Ref.Physician Prof : Islam Hussain

Ins.Company : شركة مياه الشرب للقاهرة الكبرى

DIGITALIZED LOW DOSE SOFT TISSUE MAMMOGRAPHY WITH COMPLEMENTARY BREAST US EXAMINATION OF BOTH BREASTS REVEALED:

- A well defined speculated hyperdense lesion is seen at the LIQ of the left breast corresponding by US to well defined globular shaped heterogeneous hypoechoic lesion at 8 o'clock position , surrounded by echogenic halo and causing posterior shadowing , subcutaneous infiltration. It measures about 22x15 mm in its max dimensions with about 4.5 cm distance from adjacent nipple .
- left axillary tail enlarged lymph node, with cortical thickening and lost fatty hila , measures 19x16 mm .
- ACR B: Mixed fibro-fatty-glandular breast parenchyma.
- No pathological microcalcification clusters.
- No right breast solid or cystic lesions. with Clear lumpectomy bed
- Normal central ducts system.
- Normal skin thickness and contour as well as right nipple areola complexes.
- Right non specific axillary lymph nodes showing preserved fatty hila.

Opinion:

- ✓ Left breast LIQ malignant looking lesion (BIRADS V) associated with ipsilateral axillary lymphadenopathy .
- ✓ Clear Right breast lumpectomy bed

BIRADS scoring is the breast imaging and reporting data system for classifying the radiological diagnosis of breast lesions:

BIRADS 0 : Needs further investigations.

BIRADS 1: Normal findings.

BIRADS 2: Benign.

BIRADS 3: Probably benign.

BIRADS 4: Probably malignant.

BIRADS 5: Malignant.

BIRADS 6: Proven pathologically malignant

Best regards

Dr Mahmoud Abdelmohsen.FEBR.FABR

Patient Name	شوقيه محمد سيد على	Case No.	359981
Sex/Age	Female 58 Y	Patient No.	26142
Registered Date	23/8/2026 02:28:02 PM	Referred By Dr.	Interventional Radiology
Validation Date	07/9/2026 01:06:37 PM	Branch	Gustave Roussy
Reporting Date	19/9/2026 10:41:09 AM	Pathology No.	2673/26

Pathology Report

Clinical Data: Left LIQ breast mass (BIRADS 5).

Nature of Specimen: Tru-cut biopsy, collected on 20/08/2026, at 03:10 pm. Cold ischemia time is 20 seconds.

Gross Examination:

- Four grey, white tissue cores, ranging in size between 0.8 cm & 1.2 cm long, totally submitted.

Technique:

- Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for;
- ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

Microscopic examination:

- **Histologic type:** Invasive duct carcinoma with micropapillary features.
- **Histologic grade:** 2 (differentiation 2, pleomorphism 2, mitosis 2).
- **DCIS:** Absent.
- **Microcalcification:** Absent.
- **Angioinvasion:** Suspicious.
- **Perineural invasion:** Absent.

Results:

* IPT (All controls showed appropriate reactivity):
- ER: Moderate nuclear reaction in 10% of tumor cells (score 4/8).
- PR: Weak nuclear reaction in <1% of tumor cells (score 2/8).
- Her2: Strong complete membrane reaction in more than 10% of tumor cells (score 3+).
- Ki67%: 45%.

Conclusion:

Left breast mass, Tru-cut biopsy:

- **Invasive duct carcinoma, Grade 2 with micropapillary features.**

IPT:

- **ER: Positive (score 4/8).**
- **PR: Negative (score 2/8).**

Patient Name	شوقيه محمد سيد على	Case No.	359981
Sex/Age	Female 58 Y	Patient No.	26142
Registered Date	23/8/2026 02:28:02 PM	Referred By Dr.	Interventional Radiology
Validation Date	07/9/2026 01:06:37 PM	Branch	Gustave Roussy
Reporting Date	19/9/2026 10:41:09 AM	Pathology No.	2673/26

- Her2: Positive (score 3+).

- Ki67%: 45%.

****Scoring system: "ER, PR"**

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66% and 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak, 2, intermediate; and 3, strong). Total score from 0 to 8.

**** Scoring system: "Her2"**

Reference: ASCO-CAP Her2 Test Guideline Recommendation. IHC 0 (Null): as defined by no staining observed. IHC 0+ (Ultra-low) as defined by membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within > 10% of the invasive tumor cells.

IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within >10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is complete, intense > 10% of tumor cells.

Signature

Prof. Dr. Maha Guimei, MD, PhD.

Dr. Walaa Ibrahim Ghoneim, MD.