

**إسم المريض ربيعاً : رشا محمد ابراهيم محمد**

## الحى / المدينة : الجيزه

### المحافضة : الجيزه

رقم البطاقة : 28104242100081      رقم التليفون : 01129789919

**العمر(تاريخ الميلاد) : 24-04-1981 المهنة : ربه منزل**

أقر انا الموقع أدناه انني لا اتمتع بأي نظام علاج مثل :-التأمين الصحي-القوات المسلحة-الشرطة-  
الهيئات-المؤسسات او أي نظام يتعارض مع نظام العلاج علي نفقة الدولة- وسوف اتحمل كافة  
نفقات العلاج في حالة ثبوت غير ذلك

الإحصائي الاجتماعي  
التوقيع: (\_\_\_\_\_)

المقر بما فيه  
التوقيع: (-----)

## التشخيص الإكلينيكي : سرطان بالثدي (مبادرة)

## نتائج الأبحاث : (مرفق)

## التشخيص النهائي : سرطان بالثدي (مبادرة)

**خطة العلاج :** أبحاث أورام تصوير مقطعي للصدر والبطن والحوض بالصبغة  
[11129]

[11129]

**التعليق على التشخيص : -----**

د. جوستاف روستافسکی  
لیدی خستین  
جوستاف روستافسکی  
صحة الباب المرفعة  
للجنة مدين

**الاسم: د/محمد کیلانی**

**الاسم:** د/ندی حسن

**الاسم:** د/نرمين رمضان

**الوظيفة: ----- التوقيع:**

الوظيفة: ----- التوقيع:

**الوظيفة: ----- التوقيع:**

تعتمد صحة البيانات المرفقة  
رئيس اللجنة و مدير  
المستشفى.

أطلعت اللجنة علي لائحة العلاج الخاصة بالمجالس وتلتزم حمة العلاج بلائحة المجالس الطبية.

كما تقر اللجنة بأن البيانات المدونة في هذا النموذج صحيحة.

تتعهد المستشفى أن لا يتم تنفيذ القرار إلا بعد مراجعة الملف الطبي للمريض وإعادة مناظرة المريض بالمستشفى قبل الصرف.

----- /d ----- /d ----- /d.l ----- /d.l

## قرار اللجنة

### التشخيص النهائي :

### خطة العلاج :

### المستشفى :

جهة العلاج : --

**ملاحظات : ---**

قسم : --

### نفقات :

-----

## ختم

## شعار الجمهورية

## مدير عام

## مديرية الشؤون الصحية

## رئیس

## المجلس الطبي المتخصص

|  |
|--|
|  |
|--|

|                                                                          |                                                                                     |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Name:</b> رشا محمد ابراهيم محمد<br><b>National ID:</b> 28104242100081 |  |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

|           |
|-----------|
| تقرير طبي |
|-----------|

|                  |
|------------------|
| السيد            |
| تحية طبية وبعد,, |

|                       |                       |
|-----------------------|-----------------------|
| إيماء للطلب المقدم من | بشأن تقرير طبي للمريض |
| بقسم:                 | رقم طبي:              |

|                                          |
|------------------------------------------|
| نتشرف بان نوضح فيما يلي تقريرنا عن حالته |
|------------------------------------------|

|                                             |                                             |
|---------------------------------------------|---------------------------------------------|
| تاريخ وساعة الدخول :<br>-- --:-- yyyy-mm-dd | تاريخ وساعة الخروج :<br>PM 01:17 05-07-2026 |
|---------------------------------------------|---------------------------------------------|

|                                        |
|----------------------------------------|
| وبعد الكشف والفحوصات والمتابعة وجد انه |
|----------------------------------------|

|                                                                                                     |
|-----------------------------------------------------------------------------------------------------|
| المریضة تعاني من ورم غير حمید بالثدي و تحتاج الي Contrast-enhanced CT of chest, abdomen and pelvis. |
|-----------------------------------------------------------------------------------------------------|

|                         |                                   |
|-------------------------|-----------------------------------|
| التاريخ :<br>05-07-2026 | الوقت :<br>-- --:--               |
|                         | الطبيب المعالج :<br>د/شيماء لاشين |

جمهورية مصر العربية  
بطاقة تحقيق الشخصية

رشا  
محمد ابراهيم محمد  
٣٣ ش سيدى الانصارى  
الجيزة - الجيزة

١٩٨١/٠١/٠١

٢٨١٠٤٢٤٢١٠٠٠

J00183245

National ID - Front  
[J00079540]

٢٠٢٢/٠٩ ٢٨١٠٤٢٤٢١٠٠٠٨١  
ربة منزل  
أنثى مسلمة أرملة  
البطاقة سارية حتى ٢٠٢٩/٠٩/٠٩ ١



## PATHOLOGY DEPARTMENT HISTOPATHOLOGICAL REPORT

|                                       |                            |             |
|---------------------------------------|----------------------------|-------------|
| Patient name: رشا محمد انور احمد محمد | Age: 45 years              | Sex: female |
| Request type: ميلدرة                  | Sub request type:          |             |
| Hospital no:                          | Pathology no.:964B-2026    |             |
| Department: صحة مرآه                  | Date of result:19/9/2026   |             |
| Referred by: د.ريهام راضي             | Date of biopsy:9/9/2026    |             |
| Nature of specimen: tru-cut biopsy    | I.D. Number:28104242100081 |             |
| Clinical diagnosis: Right breast mass |                            |             |

### Gross pathology :

Multiple fragmented grayish white tissue cores up to 1cm long, totally submitted.

### Immunohistochemical Technique:

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against GATA3-ER- PR- Her2- Ki67

### Microscopic picture:

Section examined revealed core of tumor showing malignant tumor. Tumor form syncytial of markedly anaplastic cells infiltrating among marled lymphocytic infiltrate. There is moderate number of mitotic figures.

### Immunohistochemical Result:

Neoplastic cells showed positive GATA3

ER: Moderate nuclear staining in 30% of tumor cells (Allred Score 5/8).

PR: Weak nuclear staining in 10% of tumor cells (Allred Score 3/8).

Her2: No membranous staining of tumor cells (score 0)Null.

Ki67: Positive nuclear staining in 90% of tumor cells.

### Diagnosis: Right breast mass ,Tru-cut biopsy :

Invasive mammary carcinoma with meduallry features, Grade III.

Signature:

Dr.Mona Mohamed.M.D

*Mes*

Pathology Lab. Manager

BASMA REFAAT M.D

## PATHOLOGY DEPARTMENT HISTOPATHOLOGICAL REPORT

|                                       |                             |             |
|---------------------------------------|-----------------------------|-------------|
| Patient name: رشا محمد ابراهيم محمد   | Age: 45 years               | Sex: female |
| Request type: مبداءه                  | Sub request type:           |             |
| Hospital no:                          | Pathology no.: 964B-2026    |             |
| Department: صحة مصر                   | Date of result: 19/9/2026   |             |
| Referred by: د/يحيى راضي              | Date of biopsy: 9/9/2026    |             |
| Nature of specimen: tru-cut biopsy    | I.D. Number: 28104242100081 |             |
| Clinical diagnosis: Right breast mass |                             |             |

### Gross pathology:

Multiple fragmented grayish white tissue cores up to 1 cm long, totally submitted.

### Immunohistochemical Technique:

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against GATA3-ER- PR- Her2- Ki67

### Microscopic picture:

Section examined revealed core of tumor showing malignant tumor. Tumor form syncytial of markedly anaplastic cells infiltrating among marled lymphocytic infiltrate. There is moderate number of mitotic figures.

### Immunohistochemical Result:

Neoplastic cells showed positive GATA3

ER: Moderate nuclear staining in 30% of tumor cells (Allred Score 5/8).

PR: Weak nuclear staining in 10% of tumor cells (Allred Score 3/8).

Her2: No membranous staining of tumor cells (score 0) Null.

Ki67: Positive nuclear staining in 90% of tumor cells.

### Diagnosis: Right breast mass, Tru-cut biopsy:

Invasive mammary carcinoma with medullary features, Grade III.

Signature:

Dr.Mona Mohamed.M.D

Mos

Pathology Lab. Manager

BASMA REFAAT M.D

|                                              |                    |
|----------------------------------------------|--------------------|
| اسم المريض بالإحطارية: Rasha Mohamed Ibrahim | كود المريض: 99177  |
| تاريخ الفحص: 2026/09/09 09:09:45 AM          | السن: 45 سنة 4 شهر |

### Women's Health Outreach Program

#### Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 45 years old female patient with right breast lump.

#### Detailed Findings

##### Right breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- UOQ high dense oval mass with indistinct margins associated with anterior architectural distortion.
- Multiple circumscribed equal dense masses.
- Ultrasound revealed UOQ irregular hypoechoic non parallel mass lesion measures about 36x28mm located at 9 ° clock zone b, being about 5mm from overlying associated with anterior area of non mass measuring 12x10mm and allover process being about 30mm from the nipple .
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Prominent retroareolar ducts.
- Few less than 3 enlarged axillary lymph nodes at level I with diffuse cortical thickening 3.5mm.

##### Left breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- Multiple circumscribed equal dense masses.
- Ultrasound demonstrated prominent glandular elements of the breast tissue with mottled appearance.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

##### Impression:

- ✓ Right breast: Right UOQ highly suspicious mass with anterior non mass lesion as described. For tru cut biopsy and contrast study. (BIRADS-4c)
- ✓ Left breast: left breast fibrocystic changes (BIRADS 2).
- ✓ Biopsy was taken at the same sitting for histopathological assessment.

*Much obliged,*  
Dr. Reham Rady, FRCR, FRCR

|                                               |                    |
|-----------------------------------------------|--------------------|
| اسم المريض بالإنجليزية: Rasha Mohamed Ibrahim | كود المريض: 99177  |
| تاريخ الترخيد: 2026/09/09 09:09:45 AM         | السن: ٤٥ سنة ٢ شهر |

## Women's Health Outreach Program

### Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 45 years old female patient with right breast lump.

#### Detailed Findings

##### Right breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- UOQ high dense oval mass with indistinct margins associated with anterior architectural distortion.
- Multiple circumscribed equal dense masses.
- Ultrasound revealed UOQ irregular hypoechoic non parallel mass lesion measures about 36x28mm located at 9 ° clock zone b, being about 5mm from overlying associated with anterior area of non mass measuring 12x10mm and allover process being about 30mm from the nipple.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.

- Prominent retroareolar ducts.

- Few less than 3 enlarged axillary lymph nodes at level I with diffuse cortical thickening 3.5mm.

##### Left breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- Multiple circumscribed equal dense masses.
- Ultrasound demonstrated prominent glandular elements of the breast tissue with mottled appearance.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

##### Impression:

- ✓ Right breast: Right UOQ highly suspicious mass with anterior non mass lesion as described. For tru cut biopsy and contrast study. (BIRADS-4c)

- ✓ Left breast: left breast fibrocystic changes (BIRADS 2).

- ✓ Biopsy was taken at the same sitting for histopathological assessment.

*Much obliged,*

*Dr. Reham Rady, FRCR, FRCR*

جمهورية مصر العربية  
بطاقة تحقيق الشخصية



رشا

محمد ابراهيم محمد

٣٣ ش سيدى الانصارى

الجيزة - الجيزة



٢٨١٠٤٢٤٢١٠٠٠٨١

J00183245

٢٠٢٢/٠٩ ٢٨١٠٤٢٤٢١٠٠٠٨١  
ربة منزل  
أنثى مسلمة أرملة  
البطاقة سارية حتى ٢٠٢٩/٠٩/٠٩ ١





N H T M R I

قسم الباثولوجي

الهيئة العامة للمستشفيات والمعاهد التعليمية  
المعهد القومي للكبد والجهاز الهضمي  
والأمراض المعدية

## PATHOLOGY DEPARTMENT HISTOPATHOLOGICAL REPORT

|                                       |                            |             |
|---------------------------------------|----------------------------|-------------|
| Patient name: رشا محمد ابراهيم محمد   | Age: 45 years              | Sex: female |
| Request type: ميلدرة                  | Sub request type:          |             |
| Hospital no:                          | Pathology no.:964B-2026    |             |
| Department: صحة مرآة                  | Date of result:19/9/2026   |             |
| Referred by: د.ريهام راضي             | Date of biopsy:9/9/2026    |             |
| Nature of specimen: tru-cut biopsy    | I.D. Number:28104242100081 |             |
| Clinical diagnosis: Right breast mass |                            |             |

### Gross pathology :

Multiple fragmented grayish white tissue cores up to 1cm long, totally submitted.

### Immunohistochemical Technique:

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against GATA3-ER- PR- Her2- Ki67

### Microscopic picture:

Section examined revealed core of tumor showing malignant tumor. Tumor form syncytial of markedly anaplastic cells infiltrating among marled lymphocytic infiltrate. There is moderate number of mitotic figures.

### Immunohistochemical Result:

Neoplastic cells showed positive GATA3

ER: Moderate nuclear staining in 30% of tumor cells (Allred Score 5/8).

PR: Weak nuclear staining in 10% of tumor cells (Allred Score 3/8).

Her2: No membranous staining of tumor cells (score 0)Null.

Ki67: Positive nuclear staining in 90% of tumor cells.

### Diagnosis: Right breast mass ,Tru-cut biopsy :


Invasive mammary carcinoma with meduallry features, Grade III.

Signature:

Dr.Mona Mohamed.M.D

Pathology Lab. Manager

BASMA REFAAT M.D



N H T M R I

قسم الباثولوجي

الهيئة العامة للمستشفيات والمعاهد التعليمية  
المعهد القومي للكبد والجهاز الهضمي  
والأمراض المعوية

## PATHOLOGY DEPARTMENT HISTOPATHOLOGICAL REPORT

|                                       |                             |             |
|---------------------------------------|-----------------------------|-------------|
| Patient name: رشا محمد ابراهيم محمد   | Age: 45 years               | Sex: female |
| Request type: مبداءه                  | Sub request type:           |             |
| Hospital no:                          | Pathology no.: 964B-2026    |             |
| Department: صحة مصر                   | Date of result: 19/9/2026   |             |
| Referred by: د/يحيى راضي              | Date of biopsy: 9/9/2026    |             |
| Nature of specimen: tru-cut biopsy    | I.D. Number: 28104242100081 |             |
| Clinical diagnosis: Right breast mass |                             |             |

### Gross pathology:

Multiple fragmented grayish white tissue cores up to 1cm long, totally submitted.

### Immunohistochemical Technique:

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against GATA3-ER- PR- Her2- Ki67

### Microscopic picture:

Section examined revealed core of tumor showing malignant tumor. Tumor form syncytial of markedly anaplastic cells infiltrating among marled lymphocytic infiltrate. There is moderate number of mitotic figures.

### Immunohistochemical Result:

Neoplastic cells showed positive GATA3

ER: Moderate nuclear staining in 30% of tumor cells (Allred Score 5/8).

PR: Weak nuclear staining in 10% of tumor cells (Allred Score 3/8).

Her2: No membranous staining of tumor cells (score 0) Null.

Ki67: Positive nuclear staining in 90% of tumor cells.

### Diagnosis: Right breast mass, Tru-cut biopsy:

Invasive mammary carcinoma with medullary features, Grade III.

Signature:

Dr.Mona Mohamed.M.D

*Mes*

Pathology Lab. Manager

BASMA REFAAT M.D

|                                              |                    |
|----------------------------------------------|--------------------|
| اسم المريض بالإحطارية: Rasha Mohamed Ibrahim | كود المريض: 99177  |
| تاريخ الفحص: 2026/09/09 09:09:45 AM          | السن: 45 سنة 4 شهر |

### Women's Health Outreach Program

#### Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 45 years old female patient with right breast lump.

#### Detailed Findings

##### Right breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- UOQ high dense oval mass with indistinct margins associated with anterior architectural distortion.
- Multiple circumscribed equal dense masses.
- Ultrasound revealed UOQ irregular hypoechoic non parallel mass lesion measures about 36x28mm located at 9 ° clock zone b, being about 5mm from overlying associated with anterior area of non mass measuring 12x10mm and allover process being about 30mm from the nipple .
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Prominent retroareolar ducts.
- Few less than 3 enlarged axillary lymph nodes at level I with diffuse cortical thickening 3.5mm.

##### Left breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- Multiple circumscribed equal dense masses.
- Ultrasound demonstrated prominent glandular elements of the breast tissue with mottled appearance.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

##### Impression:

- Right breast: Right UOQ highly suspicious mass with anterior non mass lesion as described. For tru cut biopsy and contrast study. (BIRADS-4c)
- Left breast: left breast fibrocystic changes (BIRADS 2).
- Biopsy was taken at the same sitting for histopathological assessment.

*Much obliged,*  
Dr. Reham Rady, FRCR, FRCR

|                                               |                    |
|-----------------------------------------------|--------------------|
| اسم المريض بالإنجليزية: Rasha Mohamed Ibrahim | كود المريض: 99177  |
| تاريخ التمرين: 2026/09/09 09:09:45 AM         | السن: ٢٥ سنة ٢ شهر |

### Women's Health Outreach Program

#### Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 45 years old female patient with right breast lump.

#### Detailed Findings

##### Right breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- UOQ high dense oval mass with indistinct margins associated with anterior architectural distortion.
- Multiple circumscribed equal dense masses.
- Ultrasound revealed UOQ irregular hypoechoic non parallel mass lesion measures about 36x28mm located at 9 ° clock zone b, being about 5mm from overlying associated with anterior area of non mass measuring 12x10mm and allover process being about 30mm from the nipple.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.

- Prominent retroareolar ducts.

- Few less than 3 enlarged axillary lymph nodes at level I with diffuse cortical thickening 3.5mm.

##### Left breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- Multiple circumscribed equal dense masses.
- Ultrasound demonstrated prominent glandular elements of the breast tissue with mottled appearance.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

##### Impression:

- ✓ Right breast: Right UOQ highly suspicious mass with anterior non mass lesion as described. For tru cut biopsy and contrast study. (BIRADS-4c)

- ✓ Left breast: left breast fibrocystic changes (BIRADS 2).

- ✓ Biopsy was taken at the same sitting for histopathological assessment.

*Much obliged,*

*Dr. Reham Rady, FRCR, FRCR*

جمهورية مصر العربية  
بطاقة تحقيق الشخصية



رشا

محمد ابراهيم محمد

٣٣ ش سيدى الانصارى

الجيزة - الجيزة



٢٨١٠٤٢٤٢١٠٠٠٨١

J00183245

٢٠٢٢/٠٩ ٢٨١٠٤٢٤٢١٠٠٠٨١  
ربة منزل  
أنثى مسلمة أرملة  
البطاقة سارية حتى ٢٠٢٩/٠٩/٠٩ ١





N H T M R I

قسم الباثولوجي

الهيئة العامة للمستشفيات والمعاهد التعليمية  
المعهد القومي للكبد والجهاز الهضمي  
والأمراض المعدية

## PATHOLOGY DEPARTMENT HISTOPATHOLOGICAL REPORT

|                                       |                            |             |
|---------------------------------------|----------------------------|-------------|
| Patient name: رشا محمد ابراهيم محمد   | Age: 45 years              | Sex: female |
| Request type: ميلدرة                  | Sub request type:          |             |
| Hospital no:                          | Pathology no.:964B-2026    |             |
| Department: صحة مرآة                  | Date of result:19/9/2026   |             |
| Referred by: د.ريهام راضي             | Date of biopsy:9/9/2026    |             |
| Nature of specimen: tru-cut biopsy    | I.D. Number:28104242100081 |             |
| Clinical diagnosis: Right breast mass |                            |             |

### Gross pathology :

Multiple fragmented grayish white tissue cores up to 1cm long, totally submitted.

### Immunohistochemical Technique:

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against GATA3-ER- PR- Her2- Ki67

### Microscopic picture:

Section examined revealed core of tumor showing malignant tumor. Tumor form syncytial of markedly anaplastic cells infiltrating among marled lymphocytic infiltrate. There is moderate number of mitotic figures.

### Immunohistochemical Result:

Neoplastic cells showed positive GATA3

ER: Moderate nuclear staining in 30% of tumor cells (Allred Score 5/8).

PR: Weak nuclear staining in 10% of tumor cells (Allred Score 3/8).

Her2: No membranous staining of tumor cells (score 0)Null.

Ki67: Positive nuclear staining in 90% of tumor cells.

### Diagnosis: Right breast mass ,Tru-cut biopsy :

Invasive mammary carcinoma with meduallry features, Grade III.


Signature:

Dr.Mona Mohamed.M.D

*Mes*

Pathology Lab. Manager

BASMA REFAAT M.D



N H T M R I

قسم الباثولوجي

الهيئة العامة للمستشفيات والمعاهد التعليمية  
المعهد القومي للكبد والجهاز الهضمي  
والأمراض المعوية

## PATHOLOGY DEPARTMENT HISTOPATHOLOGICAL REPORT

|                                     |                             |             |
|-------------------------------------|-----------------------------|-------------|
| Patient name: رشا محمد ابراهيم محمد | Age: 45 years               | Sex: female |
| Request type: مبداءه                | Sub request type:           |             |
| Hospital no:                        | Pathology no.: 964B-2026    |             |
| Department: صحة مصر                 | Date of result: 19/9/2026   |             |
| Referred by: د/يحيى راضي            | Date of biopsy: 9/9/2026    |             |
| Nature of specimen: tru-cut biopsy  | I.D. Number: 28104242100081 |             |

**Clinical diagnosis:** Right breast mass

**Gross pathology:**

Multiple fragmented grayish white tissue cores up to 1 cm long, totally submitted.

**Immunohistochemical Technique:**

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against GATA3-ER- PR- Her2- Ki67

**Microscopic picture:**

Section examined revealed core of tumor showing malignant tumor. Tumor form syncytial of markedly anaplastic cells infiltrating among marled lymphocytic infiltrate. There is moderate number of mitotic figures.

**Immunohistochemical Result:**

Neoplastic cells showed positive GATA3

ER: Moderate nuclear staining in 30% of tumor cells (Allred Score 5/8).

PR: Weak nuclear staining in 10% of tumor cells (Allred Score 3/8).

Her2: No membranous staining of tumor cells (score 0) Null.

Ki67: Positive nuclear staining in 90% of tumor cells.

**Diagnosis:** Right breast mass, Tru-cut biopsy :

Invasive mammary carcinoma with medullary features, Grade III.

Signature:

Dr.Mona Mohamed.M.D

Mes

Pathology Lab. Manager

BASMA REFAAT M.D

|                                               |                     |
|-----------------------------------------------|---------------------|
| اسم المريض بالإنجليزية: Rasha Mohamed Ibrahim | كود المريض: 99177   |
| تاريخ الفحص: 2026/09/09 09:09:45 AM           | السن: 45 سنة 4 أشهر |

### Women's Health Outreach Program

#### Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 45 years old female patient with right breast lump.

#### Detailed Findings

##### Right breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- UOQ high dense oval mass with indistinct margins associated with anterior architectural distortion.
- Multiple circumscribed equal dense masses.
- Ultrasound revealed UOQ irregular hypoechoic non parallel mass lesion measures about 36x28mm located at 9 ° clock zone b, being about 5mm from overlying associated with anterior area of non mass measuring 12x10mm and allover process being about 30mm from the nipple .
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Prominent retroareolar ducts.
- Few less than 3 enlarged axillary lymph nodes at level I with diffuse cortical thickening 3.5mm.

##### Left breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- Multiple circumscribed equal dense masses.
- Ultrasound demonstrated prominent glandular elements of the breast tissue with mottled appearance.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

##### Impression:

- ✓ Right breast: Right UOQ highly suspicious mass with anterior non mass lesion as described. For tru cut biopsy and contrast study. (BIRADS-4c)
- ✓ Left breast: left breast fibrocystic changes (BIRADS 2).
- ✓ Biopsy was taken at the same sitting for histopathological assessment.

*Much obliged,*  
Dr. Reham Rady, FRCR, FRCR

|                                               |                    |
|-----------------------------------------------|--------------------|
| اسم المريض بالإنجليزية: Rasha Mohamed Ibrahim | كود المريض: 99177  |
| تاريخ التمرين: 2026/09/09 09:09:45 AM         | السن: ٢٥ سنة ٢ شهر |

### Women's Health Outreach Program

#### Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 45 years old female patient with right breast lump.

#### Detailed Findings

##### Right breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- UOQ high dense oval mass with indistinct margins associated with anterior architectural distortion.
- Multiple circumscribed equal dense masses.
- Ultrasound revealed UOQ irregular hypoechoic non parallel mass lesion measures about 36x28mm located at 9 ° clock zone b, being about 5mm from overlying associated with anterior area of non mass measuring 12x10mm and allover process being about 30mm from the nipple.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.

- Prominent retroareolar ducts.

- Few less than 3 enlarged axillary lymph nodes at level I with diffuse cortical thickening 3.5mm.

##### Left breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- Multiple circumscribed equal dense masses.
- Ultrasound demonstrated prominent glandular elements of the breast tissue with mottled appearance.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

##### Impression:

- ✓ Right breast: Right UOQ highly suspicious mass with anterior non mass lesion as described. For tru cut biopsy and contrast study. (BIRADS-4c)

- ✓ Left breast: left breast fibrocystic changes (BIRADS 2).

- ✓ Biopsy was taken at the same sitting for histopathological assessment.

*Much obliged,*

*Dr. Reham Rady, FRCR, FRCR*

جمهورية مصر العربية  
بطاقة تحقيق الشخصية



رشا

محمد ابراهيم محمد

٣٣ ش سيدى الانصارى

الجيزة - الجيزة



٢٨١٠٤٢٤٢١٠٠٠٨١

J00183245

٢٠٢٢/٠٩ ٢٨١٠٤٢٤٢١٠٠٠٨١  
ربة منزل  
أنثى مسلمة أرملة  
البطاقة سارية حتى ٢٠٢٩/٠٩/٠٩ ١





N H T M R I

قسم الباثولوجي

الهيئة العامة للمستشفيات والمعاهد التعليمية  
المعهد القومي للكبد والجهاز الهضمي  
والأمراض المعدية

## PATHOLOGY DEPARTMENT HISTOPATHOLOGICAL REPORT

|                                       |                            |             |
|---------------------------------------|----------------------------|-------------|
| Patient name: رشا محمد ابراهيم محمد   | Age: 45 years              | Sex: female |
| Request type: ميلدرة                  | Sub request type:          |             |
| Hospital no:                          | Pathology no.:964B-2026    |             |
| Department: صحة مرآة                  | Date of result:19/9/2026   |             |
| Referred by: د.ريهام راضي             | Date of biopsy:9/9/2026    |             |
| Nature of specimen: tru-cut biopsy    | I.D. Number:28104242100081 |             |
| Clinical diagnosis: Right breast mass |                            |             |

### Gross pathology :

Multiple fragmented grayish white tissue cores up to 1cm long, totally submitted.

### Immunohistochemical Technique:

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against GATA3-ER- PR- Her2- Ki67

### Microscopic picture:

Section examined revealed core of tumor showing malignant tumor. Tumor form syncytial of markedly anaplastic cells infiltrating among marled lymphocytic infiltrate. There is moderate number of mitotic figures.

### Immunohistochemical Result:

Neoplastic cells showed positive GATA3

ER: Moderate nuclear staining in 30% of tumor cells (Allred Score 5/8).

PR: Weak nuclear staining in 10% of tumor cells (Allred Score 3/8).

Her2: No membranous staining of tumor cells (score 0)Null.

Ki67: Positive nuclear staining in 90% of tumor cells.

### Diagnosis: Right breast mass ,Tru-cut biopsy :

Invasive mammary carcinoma with meduallry features, Grade III.


Signature:

Dr.Mona Mohamed.M.D

*Mes*

Pathology Lab. Manager

BASMA REFAAT M.D



N H T M R I

قسم الباثولوجي

الهيئة العامة للمستشفيات والمعاهد التعليمية  
المعهد القومي للكبد والجهاز الهضمي  
والأمراض المعوية

## PATHOLOGY DEPARTMENT HISTOPATHOLOGICAL REPORT

|                                       |                             |             |
|---------------------------------------|-----------------------------|-------------|
| Patient name: رشا محمد ابراهيم محمد   | Age: 45 years               | Sex: female |
| Request type: مبداءه                  | Sub request type:           |             |
| Hospital no:                          | Pathology no.: 964B-2026    |             |
| Department: صحة مصر                   | Date of result: 19/9/2026   |             |
| Referred by: د/يحيى راضي              | Date of biopsy: 9/9/2026    |             |
| Nature of specimen: tru-cut biopsy    | I.D. Number: 28104242100081 |             |
| Clinical diagnosis: Right breast mass |                             |             |

### Gross pathology:

Multiple fragmented grayish white tissue cores up to 1cm long, totally submitted.

### Immunohistochemical Technique:

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against GATA3-ER- PR- Her2- Ki67

### Microscopic picture:

Section examined revealed core of tumor showing malignant tumor. Tumor form syncytial of markedly anaplastic cells infiltrating among marled lymphocytic infiltrate. There is moderate number of mitotic figures.

### Immunohistochemical Result:

Neoplastic cells showed positive GATA3

ER: Moderate nuclear staining in 30% of tumor cells (Allred Score 5/8).

PR: Weak nuclear staining in 10% of tumor cells (Allred Score 3/8).

Her2: No membranous staining of tumor cells (score 0) Null.

Ki67: Positive nuclear staining in 90% of tumor cells.

### Diagnosis: Right breast mass, Tru-cut biopsy:

Invasive mammary carcinoma with medullary features, Grade III.

Signature:

Dr.Mona Mohamed.M.D

*Mes*

Pathology Lab. Manager

BASMA REFAAT M.D

|                                              |                    |
|----------------------------------------------|--------------------|
| اسم المريض بالإحطارية: Rasha Mohamed Ibrahim | كود المريض: 99177  |
| تاريخ الفحص: 2026/09/09 09:09:45 AM          | السن: 45 سنة 4 شهر |

### Women's Health Outreach Program

#### Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 45 years old female patient with right breast lump.

#### Detailed Findings

##### Right breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- UOQ high dense oval mass with indistinct margins associated with anterior architectural distortion.
- Multiple circumscribed equal dense masses.
- Ultrasound revealed UOQ irregular hypoechoic non parallel mass lesion measures about 36x28mm located at 9 ° clock zone b, being about 5mm from overlying associated with anterior area of non mass measuring 12x10mm and allover process being about 30mm from the nipple .
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Prominent retroareolar ducts.
- Few less than 3 enlarged axillary lymph nodes at level I with diffuse cortical thickening 3.5mm.

##### Left breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- Multiple circumscribed equal dense masses.
- Ultrasound demonstrated prominent glandular elements of the breast tissue with mottled appearance.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

##### Impression:

- ✓ Right breast: Right UOQ highly suspicious mass with anterior non mass lesion as described. For tru cut biopsy and contrast study. (BIRADS-4c)
- ✓ Left breast: left breast fibrocystic changes (BIRADS 2).
- ✓ Biopsy was taken at the same sitting for histopathological assessment.

*Much obliged,*  
Dr. Reham Rady, FRCR, FRCR

|                                               |                    |
|-----------------------------------------------|--------------------|
| اسم المريض بالإنجليزية: Rasha Mohamed Ibrahim | كود المريض: 99177  |
| تاريخ التمرين: 2026/09/09 09:09:45 AM         | السن: ٢٥ سنة ٢ شهر |

### Women's Health Outreach Program

#### Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 45 years old female patient with right breast lump.

#### Detailed Findings

##### Right breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- UOQ high dense oval mass with indistinct margins associated with anterior architectural distortion.
- Multiple circumscribed equal dense masses.
- Ultrasound revealed UOQ irregular hypoechoic non parallel mass lesion measures about 36x28mm located at 9 ° clock zone b, being about 5mm from overlying associated with anterior area of non mass measuring 12x10mm and allover process being about 30mm from the nipple.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.

- Prominent retroareolar ducts.

- Few less than 3 enlarged axillary lymph nodes at level I with diffuse cortical thickening 3.5mm.

##### Left breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- Multiple circumscribed equal dense masses.
- Ultrasound demonstrated prominent glandular elements of the breast tissue with mottled appearance.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

##### Impression:

- ✓ Right breast: Right UOQ highly suspicious mass with anterior non mass lesion as described. For tru cut biopsy and contrast study. (BIRADS-4c)

- ✓ Left breast: left breast fibrocystic changes (BIRADS 2).

- ✓ Biopsy was taken at the same sitting for histopathological assessment.

*Much obliged,*

*Dr. Reham Rady, FRCR, FRCR*

جمهورية مصر العربية  
بطاقة تحقيق الشخصية



رشا

محمد ابراهيم محمد

٣٣ ش سيدى الانصارى

الجيزة - الجيزة



٢٨١٠٤٢٤٢١٠٠٠٨١

J00183245

٢٠٢٢/٠٩ ٢٨١٠٤٢٤٢١٠٠٠٨١  
ربة منزل  
أنثى مسلمة أرملة  
البطاقة سارية حتى ٢٠٢٩/٠٩/٠٩ ١





N H T M R I

قسم الباثولوجي

الهيئة العامة للمستشفيات والمعاهد التعليمية  
المعهد القومي للكبد والجهاز الهضمي  
والأمراض المعدية

## PATHOLOGY DEPARTMENT HISTOPATHOLOGICAL REPORT

|                                       |                            |             |
|---------------------------------------|----------------------------|-------------|
| Patient name: رشا محمد ابراهيم محمد   | Age: 45 years              | Sex: female |
| Request type: ميلدرة                  | Sub request type:          |             |
| Hospital no:                          | Pathology no.:964B-2026    |             |
| Department: صحة مرآة                  | Date of result:19/9/2026   |             |
| Referred by: د.ريهام راضي             | Date of biopsy:9/9/2026    |             |
| Nature of specimen: tru-cut biopsy    | I.D. Number:28104242100081 |             |
| Clinical diagnosis: Right breast mass |                            |             |

### Gross pathology :

Multiple fragmented grayish white tissue cores up to 1cm long, totally submitted.

### Immunohistochemical Technique:

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against GATA3-ER- PR- Her2- Ki67

### Microscopic picture:

Section examined revealed core of tumor showing malignant tumor. Tumor form syncytial of markedly anaplastic cells infiltrating among marled lymphocytic infiltrate. There is moderate number of mitotic figures.

### Immunohistochemical Result:

Neoplastic cells showed positive GATA3

ER: Moderate nuclear staining in 30% of tumor cells (Allred Score 5/8).

PR: Weak nuclear staining in 10% of tumor cells (Allred Score 3/8).

Her2: No membranous staining of tumor cells (score 0)Null.

Ki67: Positive nuclear staining in 90% of tumor cells.

### Diagnosis: Right breast mass ,Tru-cut biopsy :

Invasive mammary carcinoma with meduallry features, Grade III.


Signature:

Dr.Mona Mohamed.M.D

*Mes*

Pathology Lab. Manager

BASMA REFAAT M.D



N H T M R I

قسم الباثولوجي

الهيئة العامة للمستشفيات والمعاهد التعليمية  
المعهد القومي للكبد والجهاز الهضمي  
والأمراض المعوية

## PATHOLOGY DEPARTMENT HISTOPATHOLOGICAL REPORT

|                                       |                             |             |
|---------------------------------------|-----------------------------|-------------|
| Patient name: رشا محمد ابراهيم محمد   | Age: 45 years               | Sex: female |
| Request type: مبداءه                  | Sub request type:           |             |
| Hospital no:                          | Pathology no.: 964B-2026    |             |
| Department: صحة مصر                   | Date of result: 19/9/2026   |             |
| Referred by: د/يحيى راضي              | Date of biopsy: 9/9/2026    |             |
| Nature of specimen: tru-cut biopsy    | I.D. Number: 28104242100081 |             |
| Clinical diagnosis: Right breast mass |                             |             |

### Gross pathology:

Multiple fragmented grayish white tissue cores up to 1cm long, totally submitted.

### Immunohistochemical Technique:

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against GATA3-ER- PR- Her2- Ki67

### Microscopic picture:

Section examined revealed core of tumor showing malignant tumor. Tumor form syncytial of markedly anaplastic cells infiltrating among marled lymphocytic infiltrate. There is moderate number of mitotic figures.

### Immunohistochemical Result:

Neoplastic cells showed positive GATA3

ER: Moderate nuclear staining in 30% of tumor cells (Allred Score 5/8).

PR: Weak nuclear staining in 10% of tumor cells (Allred Score 3/8).

Her2: No membranous staining of tumor cells (score 0) Null.

Ki67: Positive nuclear staining in 90% of tumor cells.

### Diagnosis: Right breast mass, Tru-cut biopsy:

Invasive mammary carcinoma with medullary features, Grade III.

Signature:

Dr.Mona Mohamed.M.D

*Mes*

Pathology Lab. Manager

BASMA REFAAT M.D

|                                              |                    |
|----------------------------------------------|--------------------|
| اسم المريض بالإحطارية: Rasha Mohamed Ibrahim | كود المريض: 99177  |
| تاريخ الفحص: 2026/09/09 09:09:45 AM          | السن: 45 سنة 4 شهر |

### Women's Health Outreach Program

#### Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 45 years old female patient with right breast lump.

#### Detailed Findings

##### Right breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- UOQ high dense oval mass with indistinct margins associated with anterior architectural distortion.
- Multiple circumscribed equal dense masses.
- Ultrasound revealed UOQ irregular hypoechoic non parallel mass lesion measures about 36x28mm located at 9 ° clock zone b, being about 5mm from overlying associated with anterior area of non mass measuring 12x10mm and allover process being about 30mm from the nipple .
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Prominent retroareolar ducts.
- Few less than 3 enlarged axillary lymph nodes at level I with diffuse cortical thickening 3.5mm.

##### Left breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- Multiple circumscribed equal dense masses.
- Ultrasound demonstrated prominent glandular elements of the breast tissue with mottled appearance.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

##### Impression:

- ✓ Right breast: Right UOQ highly suspicious mass with anterior non mass lesion as described. For tru cut biopsy and contrast study. (BIRADS-4c)
- ✓ Left breast: left breast fibrocystic changes (BIRADS 2).
- ✓ Biopsy was taken at the same sitting for histopathological assessment.

*Much obliged,*  
Dr. Reham Rady, FRCR, FRCR

|                                               |                    |
|-----------------------------------------------|--------------------|
| اسم المريض بالإنجليزية: Rasha Mohamed Ibrahim | كود المريض: 99177  |
| تاريخ الترخيد: 2026/09/09 09:09:45 AM         | السن: ٢٥ سنة ٢ شهر |

### Women's Health Outreach Program

#### Bilateral Full field Digital Mammography and high-resolution ultrasound.

Clinical summary: 45 years old female patient with right breast lump.

#### Detailed Findings

##### Right breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- UOQ high dense oval mass with indistinct margins associated with anterior architectural distortion.
- Multiple circumscribed equal dense masses.
- Ultrasound revealed UOQ irregular hypoechoic non parallel mass lesion measures about 36x28mm located at 9 ° clock zone b, being about 5mm from overlying associated with anterior area of non mass measuring 12x10mm and allover process being about 30mm from the nipple.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.

- Prominent retroareolar ducts.

- Few less than 3 enlarged axillary lymph nodes at level I with diffuse cortical thickening 3.5mm.

##### Left breast:

- Heterogenous dense fibro glandular parenchyma (ACR density C).
- Multiple circumscribed equal dense masses.
- Ultrasound demonstrated prominent glandular elements of the breast tissue with mottled appearance.
- Multiple circumscribed thin wall anechoic variable sized clear cystic masses.
- Normal skin/subcutaneous tissue and nipple/areolar complex.
- Non-specific axillary LNs.

##### Impression:

- ✓ Right breast: Right UOQ highly suspicious mass with anterior non mass lesion as described. For tru cut biopsy and contrast study. (BIRADS-4c)

- ✓ Left breast: left breast fibrocystic changes (BIRADS 2).

- ✓ Biopsy was taken at the same sitting for histopathological assessment.

*Much obliged,*

*Dr. Reham Rady, FRCR, FRCR*