

**إسم المريض رابعياً : رشا ناجی عبد الهادی حجازی**

المحافظة : الجيزة      الحي / المدينة : اوسيم  
رقم البطاقة : 28510022101564      رقم التليفون : 01000428787  
العمر(تاريخ الميلاد) : 02-10-1985      المهنة : حاصل على دبلوم

أقر انا الموقع أدناه انني لا اتمتع باي نظام علاج مثل:- التأمين الصحي-القوات المسلحة-الشرطة-  
الهيئات-المؤسسات او اي نظام يتعارض مع نظام العلاج علي نفقة الدولة- وسوف اتحمل كافة  
نفقات العلاج في حالة ثبوت غير ذلك  
الإخصائي الاجتماعي  
التوقيع: (-----)

### التشخيص الإكلينيكي :

## نتائج الأبحاث : (مرفق)

### التشخيص النهائي :

**خطة العلاج : أورام كيماوي علاج تدعيمي وتلطيفي [6347] قسم العلاج :**

**التعليق على التشخيص : -----**

GR1-E  
روسای کمیسیون  
لایحه  
روسای کمیسیون  
صحة الامايات المصرفية  
اللجنة ومدير

**الاسم: د/محمد کیلانی**

**الاسم: د/ندی حسن**

**الاسم: د/نرمين رمضان**

**أطلعت اللجنة علي لائحة العلاج الخاصة بالمجالس**

**وتلتزم جهة العلاج بلائحة المجالس الطبية.**

كما تقر اللجنة بأن البيانات المدونة في هذا النموذج صحيحة.

**تتعهد المستشفى أن لا يتم تنفيذ القرار إلا بعد مراجعة الملف الطبي للمريض وإعادة مناظرة المريض بالمستشفى قبل الصرف.**

----- / 2 ----- / 2 ----- / 2.1 ----- / 2.1

## قرار اللجنة

### التشخيص النهائي :

### خطة العلاج :

المستشفى : \_\_\_\_\_ قسم : \_\_\_\_\_

### جهة العلاج :

### ملاحظات :

## ختم

## شعار الجمهورية

## مدير عام

## مديرية الشؤون الصحية

## رئیس

## المجلس الطبي المتخصص

|  |
|--|
|  |
|--|

|                                                                              |                                                                                     |
|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Name:</b> رشا ناجي عبد الهادي حجازي<br><b>National ID:</b> 28510022101564 |  |
|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

|           |
|-----------|
| تقرير طبي |
|-----------|

|                  |
|------------------|
| السيد            |
| تحية طبية وبعد,, |

|                       |                       |
|-----------------------|-----------------------|
| إيماء للطلب المقدم من | بشأن تقرير طبي للمريض |
| بقسم:                 | رقم طبي:              |

|                                          |
|------------------------------------------|
| نتشرف بأن نوضح فيما يلي تقريراً عن حالته |
|------------------------------------------|

|                                             |                                             |
|---------------------------------------------|---------------------------------------------|
| تاريخ وساعة الدخول :<br>-- --:-- yyyy-mm-dd | تاريخ وساعة الخروج :<br>PM 01:17 05-07-2026 |
|---------------------------------------------|---------------------------------------------|

|                                        |
|----------------------------------------|
| وبعد الكشف والفحوصات والمتابعة وجد أنه |
|----------------------------------------|

|                                                                     |
|---------------------------------------------------------------------|
| A patient of uterine cancer for Supportive and palliative Treatment |
|---------------------------------------------------------------------|

|                         |                                   |
|-------------------------|-----------------------------------|
| التاريخ :<br>05-07-2026 | الوقت :<br>-- --:--               |
|                         | الطبيب المعالج :<br>د/شيماء لاشين |

جمهورية مصر العربية  
بطاقة تحقيق الشخصية




رشا  
ناجى عبدالهادى حجازى  
قرية السبيل  
منشأة القناطر - الجيزة

١٩٨٥/١ ٢٨٥ ١٠ ٠٢ ٢١ ٠١٥ ٦٤

KH4261189





Patient's ID & Sex: 01095186303RNA, F

Accession No: undefined

Study Date: 14-Sep-2026

Examination: MR PELVIS without contrast

Technique: Multiple weighted images in multiple planes in addition to axial diffusion-weighted images were obtained through the pelvis.

Patient's Name: RASHA NAGY A.AL HADY 40, 040Y

Referred By: داعزة احمد

Reporting Date: 15-Sep-2026



### Clinical Info

Pain

Comparison: No available studies for comparison.

### Findings:

- The uterus is within mildly bulky in size measuring 9x5.5x5 cm , showing normal MRI features of the endometrial cavity, and myometrium. endometrial thickness measuring about 10 mm.
- Mild diffuse thickening of the junctional zone measured 12.5 mm with few mainly fundal sub endometrial cysts are seen.
- No detectable myomas.
- Right adenexial loculated lesion is seen measuring 3x4 cm displaying low T1, high T2 .
- Unremarkable MRI appearance of the cervix.
- The left ovary showing normal follicular arrangement. No apparent pathological changes are seen.
- The pelvic bones show regular cortical outlines and normal homogenous medullary bone intensity, with no definite sizable focal erosive or destructive lesions seen.
- The surrounding muscles and soft tissue appear normal. No mass lesions or fluid collections.

### Impression:

- The above described picture is impressive of diffuse adenomyosis.
- Right adenexial simple cyst.

Dr. Ghada Awad, MD

كاشف  
Scan  
15/09/2026  
د. غادة عواد



اسم المريض /

التاريخ: ٢٧

رقم التذكرة:

نموذج تقرير سونار (حوض)

Pelvic Ultrasound Study in Female

Uterus :

Av. <sup>mean</sup> gravid uterus, it shows <sup>homogenous</sup>

echo pattern. It measures about 7 X 5 cm.

endometrial thicknes = 5 mm

Ovaries :

in size ( — x — ),

pathological lesions .

Rt. simple ovarian cyst  
measured (2x2) cm  
for clinical correlation & treatment  
lt. masked by gases

Free fluid :


Line of fluid in Douglas pouch

for clinical correlation

Signature :

Best Regards

## صحتك أمانه بأيدينا



|                    |                                                                                                                              |                |                               |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
| Patient's ID & Sex | 01095186303RNA, F                                                                                                            | Patient's Name | RASHA NACY A.AL HADY 40, 040Y |
| Accession No       | undefined                                                                                                                    | Refereed By    | لاعزّة احمد                   |
| Study Date         | 14-Sep-2026                                                                                                                  | Reporting Date | 15-Sep-2026                   |
| Examination        | MR PELVIS without contrast                                                                                                   |                |                               |
| Technique          | Multiple weighted images in multiple planes in addition to axial diffusion-weighted images were obtained through the pelvis. |                |                               |

## Clinical Info

## Pain

Comparison: No available studies for comparison.

## Findings:

- The uterus is within mildly bulky in size measuring 9x5.5x5 cm , showing normal MRI features of the endometrial cavity and myometrium. endometrial thickness measuring about 10 mm.
- Mild diffuse thickening of the junctional zone measured 12.5 mm with few mainly fundal sub endometrial cysts are seen.
- No detectable myomas.
- Right adenexial loculated lesion is seen measuring 3x4 cm displaying low T1, high T2 .
- Unremarkable MRI appearance of the cervix.
- The left ovary showing normal follicular arrangement. No apparent pathological changes are seen.
- The pelvic bones show regular cortical outlines and normal homogenous medullary bone intensity, with no definite sizable focal erosive or destructive lesions seen.
- The surrounding muscles and soft tissue appear normal. No mass lesions or fluid collections.

## Impression:

- The above described picture is impressive of diffuse adenomyosis.
- Right adenexial simple cyst.

Dr. Ghada Awad, MD

*Ghada Awad*  
RASHA NACY A.AL HADY  
15-Sep-2026  
Wadi el Nile Scan

جمهورية مصر العربية  
بطاقة تحقيق الشخصية



رشا  
ناجى عبدالهادى حجازى  
قرية السبيل  
منشأة القناطر - الجيزة

١٩٨٥/١ ٢٨٥ ١٠ ٠٢ ٢١ ٠١٥ ٦٤

KH4261189





|                    |                                                                                                                              |                |                               |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
| Patient's ID & Sex | 01095186303RNA, F                                                                                                            | Patient's Name | RASHA NACY A.AL HADY 40, 040Y |
| Accession No       | undefined                                                                                                                    | Referved By    | لاعزة احمد                    |
| Study Date         | 14-Sep-2026                                                                                                                  | Reporting Date | 15-Sep-2026                   |
| Examination        | MRI PELVIS without contrast                                                                                                  |                |                               |
| Technique          | Multiple weighted images in multiple planes in addition to axial diffusion-weighted images were obtained through the pelvis. |                |                               |

## Clinical Info

## Pain

Comparison: No available studies for comparison.

## Findings:

- The uterus is within mildly bulky in size measuring 9x5.5x5 cm , showing normal MRI features of the endometrial cavity and myometrium. endometrial thickness measuring about 10 mm.
- Mild diffuse thickening of the junctional zone measured 12.5 mm with few mainly fundal sub endometrial cysts are seen.
- No detectable myomas.
- Right adenexial loculated lesion is seen measuring 3x4 cm displaying low T1, high T2 .
- Unremarkable MRI appearance of the cervix.
- The left ovary showing normal follicular arrangement. No apparent pathological changes are seen.
- The pelvic bones show regular cortical outlines and normal homogenous medullary bone intensity, with no definite sizable focal erosive or destructive lesions seen.
- The surrounding muscles and soft tissue appear normal. No mass lesions or fluid collections.

## Impression:

- The above described picture is impressive of diffuse adenomyosis.
- Right adenexial simple cyst.

Dr. Ghada Awad, MD

  
RASHA NACY  
لاعزة احمد



اسم المريض /  
التاريخ: ٢٥/٥  
رقم الملف: ٢٢٢

نموذج تقرير سونار (حوض)

## Pelvic Ultrasound Study in Female

Trans-void  
Trans-void

Av. 12w gravid uterus, it shows *homoechoic*

Uterus :

echo pattern. It measures about *F 5* cm.

endometrial thickness = *5* mm

Ovaries :

in size (  x  x  ),

pathological lesions .

*Rt. simple ovarian cyst measured (2x2) cm  
for clinical correlation & follow up  
It. masked by gels*

Free fluid : *None of fluid in Douglas pouch*

*for clinical correlation*  
Signature : *Dr. H. S.*

Best Regards

جمهورية مصر العربية  
بطاقة تحقيق الشخصية



رشا  
ناجى عبدالهادى حجازى  
قرية السبيل  
منشأة القناطر - الجيزة

١٩٨٥/١ ٢٨٥ ١٠ ٠٢ ٢١ ٠١٥ ٦٤

KH4261189





|                    |                                                                                                                              |                |                               |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
| Patient's ID & Sex | 01095186303RNA, F                                                                                                            | Patient's Name | RASHA NACY A.AL HADY 40, 040Y |
| Accession No       | undefined                                                                                                                    | Referved By    | لاعزة احمد                    |
| Study Date         | 14-Sep-2026                                                                                                                  | Reporting Date | 15-Sep-2026                   |
| Examination        | MRI PELVIS without contrast                                                                                                  |                |                               |
| Technique          | Multiple weighted images in multiple planes in addition to axial diffusion-weighted images were obtained through the pelvis. |                |                               |

### Clinical Info

#### Pain

Comparison: No available studies for comparison.

### Findings:

- The uterus is within mildly bulky in size measuring 9x5.5x5 cm , showing normal MRI features of the endometrial cavity and myometrium. endometrial thickness measuring about 10 mm.
- Mild diffuse thickening of the junctional zone measured 12.5 mm with few mainly fundal sub endometrial cysts are seen.
- No detectable myomas.
- Right adenexial loculated lesion is seen measuring 3x4 cm displaying low T1, high T2 .
- Unremarkable MRI appearance of the cervix.
- The left ovary showing normal follicular arrangement. No apparent pathological changes are seen.
- The pelvic bones show regular cortical outlines and normal homogenous medullary bone intensity, with no definite sizable focal erosive or destructive lesions seen.
- The surrounding muscles and soft tissue appear normal. No mass lesions or fluid collections.

### Impression:

- The above described picture is impressive of diffuse adenomyosis.
- Right adenexial simple cyst.

Dr. Ghada Awad, MD

  
RASHA NACY  
15-Sep-2026  
لاعزة احمد



اسم المريض /  
التاريخ: ٢٥/٥  
رقم الملف: ٢٢٢

نموذج تقرير سونار (حوض)

## Pelvic Ultrasound Study in Female

Trans-void  
Trans-void

Av. 12w gravid uterus, it shows *homo-geneous*

Uterus :

echo pattern. It measures about *F 5* cm.

endometrial thickness = *5* mm

Ovaries :

in size (  x  x  ),

pathological lesions .

*Rt. simple ovarian cyst measured (2x2) cm  
for clinical correlation & follow up  
It. masked by gels*

Free fluid : *None of fluid in Douglas pouch*

*for clinical correlation*  
Signature : *Dr. H. S.*

Best Regards

جمهورية مصر العربية  
بطاقة تحقيق الشخصية



رشا  
ناجى عبدالهادى حجازى  
قرية السبيل  
منشأة القناطر - الجيزة

١٩٨٥/١ ٢٨٥ ١٠ ٠٢ ٢١ ٠١٥ ٦٤

KH4261189







اسم المريض /  
التاريخ: ٢٥/٥  
رقم الملف: ٢٢٢

نموذج تقرير سونار (حوض)

## Pelvic Ultrasound Study in Female

Trans-void  
Trans-void

Uterus :

Av. 12w gravid uterus, it shows homogeneous

echo pattern. It measures about 7 X 5 cm.

endometrial thickness = 5 mm

Ovaries :

in size (      x      x      ),

pathological lesions .

Rt. simple cyst  
measured (2x2) cm  
for clinical correlation & follow up  
It. masked by gels

Free fluid : Rim of fluid in Douglas pouch

for clinical correlation

Signature : .....  
.....

Best Regards

جمهورية مصر العربية  
بطاقة تحقيق الشخصية




رشا  
ناجى عبدالهادى حجازى  
قرية السبيل  
منشأة القناطر - الجيزة

١٩٨٥/١ ٢٨٥ ١٠ ٠٢ ٢١ ٠١٥ ٦٤

KH4261189

٢٠٢٣/١١ ٢٨٥١٠٠٢٢١٠١٥٦٤  
حاصله على دبلوم تجاره  
أنثى مسلمة متزوجة  
عاشور عبدالباري على عجور  
البطاقة سارية حتى ٢٠٣٠/١١/٢٨ ١





|                    |                                                                                                                              |                |                               |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
| Patient's ID & Sex | 01095186303RNA, F                                                                                                            | Patient's Name | RASHA NACY A.AL HADY 40, 040Y |
| Accession No       | undefined                                                                                                                    | Referved By    | لاعزة احمد                    |
| Study Date         | 14-Sep-2026                                                                                                                  | Reporting Date | 15-Sep-2026                   |
| Examination        | MRI PELVIS without contrast                                                                                                  |                |                               |
| Technique          | Multiple weighted images in multiple planes in addition to axial diffusion-weighted images were obtained through the pelvis. |                |                               |

### Clinical Info

#### Pain

Comparison: No available studies for comparison.

#### Findings:

- The uterus is within mildly bulky in size measuring 9x5.5x5 cm , showing normal MRI features of the endometrial cavity and myometrium. endometrial thickness measuring about 10 mm.
- Mild diffuse thickening of the junctional zone measured 12.5 mm with few mainly fundal sub endometrial cysts are seen.
- No detectable myomas.
- Right adenexial loculated lesion is seen measuring 3x4 cm displaying low T1, high T2 .
- Unremarkable MRI appearance of the cervix.
- The left ovary showing normal follicular arrangement. No apparent pathological changes are seen.
- The pelvic bones show regular cortical outlines and normal homogenous medullary bone intensity, with no definite sizable focal erosive or destructive lesions seen.
- The surrounding muscles and soft tissue appear normal. No mass lesions or fluid collections.

#### Impression:

- The above described picture is impressive of diffuse adenomyosis.
- Right adenexial simple cyst.

Dr. Ghada Awad, MD

*Ghada Awad*  
RASHA NACY A.AL HADY  
15-Sep-2026  
لاعزة احمد



اسم المريض /  
التاريخ: ٢٥/٥  
رقم الملف: ٢٢٢

نموذج تقرير سونار (حوض)

## Pelvic Ultrasound Study in Female

Trans-void  
Trans-void

Av. 12w gravid uterus, it shows *homoechoic*

Uterus :

echo pattern. It measures about *F 5* cm.

endometrial thickness = *5* mm

Ovaries :

in size (  x  x  ),

pathological lesions .

*Rt. simple ovarian cyst  
measured (2x2) cm  
for clinical correlation & follow up  
It. masked by gels*

Free fluid : *None of fluid in Douglas pouch*

*for clinical correlation*  
Signature : *Dr. H. S.*

Best Regards

جمهورية مصر العربية  
بطاقة تحقيق الشخصية



رشا  
ناجى عبدالهادى حجازى  
قرية السبيل  
منشأة القناطر - الجيزة

١٩٨٥/١ ٢٨٥ ١٠ ٠٢ ٢١ ٠١٥ ٦٤

KH4261189





|                    |                                                                                                                              |                |                               |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
| Patient's ID & Sex | 01095186303RNA, F                                                                                                            | Patient's Name | RASHA NACY A.AL HADY 40, 040Y |
| Accession No       | undefined                                                                                                                    | Referved By    | لاعزّة احمد                   |
| Study Date         | 14-Sep-2026                                                                                                                  | Reporting Date | 15-Sep-2026                   |
| Examination        | MRI PELVIS without contrast                                                                                                  |                |                               |
| Technique          | Multiple weighted images in multiple planes in addition to axial diffusion-weighted images were obtained through the pelvis. |                |                               |

### Clinical Info

#### Pain

Comparison: No available studies for comparison.

### Findings:

- The uterus is within mildly bulky in size measuring 9x5.5x5 cm , showing normal MRI features of the endometrial cavity and myometrium. endometrial thickness measuring about 10 mm.
- Mild diffuse thickening of the junctional zone measured 12.5 mm with few mainly fundal sub endometrial cysts are seen.
- No detectable myomas.
- Right adenexial loculated lesion is seen measuring 3x4 cm displaying low T1, high T2 .
- Unremarkable MRI appearance of the cervix.
- The left ovary showing normal follicular arrangement. No apparent pathological changes are seen.
- The pelvic bones show regular cortical outlines and normal homogenous medullary bone intensity, with no definite sizable focal erosive or destructive lesions seen.
- The surrounding muscles and soft tissue appear normal. No mass lesions or fluid collections.

### Impression:

- The above described picture is impressive of diffuse adenomyosis.
- Right adenexial simple cyst.

Dr. Ghada Awad, MD

  
RASHA NACY  
15-Sep-2026  
لاعزّة احمد



اسم المريض /  
التاريخ: ٢٥/٥  
رقم الملف: ٢٢٢

نموذج تقرير سونار (حوض)

## Pelvic Ultrasound Study in Female

Trans-void  
Trans-void

Av. 12w gravid uterus, it shows *homoechoic*

Uterus :

echo pattern. It measures about *F 5* cm.

endometrial thickness = *5* mm

Ovaries :

in size (  x  x  ),

pathological lesions .

*Rt. simple ovarian cyst  
measured (2x2) cm  
for clinical correlation & follow up  
It. masked by gels*

Free fluid : *Free of fluid in Douglas pouch*

*for clinical correlation*  
Signature : *Dr. H. S.*

Best Regards

جمهورية مصر العربية  
بطاقة تحقيق الشخصية



رشا  
ناجى عبدالهادى حجازى  
قرية السبيل  
منشأة القناطر - الجيزة

١٩٨٥/١ ٢٨٥ ١٠ ٠٢ ٢١ ٠١٥ ٦٤

KH4261189





|                    |                                                                                                                              |                |                               |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
| Patient's ID & Sex | 01095186303RNA, F                                                                                                            | Patient's Name | RASHA NAGY A.AL HADY 40, 040Y |
| Accession No       | undefined                                                                                                                    | Referved By    | لاعزة احمد                    |
| Study Date         | 14-Sep-2026                                                                                                                  | Reporting Date | 15-Sep-2026                   |
| Examination        | MRI PELVIS without contrast                                                                                                  |                |                               |
| Technique          | Multiple weighted images in multiple planes in addition to axial diffusion-weighted images were obtained through the pelvis. |                |                               |

### Clinical Info

#### Pain

Comparison: No available studies for comparison.

#### Findings:

- The uterus is within mildly bulky in size measuring 9x5.5x5 cm , showing normal MRI features of the endometrial cavity and myometrium. endometrial thickness measuring about 10 mm.
- Mild diffuse thickening of the junctional zone measured 12.5 mm with few mainly fundal sub endometrial cysts are seen.
- No detectable myomas.
- Right adenexial loculated lesion is seen measuring 3x4 cm displaying low T1, high T2 .
- Unremarkable MRI appearance of the cervix.
- The left ovary showing normal follicular arrangement. No apparent pathological changes are seen.
- The pelvic bones show regular cortical outlines and normal homogenous medullary bone intensity, with no definite sizable focal erosive or destructive lesions seen.
- The surrounding muscles and soft tissue appear normal. No mass lesions or fluid collections.

#### Impression:

- The above described picture is impressive of diffuse adenomyosis.
- Right adenexial simple cyst.

Dr. Ghada Awad, MD

*Ghada Awad*  
RASHA NAGY A.AL HADY  
15-Sep-2026  
لاعزة احمد



اسم المريض /  
التاريخ: ٢٥/٥  
رقم الملف: ٢٢٢

نموذج تقرير سونار (حوض)

## Pelvic Ultrasound Study in Female

Trans-void  
Trans-void

Uterus :

Av. 12w gravid uterus, it shows homogeneous

echo pattern. It measures about 7 X 5 cm.

endometrial thickness = 5 mm

Ovaries :

in size (      X      X      ),

pathological lesions .

Rt. simple cyst  
measured (2x2) cm  
for clinical correlation & follow up  
It. masked by gels

Free fluid : Rim of fluid in Douglas pouch

for clinical correlation

Signature : .....  
[Signature]

Best Regards