

المجلس الطبي المتخصص

--

Name: مرفت عبد اللطيف سليم عبد المتعال National ID: 25907111300062	
---	---

تقرير طبي

السيد
تحية طبية وبعد,,

إيماء للطلب المقدم من	بشأن تقرير طبي للمريض
بقسم:	رقم طبي:

نتشرف بأن نوضح فيما يلي تقريراً عن حالته
--

تاريخ وساعة الدخول : -- --:-- yyyy-mm-dd	تاريخ وساعة الخروج : PM 01:17 05-07-2026
---	---

وبعد الكشف والفحوصات والمتابعة وجد أنه
--

A patient of colorectal cancer for Supportive and palliative Treatment
--

التاريخ : 05-07-2026	الوقت : -- --:--
	الطبيب المعالج : د/شيماء لاشين





Patient Name : الأستاذة / مرفت عبداللطيف سليم	Request No. : 13007630
Patient No. : 25907111300062	Request Date : 12/08/2023
Path No. : 2623/23	Verification Date : 21/08/2023
Sex : Female	Financial Category : نفقة الدولة - اورام دار السلام
Age : 64 Y	Department : Out Patient
Referreing Doc :	Registered by : marwa mohamed youss

Pathology Report

Clinical Data: Bilateral breast cancer, post NACT.
Nature Specimen: Right WLE and Left modified radical mastectomy specimen.

Gross Examination:

Right breast :

* Right WLE specimen measured 7x6cm, with covering skin ellipse measured 3x1.5 cm , cut section revealed fairly circumscribed grayish white rubbery lobulated mass , 0.5 cm from deep margin .

Left breast :

- * Left MRM measured 26x22x6 cm with covering skin ellipse measured 19x10 cm.
- * Tumor extent: A greyish white firm tumor bed site.
- * Size: 10x5x4 cm.
- * Site : Central .
- * Skin involvement: Nipple & areola were unremarkable grossly.
- * Distance from margins: 2cm away from deep margin.
- * Axilla measured 7x7 cm entagling 11 L.Ns, measured up to 1.2cm in diameter.

Microscopic Examination:

Right breast :

Right breast, WLE :

-Histopathological examination reveals a benign growth made up of proliferating small patent mammary ducts. Some of the ducts are compressed and closed, other are patent. The ducts are lined by inner columnar and outer myoepithelial cells. The stroma in between is formed of loose fibrous connective tissue, associated with diffuse stromal fibrosis, focal adenosis , irregular and cystically dilated ducts, and ducts showing apocrine metaplasia. The ducts are lined by inner columnar and outer myoepithelial cells.

Verified by :

Dr.Marwa mahmoud



Patient Name : الأستاذ / مرفت عبداللطيف سليم	Request No. : 13007630
Patient No. : 25907111300062	Request Date : 12/08/2023
Path No. : 2623/23	Verification Date : 21/08/2023
Sex : Female	Financial Category : نفقة الدولة - اورام دار السلام
Age : 64 Y	Department : Out Patient
Referring Doc :	Registered by : .marwa mohamed youss

Pathology Report

Left breast :

- Total tumor regression
- Complete pathological response .
- There is hyalinosis , calcifications , and histiocytic aggregats , rest of the breast showed fibrocystic changes and fibroadenosis .
- * Skin involvement: Free Nipple & areola.
- * Lymph node involvement: Free (0/9) , one lymph node showed microcalcification and hyalinosis .
- * Resection Margins: Free deep margin .

Diagnosis:

- *1- Right breast , WLE;
Fibroadenoma and fibrocystic changes, No malignancy.

- *2- Left breast cancer, post NACT/ MRM specimen:✓
 - Total tumor regression in a previously diagnosed carcinoma.
 - Complete pathological response.
 - Free Deep margin .
 - Free nipple and areola .
 - Free LNs (0/9) .
 - Stage: ypT0, ypN0.

Signature

Prof. Lobna Omar

Dr. Marwa Mahmoud

Verified by :

Dr.Marwa mahmoud

Printing Date : 23/08/2023 09:41:49

Page 2 of 3

Printing By : Ali mostafa

جمهورية مصر العربية
بطاقة تحقيق الشخصية



مرفقة

عبد اللطيف سليم عبدالمتعال

قطعه ٥١٦٠

المقطم - القاهرة



٢٥٩.٧١١١٣...

LC4837863

National ID Front
[ID: OCTYPERID_FRONT]



Y. 20/.1 209.V1113...72

ربة منزل


ارملة

مسألة

انٹلی



البطاقة سارية حتى ٢٠٢٢/٠٤/١٥



National ID - back



Presidential Program for Women's Health
Ministry of Health and Population

البرنامج الرئاسي لصحة المرأة
وزارة الصحة والسكان



MDT form

A-Patient ID:

1- Name : مرفت عبداللطيف سليمه عبدالمتعال Sex:

3- Medical number:

Male


83123313

Old Med :

359/2023

2-ID number: 25907111330062

Patient Age : 64 Y



Family history

Phone

01006333193

BMI

REASON OF MDT

POST NACT

marital status

NRS Score

GROUP

A

Date of MDT

2023-07-19



Co morbidity

DM - H1A

Menopausal
status

POSTMENOPAUSAL

Clinical data

Breast Imaging :

LT UOQ 70*3.5*5.0 CM with intraductal extension
rt oval shaped lesion

Mets Workup :

c.t : free

BX:

ER:

0/8

PR:

0/8

Her 2 Neu :

3

SISH :

Ki67 :

30%

LT IDC GII

+VE

T

4D

N

1

M

0

Sonomammography

RT UOQ UIO FIBROADENOMA

LT UOQ 70*3.5*5.0 CM with intraductal extension
rt oval shaped lesion

ERM036727200

PATIENT HISTORY

LABC-->HR-VE,,HER2 +VE

FINISHED TCX18 WK+HPX6

SM PENDING

FOR YOUR KIND CARE

MDT OUTCOME & PLAN

for LT MRM & RT lumpectomy as per initial MDT decision

SIGNATURE

MEDICAL ONCOLOGY

د/ شيماء لاشين

RADIOLOGY

د/ نشور عبدالقدوس

SURGERY

د/ محمد عبدالرحمن

PATHOLOGY

Psychiatric

Nutrition

MRS: Mervat Abd Al Latif Selim	Date: 2023/07/18
Dear. SIR.	ID: 928155

BILATERAL DIGITAL COMPUTED MAMMOGRAPHY AND SONOGRAPHY REVEALED:-

Known patient of left breast carcinoma on neo adjuvant CTH, the current study revealed:

The right breast:

- The right breast shows normal nipple, areola, skin and subcutaneous tissue thickness.
- It shows condensation of glandular tissue elements, with nodularity, suggestive of fibroadenosis.
- The right breast shows paraareolar inner quadrant 4 O'clock position lobulated opacity **by ultrasonography** it proved to be lobulated soft tissue lesion at 5 O'clock position measuring 17 x 10 mm, mostly represent fibroadenoma.
- The right breast shows few simple cysts measuring 3 x 2 mm.
- No suspicious breast masses are detected.
- No malignant micro calcifications are detected.
- No suspicious right axillary lymphadenopathy.

The left breast:

- The left breast shows mild diffuse skin and subcutaneous soft tissue thickening and edema.
- It shows condensation of glandular tissue elements, with nodularity, suggestive of fibroadenosis.
- It shows outer quadrant diffuse suspicious micro calcifications, **by ultrasonography** it proved to be area of underlying fibrosis and architectural distortion with suspicious mass lesion at 2 O'clock position now it measures 16 x 9 mm (for comparison with the previous study).

ا.د. أحمد كمال الدري
ا.د. محمد أبو الهدى درويش
ا.د. عمر حسين عمر
ا.د. وحيد حسين طنطاوى
أساتذة الأشعة التشخيصية
كلية الطب - جامعة عين شمس

MRS: Mervat Abd Al Latif Selim	Date: 2023/07/18
Dear. SIR.	ID: 928155

- The left breast shows upper central retroareolar benign looking opacity with benign looking coarse calcifications inside measuring 13 x 8 mm.
- Left enlarged axillary lymph node with foci of micro calcifications inside and deeply hypoechoic echotexture, largest one measuring 9 x 5 mm.

CONCLUSION:-

- Left breast outer quadrant suspicious mass lesion with dimensions as described (for comparison with the previous study) (BIRADS: 6) on neo adjuvant CTH.
- Bilateral fibroadenosis with bilateral benign looking lesion represent fibroadenoma (BIRADS: 3).

MUCH OBLIGED
DR. SHAIMAA EL DIASTY, MD
PROF. DR. OMAR HUSSEIN
A.G.



مبادرة رئيس الجمهورية
لدعم صحة المرأة المصرية

الست المصرية
صحة
مصر

MDT FORM

22/ 2 / 2023 GA

Name	مرفت عبد اللطيف سليم	MRN	٢٠٩٠٧١١١٢...٦٢
Age	٥٤	ID	١-٩ ٤-٥٣
Menopausal status	Post	Phone	١١-٢٣٣٢ ١٩٢
NRS SCORE		Marital status	
BMI		Family history	
CO morbidity	DM - HTN	REASON OF MDT	new

Clinical Data

BX:

LT IDC grade III

ER:

018

PR:

018

HER 2:

+

Ki67:

30%

Sonomammography:

LT UOG 70X3.0X5.0 cm

with intraductal extension

fibrocystic

changes - RT oval shaped lesions



Mets Workup:

CT - free

new

R

L



TNM

these are the
lymph nodes
in the axilla

Recommendations:

new Sonomammogram at hand: RT UOG & UOG fibroadenoma
RT non specific ALN

LT T₁N₂M₀
or possibility of NACT then LT Mx

MDT OUTCOME & PLAN

start NACT (H₂O₂/C₂H₅/H₂O₂/P₂O₄ x 6) is regular
clinical assessment. We consider the MDT @ R₂ p₂ch₂
of R₂ breast fibroadenoma

SIGNATURE

MEDICAL ONCOLOGY	SURGERY	RADIOLOGY	PATHOLOGY	Nutrition	Psychiatric

Visit Number: 61123501743

Client Name: نقابة المهندسين بنسبة - الناهرة

Patient Name: ميرفت عبد اللطيف سليم

Referred by Prof: -

Age / Sex: 64 year / Female

Exam Date: 22 Jan 2023

Patient ID: 2113488004

Printed: 1/22/2023 2:20:40 PM

US

Clinical data: Check-up.

Transthoracic Echocardiography

LVED	5.3	(3.5 - 5.7 cm)	LA	4.2	(1.9 - 4.0 cm)
LVES	2.7	(2.2 - 4.0 cm)	Ao	2.5	(2.0 - 3.7 cm)
SWT	1.0	(0.7 - 1.1 cm)	RV	2.4	(2.2 - 4.4 cm)
PWT	1.1	(0.7 - 1.1 cm)	MVA	5.2	(2.0 - 4.0 cm ²)
FS	49	(25 - 45 %)	EF	80	(54-82%)

Comments

- **Left ventricle:** Normal left ventricular internal dimensions with good overall global systolic function.
- **Diastolic dysfunction grade II (reversed E/A pattern).**
- There are no segmental wall motions abnormalities can be detected at rest study.
- **Left atrium:** Mildly dilated internal dimensions.
- **Mitral valve:** Thickened and non-calcified mitral valve leaflets with adequate excursion. Mild mitral regurgitation.
- **Aortic valve:** Trileaflet valve, normal leaflets thickness and excursions. No significant systolic gradient is present across the valve.
- **Right sided chambers:** Normal internal dimensions with preserved RV systolic function.
- **Tricuspid valve:** Normal leaflets thickness and excursion, trivial tricuspid regurgitation.
- No evidence of intracardiac masses or thrombi.
- **Pericardium:** Normal thickness, No pericardial effusion.
- **Intact Interatrial and interventricular septae** as seen by TTE.
- Normal thoracic aorta.



00 ش. عبد المنعم رياض - برج الأطباء - المهندسين

شارع الميرفتي

محطة اللاون - فيصل

كابيتال بزنس بارك - BS - الدور الثالث - الشيخ زايد

٣٠ شارع الجزائر - المعادي

Echo

[DOCTYPED.MO]

Visit Number: 61123501743
Patient Name: ميرفت عبد الصيف سليم
Age / Sex: 64 year / Female
Patient ID: 2113438004

Client Name: نقابة المهندسين بنسبة - القاهرة
Referred by Prof: -
Exam Date: 22 Jan 2023
Printed: 1/22/2023 2:20:40 PM

US

Conclusion:

- Degenerative heart disease with preserved systolic function.
- Impaired LV relaxation.
- Mild MR.
- Dilated LA.

Best Regards,
Dr. Amr Yehia, MSc



Visit Number:	61123501743	Client Name:	نقابة المهندسين بنسبة - القاهرة
Patient Name:	ميرفت عبد اللطيف سليم	Referred by Prof:	-
Age / Sex:	64 year / Female	Exam Date:	22 Jan 2023
Patient ID:	2113488C04	Printed:	1/23/2023 9:00:36 AM

MR

- The forementioned mass has intermediate T1 and T2 signals, with diffusion restriction on DWIs. On dynamic post contrast study, it showed heterogeneous enhancement, with type 3 time/intensity curve (moderate initial contrast uptake followed by early wash-out at 4.11 min).
- Diffuse skin thickening of the breast is seen (7 mm in thickness), with dilated subdermal lymphatics and diffuse interstitial breast edema.
- Pathological axillary level 1 and 2 lymph nodes are noted, few of which showing extracortical extension. Some of the lymph nodes are aggregated together, forming the largest nodal mass which measures around 3.5 x 1.5 cm in maximum dimensions.

RIGHT BREAST:

- Moderate background parenchymal enhancement of the breast (ACR c).
- A 2.0 x 1.5 cm, partially ill-defined, irregular mass is noted at 4-5 o'clock; exhibiting intermediate T1 and dark T2 signals. On dynamic post contrast study, the mass exhibited patchy nodular post contrast enhancement, with type 2 time/intensity curve (high initial contrast uptake, followed by increasing uptake then wash-out at 5.27 min).
- A 1.2 x 1.0 cm, benign-looking, well-defined mass is seen at 7 o'clock, exhibiting intermediate T1 and mostly bright T2 signals, demonstrating rather homogeneous post contrast enhancement and type 1 time/intensity curve; with minimal initial, followed by progressively increasing contrast uptake.
- An axillary lymph node is noted, with blunt hilum, measuring around 2.0 x 1.0 cm, for correlation with ultrasound.

Scan Result



مركز الأشعة - برج الأطباء - المهندسين

٢٠ شارع الجزائر

٦٧ شارع الميرغني

محطة التعاون - فيصل

كابيتال بيزنس بارك - BS - الدور الثالث - الشيخ زايد

٢٠ شارع الجزائر - المعادي

M.R.I

[DOCTOR'S NAME]

Visit Number: 61123501743

Client Name: نقابة المهندسين بجمعية - القاهرة

Patient Name: مبرقت عبد اللطيف سليم

Referred by Prof: -

Age / Sex: 64 year / Female

Exam Date: 22 Jan 2023

Patient ID: 2113488004

Printed: 1/23/2023 9:00:36 AM

MR

DYNAMIC MR MAMMOGRAPHY**INDICATIONS:** Left breast mass.**TECHNIQUE:**

- Axial T1, TRIM and T2 WIs.
- Sagittal T2 WIs.
- Five axial dynamic contrast-enhanced sequences, after bolus injection of 0.1 mmol/kg of Gadopentetate dimeglumine, using 1.6 mm slice thickness.
- MIP reconstruction.
- Diffusion-weighted images.
- Time/intensity curves created for enhancing lesions.

FINDINGS:**LEFT BREAST:**

- A large; around 7.0 x 3.0 x 5.0 cm (in anteroposterior, transverse and cranio-caudal dimensions, respectively), irregular mass is noted, occupying the UOQ of the breast, breast tail and 12 o'clock, extending to the retro-areolar region, with intraductal extension and nipple retraction.

Scan Result



Dr.

Elia Anis Ishak

M. Sc. Ph. D. Pathology - Prof. of Pathology , Cairo University
Fellow, Armed Forces Institute of Pathology , USA
Member, United States Canadian Academy of Pathology

Dr.

Shady Elia Anis

M. Sc. MD Pathology , Ass. Prof. of Pathology , Cairo University
Fellow , Mass General Hospital , Harvard , USA
Member , United States Canadian Academy of Pathology

Patient Name : مرفت عبد النطيف سليم عبد المتعال

Analysis ID : 718314

Age : 63 Y : 6 M : 4 D

Gender : Female

Referred By Prof. Dr. : هشام الغزالي

Clinical Diagnosis : Left breast upper outer quadrant mass

Nature of Specimen : Block

Receiving Date : 2023-01-16

Patient ID : 549473

IMMUNOHISTOCHEMISTRY REPORT

Technique :

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain .

The sections were treated against:

Estrogen receptors

Progesterone receptors

Her 2

Ki67

Results :

Sections treated for Estrogen receptors revealed NEGATIVE nuclear staining.

Sections treated for Progesterone receptors revealed NEGATIVE nuclear staining.

Sections treated for HER2 revealed STRONG CONTINUOUS CELL MEMBRANE STAINING (CHICKEN WIRE) IN MORE THAN 10% OF TUMOR CELLS.

30 % of Tumour cells are POSITIVE for Ki67.

Conclusion :

Block, TUMOUR CELLS ARE

NEGATIVE FOR ESTROGEN RECEPTORS (SCORE 0 / 8).

NEGATIVE FOR PROGESTERONE RECEPTORS (SCORE 0 / 8).

POSITIVE FOR HER 2 PROTEIN OVEREXPRESSION, SCORE 3+.

THE PROLIFERATION INDEX OF KI67 IS 30 % OF TUMOUR CELLS.

Prof. Dr. Shady Elia Anis

Prof. Dr. Elia Anis Ishak

Shady Elia Anis

Elia Anis

This report is electronically signed , any abrasion or modification would render it void .



عمارة رمسيس - بلوك أ - ميدان رمسيس - الدور السادس و السابع
تليفون : ٢٥٧٩٠٩٣٥ - ٢٥٧٤٤٧٤٢ - ٢٥٧٧٣٢٥٣

1/1

Dr.

Elia Anis Ishak

M. Sc. Ph. D. Pathology - Prof. of Pathology , Cairo University
Fellow, Armed Forces Institute of Pathology , USA
Member, United States Canadian Academy of Pathology

Dr.

Shady Elia Anis

M. Sc. MD Pathology , Ass. Prof. of Pathology , Cairo University
Fellow , Mass General Hospital , Harvard , USA
Member , United States Canadian Academy of Pathology

Patient Name : مرفت عبد اللطيف سليم عبد المتعال

Age : 63 Y : 6 M : 4 D

Referred By Prof. Dr. : هشام الغزالي

Clinical Diagnosis : Left breast upper outer quadrant mass.

Nature of Specimen : US guided tru cut biopsy.

Receiving Date : 2023-01-16

Analysis ID : 718313

Gender : Female

Patient ID : 549473

PATHOLOGY REPORT

Gross :

Multiple grayish tan tissue cores, the longest measured 1.2 cm long, totally submitted.

Microscopic :

Serial sections examined from the specimen received revealed cores of tumour tissue formed of irregular groups of malignant ductal cells, showing moderate nuclear pleomorphism and hyperchromasia.

There is moderate attempt at tubular formation.

The mitotic index is moderate. There is necrosis.

There is marked desmoplasia. There is peritumoural lymphocytic infiltrate around 10%.

There is intraductal component showing comedo pattern.

Diagnosis :

Left breast upper outer quadrant mass, US guided tru cut biopsy, INFILTRATING DUCT CARCINOMA, GRADE II-III.

- HORMONAL RECEPTORS ARE IN A SEPARATE REPORT.

Prof. Dr. Shady Elia Anis

Prof. Dr. Elia Anis Ishak

Shady Elia Anis


Elia Anis

This report is electronically signed , any abrasion or modification would render it void .

1/1

عمارة رمسيس - بلوك أ - ميدان رمسيس - الدور السادس و السابع
تليفون : ٢٥٧٩٠٩٣٥ - ٢٥٧٤٤٧٤٢ - ٢٥٧٧٣٢٥٣





Patient Name	: الأستاذ / مرفت عبداللطيف سليم	Request No.	: 13009106
Patient No.	: 25907111300062	Request Date	: 02/02/2023
Path No.	: 326/2023	Verification Date	: 11/02/2023
Sex	: Female	Financial Category	: اورام دار السلام - نفقة الدولة
Age	: 63 Y	Department	: Out Patient
Referring Doc :		Registered by	: .marwa mohamed youss

Pathology Report

Clinical Data: Known case of left breast cancer with right breast mass (BIRAD4).

Nature of the specimen: Tru-cut biopsy of right breast lesion. collected at 1/2/2023, 3:40 PM.

Gross Examination:

Four graigh white tissue cores, 1 cm longest core, totally submitted.

Microscopic examination:

Histopathologic examinations of prepared slides reveals breast tissue cores with ductectasia, focal papillomatosis, adenosis, fibroadenoma, and fibrosis.

Diagnosis:

Right breast mass; Tru-cut biopsy:

- Fibrocystic changes
- No malignancy


Prof.Dr. Iman Gouda
Dr.Heba mostafa

Verified by :
walaa ghoniem

Printing Date : 11/02/2023 14:50:34

Page 1 of 1

Printing By : .marwa mohamed youss



Patient Name	: الأستاذ / مرفت عبداللطيف سليم	Request No.	: 13009577
Patient No.	: 25907111300062	Request Date	: 04/02/2023
Path No.	: SR-98/23	Verification Date	: 11/02/2023
Sex	: Female	Financial Category	: اورام دار السلام - نفقة الدولة
Age	: 63 Y	Department	: Out Patient
Referreing Doc :		Registered by	: .marwa mohamed youss

Pathology Report

Clinical Data: Left breast cancer

Nature of the specimen: Slide revision

Gross Examination:

One paraffin block labeled as (718313), 4 IPT slides, and 2 H&E stained slides were received.

Microscopic examination:

- Histological type: Invasive duct carcinoma
- Grade (differentiation+ nuclear pleomorphism + mitosis): III (3+3+3)

Biomarkers:

ER: No nuclear reaction in tumor cells (Allred score 0/8)

PR: No nuclear reaction in tumor cells (Allred score 0/8)

Her-2: strong complete membrane reaction in >10% of tumor cells (score 3+)

Ki 67: 30 % nuclear reaction in tumor cells

Diagnosis:

Left breast cancer; Slide revision:

- Invasive duct carcinoma, grade III
- ER: Negative (Allred score 0/8)
- PR: Negative (Allred score 0/8)
- HER2: Positive (Score 3+)
- Ki67: 30%



Prof.Dr. Iman Gouda
Dr.Heba Mostafa

Verified by :
walaa ghoniem



83123313

لجنة متابعة العلاج



MDT FORM

/

/ 2023


GA

Name	مروة عبد الله سليم	MRN	2623/2023
Age	64	ID	25917111300062
Menopausal status	- past	Phone	01006333193
NRS SCORE		Marital status	married
BMI		Family history	-ve
CO morbidity	- DM. HTN	REASON OF MDT	past operative

Clinical Summary

BX: rt breast:- post WLE → Fibroadenoma
 Lt:- post NACT. FIRM →

ER: PR: HER 2: KI67:



* left:- total tumor regression
 in previously diagnosed carcinoma
 - complete path response
 - Free nipple areola & Free LNs.

Recommendations:

MDT OUTCOME & PLAN

SIGNATURE

MEDICAL ONCOLOGY	SURGERY	RADIOLOGY	PATHOLOGY	Nutrition	Psychiatric

Dr.

Elia Anis Ishak

M. Sc. Ph. D. Pathology - Prof. of Pathology , Cairo University
Fellow, Armed Forces Institute of Pathology , USA
Member, United States Canadian Academy of Pathology

Dr.

Shady Elia Anis

M. Sc. MD Pathology , Ass. Prof. of Pathology , Cairo University
Fellow , Mass General Hospital , Harvard , USA
Member , United States Canadian Academy of Pathology

Patient Name : مرفت عبد اللطيف سليم عبد المتعال

Age : 63 Y : 6 M : 4 D

Referred By Prof. Dr. : هشام الغزالي

Clinical Diagnosis : Left breast upper outer quadrant mass.

Nature of Specimen : US guided tru cut biopsy.

Receiving Date : 2023-01-16

Analysis ID : 718313

Gender : Female

Patient ID : 549473

PATHOLOGY REPORT

Gross :

Multiple grayish tan tissue cores, the longest measured 1.2 cm long, totally submitted.

Microscopic :

Serial sections examined from the specimen received revealed cores of tumour tissue formed of irregular groups of malignant ductal cells, showing moderate nuclear pleomorphism and hyperchromasia.

There is moderate attempt at tubular formation.

The mitotic index is moderate. There is necrosis.

There is marked desmoplasia. There is peritumoural lymphocytic infiltrate around 10%.

There is intraductal component showing comedo pattern.

Diagnosis :

Left breast upper outer quadrant mass, US guided tru cut biopsy, INFILTRATING DUCT CARCINOMA, GRADE II-III.


- HORMONAL RECEPTORS ARE IN A SEPARATE REPORT.

Prof. Dr. Shady Elia Anis

Prof. Dr. Elia Anis Ishak

Shady Elia

Elia anis



This report is electronically signed , any abrasion or modification would render it void .

1/1

عمارة رمسيس - بلوك أ - ميدان رمسيس - الدور السادس و السابع
تليفون : ٢٥٧٩٠٩٣٥ - ٢٥٧٤٤٧٤٢ - ٢٥٧٧٣٢٥٣

Dr.

Elia Anis Ishak

M. Sc. Ph. D. Pathology - Prof. of Pathology , Cairo University
Fellow, Armed Forces Institute of Pathology USA
Member, United States Canadian Academy of Pathology

Dr.

Shady Elia Anis

M. Sc. MD Pathology , Ass. Prof. of Pathology , Cairo University
Fellow , Mass General Hospital , Harvard , USA
Member , United States Canadian Academy of Pathology

Patient Name : مرفت عبد اللطيف سليم عبد المتعال

Analysis ID : 718314

Age : 63 Y : 6 M : 4 D

Gender : Female

Referred By Prof. Dr. : هشام الغزالي

Clinical Diagnosis : Left breast upper outer quadrant mass

Nature of Specimen : Block

Receiving Date : 2023-01-16

Patient ID : 549473

IMMUNOHISTOCHEMISTRY REPORT

Technique :

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain .

The sections were treated against:

Estrogen receptors

Progesterone receptors

Her 2

Ki67

Results :

Sections treated for Estrogen receptors revealed NEGATIVE nuclear staining.

Sections treated for Progesterone receptors revealed NEGATIVE nuclear staining.

Sections treated for HER2 revealed STRONG CONTINUOUS CELL MEMBRANE

STAINING (CHICKEN WIRE) IN MORE THAN 10% OF TUMOR CELLS.

30 % of Tumour cells are POSITIVE for Ki67.

Conclusion :

Block, TUMOUR CELLS ARE

NEGATIVE FOR ESTROGEN RECEPTORS (SCORE 0 / 8).

NEGATIVE FOR PROGESTERONE RECEPTORS (SCORE 0 / 8).

POSITIVE FOR HER 2 PROTEIN OVEREXPRESSION, SCORE 3+.

THE PROLIFERATION INDEX OF KI67 IS 30 % OF TUMOUR CELLS.

Prof. Dr. Shady Elia Anis

Prof. Dr. Elia Anis Ishak

Shady Elia Anis

Elia Anis



This report is electronically signed , any abrasion or modification would render it void .

1/1

عمارة رمسيس - بلوك أ - ميدان رمسيس - الدور السادس و السابع
تليفون : ٢٥٧٩٠٩٣٥ - ٢٥٧٤٤٧٤٢ - ٢٥٧٧٣٢٥٣

Immunohistochemistry
[[DOCTYPE:IHC]]

Dr.

Elia Anis Ishak

M. Sc. Ph. D. Pathology - Prof. of Pathology , Cairo University
Fellow, Armed Forces Institute of Pathology , USA
Member, United States Canadian Academy of Pathology

Dr.

Shady Elia Anis

M. Sc. MD Pathology , Ass. Prof. of Pathology , Cairo University
Fellow , Mass General Hospital , Harvard , USA
Member , United States Canadian Academy of Pathology

Patient Name : مرفت عبد اللطيف سليم عبد المتعال

Age : 63 Y : 5 M : 1 D

Referred By Prof. Dr. :

Clinical Diagnosis : Left breast mass

Nature of Specimen : Block

Receiving Date : 2022-12-29

Analysis ID :  714266

Gender : Female

Patient ID : 549473

IMMUNOHISTOCHEMISTRY REPORT

Technique :

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view: HRP DAB as chromogen and hematoxylin as counter-stain .

The sections were treated against:

- Estrogen receptors
- Progesterone receptors.
- Ki67

Results :

Sections treated for Estrogen receptors revealed NEGATIVE nuclear staining.
5% of tumor cells show WEAK POSITIVE Staining for progesterone receptors.
25% of Tumour cells are POSITIVE for Ki67.

Conclusion :

Block, TUMOUR CELLS ARE
NEGATIVE FOR ESTROGEN RECEPTORS (SCORE 0 / 8)
POSITIVE FOR PROGESTERONE RECEPTORS (SCORE 3/ 8
THE PROLIFERATION INDEX OF KI67 IS 25% OF TUMOUR CELLS.
NB: HER2 NOT PERFORMED AS NO FRANK INVASON IN MATERIAL RECEIVED.

Prof. Dr. Shady Elia Anis

Prof. Dr. Elia Anis Ishak



This report is electronically signed , any abrasion or modification would render it void .



Patient Name : الأستاذ / مرفت عبداللطيف سليم	Request No. : 13009577
Patient No. : 25907111300062	Request Date : 04/02/2023
Path No. : SR-98/23	Verification Date : 11/02/2023
Sex : Female	Financial Category : أورام دار السلام - نفقة الدولة
Age : 63 Y	Department : Out Patient
Referreing Doc :	Registered by : marwa mohamed youss

Pathology Report

Clinical Data: Left breast cancer

Nature of the specimen: Slide revision

Gross Examination:

One paraffin block labeled as (713313), 4 IPT slides, and 2 H&E stained slides were received.

Microscopic examination:

- Histological type: Invasive duct carcinoma
- Grade (differentiation+ nuclear pleomorphism + mitosis): III (3+3+3)

Biomarkers:

ER: No nuclear reaction in tumor cells (Allred score 0/8)

PR: No nuclear reaction in tumor cells (Allred score 0/8)

Her-2: strong complete membrane reaction in >10% of tumor cells (score 3+)

Ki 67: 30 % nuclear reaction in tumor cells

Diagnosis:

Left breast cancer; Slide revision:

- Invasive duct carcinoma, grade III
- ER: Negative (Allred score 0/8)
- PR: Negative (Allred score 0/8)
- HER2: Positive (Score 3+)
- Ki67: 30%

Prof.Dr. Iman Gouda
Dr.Heba Mostafa

Verified by :

walaa ghoniem

Printing Date : 11/02/2023 14:50:17

Page 1 of 2

Printing By : marwa mohamed youss



Patient Name	: الأستاذة / مرفت عبداللطيف سليم	Request No.	: 13C09106
Patient No.	: 25907111300062	Request Date	: 02/02/2023
Path No.	: 326/2023	Verification Date	: 11/02/2023
Sex	: Female	Financial Category	: اورام دار السلام - نفقة الدولة
Age	: 63 Y	Department	: Out Patient
Referring Dcc	:	Registered by	: marwa mohamed youss

Pathology Report

Clinical Data: Known case of left breast cancer with right breast mass (BIRAD4).

Nature of the specimen: Tru-cut biopsy of right breast lesion. collected at 1/2/2023, 3:40 PM.

Gross Examination:

Four graigh white tissue cores, 1 cm longest core, totally submitted.

Microscopic examination:

Histopathologic examinations of prepared slides reveals breast tissue cores with ductectasia, focal papillomatosis, adenosis, fibroadenoma, and fibrosis.

Diagnosis:

Right breast mass; Tru-cut biopsy:

- Fibrocystic changes
- No malignancy

Prof.Dr. Iman Gouda
Dr.Heba mostafa

Verified by :
walaa ghoniem



Patient Name: Mervat Abdel Latteef Selim Abd Al Motaal	Date : 11/09/2024
Exam : MAMMOGRAPHY BOTH	Age : 55 Year(s)
Medical ID: 359/2023	Pat. ID: 28723

RIGHT BREAST MAMMOGRAPHY WITH BILATERAL US

Indication:

Patient had left MRM.

Technique

- right breast MLO and CC views
- Bilateral ultrasound

Report:

- The right breast is heterogeneously dense which may obscure small lesions (ACR C),
- No spiculated masses or grouped microcalcifications.
- Complementary ultrasound also showed right multiple well defined hypoechoic solid mass lesion with no internal vascularity seen within seen at 9o'clock and 3o'clock par areolar region measuring about 7x5mm and 22x14mm.
- Normal skin thickness and nipple-areola complex, with average caliber of the retro-areolar ducts
- Nonspecific right axillary LN, with preserved fatty hila and uniform cortical thickness.
- Free left operative bed with no evidence of recurrent mass lesions
- Free left infra and supra clavicular regions.

Opinion:

- Left MRM with free operative bed with no evidence of recurrent mass lesions
- No right breast suspicious findings (BIRADS 2)

Signature Dr. Nehal Hamdy

11/09/2024 2:15 PM

Patient Name: Mervat Abdal Latteef Se im Abd Al Motaal	Date : 15/02/2023
Exam : MAMMOGRAPHY BOTH	Age : 63 Year(s)
Medical ID: 359/2023	Pat. ID: 28723

**BILATERAL BREAST MAMMOGRAPHY AND HIGH RESOLUTION
ULTRASOUND**

Indication:

.....

Technique

- Bilateral MLO and CC views
- Bilateral 3D MLO views DBT (Digital Breast Tomosynthesis).
- Bilateral breast ultrasound

Report:

- Scattered fibro glandular density (ACR B).
- left regional UOQ suspicious pieomorphic micro calcifications>>> pathologically proved carcinoma.
- Right UIQ well defined oval medium dense lesion
- No right suspicious mass lesions, suspicious micro calcifications or architectural distortion detected.
- **Complementary ultrasound on targeted right breast** >>> right multiple well defined hypoechoic solid mass lesion with no internal vascularity seen within seen at 9o'clock and 3o'clock par areolar region measuring about 7x5mm and 22x14mm.
- Normal right skin thickness and nipple-areola complex.
- Right Nonspecific axillary LNs.

Opinion:

- Left pathologically proved carcinoma (B,RADS 6).
- right UOQ &UIQ benign looking lesion likely fibro adenoma for follow up after 6months. (BIRADS 3)

Yours truly

Signature Dr. Nehal Hamdy

15/02/2023 2:04 PM