



جوستاف روسي انترناشيونال - مصر (EPE) * طلب علاج أول مرة / متردد

إسم المريض ربيعاً : فرحه اميرهم عبيد اسحق

المحافظة : القاهرة

الحي / المدينة : المطرية

العنوان : 10 ش الحاج لبيب -
عزبه النخل

رقم البطاقة : 26201012502706 رقم التليفون : 01281299551

تاريخ تسجيل الإستمارة : 19-09-2026

العمر(تاريخ الميلاد) : 01-01-1962 المهنة : ربه منزل

الإقرار

أقر انا الموقع أدناه انني لا اتمتع باي نظام علاج مثل:-التأمين الصحي-القوات المسلحة-الشرطة-
الهيئات-المؤسسات او اي نظام يتعارض مع نظام العلاج علي نفقة الدولة- وسوف اتحمل كافة
نفقات العلاج في حالة ثبوت غير ذلك
الإحصائي الاجتماعي
التوقيع: (-----) المقر بما فيه
التوقيع: (-----)

التشخيص الإكلينيكي : سرطان بالثدي (مبادرة)

نتائج الأبحاث : (مرفق)

التشخيص النهائي : سرطان بالثدي (مبادرة)

خطة العلاج : علاج مبادرة سرطان الثدي علاج تدعيمي وتلطيفي [6579] قسم العلاج : الاورام

التعليق على التشخيص : -----

تقرير اللجنة الثلاثية المتخصصة

الاسم : د/محمد كيلاني
الاسم : د/ندى حسن
الاسم : د/نرمين رمضان
الوظيفة :
الوظيفة :
الوظيفة :
التوقيع :
التوقيع :
التوقيع :
أطلعت اللجنة علي لائحة العلاج الخاصة بالمجالس
وتلتزم جهة العلاج بلائحة المجالس الطبية.
كما تقرر اللجنة بأن البيانات المدونة فى هذا النموذج صحيحة.
تتعهد المستشفى أن لا يتم تنفيذ القرار إلا بعد مراجعة الملف الطبي للمريض وإعادة مناظرة المريض
بالمستشفى قبل الصرف.

أعضاء اللجنة

أ.د. / د. / د. / د. / د. / د. / د. / د. / د. / د.

قرار اللجنة

التشخيص النهائي :

خطة العلاج :

المستشفى :

جهة العلاج :

ملاحظات :

قسم :

نفقات :

ختم

شعار الجمهورية

مدير عام

مديرية الشؤون الصحية

رئيس

المجلس الطبي المتخصص

--

Name: فرحة اميرهم عبيد اسحق National ID: 26201012502706	
--	---

تقرير طبي

السيد
تحية طبية وبعد,,

إيماء للطلب المقدم من	بشأن تقرير طبي للمريض
بقسم:	رقم طبي:

نتشرف بان نوضح فيما يلي تقريرنا عن حالته
--

تاريخ وساعة الدخول : -- --:-- yyyy-mm-dd	تاريخ وساعة الخروج : PM 01:17 05-07-2026
---	---

وبعد الكشف والفحوصات والمتابعة وجد انه
--

المریضة تعاني من ورم غير حميد بالثدي و تحتاج الي Supportive and palliative Treatment
--

التاريخ : 05-07-2026	الوقت : -- --:--
	الطبيب المعالج : د/شيماء لاشين

جوستاف
روني
مدير عام العملياتمراجعة
9-14مبادرة رئيس الجمهورية
لدعم صحة المرأة المصريةالاستشارة
طبية
مختصة

09/13/2026

MDT FORM

Name:	فرحة اميرهم عبيد اسحق	MRN:	13229
Age:	65 Y	ID:	26201012502706
Menopausal Sta	post	Phone:*	01281299551
NRS SCORE:		Marital Status:	married
BMI:		Family History:	-ve
Gender		Reason Of MDT:	
CO Morbidity:	DM , HTN , cardiac	ECOG Performance Status	0 0 1 2 3 4
Surgical History:*	NAD		

Clinical Data:

BX: IDC 2 with mucinous production
ER: 8/8 **PR:** 8/8 **HER2:** 0 **KI67:** 20%

History:


Sonomammography:
Rt Para areolar lesion invading skin 3 x 2.7 x 2 cm + enlarged LNs cortical thickness 3mm

Biomarker/Molecular

Mets Workup:
CT cap D 10 hemangioma
L 4-5 degree degeneration

Recommendations:
by examination skin overlying mass not pinchable but not fungating

MDT Outcome & Plan
UPFRONT RT CENTRAL QUADRENTECTOMY VS SM AFTER COUNCELING PT AND SLNB



Right Side				Left Side			
Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4

Clinical Staging:
T 3 N 1 M0

Pathological Staging:

SIGNATURE

MEDICAL ONCOLOGY	SURGERY	RADIOLOGY	PATHOLOGY
د محمد كمالى	د محمد تيرايوي		

جمهورية مصر العربية
مطابقة لمقتضى الشريعة الإسلامية

فرحة
أميرهم عبيد اسحق
١٠ ش. الحاج لبيب - عزبة النخل
المطرية - القاهرة

٢٦٢.٠١.١٢٥.٢٧.٦

JD4281021

١٢٨١٢٩٩٥٥١
١٢٨٠٧٠٧٧٥
عيسى

٢٠٢١/١١ ٢٦٢.٠١.١٢٥.٢٧.٦
ربة منزل

انثى
مسيحية
متزوجة
عاطى الفنى اسكندر بولس
البطاقة سارية حتى ٢٠٢٨/١١/٢٨

١



Women's Health Outreach Program
Bilateral Full field Digital Mammography

Name: Farha Ibrahim Abeid

Date: 21-07-2026

Clinical summary: 64 years old lady with right breast lump.

Technique

Medio-lateral oblique and CC views High resolution ultrasound

Detailed Findings

Right breast

- Scattered fibroglandular elements (ACR density B).
- Right breast shows inner central lobulated dense parareolar lesion.
- **Ultrasound**
- Right breast para-areolar globular lobulated heterogenous iso to hypoechoic lesion with mild internal vascularity by color doppler is seen invading the overlying skin is seen at 3 o'clock position measures about 3 x 2.7 x 2 cm
- Prominent retroareolar ducts.
- Right enlarged axillary lymph nodes with diffuse cortical thickness reaching up to 3 mm in thickness with preserved central fatty hila.

Left breast

- Scattered fibroglandular elements (ACR density B).
- No masses, asymmetric densities, distortion or suspicious clusters of micro calcifications.
- **Ultrasound:**
- No solid or cystic lesions.
- Mildly dilated retroareolar ducts reaching up to 3.2 mm.
- Normal skin, nipple/areola complex.
- Non-specific axillary LNs.

Impression:

Right breast (BIRADS 4c): highly suspicious para-areolar lesion as described for ultrasound guided biopsy.

Left breast (BIRADS 2): mild duct ectasia.

Best regards,
Dr. Ayat Nadi, FEBR, ABR

PATHOLOGY DEPARTMENT
HISTOPATHOLOGICAL REPORT

Patient name: فرحة اميرهم عبيد اسحق

Age: 64 years

Sex: female

Request type: مبادره

Sub request type:

Hospital no:

Pathology no.: 728-2026

Department: صحه مرأه

Date of result: 8/8/2026

Referred by: د/امل

Date of biopsy: 29/7/2026

Nature of specimen: Tru-cut biopsy

I.D. Number: 26201012502706

Clinical diagnosis: Right breast mass

Gross pathology :

Multiple fragmented grayish white tissue cores up to 0.5x0.4cm long, totally submitted.

Immunohistochemical Technique:

Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against ER- PR- Her2- Ki67

Microscopic picture: Section examined revealed core of tumor showing invasive duct carcinoma. The tumor forms nests, tubule and cribriform pattern infiltrating among focally desmoplastic stroma with mucous production (40% of tumor surface area). Tumor cells showing moderate anaplasia and moderate tendency to form tubules. There is moderate number of mitotic figures.

Immunohistochemical Result

ER: Strong nuclear staining in 80% of tumor cells (Allred Score 8/8).

PR: Strong nuclear staining in 80% of tumor cells (Allred Score 8/8).

Her2: Faint incomplete membranous staining in <10% of tumor cells (score 0) extras low.

Ki67: Positive nuclear staining of 20% of tumor cells.

Diagnosis: Right breast mass, tru-cut biopsy:

Invasive duct carcinoma, Grade II with mucous production (40%).

Signature:

Dr.Mona Mohamed.M.D



Pathology Lab. Manager

BASMA REFAAT M.D

Patient's Name: Farha Amirham Obeid Ishaq
Date: 2026-08-24
Referred by: Prof.Dr. no doctor
Hospital: Goustave Roussey International Egypt

Examination:

■ Computed tomography of the chest, abdomen and pelvis

Technical data:

- 5 mm CT scans of the abdomen and pelvis with IV contrast

Clinical data: newly diagnosed right breast cancer

Comparison: none

Findings:

▪ Chest findings:

- Right breast retroareolar soft tissue density lobulated lesion 2.4 cm with overlying skin thickening.
- Clear both lungs fields with no active parenchymatous infiltrates.
- No hilar or mediastinal masses or sizable LNs.
- Normal appearance of the tracheobronchial tree.
- No evidence of pleural effusion or thickening.
- Average cardiac size, no pericardial effusion.

▪ Abdomen and pelvis findings:

- The liver shows enlarged size with smooth contours, diffuse low hepatic parenchyma density (enlarged fatty liver) and no evidence of focal lesions.
- No intra hepatic biliary dilatation.
- Normal caliber and homogenous enhancement of the portal vein.
- The spleen shows normal size. No evidence of focal lesions.
- Normal CT appearance of the gall bladder, pancreas and adrenal glands
- Both kidneys are of normal site, size and shape, no stones, back pressure or masses bilaterally, right renal small simple cortical cyst.
- The urinary bladder shows average distention, no wall thickening, no stones, diverticulae or masses.
- Bulky uterus with contour bulges/ calcified lesions possible fibroids
- No suspicious abdominal or pelvis enlarged LNs
- No CT evidence of intestinal obstruction
- No pneumoperitoneum
- No free or localized abdominal or pelvis fluid collection
- D10 vertebral body lesion possible hemangioma
- L4-5 1st degree degenerative anterolithesis sequel to facet joints arthropathy

Opinion:

- **Right breast lesion as described for dedicated breast studies correlation**
- **No definite pulmonary nodules or masses**
- **No suspicious abdominal or pelvis metastatic lesions on CT base**
- **Enlarged fatty liver**
- **D10 vertebral body lesion possible hemangioma**
- **L4-5 1st degree degenerative anterolithesis sequel to facet joints**

9/13/26, 1:09 PM

code:09 -- Name_A MDT FORM -- Name_E MDT FORM

دولة الكويت
رئيسية
مديرية الصحة العامة



مبادرة رئيس الجمهورية
لدعم صحة المرأة المصرية

الهيئة العامة
للصحة العامة

09/13/2026

MDT FORM

Name:	فرحة احمد عيسى العتيق	MRN:	13229
Age:	65 Y	ID:	26201012502706
Menopausal Sta	post	Phone:*	01281299551
NRS SCORE:		Marital Status:	married
BMI:		Family History:	-ve
Gender		Reason Of MDT:	New
CO Morbidity:	DM , HTN , cardiac	ECOG Performance Status	0 0 1 2 3 4
Surgical History:*	MAD		

Clinical Data:

BX: IDC 2 with mucinous production

ER: 8/8 PR: 8/8 HER2: 0 KI67: 20%

History:

Sonomammography:

Rt Para areolar lesion invading skin 3 x 2.7 x 2 cm + enlarged LNs cortical thickness 3mm

Q1 Q2 Q3 Q4 Q1 Q2 Q3 Q4

Met Workup:

CT cap D 10 hemangioma
L 4-5 degree degeneration

Recommendations:

by examination skin overlying mass not pinchable but not fungating

Clinical Staging:

T 3 N 1 M0

MDT Outcome & Plan

UPFRONT RT CENTRAL QUADRENTECTOMY VS SM AFTER COUNCELING PT AND SLNB

Pathological Staging:

SIGNATURE

MEDICAL ONCOLOGY	SURGERY	RADIOLOGY	PATHOLOGY
2 محمد كوكلي	2 محمد نور دوي		



Women's Health Outreach Program

Bilateral Full field Digital Mammography

Name: Farha Ibrahim Abeid

Date: 21-07-2026

Clinical summary: 64 years old lady with right breast lump.

Technique

Medio-lateral oblique and CC views High resolution ultrasound

Detailed Findings

Right breast

- Scattered fibroglandular elements (ACR density B).
- Right breast shows inner central lobulated dense paraareolar lesion.
- **Ultrasound**
- Right breast para-areolar globular lobulated heterogenous iso to hypoechoic lesion with mild internal vascularity by color doppler is seen invading the overlying skin is seen at 3 o'clock position measures about 3 x 2.7 x 2 cm
- Prominent retroareolar ducts.
- Right enlarged axillary lymph nodes with diffuse cortical thickness reaching up to 3 mm in thickness with preserved central fatty hila.

Left breast

- Scattered fibroglandular elements (ACR density B).
- No masses, asymmetric densities, distortion or suspicious clusters of micro calcifications.
- **Ultrasound:**
- No solid or cystic lesions.
- Mildly dilated retroareolar ducts reaching up to 3.2 mm.
- Normal skin, nipple/areola complex.
- Non-specific axillary LNs.

Impression:

Right breast (BIRADS 4c): highly suspicious para-areolar lesion as described for ultrasound guided biopsy.

Left breast (BIRADS 2): mild duct ectasia.

**Best regards,
Dr. Ayat Nadi, FEBR, ABR**



N H I M R I

قسم الباثولوجي

الهيئة العامة للمستشفيات والمعاهد التعليمية
المعهد القومي للكبد والجهاز الهضمي
والأمراض المعدية

PATHOLOGY DEPARTMENT HISTOPATHOLOGICAL REPORT

28/8/26

Patient name: اسحق عيسى فرحة امير هم	Age: 64 years	Sex: female
Request type: ميكرسكوب	Sub request type:	
Hospital no:	Pathology no.: 728-2026	
Department: صحة مزأه	Date of result: 8/8/2026	
Referred by: د/أمل	Date of biopsy: 29/7/2026	
Nature of specimen: Tru-cut biopsy	I.D. Number: 26201012502706	
Clinical diagnosis: Right breast mass		
Gross pathology :		
Multiple fragmented grayish white tissue cores up to 0.5x0.4cm long, totally submitted.		
Immunohistochemical Technique:		
Sections were prepared from the paraffin block, processed in Benchmark Ultra machine (Ventana) and stained by rabbit monoclonal antibodies using Ultra view HRP DAB as chromogen and hematoxylin as counter-stain. The sections were treated against ER- PR- Her2- Ki67		
Microscopic picture: Section examined revealed core of tumor showing invasive duct carcinoma. The tumor forms nests, tubule and cribriform pattern infiltrating among focally desmoplastic stroma with mucous production (40% of tumor surface area). Tumor cells showing moderate anaplasia and moderate tendency to form tubules. There is moderate number of mitotic figures.		
Immunohistochemical Result		
ER: Strong nuclear staining in 80% of tumor cells (Allred Score 8/8).		
PR: Strong nuclear staining in 80% of tumor cells (Allred Score 8/8).		
Her2: Faint incomplete membranous staining in <10% of tumor cells (score 0) extras		
low.		
Ki67: Positive nuclear staining of 20% of tumor cells.		
Diagnosis: Right breast mass, tru-cut biopsy:		
Invasive duct carcinoma, Grade II with mucous production (40%).		

Signature:

Dr.Mona Mohamed.M.D

Me

Pathology Lab. Manager

BASMA REFAAT M.D



Patient's Name:

Farha Amirham Obeid Ishaq

Date:

2026-08-24

Referred by:

Prof.Dr. no doctor

Hospital:

Goustave Roussey International Egypt

Examination:

■ **Computed tomography of the chest, abdomen and pelvis**

Technical data:

- 5 mm CT scans of the abdomen and pelvis with IV contrast

Clinical data: newly diagnosed right breast cancer

Comparison: none

Findings:

▪ **Chest findings:**

- Right breast retroareolar soft tissue density lobulated lesion 2.4 cm with overlying skin thickening.
- Clear both lungs fields with no active parenchymatous infiltrates.
- No hilar or mediastinal masses or sizable LNs.
- Normal appearance of the tracheobronchial tree.
- No evidence of pleural effusion or thickening.
- Average cardiac size, no pericardial effusion.

▪ **Abdomen and pelvis findings:**

- The liver shows enlarged size with smooth contours, diffuse low hepatic parenchyma density (enlarged fatty liver) and no evidence of focal lesions.
- No intra hepatic biliary dilatation.
- Normal caliber and homogenous enhancement of the portal vein.
- The spleen shows normal size. No evidence of focal lesions.
- Normal CT appearance of the gall bladder, pancreas and adrenal glands
- Both kidneys are of normal site, size and shape, no stones, back pressure or masses bilaterally, right renal small simple cortical cyst.
- The urinary bladder shows average distention, no wall thickening, no stones, diverticulae or masses.
- Bulky uterus with contour bulges/ calcified lesions possible fibroids
- No suspicious abdominal or pelvis enlarged LNs
- No CT evidence of intestinal obstruction
- No pneumoperitoneum
- No free or localized abdominal or pelvis fluid collection
- D10 vertebral body lesion possible hemangioma
- L4-5 1st degree degenerative anterolisthesis sequel to facet joints arthropathy

Opinion:

- **Right breast lesion as described for dedicated breast studies correlation**
- **No definite pulmonary nodules or masses**
- **No suspicious abdominal or pelvis metastatic lesions on CT base**
- **Enlarged fatty liver**
- **D10 vertebral body lesion possible hemangioma**
- **L4-5 1st degree degenerative anterolisthesis sequel to facet joints**

جوسناف
رئيسية
مستشفى
مصر



مبادرة رئيس الجمهورية
لدعم صحة المرأة المصرية

مبادرة
رئيسية
مصر

09/13/2026

MDT FORM

Name:	فرحة احمد عيسى احمد	MRN:	13229
Age:	65 Y	ID:	26201012502706
Menopausal Sta	post	Phone:*	01281299551
NRS SCORE:		Marital Status:	married
BMI:		Family History:	-ve
Gender		Reason Of MDT:	New
CO Morbidity:	DM , HTN , cardiac	ECOG Performance Status	0 0 1 2 3 4
Surgical History:*	MAD		

Clinical Data:

BX:

IDC 2 with mucinous production

ER:

8/8

PR:

8/8

HER2:

0

Ki67:

20%

History:

Sonomammography:

Rt Para areolar lesion invading skin 3 x 2.7 x 2 cm + enlarged LNs cortical thickness 3mm

Biomarker/Molecular

Metis Workup:

CT cap D 10 hemangioma
L 4-5 degree degeneration

Recommendations:


by examination skin overlying mass not pinchable but not fungating

MDT Outcome & Plan

UPFRONT RT CENTRAL QUADRENTECTOMY VS SM AFTER COUNCELING PT AND SLNB

Clinical Staging:
T 3 N 1 M0

Pathological Staging:



T N M

Right Side				Left Side			
Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4

SIGNATURE

MEDICAL ONCOLOGY	SURGERY	RADIOLOGY	PATHOLOGY
2 محمد كمالى	2 محمد نور دوى		