

--

Name: نعمات بدوي محمد حسن National ID: 25002220102782	
--	---

تقرير طبي

السيد
تحية طبية وبعد,,

إيماء للطلب المقدم من	بشأن تقرير طبي للمريض
بقسم:	رقم طبي:

نتشرف بان نوضح فيما يلي تقريرنا عن حالته
--

تاريخ وساعة الدخول : -- --:-- yyyy-mm-dd	تاريخ وساعة الخروج : PM 01:17 05-07-2026
---	---

وبعد الكشف والفحوصات والمتابعة وجد انه
--

المریضة تعاني من ورم غير حميد بالثدي و تحتاج الي Second Line Hormonal Treatment Aromatase Inhibitor
--

التاريخ : 05-07-2026	الوقت : -- --:--
	الطبيب المعالج : د/شيماء لاشين

جمهورية مصر العربية
 وزارة الداخلية
 جهاز تنظيم المصارف
 بنك
 فصحى
 بنو محمد حسن
 ١٩ ش عبدالرازق سرور الكونسيه
 العمرانية - الجيزة
 ٢٥٠٠٢٢٢٠١٠٢٧ ٨٢
 ١٩٥٠/٠
 LD3153787

٢٠٣٢/٠٥/١١
 البطاقة سارية حتى
 ٢٥٠٠٢٢٢٠١٠٢٧ ٨٢
 بنو حسن
 أصل
 مملوكة
 أصل
 ١



د. م. م.
موجبة فيسبو



MDT FORM

Name:	Nemaat Badawy Mohamed .	MRN:	889
Age:	76 Y	ID:	Co--55501-5712
Menopausal Sta	Post menopausal	Phone:	01032086500
NRS SCORE:		Marital Status:	widowed
BMI:		Family History:	irrelevant
CO Morbidity:	HTN - DM PS: 2	Reason Of MDT:	Post OP

Clinical Data:

BX: IDC G2
ER: 8 PR: 6 HER2: +3 KI67: 45%

R

L

Sonomammography:

Mets Workup:

CT CAP free

History:

Initially T4b N2 M0

Post NACTH underwent Rt MRM >> CR Lns 0/13

pT0 N0

Details of NACTH in the photographed file

O/E>> Clean wound

Recommendations:

For Adj ttt


MDT Outcome & Plan

for adj PHESGO for a total of 1 year

PORT

aj femara 7 years

zometa every 6 ms



T N M

SIGNATURE

MEDICAL ONCOLOGY	SURGERY	RADIOLOGY	PATHOLOGY	Nutrition	Psychiatric
د. هائل عزت	د. احمد لبيب				

Patient Name : الأستاذ / نعامت بدوى محمد حسن
Patient No. : 25002220102782
Path No. : 318/26
Sex : Female
Age : 75 Y
Referring Doc :

Request No. : 13004839
Request Date : 03/02/2026
Verification Date : 15/02/2026
Financial Category : جوستاف روسي - نفقة الدولة
Department : Out Patient
Registered by : Mrs.Mayada Hegazy

Pathology Report

Clinical Data: Right breast cancer, Post-NACT.
Nature of Specimen: Right modified radical mastectomy.

Gross Examination:

- * Right modified radical mastectomy specimen measured 22x20x4 cm, with covering skin measured 17x10 cm. Nipple & areola looked unremarkable grossly.
- * Serialing showed a tumor bed site 6x5x2 cm, located 2 from the least deep margin.
- * Axillary fat measured 8x7x2 cm, entangling 13 lymph nodes, the largest is 1x1x0.5 cm.
- * 12 Blocks:
1:6- T.B.S., 7- N&A., 8- Deep margin., 9:12- ALNs..
- Gross was done by; Dr. Heba El-Shafeey.

Microscopic Examination:

- * Histological type: No residual viable remnants of the previously diagnosed invasive tumor.
- Cellularity (0%).
- * Angioinvasion: Absent.
- * Ductal carcinoma in situ: Absent.
- * Nipple & areola: Free.
- * Deep margin: Free.
- * Axillary lymph nodes: Thirteen lymph nodes free of metastatic deposits (0/13).
- * Histologic response to therapy: Pathological complete response to therapy.

Diagnosis:

- Right breast cancer (Post-NACT), Right modified radical mastectomy:
- No residual viable remnants of the previously diagnosed invasive tumor.
 - Ductal carcinoma in situ: Absent.
 - Nipple & areola: Free.
 - Deep Margin: Free.

Verified by :
Dr.Duaa Mohamed

Printing Date : 17/02/2026 13:45:50

Page 1 of 2

Printing By : Mrs.Mayada Hegazy



شرفة رقم (4) - الدور الأول - مبنى رقم (987) - كورنيش النيل - مصر القديمة - القاهرة - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche - Misr El Qadema - Cairo, Egypt

Patient Name : الأستاذ / نغمات بدوي محمد حسن

Request No. : 13004839

Patient No. : 25002220102782

Request Date : 03/02/2026

Path No. : 318/26

Verification Date : 15/02/2026

Sex : Female

Financial Category : جوسناف روسي - نفقة الدولة

Age : 75 Y

Department : Out Patient

Referreing Doc :

Registered by : Mrs.Mayada Hegazy

Pathology Report

- Axillary lymph nodes: Thirteen lymph nodes free of metastatic deposits (0/13).
- Histologic response to therapy: Pathological complete response to therapy.
- Stage: ypT0, ypN0.

Signature

Dr. Walaa Ibrahim Ghoneim.

Dr. Heba El-Shafeey.

Verified by :

Dr.Duaa Mohamed

Printing Date : 17/02/2026 13:45:50

Page 2 of 2

Printing By : Mrs.Mayada Hegazy



غرفة رقم (4) - الدور الأول - مبنى رقم (987) - كورنيش النيل - مصر القديمة - القاهرة - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche - Misr El Qadema - Cairo, Egypt

MDT FORM

611/2025 G

Name	نعمات بدري	MRN	C.50-111
Age	75y	ID	
Menopausal status	post	Phone	010220
NRS SCORE		Marital status	
BMI		Family history	
CO morbidity		REASON OF MDT	post NACT

Clinical Data


BX: IDC II

R

L

ER: 6/8 PR: 6/8 HER 2: 3+ Ki67: 40%

Sonomammography:



Mets Workup:

post-men. Rt Breast cancer

Rec. NACT

14 weeks Taxol, Carhe + 4 cycle carboplatin agent.

Recommendations:

pt. has grad 3 peripheral neuropathy.

Chronic diarrhea. grade 2.

Rt supra Clav 2x2 No ax. L.N felt.

flaps are good for RT MRM

MDT OUTCOME & PLAN

for Rt MRM

SIGNATURE

MEDICAL ONCOLOGY	SURGERY	RADIOLOGY	PATHOLOGY	Nutrition	Psychiatric

Patient Name : الأستاذة / نعتات بدوي محمد حسن
Patient No. : 25002220102782
Path No. : SR-883/25
Sex : Female
Age : 75 Y
Referring Doc :

Request No. : 13003494
Request Date : 29/06/2025
Verification Date : 02/07/2025
Financial Category : نفقة الدولة - اورام دار السلام
Department : Out Patient
Registered by : Mrs.Mayada Hegazy

Pathology Report

Clinical Data: Right breast cancer.
Nature of Specimen: Slide revision

Gross Examination:

- One paraffin block labelled by (157B/25) was received.
- Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for ER, PR, Her2, ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

Microscopic Examination:

- * Histological type: Invasive duct carcinoma with focal micropapillary features
- * Grade (differentiation+ nuclear pleomorphism+ mitosis): (2+3+2) Grade II.
- * Ductal carcinoma in situ: No
- * Perineural invasion: No
- * Angiolysis: No
- * Additional pathologic findings: Focal necrosis.
- * IPT (Positive control showed appropriate reactivity):
- ER: Strong nuclear reaction in 90% of tumor cells (score 8/8).
- PR: Strong nuclear reaction in 30% of tumor cells (score 6/8).
- Her2: Strong complete membrane reaction in >10% of tumor cells (score 3+).
- Ki67: 45% nuclear reaction of tumor cells.

Diagnosis:

Right breast mass, Tru-cut biopsy:
Invasive duct carcinoma, Grade II, with focal micropapillary features.

IPT:

- ER: Positive (score 8/8).
- PR: Positive (score 6/8).

Verified by :

Printing Date : 02/07/2025 11:32:43

Page 1 of 2

Printing By : Mrs.Mayada Hegazy



غرفة رقم (4) - الدور الاول - مبنى رقم (987) - كورنيش النيل - مصر القديمة - القاهرة - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche- Misr El Qadima - Cairo, Egypt

Patient Name : الأستاذ / نعتات بدوي محمد حسن
Patient No. : 25002220102782
Path No. : SR-883/25
Sex : Female
Age : 75 Y
Referring Doc :

Request No. : 13003494
Request Date : 29/06/2025
Verification Date : 02/07/2025
Financial Category : خففة الدولة - اورام خارج السلام
Department : Out Patient
Registered by : Mrs. Mayada Hegazy

Pathology Report

- Her2: Positive (score 3+).
- Ki67: Positive in 45% of tumor cells.

* Scoring system: "ER, PR"

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66% and 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak; 2, intermediate; and 3, strong). Total score from 0 to 8.

* Scoring system: "Her2"

Reference: ASCO-CAP Her2 Test Guideline Recommendations, 2013. IHC 0: as defined by no staining observed or membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within < 10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is incomplete, intense < 10% of tumor cells.

Signature
Dr. Walaa Ibrahim Ghoneim
Dr. Heba Hassan Adly

Verified by :

Printing Date : 02/07/2025 11:32:43

Page 2 of 2

Printing By : Mrs. Mayada Hegazy



غرفة رقم (4) - الدور الأول - مبنى رقم (987) - كورنيش النيل - مصر الجديدة - القاهرة - مصر
Room No. (4) - First Floor - Building No. 987 - Nile Corniche - Misr El Qadima - Cairo, Egypt

Patient Name: Ne'maat Badawy Mohamed Hassan	Date : 12/07/2025
Exam : CT CAP+C (CT Chest Abd. Pelvis)	Age : 75 Year(s)
Medical ID:	Pat. ID: 100461

POST-CONTRAST MULTI-SLICE CT SCAN OF THE CHEST, ABDOMEN AND PELVIS:

- Reported case of breast cancer.

I Chest:

- *Right breast parenchymal soft tissue lesion measures about 7.9 x3.8 cm with thickened overlying skin with multiple satellite and subcutaneous nodules measuring roughly 1.5 x1.4 cm*
- *Subcentimetric bilateral axillary (level I & II) lymph nodes. Suspected subcentimetric bilateral internal mammary lymph node, largest at right measures roughly about 1.5 x0.9 cm.*
- No sizable pulmonary nodules, masses, consolidation or cavitary lesions.
- Subcentimetric mediastinal lymph nodes are noted.
- No pleural or pericardial collection, pleural thickening or masses.
- No cardiac gross enlargement.

II Abdomen & pelvis:

- Average sized liver showing homogenous parenchymal attenuation. No sizable focal lesions on non-contrast basis.
- No intra-hepatic or extra-hepatic biliary radicles dilatation.
- Normal non contrast CT appearance of the spleen, pancreas, kidneys (apart from right renal cortical cyst) and suprarenal glands.
- Average size gall bladder with hyperdense stones .
- Averagely filled urinary bladder showing no sizable diverticular outpouching.
- No pathological abdominal or pelvic lymph node enlargement.
- No ascites.
- L3 and L4 spinolaminectomy with transpedicular fixation .
- Mild forward slippage of L4 over L5 .
- Advanced lumbar spondylosis..

Patient Name: Ne'maat Badawy Mohamed Hassan	Date : 12/07/2025
Exam : CT CAP+C (CT Chest Abd. Pelvis)	Age : 75 Year(s)
Medical ID:	Pat. ID: 100461

Opinion:

Reported case of breast cancer revealed

- No sizable pulmonary or hepatic lesions on non-contrast basis.

DR. Reham Khedr, M.D.

Signature Dr.Mohamed Hassan


24/07/2025 2:39 AM

ECHO REPORT

Name: ن. رفاعي محمد

Date: 11 / 8 / 2025

EF	66%	55-75%	PWT	0.9	0.6-1.1cm
LV EDD	4.9	3.5-5.8cm	AO.R	2.7	2-3.7cm
		2-3cm	LA	3.3	2-4cm
FS		25-45%	RV		0.7-2.3cm (supine)
SWT	0.8	0.6-1.1cm	AO.CUSP		1.2-2.6cm


LV dimensions  normal

LV wall thickness  normal

LV diastolic function DD grade I

SWMA  normal

LA and Ao root dimensions  normal

Mitral Valve  mild TR

Aortic valve  normal


Tricuspid valve  mild TR

Pulmonary valve  normal

Right side and systolic function  normal

Intracardiac masses and effusion  normal

Dr/ Mina Adel



Patient Name	: الأستاد / نعتات بدوي محمد حسن	Request No.	: 13004839
Patient No.	: 25002220102782	Request Date	: 03/02/2026
Path No.	: 318/26	Verification Date	: 15/02/2026
Sex	: Female	Financial Category	: نفقة الدولة - جوسناف روسي
Age	: 75 Y	Department	: Out Patient
Referring Doc :		Registered by	: Mrs.Mayada Hegazy

Pathology Report

Clinical Data: Right breast cancer, Post-NACT.

Nature of Specimen: Right modified radical mastectomy.

Gross Examination:

- * Right modified radical mastectomy specimen measured 22x20x4 cm, with covering skin measured 17x10 cm. Nipple & areola looked unremarkable grossly.
- * Serialling showed a tumor bed site 6x5x2 cm, located 2 from the least deep margin.
- * Axillary fat measured 8x7x2 cm, entangling 13 lymph nodes, the largest is 1x1x0.5 cm.
- * 12 Blocks:
- 1:6- T.B.S., 7- N&A., 8- Deep margin., 9:12- ALNs..
- Gross was done by: Dr. Heba El-Shafeey.

Microscopic Examination:

- * Histological type: No residual viable remnants of the previously diagnosed invasive tumor.
- Cellularity (0%).
- * Angioinvasion: Absent.
- * Ductal carcinoma in situ: Absent.
- * Nipple & areola: Free.
- * Deep margin: Free.
- * Axillary lymph nodes: Thirteen lymph nodes free of metastatic deposits (0/13).
- * Histologic response to therapy: Pathological complete response to therapy.

Diagnosis:

Right breast cancer (Post-NACT), Right modified radical mastectomy:

- No residual viable remnants of the previously diagnosed invasive tumor.
- Ductal carcinoma in situ: Absent.
- Nipple & areola: Free.
- Deep Margin: Free.

Verified by :

Dr.Duaa Mohamed

Printing Date : 17/02/2026 13:45:50

Page 1 of 2

Printing By : Mrs.Mayada Hegazy



Patient Name : الأستاذ / نعتك بدوي محمد حسن
Patient No. : 25002220102782
Path No. : 318/26
Sex : Female
Age : 75 Y
Referring Doc :

Request No. : 13004839
Request Date : 03/02/2026
Verification Date : 15/02/2026
جورسلاف روسي - نفقة الدولة : Financial Category
Department : Out Patient
Registered by : Mrs.Mayada Hegazy

Pathology Report

- Axillary lymph nodes: Thirteen lymph nodes free of metastatic deposits (0/13).
- Histologic response to therapy: Pathological complete response to therapy.
- Stage: ypT0, ypN0.

Signature

Dr. Walaa Ibrahim Ghoneim.

Dr. Heba El-Shafeey.

Verified by :

Dr.Duaa Mohamed

Printing Date : 17/02/2026 13:45:50

Page 2 of 2

Printing By : Mrs.Mayada Hegazy



Patient Name	: الأستاد / نعتات بدوي محمد حسن	Request No.	: 13004839
Patient No.	: 25002220102782	Request Date	: 03/02/2026
Path No.	: 318/26	Verification Date	: 15/02/2026
Sex	: Female	Financial Category	: نفقة الدولة - جوسناف روسي
Age	: 75 Y	Department	: Out Patient
Referring Doc :		Registered by	: Mrs.Mayada Hegazy

Pathology Report

Clinical Data: Right breast cancer, Post-NACT.

Nature of Specimen: Right modified radical mastectomy.

Gross Examination:

- * Right modified radical mastectomy specimen measured 22x20x4 cm, with covering skin measured 17x10 cm. Nipple & areola looked unremarkable grossly.
- * Serialling showed a tumor bed site 6x5x2 cm, located 2 from the least deep margin.
- * Axillary fat measured 8x7x2 cm, entangling 13 lymph nodes, the largest is 1x1x0.5 cm.
- * 12 Blocks:
- 1:6- T.B.S., 7- N&A., 8- Deep margin., 9:12- ALNs..
- Gross was done by: Dr. Heba El-Shafeey.

Microscopic Examination:

- * Histological type: No residual viable remnants of the previously diagnosed invasive tumor.
- Cellularity (0%).
- * Angioinvasion: Absent.
- * Ductal carcinoma in situ: Absent.
- * Nipple & areola: Free.
- * Deep margin: Free.
- * Axillary lymph nodes: Thirteen lymph nodes free of metastatic deposits (0/13).
- * Histologic response to therapy: Pathological complete response to therapy.

Diagnosis:

Right breast cancer (Post-NACT), Right modified radical mastectomy:

- No residual viable remnants of the previously diagnosed invasive tumor.
- Ductal carcinoma in situ: Absent.
- Nipple & areola: Free.
- Deep Margin: Free.

Verified by :

Dr.Duaa Mohamed

Printing Date : 17/02/2026 13:45:50

Page 1 of 2

Printing By : Mrs.Mayada Hegazy



Patient Name : الأستاذة / نعمت بدوي محمد حسن
Patient No. : 250022220102782
Path No. : 318/26
Sex : Female
Age : 75 Y
Referring Doc :

Request No. : 13004839
Request Date : 03/02/2026
Verification Date : 15/02/2026
جورسلاف روسي - نفقة الدولة : Financial Category
Department : Out Patient
Registered by : Mrs.Mayada Hegazy

Pathology Report

- Axillary lymph nodes: Thirteen lymph nodes free of metastatic deposits (0/13).
- Histologic response to therapy: Pathological complete response to therapy.
- Stage: ypT0, ypN0.

Signature

Dr. Walaa Ibrahim Ghoneim.

Dr. Heba El-Shafeey.

Verified by :

Dr.Duaa Mohamed

Printing Date : 17/02/2026 13:45:50

Page 2 of 2

Printing By : Mrs.Mayada Hegazy

