



**جوستاف روسي انترناشيونال - مصر (EPE) \* طلب علاج أول مرة / متكرر**

إسم المريض ربيعاً : شوفيه محمد السيد علي

العنوان : 0

المحافظة : اسوان

تاريخ تسجيل الإستمارة : 19-09-2026

رقم البطاقة : 26712112100707 رقم التليفون : 01153952395

العمر (تاريخ الميلاد) : 11-12-1967 المهنة : بدون عمل

التشخيص الإكلينيكي : سرطان بالثدي (مبادرة)

نتائج الأبحاث : (مرفق)

التشخيص النهائي : سرطان بالثدي (مبادرة)

قسم العلاج :  
الأورام

خطة العلاج : أبحاث أورام اشعه مقطعيه علي البطن والصدر بالصبغه  
[11127]

التعليق على التشخيص : -----

**خطاب إداري**

**هذا الرقم القومي يتبع منظومة التأمين الصحي الشامل جهة الاختصاص**



|  |
|--|
|  |
|--|

|                                                                         |                                                                                     |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Name:</b> شوفيه محمد السيد علي<br><b>National ID:</b> 26712112100707 |  |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------|

|           |
|-----------|
| تقرير طبي |
|-----------|

|                  |
|------------------|
| السيد            |
| تحية طبية وبعد,, |

|                       |                       |
|-----------------------|-----------------------|
| إيماء للطلب المقدم من | بشأن تقرير طبي للمريض |
| بقسم:                 | رقم طبي:              |

|                                          |
|------------------------------------------|
| نتشرف بان نوضح فيما يلي تقريرنا عن حالته |
|------------------------------------------|

|                                             |                                             |
|---------------------------------------------|---------------------------------------------|
| تاريخ وساعة الدخول :<br>-- --:-- yyyy-mm-dd | تاريخ وساعة الخروج :<br>PM 01:17 05-07-2026 |
|---------------------------------------------|---------------------------------------------|

|                                        |
|----------------------------------------|
| وبعد الكشف والفحوصات والمتابعة وجد انه |
|----------------------------------------|

|                                                                                            |
|--------------------------------------------------------------------------------------------|
| المریضة تعاني من ورم غير حميد بالثدى و تحتاج الي Contrast-enhanced CT of chest and abdomen |
|--------------------------------------------------------------------------------------------|

|                         |                                   |
|-------------------------|-----------------------------------|
| التاريخ :<br>05-07-2026 | الوقت :<br>-- --:--               |
|                         | الطبيب المعالج :<br>د/شيماء لاشين |



جمهورية مصر العربية  
بطاقة تحقيق الشخصية

شوقيه

محمد سيد على


١ ش الايمان - بجوار مطعم الايمان  
التبين - القاهرة



٢٦٧١٢١١٢١٠٠٧٠٧

LK6936784

National ID - Front  
[[DOC]] REID\_FRONT



Name : Shawqiya Mohammed Said Ali

Date : 15-08-2026 01:46

Branch : Maadi

Medical No. : 439901

Ref.Physician Prof : Islam Hussain

Ins.Company : شركة مياه الشرب للقاهرة الكبرى

### **DIGITALIZED LOW DOSE SOFT TISSUE MAMMOGRAPHY WITH COMPLEMENTARY BREAST US EXAMINATION OF BOTH BREASTS REVEALED:**

- A well defined speculated hyperdense lesion is seen at the LIQ of the left breast corresponding by US to well defined globular shaped heterogeneous hypoechoic lesion at 8 o'clock position , surrounded by echogenic halo and causing posterior shadowing , subcutaneous infiltration. It measures about 22x15 mm in its max dimensions with about 4.5 cm distance from adjacent nipple .
- left axillary tail enlarged lymph node, with cortical thickening and lost fatty hila , measures 19x16 mm .
- ACR B: Mixed fibro-fatty-glandular breast parenchyma.
- No pathological microcalcification clusters.
- No right breast solid or cystic lesions. with Clear lumpectomy bed
- Normal central ducts system.
- Normal skin thickness and contour as well as right nipple areola complexes.
- Right non specific axillary lymph nodes showing preserved fatty hila.

#### **Opinion:**

- ✓ Left breast LIQ malignant looking lesion (BIRADS V) associated with ipsilateral axillary lymphadenopathy .
- ✓ Clear Right breast lumpectomy bed

***BIRADS scoring is the breast imaging and reporting data system for classifying the radiological diagnosis of breast lesions:***

***BIRADS 0 :*** Needs further investigations.

***BIRADS 1:*** Normal findings.

***BIRADS 2:*** Benign.

***BIRADS 3:*** Probably benign.

***BIRADS 4:*** Probably malignant.

***BIRADS 5:*** Malignant.

***BIRADS 6:*** Proven pathologically malignant

Best regards

Dr Mahmoud Abdelmohsen.FEBR.FABR

|                 |                       |                 |                          |
|-----------------|-----------------------|-----------------|--------------------------|
| Patient Name    | شوقيه محمد سيد على    | Case No.        | 359981                   |
| Sex/Age         | Female 58 Y           | Patient No.     | 26142                    |
| Registered Date | 23/8/2026 02:28:02 PM | Referred By Dr. | Interventional Radiology |
| Validation Date | 07/9/2026 01:06:37 PM | Branch          | Gustave Roussy           |
| Reporting Date  | 19/9/2026 10:41:09 AM | Pathology No.   | 2673/26                  |

## Pathology Report

**Clinical Data:** Left LIQ breast mass (BIRADS 5).

**Nature of Specimen:** Tru-cut biopsy, collected on 20/08/2026, at 03:10 pm. Cold ischemia time is 20 seconds.

### Gross Examination:

- Four grey, white tissue cores, ranging in size between 0.8 cm & 1.2 cm long, totally submitted.

### Technique:

- Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for;  
- ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

### Microscopic examination:

- **Histologic type:** Invasive duct carcinoma with micropapillary features.  
- **Histologic grade:** 2 (differentiation 2, pleomorphism 2, mitosis 2).  
- **DCIS:** Absent.  
- **Microcalcification:** Absent.  
- **Angioinvasion:** Suspicious.  
- **Perineural invasion:** Absent.

### Results:

\* IPT (All controls showed appropriate reactivity):  
- ER: Moderate nuclear reaction in 10% of tumor cells (score 4/8).  
- PR: Weak nuclear reaction in <1% of tumor cells (score 2/8).  
- Her2: Strong complete membrane reaction in more than 10% of tumor cells (score 3+).  
- Ki67%: 45%.

### Conclusion:

**Left breast mass, Tru-cut biopsy:**

- **Invasive duct carcinoma, Grade 2 with micropapillary features.**

### IPT:

- **ER: Positive (score 4/8).**  
- **PR: Negative (score 2/8).**

|                 |                       |                 |                          |
|-----------------|-----------------------|-----------------|--------------------------|
| Patient Name    | شوقيه محمد سيد على    | Case No.        | 359981                   |
| Sex/Age         | Female 58 Y           | Patient No.     | 26142                    |
| Registered Date | 23/8/2026 02:28:02 PM | Referred By Dr. | Interventional Radiology |
| Validation Date | 07/9/2026 01:06:37 PM | Branch          | Gustave Roussy           |
| Reporting Date  | 19/9/2026 10:41:09 AM | Pathology No.   | 2673/26                  |

- Her2: Positive (score 3+).
- Ki67%: 45%.

**\*\*Scoring system: "ER, PR"**

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66% and 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak, 2, intermediate; and 3, strong). Total score from 0 to 8.

**\*\* Scoring system: "Her2"**

Reference: ASCO-CAP Her2 Test Guideline Recommendation. IHC 0 (Null): as defined by no staining observed. IHC 0+ (Ultra-low) as defined by membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within > 10% of the invasive tumor cells.

IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within >10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is complete, intense > 10% of tumor cells.

**Signature**

**Prof. Dr. Maha Guimei, MD, PhD.**  
**Dr. Walaa Ibrahim Ghoneim, MD.**



جمهورية مصر العربية  
بطاقة تحقيق الشخصية

شوقيه

محمد سيد على

١ ش الايمان - بجوار مطعم الايمان  
التبين - القاهرة



٢٦٧١٢١١٢١٠٠٧٠٧

LK6936784



٢٠٢٥/١٠

٢٦٧١٢١١٢١٠٠٧٠٧

حاصله على دبلوم تجارة

أرملة


مسلمة

أنثى



البطاقة سارية حتى ٢٠٣٢/١٠/١١

١



Name : Shawqiya Mohammed Said Ali

Date : 15-08-2026 01:46

Branch : Maadi

Medical No. : 439901

Ref.Physician Prof : Islam Hussain

Ins.Company : شركة مياه الشرب للقاهرة الكبرى

### **DIGITALIZED LOW DOSE SOFT TISSUE MAMMOGRAPHY WITH COMPLEMENTARY BREAST US EXAMINATION OF BOTH BREASTS REVEALED:**

- A well defined speculated hyperdense lesion is seen at the LIQ of the left breast corresponding by US to well defined globular shaped heterogeneous hypoechoic lesion at 8 o'clock position , surrounded by echogenic halo and causing posterior shadowing , subcutaneous infiltration. It measures about 22x15 mm in its max dimensions with about 4.5 cm distance from adjacent nipple .
- left axillary tail enlarged lymph node, with cortical thickening and lost fatty hila , measures 19x16 mm .
- ACR B: Mixed fibro-fatty-glandular breast parenchyma.
- No pathological microcalcification clusters.
- No right breast solid or cystic lesions. with Clear lumpectomy bed
- Normal central ducts system.
- Normal skin thickness and contour as well as right nipple areola complexes.
- Right non specific axillary lymph nodes showing preserved fatty hila.

#### **Opinion:**

- ✓ Left breast LIQ malignant looking lesion (BIRADS V) associated with ipsilateral axillary lymphadenopathy .
- ✓ Clear Right breast lumpectomy bed

***BIRADS scoring is the breast imaging and reporting data system for classifying the radiological diagnosis of breast lesions:***

***BIRADS 0 :*** Needs further investigations.

***BIRADS 1:*** Normal findings.

***BIRADS 2:*** Benign.

***BIRADS 3:*** Probably benign.

***BIRADS 4:*** Probably malignant.

***BIRADS 5:*** Malignant.

***BIRADS 6:*** Proven pathologically malignant

Best regards

Dr Mahmoud Abdelmohsen.FEBR.FABR

|                 |                       |                 |                          |
|-----------------|-----------------------|-----------------|--------------------------|
| Patient Name    | شوقيه محمد سيد على    | Case No.        | 359981                   |
| Sex/Age         | Female 58 Y           | Patient No.     | 26142                    |
| Registered Date | 23/8/2026 02:28:02 PM | Referred By Dr. | Interventional Radiology |
| Validation Date | 07/9/2026 01:06:37 PM | Branch          | Gustave Roussy           |
| Reporting Date  | 19/9/2026 10:41:09 AM | Pathology No.   | 2673/26                  |

## Pathology Report

**Clinical Data:** Left LIQ breast mass (BIRADS 5).

**Nature of Specimen:** Tru-cut biopsy, collected on 20/08/2026, at 03:10 pm. Cold ischemia time is 20 seconds.

### Gross Examination:

- Four grey, white tissue cores, ranging in size between 0.8 cm & 1.2 cm long, totally submitted.

### Technique:

- Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for;  
- ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

### Microscopic examination:

- **Histologic type:** Invasive duct carcinoma with micropapillary features.  
- **Histologic grade:** 2 (differentiation 2, pleomorphism 2, mitosis 2).  
- **DCIS:** Absent.  
- **Microcalcification:** Absent.  
- **Angioinvasion:** Suspicious.  
- **Perineural invasion:** Absent.

### Results:

\* IPT (All controls showed appropriate reactivity):  
- ER: Moderate nuclear reaction in 10% of tumor cells (score 4/8).  
- PR: Weak nuclear reaction in <1% of tumor cells (score 2/8).  
- Her2: Strong complete membrane reaction in more than 10% of tumor cells (score 3+).  
- Ki67%: 45%.

### Conclusion:

**Left breast mass, Tru-cut biopsy:**

- Invasive duct carcinoma, Grade 2 with micropapillary features.

### IPT:

- ER: Positive (score 4/8).  
- PR: Negative (score 2/8).

|                 |                       |                 |                          |
|-----------------|-----------------------|-----------------|--------------------------|
| Patient Name    | شوقيه محمد سيد على    | Case No.        | 359981                   |
| Sex/Age         | Female 58 Y           | Patient No.     | 26142                    |
| Registered Date | 23/8/2026 02:28:02 PM | Referred By Dr. | Interventional Radiology |
| Validation Date | 07/9/2026 01:06:37 PM | Branch          | Gustave Roussy           |
| Reporting Date  | 19/9/2026 10:41:09 AM | Pathology No.   | 2673/26                  |

- Her2: Positive (score 3+).
- Ki67%: 45%.

**\*\*Scoring system: "ER, PR"**

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66% and 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak, 2, intermediate; and 3, strong). Total score from 0 to 8.

**\*\* Scoring system: "Her2"**

Reference: ASCO-CAP Her2 Test Guideline Recommendation. IHC 0 (Null): as defined by no staining observed. IHC 0+ (Ultra-low) as defined by membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within > 10% of the invasive tumor cells.

IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within >10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is complete, intense > 10% of tumor cells.

**Signature**

**Prof. Dr. Maha Guimei, MD, PhD.**  
**Dr. Walaa Ibrahim Ghoneim, MD.**