



جوستاف روسي انترناشيونال - مصر (EPE) * طلب علاج أول مرة / متردد

إسم المريض رباعياً : رشا مجدي ت كلا حنا
المحافظة : القاهرة
الحى / المدينة : عين شمس
العنوان : //
رقم البطاقة : 27811238800242 رقم التليفون : 01228595247
العمر (تاريخ الميلاد) : 23-11-1978 المهنة : بدون عمل
تاريخ تسجيل الإستمارة : 21-09-2026

الإقرار

أقر انا الموقع أدناه انني لا اتمتع باي نظام علاج مثل :-التأمين الصحي-القوات المسلحة-الشرطة-الهيئات-المؤسسات او اي نظام يتعارض مع نظام العلاج علي نفقة الدولة- وسوف اتحمل كافة نفقات العلاج في حالة ثبوت غير ذلك
الإخصائي الاجتماعي
التوقيع: (-----)
المقرر بما فيه
التوقيع: (-----)

التشخيص الإكلينيكي : سرطان بالثدي (مبادرة)

نتائج الأبحاث : (مرفق)

التشخيص النهائي : سرطان بالثدي (مبادرة)

خطة العلاج : أبحاث أورام تصوير مقطعي للصدر والبطن والحوض بالصبغة
قسم العلاج :
الأورام [11129]

التعليق على التشخيص : -----

تقرير اللجنة الثلاثية المتخصصة

الاسم : د/محمد كيلاني
الاسم : د/ندى حسن
الاسم : د/نرمين رمضان
الوظيفة :
الوظيفة :
الوظيفة :
التوقيع :
التوقيع :
التوقيع :
أطلعت اللجنة علي لائحة العلاج الخاصة بالمجالس وتلتزم جهة العلاج بلائحة المجالس الطبية.
كما تقرر اللجنة بأن البيانات المدونة فى هذا النموذج صحيحة.
تعتمد صحة البيانات المرفقة
رئيس اللجنة ومدير
المستشفى.

تتعهد المستشفى أن لا يتم تنفيذ القرار إلا بعد مراجعة الملف الطبي للمريض وإعادة مناظرة المريض بالمستشفى قبل الصرف.

أعضاء اللجنة

أ.د. /----- /د. /----- /د. /----- /د. /-----

قرار اللجنة

التشخيص النهائي :
خطة العلاج :
المستشفى :
قسم :
جهة العلاج :
نفقات :
ملاحظات :

ختم
شعار الجمهورية

مدير عام
مديرية الشؤون الصحية

رئيس
المجلس الطبي المتخصص

--

Name: رشا مجدي بكلا حنا National ID: 27811238800242	
--	---

تقرير طبي

السيد
تحية طبية وبعد,,

إيماء للطلب المقدم من	بشأن تقرير طبي للمريض
بقسم:	رقم طبي:

نتشرف بأن نوضح فيما يلي تقريراً عن حالته
--

تاريخ وساعة الدخول : -- --:-- yyyy-mm-dd	تاريخ وساعة الخروج : PM 01:17 05-07-2026
---	---

وبعد الكشف والفحوصات والمتابعة وجد أنه
--

المریضة تعاني من ورم غير حميد بالثدي و تحتاج الي Contrast-enhanced CT of chest, abdomen and pelvis.

التاريخ : 05-07-2026	الوقت : -- --:--
	الطبيب المعالج : د/شيماء لاشين

جمهورية مصر العربية
بطاقة تحقيق الشخصية

رشا
مجدى ت كلا حنا
٨ ح ابوالنجا ش محمد عسكر - الزهراء
عين شمس - القاهرة

٢٧٨ ١١ ٢٣ ٨٨ ٠٠ ٢ ٤٢

JY4656044


١٢٧٨٦٠٥٠٤٠

٢٠٢٣/٠٤ ٢٧٨١١٢٣٨٨٠٠٢٤٢
رية منزل

أنثى
مسيحية
متروجة
ثروت فايز جورجى بباوى
البطاقة سارية حتى ٢٠٣٠/٠٤/٠٧

١

الكرنك للأشعة والتحاليل Karnak Scan & Lab



Patient Name: Mrs. Rasha Magdy Takla Hanna

Date: 16/08/ 2026

Ref. By: Prof. Dr. Ramy Mikhael

BILATERAL MAMMOGRAPHY AND COMPLEMENTARY ULTRASONOGRAPHY REVEALED:-

CLINICAL SUMMARY:

- Recent left breast lump sensation. Positive family history (mother).

FINDINGS: -

- Normal skin thickness and contour with normal nipple/ areola complex and subcutaneous tissues.
- Heterogeneous fibro-glandular element on both sides.
- The left breast, at the upper central region/ UIQ shows three adjacent speculated dense mass lesions, extending from the retro areolar region up to 9 cm away from the nipple. In ultrasound, along 11-12 O'clock orientation, three irregular hypoechoic mass lesion with angular/ speculated outline and increased internal vascularity are noted, measuring 3x1.8x1.6 cm, 1.5x1 cm and 2x1x1.5 cm in maximum dimensions (mentioned in order from the closest to the nipple).**
- No suspicious solid or cystic lesions noted on the right side.
- No significant retro areolar ducts on either side.
- No suspicious micro-calcifications seen.
- Bilateral axillary reactive lymph nodes with preserved fatty hila, however, **two of them on the lower left axilla, with preserved fatty hila, shows focal cortical thickness (4.3 mm)**



OPINION: -

- Left breast upper central/ UIQ three adjacent malignant looking mass lesions with two left lower axillary indeterminate lymph nodes (BIRADS 4c), for trucut needle biopsy.
- Unremarkable right sono-mammography (BIRADS 1).

Dr. Mariana Fikry, Msc

83 Ain Shams St. - Cairo

24 993 133 - 24 923 702

012 22 353 572 - 010 34 414 380 - 011 53 388 880

010 29 461 757

<https://www.facebook.com/karnakscan>



karnakscanrec@gmail.com

٨٣ شارع عين شمس - أمام فرع أورنج - القاهرة

٢٤٩٢٣٧٠٢ - ٢٤٩٩٣١٣٣

٠١١٥٣٣٨٨٨٨٠ - ٠١٠٣٤٤١٤٣٨٠ - ٠١٢٢٢٣٥٣٥٧٢

٠١٠٢٩٤٦١٧٥٧

www.karnakscan.com

Mammogram

[[DOCTYPE:MAMMOGRAM]]

جمهورية مصر العربية
بكالوريوس الحقوق



رشا
مجدى تولا حنا
أ ح أبو النجاش محمد عبدو - الزمرات
عين شمس - القاهرة

١٩٧٨/١

٢٧٨ ١١ ٢٣ ٨٨ ٠٠٢ ٤٢


JY4656044



٢٠٢٣/٠٤ ٢٧٨١١٢٣٨٨٠٠٢٤٢
ر.ب منزل

مترجمة
مسيحية
أنش

ثروت فايز جرجى يساوى
البطاقة مدرية حتى ٢٠٣٠/٠٤/٠٧





مركز غوستاف روصي للدراسات السريرية
Gustave Roussy Center for Clinical Studies



Patient Name رشا مجدي تالا
Sex/Age Female 47 Y
Registered Date 31/8/2026 06:31:58 PM
Validation Date 17/9/2026 10:52:55 AM
Reporting Date 21/9/2026 09:28:19 AM

Case No. 361788
Patient No. 26456
Referred By Dr. Interventional Radiology
Branch Gustave Roussy
Pathology No. 2768/26

Pathology Report

Clinical Data: Left breast mass (BIRADS 4c)

Nature of Specimen: Tru-cut biopsy, collected on 31/08/2026, Cold ischemia time is 20 seconds.

Gross Examination:

- Four fragmented grey, white tissue cores, ranging in size between 1cm & 2.3 cm long, totally submitted.

Technique:

- Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for:
- ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

Microscopic examination:

- Histologic type: Invasive duct carcinoma
- Histologic grade: 3 (differentiation 3, pleomorphism 3, mitosis 2)
- DCIS: Absent
- Microcalcification: Absent
- Angiolinvasion: Absent
- Perineural invasion: Absent
- Tumor infiltrating lymphocytes (TILs): Mild

Results:

* IPT (All controls showed appropriate reactivity):

- ER: Strong nuclear reaction in 100% of tumor cells (score 8/8).
- PR: Strong nuclear reaction in 40% of tumor cells (score 7/8).
- Her2: Faint incomplete membrane reaction in more than 10% of tumor cells (score 1+).
- Ki67%: 40%.

Conclusion:

- Left breast mass, Tru-cut biopsy:
- Invasive duct carcinoma, Grade 3.
- IPT:
- ER: Positive (score 8/8).



مركز غوستاف روصي للدراسات السريرية - القاهرة - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche- Mistr El Qadema - Cairo, Egypt

Patient Name	رجاء مكي	Case No.	361788
Sex/Age	Female 47 Y	Patient No.	26456
Registered Date	31/8/2026 06:31:58 PM	Referred By Dr.	Interventional Radiology
Validation Date	17/9/2026 10:52:55 AM	Branch	Gustave Roussy
Reporting Date	21/9/2026 09:28:19 AM	Pathology No.	2768/26

- PR: Positive (score 7/8).
- Her2: Low (score 1+).
- Ki67%: 40%.

****Scoring system: "ER, PR"**

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66% and 10%; 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak; 2, intermediate; and 3, strong). Total score from 0 to 8.

**** Scoring system: "Her2"**

Reference: ASCO-CAP Her2 Test Guideline Recommendation. IHC 0 (Null): as defined by no staining observed. IHC 0+ (Ultra-low) as defined by membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within > 10% of the invasive tumor cells.

IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within >10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is complete, intense > 10% of tumor cells.

Signature

Dr. Walaa Ibrahim Ghoneim, MD.



شركة رقم (4) - القدر (33) - مبنى رقم (987) - كورنيش النيل - مصر - القاهرة - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche - Msr El Qadema - Cairo, Egypt

جمهورية مصر العربية
بكالوريوس الحقوق



رشا
مجدى تولا حنا
أ ح أبو النجاش محمد عبدو - الزمرات
عين شمس - القاهرة

١٩٧٨/١

٢٧٨ ١١ ٢٣ ٨٨ ٠٠٢ ٤٢


JY4656044



٢٠٢٣/٠٤ ٢٧٨١١٢٣٨٨٠٠٢٤٢
ر.ب منزل

مترجمة
مسيحية
أنش

ثروت فايز جرجى يساوى
البطاقة مدرية حتى ٢٠٣٠/٠٤/٠٧





مركز غوستاف روصي للدراسات السريرية
Gustave Roussy Center for Clinical Studies



Patient Name رشا مجدي تالا
Sex/Age Female 47 Y
Registered Date 31/8/2026 06:31:58 PM
Validation Date 17/9/2026 10:52:55 AM
Reporting Date 21/9/2026 09:28:19 AM

Case No. 361788
Patient No. 26456
Referred By Dr. Interventional Radiology
Branch Gustave Roussy
Pathology No. 2768/26

Pathology Report

Clinical Data: Left breast mass (BIRADS 4c)

Nature of Specimen: Tru-cut biopsy, collected on 31/08/2026, Cold ischemia time is 20 seconds.

Gross Examination:

- Four fragmented grey, white tissue cores, ranging in size between 1cm & 2.3 cm long, totally submitted.

Technique:

- Sections prepared from paraffin block for immune-staining using Bench Mark ULTRA system for:
- ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

Microscopic examination:

- Histologic type: Invasive duct carcinoma
- Histologic grade: 3 (differentiation 3, pleomorphism 3, mitosis 2)
- DCIS: Absent
- Microcalcification: Absent
- Angiolinvasion: Absent
- Perineural invasion: Absent
- Tumor infiltrating lymphocytes (TILs): Mild

Results:

* IPT (All controls showed appropriate reactivity):

- ER: Strong nuclear reaction in 100% of tumor cells (score 8/8).
- PR: Strong nuclear reaction in 40% of tumor cells (score 7/8).
- Her2: Faint incomplete membrane reaction in more than 10% of tumor cells (score 1+).
- Ki67%: 40%.

Conclusion:

- Left breast mass, Tru-cut biopsy:
- Invasive duct carcinoma, Grade 3.
- IPT:
- ER: Positive (score 8/8).



مركز غوستاف روصي للدراسات السريرية - القاهرة
Room No. (4) - First Floor-Building No. 987- Nile Corniche- Mistr El Qadema - Cairo, Egypt

Patient Name	رجاء مكي	Case No.	361788
Sex/Age	Female 47 Y	Patient No.	26456
Registered Date	31/8/2026 06:31:58 PM	Referred By Dr.	Interventional Radiology
Validation Date	17/9/2026 10:52:55 AM	Branch	Gustave Roussy
Reporting Date	21/9/2026 09:28:19 AM	Pathology No.	2768/26

- PR: Positive (score 7/8).
- Her2: Low (score 1+).
- Ki67%: 40%.

****Scoring system: "ER, PR"**

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66% and 10%; 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak; 2, intermediate; and 3, strong). Total score from 0 to 8.

**** Scoring system: "Her2"**

Reference: ASCO-CAP Her2 Test Guideline Recommendation. IHC 0 (Null): as defined by no staining observed. IHC 0+ (Ultra-low) as defined by membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within > 10% of the invasive tumor cells.

IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within >10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is complete, intense > 10% of tumor cells.

Signature

Dr. Walaa Ibrahim Ghoneim, MD.



شركة رقم (4) - القدر (33) - مكي رقم (987) - كورنيش النيل - مصر - القاهرة - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche - Misk El Qadema - Cairo, Egypt