



جوستاف روسي انترناشيونال - مصر (EPE) * طلب علاج أول مرة / متكرر

إسم المريض ربيعاً : اميره عبدالنواب علي سيد
المحافظة : الجيزة
الحى / المدينة : البدرشين
رقم البطاقة : 28609182101265 رقم التليفون : 01225061968
العنوان : قرية العزيزيه
العمر (تاريخ الميلاد) : 18-09-1986 المهنة : ربه منزل
تاريخ تسجيل الإستماره : 26-09-2026

الإقرار

أقر انا الموقع أدناه انني لا اتمتع باي نظام علاج مثل:- التأمين الصحي-القوات المسلحة-الشرطة-الهيئات-المؤسسات او اي نظام يتعارض مع نظام العلاج علي نفقة الدولة- وسوف اتحمل كافة نفقات العلاج في حالة ثبوت غير ذلك
الإحصائي الاجتماعي
التوقيع: (-----) المقرر بما فيه
التوقيع: (-----)

التشخيص الإكلينيكي : سرطان بالثدي (مبادرة)
نتائج الأبحاث : (مرفق)

التشخيص النهائي : سرطان بالثدي (مبادرة)
خطة العلاج : علاج مبادرة سرطان الثدي تراستوزوماب تحت الجلد [14112] قسم العلاج : الاورام
التعليق على التشخيص : -----

تقرير اللجنة الثلاثية المتخصصة

الاسم: د/محمد كيلاني
الاسم: د/ندى حسن
الاسم: د/نرمين رمضان
الوظيفة: -----
الوظيفة: -----
الوظيفة: -----
التوقيع: -----
التوقيع: -----
التوقيع: -----
أطلعت اللجنة علي لائحة العلاج الخاصة بالمجالس وتلتزم جهة العلاج بلائحة المجالس الطبية. كما تقرر اللجنة بأن البيانات المدونة في هذا النموذج صحيحة.
تعتمد صحة البيانات المرفقة
رئيس اللجنة ومدير المستشفى.
تتعهد المستشفى أن لا يتم تنفيذ القرار إلا بعد مراجعة الملف الطبي للمريض وإعادة مناظرة المريض بالمستشفى قبل الصرف.

أعضاء اللجنة

د. / ----- د. / ----- د. / ----- د. / -----

قرار اللجنة

التشخيص النهائي : -----
خطة العلاج : -----
المستشفى : -----
قسم : -----
جهة العلاج : -----
نفقات : -----
ملاحظات : -----

ختم
شعار الجمهورية

مدير عام
مديرية الشؤون الصحية

رئيس
المجلس الطبي المتخصص

--

Name: اميره عبدالنواب علي سيد National ID: 28609182101265	
--	---

تقرير طبي

السيد
تحية طبية وبعد,,

إيماء للطلب المقدم من	بشأن تقرير طبي للمريض
بقسم:	رقم طبي:

نتشرف بان نوضح فيما يلي تقريرنا عن حالته
--

تاريخ وساعة الدخول : -- --:-- yyyy-mm-dd	تاريخ وساعة الخروج : PM 01:17 05-07-2026
---	---

وبعد الكشف والفحوصات والمتابعة وجد انه
--

المریضة تعاني من ورم غير حميد بالثدي و تحتاج الي Trastuzumab Subcutaneous

التاريخ : 05-07-2026	الوقت : -- --:--
	الطبيب المعالج : د/شيماء لاشين

جمهورية مصر العربية
بطاقة تحقيق الشخصية



اميره
عبد القواب على سيد احمد
قرية العزيزيه
مركز البدرشين - الجيزه

١٩٨٩/١١/٢٨ ٢٨٦.٩١٨٢١.١٢٦٥

J18497531

٢٠٢٢/٠٥ ٢٨٦.٩١٨٢١.١٢٦٥

ربة منزل

أنثى
مسلمة
متزوجة
سلامه مطاوع الويكر-محمد
البطاقة سارية حتى ٢٠٢٩/٠٥/٠٦




Patient Name: Amira Abd Al Tawwab Ali	Date : 03/11/2025
Exam : ultrasound BREAST (BOTH SIDE)	Age : 39 Year(s)
Medical ID: 1034/2025	Pat. ID: 99267

**BREAST HIGH RESOLUTION ULTRASONOGRAPHY
REVEALED:**

Indication: Follow up after neoadjuvant chemotherapy of pathologically proved left breast carcinoma.

- Homogenous fatty background parenchyma.
- The previously described malignant mass seen at 1 o'clock position of the left breast ,zone 1-2 ,now measures (13 x 12 mm) and the other similar one at 1 oclock position zone 1-2 now measures (8.5 x 5.5 mm) .
- No other suspicious masses in other quadrants.
- No detected suspicious masses in the right breast .
- Normal skin, subcutaneous fat and nipple areola complex on both sides.
- No significant axillary lymph nodes.

Conclusion:

- Left breast (BIRARDS 6 category).
- Normal study of the right breast (BIRADS 1 category).

Dr farah elshobaky

Patient Name : الأستاذ / اميره عبد التواب على سيد
Patient No. : 28609182101265
Path No. : 865/26
Sex : Female
Age : 39 Y
Referring Doc :

Request No. : 13005685
Request Date : 02/04/2026
Verification Date : 07/04/2026
Financial Category : جوستاف روسي - نفقة الدولة
Department : Out Patient
Registered by : Mrs.Mayada Hegazy

Pathology Report

- Ductal carcinoma in situ: Absent.
- Nipple & areola: Free.
- Deep margin: Free.
- Axillary lymph nodes: Fourteen lymph nodes free of viable metastatic deposits, LNs (0/14) (Three lymph nodes showing therapy effect).
- Histologic response to therapy: Pathological complete response to therapy.
- Stage: ypT0, ypN0.

Signature:

Dr. Walaa Ibrahim Ghoneim.

Dr. Duaa Mohamed.

Verified by :

Dr.Duaa Mohamed

Printing Date : 14/04/2026 12:59:51

Page 2 of 2

Printing By : .marwa mohamed youss



غرفة رقم (4) - الدور الأول - مبنى رقم (987) - كورنيش النيل - مصر القديمة - القاهرة - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche - Misr El Qadema - Cairo, Egypt

٢٥٢

Patient Name : الأستاذه / اميره عبد التواب على سيد
Patient No. : 28609182101265
Path No. : 865/26
Sex : Female
Age : 39 Y
Referring Doc :

Request No. : 13005685
Request Date : 02/04/2026
Verification Date : 07/04/2026
Financial Category : جوستاف روسي - افقة الدولة
Department : Out Patient
Registered by : Mrs.Mâyada Hegazy

Pathology Report

Clinical Data: Left breast cancer, Post-NACT.
Nature of specimen: Left modified radical mastectomy.

Gross Examination:

- * Left modified radical mastectomy specimen measured 22x20x5 cm, with covering skin ellipse measured 20x17 cm. Nipple & areola looked unremarkable grossly.
- * Serialling showed a tumor bed site 8x7x3 cm, located 2 cm from the least deep margin.
- * Axillary fat measured 8x6x2 cm, entangling 14 lymph nodes, the largest measured 1.5x1x0.5 cm.
- * 12 Blocks:
1:6- T.B.S., 7- N&A., 8- Deep margin., 9:12- ALNs.
- Gross was done by; Dr. Heba Hassan.

Microscopic Examination:

- * Histological type: No residual viable remnants of the previously diagnosed invasive tumor.
- Cellularity (0%).
- * Angioinvasion: Absent.
- * Ductal carcinoma in situ: Absent.
- * Additional findings: Effect of therapy (Hyalinosis & microcalcification).
- * Nipple & areola: Free.
- * Deep margin: Free.
- * Axillary lymph nodes: Fourteen lymph nodes free of viable metastatic deposits, LNs (0/14) (Three lymph nodes showing therapy effect).
- * Histologic response to therapy: Pathological complete response to therapy.

Diagnosis:

Left breast cancer (Post-NACT), Left modified radical mastectomy:
- No residual viable remnants of the previously diagnosed invasive tumor.

Verified by :
Dr.Duaa Mohamed

Printing Date : 14/04/2026 12:59:51

Page 1 of 2

Printing By : .marwa mohamed youss



غرفة رقم (4) - الدور الأول - مبنى رقم (987) - كورنيش النيل - مصر القديمة - القاهرة - مصر
Room No. (4) - First Floor-Building No. 987- Nile Corniche - Misr El Qadema - Cairo, Egypt

04/20/2026

MDT FORM

Name:	Amira Abdeltawab Aly .	MRN:	253
Age:	40 Y	ID:	26609182101265
Menopausal Sta	PRE	Phone:	012806630167
NRS SCORE:		Marital Status:	
BMI:		Family History:	-VE
CO Morbidity:	M.FREE	Reason Of MDT:	POT OP

Clinical Data:

BX:	IDC G2
ER: 8/8/	PR: 5/8 HER2: 3+ KI67: 20%

R

L

Sonomammography:


SP LT MRM POST NACT
DCIS ABSENT
NIPPLE&AREOLA FREE
DEEP MARGIN FREE
AXILLARY LN (0\14)
PATHOLOGICA; COMPLETE RESPONSE

Mets Workup:

INITIALLY T4B N2

History:**Recommendations:****MDT Outcome & Plan**

ADJUVANT HERCEPTAN (NO ANTI HER2 received as NACT)
ZOLADEX +AI
PORT



TNM

SIGNATURE

MEDICAL ONCOLOGY	SURGERY	RADIOLOGY	PATHOLOGY	Nutrition	Psychiatric
د/ نرمن مصطفى					



مبادرة رئيس الجمهورية
لدعم صحة المرأة المصرية

المنشأة المصرية
للصحة
مصر

MDT FORM

26/5/2025 G C

Name	أ.م.د. عبد الوهاب	MRN	1034/2025
Age	38	ID	517.9121110
Menopausal status	pre-menopausal	Phone	0122.5061968
NRS SCORE		Marital status	Married
BMI		Family history	ve
CO morbidity	NAD	REASON OF MDT	New Case

Clinical Data

BX: IDC of Follicular DCIS

ER: 8/8 PR: 3/8 HER 2: 1.3 KI67: 25%

Sonomammography: area of Distortion
e' no Distinctive mass at 2 o'clock
e' Prominent Lt Axillary Lvs

Mets Workup:
Met workup:- free

R

L



TNM

Recommendations:

MDT OUTCOME & PLAN

BS
New SM
ACX4 + 4 TCHP

SIGNATURE

MEDICAL ONCOLOGY	SURGERY	RADIOLOGY	PATHOLOGY	Nutrition	Psychiatric

Patient Name : الأستاذة / اميرة عبد الثواب على سرمد	Request No. : 13003820
Patient No. : 28609182101265	Request Date : 19/02/2025
Path No. : 726/25	Verification Date : 05/03/2025
Sex : Female	Financial Category : أورام دار السلام - مبانى
Age : 38 Y	Department : Out Patient
Referring Doc :	Registered by : Mrs.Mayada Hegazy

Pathology Report

Clinical Data: Left breast area of distortion.

Nature of Specimen: Tru-cut biopsy, collected at 18/2/2025.

Gross Examination:

- 3 grayish white tissue cores up to 1 cm, totally submitted.
- Sections prepared from paraffin block for Immune-staining using Bench Mark ULTRA system for ER, PR, Her2, ER clone (1E2), PR clone (SP1), Her2 clone (4B5), & Ki67 clone (30-9).

Microscopic Examination:

- * Histological type: Invasive duct carcinoma.
- * Grade (differentiation+ nuclear pleomorphism+ mitosis): (3+2+1) Grade II.
- * Ductal carcinoma in situ: Focal DCIS (comedo pattern).
- * Perineural invasion: No.
- * Angiolinvasion: No.
- * There is dystrophic calcification.
- * IPT (Positive control showed appropriate reactivity):
- ER: Strong nuclear reaction in 90% of tumor cells (score 8 /8).
- PR: Strong nuclear reaction in 9% of tumor cells (score 5 /8).
- Her2: Strong complete membrane reaction in > 10% of tumor cells (score 3+).
- Ki67: 25% nuclear reaction of tumor cells.

Diagnosis:

Left breast area of distortion, Tru-cut biopsy:
Invasive duct carcinoma, Grade II and focal DCIS.

IPT:

- ER: Positive (score 8 /8).

Verified by :

DR.Menna Nabil

Printing Date : 07/04/2025 12:09:33

Page 1 of 2

Printing By : marwa mohamed youss



Patient Name : الأمينة / اميره عبد التواب على سيد

Request No. : 13003820

Patient No. : 28609182101265

Request Date : 19/02/2025

Path No. : 726/25

Verification Date : 05/03/2025

Sex : Female

Financial Category : مبلره - اورام دار السلام

Age : 38 Y

Department : Out Patient

Referring Doc :

Registered by : Mrs.Mayada Hegazy

Pathology Report

- PR: Positive (score 5 /8).
- Her2: Positive (score 3+).
- Ki67: Positive In 25% of tumor cells.

* Scoring system: "ER, PR"

ASCO-CAP ER/PR Test Guideline Recommendations: proportion of cells staining (0, no staining; 1, >1%; 2, between 1% and 10%; 3, between 11% and 33%; 4, between 34% and 66% and 5, between 67%-100% of the cells staining). Intensity of positive tumor cells (0, none; 1, weak, 2, intermediate; and 3, strong). Total score from 0 to 8.

* Scoring system: "Her2"

Reference: ASCO-CAP Her2 Test Guideline Recommendations, 2013. IHC 0: as defined by no staining observed or membrane staining that is incomplete and is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 1+: as defined by incomplete membrane staining that is faint/barely perceptible and within < 10% of the invasive tumor cells. IHC 2+: based on circumferential membrane staining that is incomplete and/or weak/moderate and within < 10% of the invasive tumor cells or complete and circumferential membrane staining that is intense and within < 10% of the invasive tumor cells. IHC 3+: based on circumferential membrane staining that is incomplete, intense < 10% of tumor cells.

Signature

Prof. Dr. Lubna Omar.

Dr. Menna Nabil.

Verified by :

DR.Menna Nabil

Printing Date : 07/04/2025 11:09:13

Page 2 of 2

Printing By : marwa mohamed youss



Patient Name: Amira Abd Al Tawwab Ali	Date : 29/06/2025
Exam : ultrasound BREAST (BOTH SIDE)	Age : 38 Year(s)
Medical ID: 1034/2025	Pat. ID: 99267

BILATERAL MAMMOGRAM AND BREAST ULTRASONOGRAPHY REVEALED:

- **Breast density:** Scattered areas of glandular tissue in both breasts... *Matching ACR b.*
- **A large area of distortion with extensive pleomorphic calcifications is seen in the left upper outer quadrant over an area of 6 cm ,another small grouped pleomorphic calcifications is seen in the left retroareolar region (distance from the area of distortion by 3 cm)..**
- No detected definite suspicious mass density, or pathological micro-calcification in the right breast.
- Normal skin and nipple the right side .

By complementary breast ultrasound:

- Homogenous (predominantly glandular) back ground parenchymal echo-texture.
- Thickened left breast skin (6 mm)
- An irregular shaped mass is seen at 1 o'clock position of the left breast , zone 1-2 , measuring 15 x 13 mm ,another similar mass is seen at 1 o'clock ,zone 1-2 measuring (11 x 10 mm).
- An area of parenchymal heterogeneity & distortion is seen in-between 12-2 o'clock position of the left breast zones 2..
- Multiple(more than 3 in number) suspicious looking left axillary lymph nodes ,level 1 & 2,the largest measures (17 x 17 mm) with thick cortex of 7mm .

CONCLUSION:

- Left breast : locally advanced UOQ multifocal suspicious masses and area of distortion reaching the nipple areolar complex (**BI-RADS 6 category**) .
- Right breast : normal study : (**BI-RADS 1 category**)

MUCH OBLIGED

DR.MONA ZAKY, MD.

Professor of diagnostic radiology -Breast Imaging-Mansoura University

Signature Dr. Mona Zaki

29/06/2025 2:50 PM



Patient Name: Amlra Abd Al Tawwab Ali	Date : 03/05/2026
Exam : C.T. CHEST	Age : 38 Year(s)
Medical ID: 1034/2026	Pat. ID: 89267

NON-CONTRAST MULTI-SLICE CT SCAN OF THE CHEST, ABDOMEN AND PELVIS:

- Reported case of left breast cancer.

I Chest:

- Left breast retroareolar asymmetry with diffuse skin thickening.
- Enlarged left axillary level I and II lymph nodes the largest measures 8 x13 mm.
- No sizable pulmonary nodules, masses, areas of ground glass attenuation, consolidation or cavitary lesions.
- No CT evidence of pathological mediastinal lymph node enlargement.
- No pleural or pericardial collection, pleural thickening or masses.
- No cardiac gross enlargement.

II Abdomen & pelvis:

- The liver is enlarged showing homogenous parenchymal attenuation. No sizable focal lesions on non-contrast basis.
- No Intra-hepatic or extra-hepatic biliary radicles dilatation.
- Normal non contrast CT appearance of the spleen, pancreas, kidneys and suprarenals glands.
- Averagely filled urinary bladder showing no sizable diverticular outpouching.
- No pathological abdominal or pelvic lymph node enlargement.

ECHO REPORT

NAME : أميرة عبد التواب علي DATE: 3 / 11 / 2025
ID NUMBER : ١٠٣٤ / ٩٥ SEX : ♀ AGE: 38

EF	68%	55-75%	PWT	0.9	0.6-1.1cm
LVEDD	4.5	3.5-5.8cm	AO.R	2.3	3-3.7cm
LVEDD	2.3	2-4cm	LA	3.7	2-4cm
FS	28%	25-45%	RV		0.7-2.3cm(supine)
SWT	0.9	0.6-1.1cm	AO.CUSP		1.5-2.6cm

LV Dimensions Normal
LV Wall Thickness Normal
LV Diastolic Function Normal
SWMA No RWMA
LA and Ao Root Dimensions Normal
Mitral Valve N
Aortic Valve N
Tricuspid Valve N
Pulmonary Valve
Right Side and Systolic Function TAPSE: 2.5
Intracardiac Masses and Effusion

DR. 



أمية في الطب

Dear Prof

Mrs Amira is a case of ER+/HER⁺
left DC CTAB No 10,
received NACT + phos go →
MRH (ypt 0 No) - she developed
Heart Failure (with recent
planning CT showing mild pleural
effusion). In view of MRH
done & in view of cardiac
risk the left sided Rth & in
view of the Bst study results,
we prefer to omit PORT.