#Numbers and more in Python!

In this lecture, we will learn about numbers in Python and how to use them.

We'll learn about the following topics:

```
1.) Types of Numbers in Python
2.) Basic Arithmetic
3.) Differences between Python 2 vs 3 in division
4.) Object Assignment in Python
```

Types of numbers

Python has various "types" of numbers (numeric literals). We'll mainly focus on ==integers== and ==floating point numbers.==

==Integers== are just ==whole numbers,== ==positive or negative.== For example: 2 and -2 are examples of integers.

==Floating point numbers== in Python are notable because they have a ==decimal point== in them, or use an ==exponential (e)== to define the number. For example ==2.0 and -2.1== are examples of floating point numbers. ==4E2== (4 times 10 to the power of 2) is also an example of a floating point number in Python.

Throughout this course we will be mainly working with integers or simple float number types.

Here is a table of the two main types we will spend most of our time working with some examples:

Numbers in Python

Examples	Number "Type"
1,2,-5,1000	Integers
1.2,-0.5,2e2,3E2	Floating-point numbers

Now let's start with some basic arithmetic.

Basic Arithmetic

In [1]:
```
# Addition
2+1
```

Out[1]: 3

```
In [2]:  # Subtraction
         2-1
```

Out[2]: 1

```
In [3]:  # Multiplication
         2*2
```

Out[3]: 4

```
In [4]:  # Division
         3/2
```

Out[4]: 1

Python 3 Alert!

Whoa! What just happened? Last time I checked, 3 divided by 2 is equal 1.5 not 1!

The reason we get this result is because we are using Python 2. In Python 2, the / symbol performs what is known as *"classic"* division, this means that the decimal points are truncated (cut off). In Python 3 however, a single / performs *"true"* division. So you would get 1.5 if you had inputed 3/2 in Python 3.

So what do we do if we are using Python 2 to avoid this?

There are two options:

Specify one of the numbers to be a float:

```
In [11]:  # Specifying one of the numbers as a float
          3.0/2
```

Out[11]: 1.5

```
In [12]:  # Works for either number
          3/2.0
```

Out[12]: 1.5

We could also *"cast"* the type using a function that basically turns integers into floats. This function, unsurprisingly, is called float().

```
In [14]:  # We can use this float() function to cast integers as floats:
          float(3)/2
```

Out[14]: 1.5

We will go over functions in much more detail later on in this course, so don't worry if you are confused by the syntax here. Consider this a sneak preview.

One more "sneak preview" we can use to deal with classic division in Python 2 is importing from a module called **future**.

This is a module in Python 2 that has Python 3 functions, this basically allows you to import Python 3 functions into Python 2. We will go over imports and modules later in the course, so don't worry about fully understanding the import statement right now!

```
In [15]: from __future__ import division
         3/2
```

Out[15]: 1.5

When you import division from the **future** you won't need to worry about classic division occurring anymore anywhere in your code!

Arithmetic continued

```
In [16]: # Powers
         2**3
```

Out[16]: 8

```
In [17]: # Can also do roots this way
         4**0.5
```

Out[17]: 2.0

```
In [18]: # Order of Operations followed in Python
         2 + 10 * 10 + 3
```

Out[18]: 105

```
In [19]: # Can use parenthesis to specify orders
         (2+10) * (10+3)
```

Out[19]: 156

Variable Assignments

Now that we've seen how to use numbers in Python as a calculator let's see how we can assign names and create variables.

We use a single equals sign to assign labels to variables. Let's see a few examples of how we can do this.

```
In [37]: # Let's create an object called "a" and assign it the number 5
         a = 5
```

Now if I call *a* in my Python script, Python will treat it as the number 5.

In [38]:
```python
# Adding the objects
a+a
```

Out[38]: 10

What happens on reassignment? Will Python let us write it over?

In [39]:
```python
# Reassignment
a = 10
```

In [40]:
```python
# Check
a
```

Out[40]: 10

Yes! Python allows you to write over assigned variable names. We can also use the variables themselves when doing the reassignment. Here is an example of what I mean:

In [41]:
```python
# Check
a
```

Out[41]: 10

In [42]:
```python
# Use A to redefine A
a = a + a
```

In [43]:
```python
# Check
a
```

Out[43]: 20

The names you use when creating these labels need to follow a few rules:

1. Names can not start with a number.
2. There can be no spaces in the name, use _ instead.
3. Can't use any of these symbols :'",<>/?|\()!@#$%^&*~-+
3. It's considered best practice (PEP8) that the names are lowercase.

Using variable names can be a very useful way to keep track of different variables in Python. For example:

In [44]:
```python
# Use object names to keep better track of what's going on in your code!
my_income = 100

tax_rate = 0.1

my_taxes = my_income*tax_rate
```

```
In [46]:  # Show my taxes!
          my_taxes
```

Out[46]: 10.0

So what have we learned? We learned some of the basics of numbers in Python. We also learned how to do arithmetic and use Python as a basic calculator. We then wrapped it up with learning about Variable Assignment in Python.

Up next we'll learn about Strings!