

Bench & Bloom — Wrap Label Printer Spec (uline2026)

Bench & Bloom — Single Wrap Label Printer Spec (uline2026)

Hand this file **plus** `Label_benchandbloom_Final_uline2026_Wrap.svg` to the label printer (StickerYou / Jukebox / Avery WePrint / a local trade printer). The `.png` / `.jpg` in this folder are **previews only** — print from the **SVG** (vector, infinite resolution).

This replaces the old two-label set. **Why one wrap:** without a benchtop labeller, getting two separate labels square and aligned on opposite faces by hand is fiddly. A single wrap is applied in one motion — line up the top edge, roll the bottle once — so it's the right call for a hand-applied pilot run.

The bottle

- **Uline S-23397** — 8 oz Clear Boston Round glass, neck finish **28-400**.
- Height 5.437" · body diameter **2.375"** · **circumference 7.46"** · straight **label panel 3.125" tall**.
- Tamper band: **Uline S-17668** black shrink band (55 × 28 mm) over the cap/neck, **above** the label.

Label size & geometry

- **Trim: 7.25" W × 2.75" H** (single piece, wraps the bottle).
- **Bleed: 0.125"** all sides → **artwork / cut sheet 7.5" × 3.0"**.
- **Safe margin: 0.125"** inside trim — all text/logo/barcode are kept inside it.

- **Wrap math:** 7.25" label on a 7.46" circumference leaves a ~0.21" vertical window of bare glass where the two ends approach each other. This is **intentional and good**:
 1. the violet syrup still peeks through (the colour-change is the product's hook), and
 2. the ends **never need to butt or overlap precisely** — so hand application is forgiving (no labeller, no registration headache, no wrinkled seam).
- **Height:** 2.75" centres in the 3.125" straight panel with ≈ 0.19 " clearance top and bottom.
- The file is built at final size. **Magenta dashed = trim, cyan dashed = safe.** Two faint green dashed verticals mark where the wrap curves front↔back (front panel framed by the gold rules). **Delete the #guides layer before printing** (or tell the printer they're non-printing).

Dating, logo & extras (2026 pilot)

- **Front logo** = the official outlined **Bench & Bloom** lockup (sprig + wordmark + descriptor), embedded as vector — fully font-independent. The descriptor reads the brand-canonical "**NARAMATA BENCH BOTANICALS**" (regenerated as outlined Inter; the old logo art said "Lavender · Naramata Bench" — now corrected here and in `public/brand/logo-*.svg`).
- **Best-before convention** = ~3 months, **REFRIGERATED**. Pilot batch: **Packaged 2026 07 01** → **Best before 2026 10 01** (YYYY MM DD, bilingual) + **LOT 2026-001**. This is a **low-sugar (~14.5 °Brix, 1:5 sugar:water) refrigerated product** — it is **NOT shelf-stable** ($a_w \approx 0.98$). Sugar is far below preservation strength (~65 °Brix needed), so the label carries "**Keep refrigerated / Garder au froid**" and a short dated life. Preservation relies on **hot-fill + clean bottles + refrigeration**, not sugar. Both colour fade and food safety favour a short, cold shelf life. Stamp the real packaged/best-before dates + lot per batch.
- **Ingredients (4, current product):** water, sugar, lavender (*Lavandula xintermedia* 'Grosso'), butterfly pea flower (*Clitoria ternatea*) — bilingual, descending by weight, binomials italicised. (At 1:5 **water is the largest component**, so it now leads the list.) Clean-label trio stated: **no essential oils, no artificial colour, no synthetic flavour.**
- **QR code** (left wing, beside the UPC) → `benchandbloom.com/recipes/naramata-sunset` (the colour-change signature serve). 33-module symbol with a 4-module quiet zone; keep it ≥ 11 mm square in print and do **not** recolour or crop the quiet zone, or it may not scan.

Layout (how it reads on the bottle)

- **Centre = FRONT / Principal Display Panel:** sprig mark, "Bench & Bloom", descriptor, common name (EN + FR), tasting line, net quantity. Framed by two thin gold rules.
- **Right wing** → **curves to the back:** Nutrition Facts, ingredients (EN/FR), how to use.

- **Left wing → curves to the back:** provenance story, best-before/lot, "Prepared for" address, website, Product of Canada, **UPC barcode + QR code** (QR → the colour-change recipe).
 - The two wings meet at the **rear seam/window**. Orient the bottle PDP-forward when applying.
-

Material, stock & colour (what to actually order)

Face stock — order this:

- **Soft-matte / cream BOPP film** (bi-axially-oriented polypropylene). **Waterproof and oil/ moisture-resistant** — this bottle lives in a fridge, sweats with condensation, and gets handled with wet hands. Paper stock will cockle, wick, and tear; **do not use paper**.
- **Slight cream/natural tint preferred** over bright optic-white — it flatters the #F7F3EE chalk ground and reads premium/editorial, not crafty. If the printer only offers white BOPP, that's fine because the artwork carries its own chalk ground edge-to-edge (full-bleed #F7F3EE).
- **Avoid glossy white film** — it cheapens the wine-country positioning and fights the matte brand.

Adhesive:

- **Permanent, clear, glass-rated, cold/wet-resistant** (a "fridge/freezer-grade" or BS5609-style permanent acrylic adhesive). Tell the printer it's **for glass, refrigerated, with condensation**.

Finish / lamination:

- **Matte laminate or matte varnish over-coat** — adds scuff/water durability and the tactile premium feel. Avoid gloss laminate.
- Optional upgrade if budget allows: **spot-gloss or soft-touch** on the wordmark/sprig only — nice, not necessary for the pilot.

Colour / printing:

- **Print CMYK** using the brand values in the palette table below. For the lavender, a **spot Pantone** (≈ **PANTONE 5275 C / 668 C** family — ask the printer to match #5A4A78) gives a more consistent, richer violet across runs if they offer spot; CMYK is acceptable for a short pilot run.
- **Resolution:** vector (infinite); any embedded raster ≥ **300 dpi**.
- **Black:** legal/body text prints as the brand **Onyx** #2D2933 (a rich near-black), not 100% K flat black — keeps the warm, editorial tone. Barcode bars must be **true black on**

white (below).

Barcode:

- Keep the barcode panel **solid black bars on a plain white block** (already built that way). Do **not** tint it, reverse it, or shrink it below ~80% — scanners need the quiet zones and contrast.
- The art carries the **real GS1 barcode (GTIN 627146286305, GS1 Canada)** — the official GS1 output, embedded verbatim. **Scan a printed sample** to confirm it reads at final size (don't shrink the barcode below ~80% or crop its quiet zones).

Fonts:

- **Fraunces** (wordmark + "Lavender Syrup") and **Inter** (everything else). Both free (Google Fonts / SIL OFL). **Outline / vectorise all fonts before sending to print**, or supply the font files. The mark, rules, and colour fields are already vector.

Full brand palette (CMYK for print)

Role	Name	HEX	CMYK	Pantone (approx.)
Ground (label paper)	Chalk White	#F7F3EE	0 / 2 / 4 / 3	Warm Gray 1 C
Wordmark / headings	Lavender Deep ("Dark Denim")	#5A4A78	25 / 38 / 0 / 53	5275 C
Primary accent (sprig buds)	Lavender	#7C6A9C	21 / 32 / 0 / 39	666 C
Sprig bud highlight	Sprig Violet	#7E6FA0	21 / 30 / 0 / 37	666 C
Legal / body text	Onyx	#2D2933	12 / 20 / 0 / 80	Black 7 C
Secondary text	Ink Soft	#5A5266	12 / 19 / 0 / 60	Cool Gray 11 C
Rules / eyebrow / accents	Bench Gold	#C2A05E	22 / 31 / 70 / 4	4515 C
Gold text (contrast)	Gold Deep	#7A5E28	22 / 41 / 90 / 36	4505 C
Foliage (sprig stem)	Sage	#8A9A78	26 / 9 / 40 / 16	5783 C

Role	Name	HEX	CMYK	Pantone (approx.)
Cool accent (sparingly)	Lake	#4F7286	65 / 32 / 22 / 8	5415 C

Usage rules carried from the brand guide: **lavender is an accent, never body text**; body text = Onyx on Chalk; **gold is for thin rules and small accents only** (it cheapens in large fills); lake + sage are quiet supporting tints.

Regulatory — Canada ✓ built in, US ⚠ one divergence

The label is built to **Canadian** prepackaged-food rules (SFCR / FDR / CFIA) and is **bilingual (EN/FR)** throughout. Items below marked **[VERIFY]** must be confirmed before printing via CFIA's free **Industry Labelling Tool** (inspection.canada.ca) or a food-labelling consultant. **The French copy is a solid draft — have it professionally verified.**

French is MANDATORY — do not remove. Bilingual (EN + FR) labelling of all mandatory information (common name, net quantity, ingredients, Nutrition Facts, storage) is required under the Consumer Packaging and Labelling Act + SFCR for prepackaged consumer food sold **nationally** — which Amazon.ca is. The narrow exemptions (local foods sold only in the producing area, specialty/ test-market foods) do **not** apply, and Quebec adds its own French requirements. Removing French would risk CFIA non-compliance and Amazon delisting. (The dealer name/address itself need not be translated beyond "Prepared for / Préparé pour".)

Common name dropped "Simple" → now **"Lavender Syrup / Sirop à la lavande"** (cleaner/more premium per label-expert feedback), aligned across the label and the website. The Amazon listing **title** aligns to **"Lavender Syrup"** too; keep **"lavender simple syrup"** only in the Amazon **backend search keywords** (invisible to shoppers) to retain search intent. **Civic house number removed** from the address (privacy) — postal code + town + website/email keep it contactable.

Canada — present on the label:

- ✓ Common name, **bilingual**, on the PDP — "Lavender Syrup / Sirop à la lavande"
- ✓ **Net quantity** on the PDP in metric — **250 mL** — **[VERIFY type height for the PDP area]**
- ✓ Ingredient list, **bilingual, descending by weight** — **[VERIFY order against your recipe]**

- ✓ Nutrition Facts table, **bilingual** — **recipe-calculated** (per 15 mL: 10 cal, 2 g carb, 2 g sugars / 2% DV, 0 fat/protein/sodium)
- ✓ Dealer name + principal place of business — "Prepared for ... Naramata, BC, Canada V0H 1N0" **[VERIFY the civic address is correct]**
- ✓ Best-before + lot code fields (YYYY MM DD / LOT 2026-001) — **fill in real values per batch**
- ✓ Allergens: sugar/water/lavender/butterfly-pea carry **no priority allergens** → no "Contains" line. **[VERIFY]** add "may contain" **only if** shared-equipment cross-contact is real.
- ✓ **Front-of-pack "High in sugars / Élevé en sucres" symbol — NOT REQUIRED for this low-sugar formulation.** At ~2 g sugars / 15 mL the 60 mL syrup reference amount carries **~8 g sugars ≈ 8% DV**, below the **15% DV** FOP trigger — so the symbol is **not** required and is correctly absent. (This resolves the earlier compliance gap: the old ~63 °Brix recipe ran ~49% DV and *would* have required it; the 1:5 reformulation removes the trigger entirely.) **Recheck if the recipe is ever made richer** — the trigger returns above ~3.75 g sugars / 15 mL (≈15 g / 60 mL).

United States (FDA) — if you also sell on Amazon.com:

- ✓ **Net quantity is dual-declared** on the PDP — **"250 mL (8.45 fl oz)"** — satisfies FDA's requirement for both metric and US customary, and Canada's metric requirement. (8.45 fl oz is the accurate US conversion of a 250 mL fill — not "8 fl oz".)
- ✓ Statement of identity in **English**, ingredient list in English, and name/place of business — all present and FDA-acceptable (foreign address with city + country is allowed).
- ⚠ **Nutrition panel is the one genuine conflict.** A **US FDA Nutrition Facts panel** has a **different format** from the Canadian one (different reference values, mandatory nutrients, "Amount Per Serving", larger "Calories", US daily-value footnote). **One panel cannot be simultaneously compliant in both countries.** Two clean options:
 1. **Print the Canadian bilingual table** (as built) and sell on **Amazon.ca**. For **Amazon.com**, run a **separate US label variant** with an FDA-format panel. (*I can generate that US variant SVG from this file in ~one pass — just say the word.*)
 2. **Carry both panels** (Canadian *Valeur nutritive* + US *Nutrition Facts*) side-by-side on the back — fully dual-compliant, but it's tight on a 7.25" wrap and would mean trimming other back copy. Feasible if cross-border from day one matters more than breathing room.
- For the pilot (Amazon.ca first), **option 1 is recommended**: ship the Canadian label now, add the US variant when/if you list on Amazon.com.

Nutrition Facts are **RECIPE-CALCULATED** for a **1:5 sugar:water (by volume)**, **~14.5**

°Brix, refrigerated product, per 15 mL serving: Calories 10, Carbohydrate 2 g, Sugars 2 g (2% DV), Fat/Protein 0 g, Sodium 0 mg. Basis: 1 cup sugar (~200 g) : 5 cups water (~1,183 g) → ~14.5% sugar by mass, ~0.153 g sugar/mL, so 15 mL ≈ 2.3 g sugars →

rounds to 2 g / 10 cal under CFIA rounding rules. A pure sugar+water solution's nutrition is essentially its sugar content, so recipe calculation is accurate and CFIA-defensible; a lab CoA is optional gold-standard. **If the recipe is ever made richer, recompute** — and note the FOP "High in sugars" symbol returns above ~3.75 g sugars / 15 mL.

⚠ FOOD SAFETY — this is a refrigerated, NOT shelf-stable product. At ~14.5 °Brix water activity is ~0.98, far above the ~0.85 (≥ 65 °Brix) needed for sugar to preserve. Sugar-alone shelf stability would need ~11 cups sugar : 5 cups water. This recipe is preserved by ****hot-fill (~85 °C) + sanitized bottles + refrigeration + short (~3-month) dated life****, and the label states **"Keep refrigerated."** Do **not** print any "shelf-stable"/ambient-storage claim, and note this is **not** a warehouse-FBA ambient product without a preservation redesign (acidify + sorbate/benzoate, which would turn the butterfly-pea colour pink, or go to ≥ 65 °Brix).

Pre-print checklist

- ☐ **[VERIFY]** all items above in the CFIA Industry Labelling Tool (worth the hour for a real run)
- ☒ Nutrition Facts **recipe-calculated** (1:5 by volume, ~14.5 °Brix) — recompute if final Brix differs
- ☐ **"Keep refrigerated"** storage statement present + best-before $\leq$ ~3 months (refrigerated product)
- ☒ **Print derivatives re-exported (2026-07-02):** print-ready PDF
(Label_benchandbloom_Wrap_PRINTREADY_u\line2026.pdf, 7.5×3in, Inter+Fraunces embedded, guides removed) + 600dpi PNG + self-contained SVG + refreshed previews — all show the new 10 cal / 2 g / "Keep refrigerated" / water-first values (visually verified). Send the **PDF** to the printer. See PRINT_FILES_STATUS.md. (The separate Label_PrinterSpec_Wrap_u\line2026.pdf spec-doc render is still old text; the .md is authoritative.)
- ☐ Confirm civic address + postal code in "Prepared for / Préparé pour"
- ☒ **Real GS1 barcode** embedded (627146286305) — scan a printed sample to confirm
- ☐ Have the **French** professionally verified
- ☐ Decide CMYK vs. spot Pantone for the lavender (ask printer)
- ☐ **Outline the fonts** (Fraunces + Inter) or supply font files
- ☐ **Delete the #guides layer** (trim/safe/fold lines) before output
- ☐ Order **soft-matte cream BOPP, permanent glass/fridge adhesive, matte laminate**
- ☐ Print one, **wrap a real bottle**, check the 0.21" window sits where you want it and the panel clears the shrink band

Ordering (read before you upload)

- **Send the printer:** `Label_benchandbloom_PRINTREADY_uline2026.svg` — **guides removed, all fonts outlined** (Fraunces + Inter → vector), so nothing prints wrong and no font needs supplying.
- **Set the FINISHED / die-cut size to** `7.25in × 2.75in`. The file is `7.5in × 3.0in` because that **includes the 0.125in bleed** — it is **not** the finished size. If you enter 7.5×3.0 as the finished size the label comes out too big (over-wraps the 7.46in bottle, too tall for the 3.125in panel). Tell the printer: *finished 7.25×2.75, artwork 7.5×3.0 with 0.125in bleed, cut centred*.
- **Do NOT order off the** `.png` — the preview PNGs still show the guide lines and are raster.
- Quantity: order ~2× your bottle count (hand-application wastes a few).

Files in this folder

- `Label_benchandbloom_PRINTREADY_uline2026.svg` — **SEND THIS TO THE PRINTER** (guides removed, fonts outlined, vector)
- `Label_benchandbloom_PRINTREADY_uline2026_600dpi.png` — 600-dpi raster backup (correct fonts, no guides)
- `Label_benchandbloom_Final_uline2026_Wrap.svg` — **editable master** (keeps text + guides; edit here, then re-export press-ready)
- `Label_benchandbloom_Final_uline2026_Wrap.png` / `.jpg` — previews only (show guides — not for print)
- `Label_PrinterSpec_Wrap_uline2026.md` / `.pdf` — this spec