Date	22/05/2022, 22:23:44
Test	test_write_codeblock
Description	This test creates a PDF with a CodeBlock
	element in it.

```
import unittest
from datetime import datetime
from pathlib import Path
 from borb.io.read.types import Decimal
from borb.pdf.canvas.layout.page_layout.multi_column_layout import SingleColumnLayout from borb.pdf.canvas.layout.table.fixed_column_width_table import (
    FixedColumnWidthTable as Table,
)
from borb.pdf.canvas.layout.text.codeblock import CodeBlock
from borb.pdf.canvas.layout.text.paragraph import Paragraph
from borb.pdf.document.document import Document
from borb.pdf.page.page import Page
from borb.pdf.pdf import PDF
from tests.test_util import check_pdf_using_validator
 class TestWriteCodeblock(unittest.TestCase):
          This test creates a PDF with a CodeBlock element in it.
         def __init__(self, methodName="runTest"):
    super().__init__(methodName)
# find output dir
p: Path = Path(_file__).parent
while "output" not in [x.stem for x in p.iterdir() if x.is_dir()]:
    p = p.parent
p = p / "output"
self.output_dir = Path(p, Path(_file__).stem.replace(".py", ""))
if not self.output_dir.exists():
    self.output_dir.mkdir()
          def test_write_document(self):
                      # create document
                     pdf = Document()
                     # add page
page = Page()
pdf.append_page(page)
                     # layout
layout = SingleColumnLayout(page)
                     # add test information
layout.add(
   Table(number_of_columns=2, number_of_rows=3)
        .add(Paragraph(*Date*, font="Helvetica-Bold*))
        .add(Paragraph(datetime.now().strftime(*%d/%m/%Y, %H:%M:%S*)))
        .add(Paragraph(*Test*, font="Helvetica-Bold*))
        .add(Paragraph(Path(_file__).stem))
        .add(Paragraph(*Description*, font="Helvetica-Bold*))
        .add(Paragraph(*This test creates a PDF with a CodeBlock element in it.*))
        .set_padding_on_all_cells(Decimal(2), Decimal(2), Decimal(2))
                     # read self
                     with open(__file__, "r") as self_file_handle:
    file_contents = self_file_handle.read()
                              CodeBlock(
file_contents,
                                         font_size=Decimal(5),
                     # determine output location
out_file = self.output_dir / "output.pdf"
                     # attempt to store PDF
with open(out_file, "wb") as in_file_handle:
    PDF.dumps(in_file_handle, pdf)
                     # check
check_pdf_using_validator(out_file)
```