Execution Environment

Host name HP - 20.23.0.34 Local OS Windows 11 64bit

Katalon version 9.5.0.217

Browser Chrome 125.0.0.0

Device name

Summary

ID Test Suites/AssessmentTest2-GovtArtsCollegeSalem/GovtArtsCollegeSalem

Description

Total 2

Passed 0 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 14-06-2024 15:10:56 End 14-06-2024 15:13:04

Elapsed 2m - 8.352s

| # | ID | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/AssessmentTest2- GovtArtsCollegeSalem/GovtArtsCollegeSalem | | FAILED |
| 2 | Test Cases/AssessmentTest2- GovtArtsCollegeSalem/GovtArtsCollegeSalem | | FAILED |

Information

ID Test Cases/AssessmentTest2-GovtArtsCollegeSalem/GovtArtsCollegeSalem

Description

Tag

Start 14-06-2024 15:11:37 End 14-06-2024 15:12:06

Elapsed 28.780s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("") | 1.540s | PASSED |
| | Browser is opened with url: " | | |
| | | | |
| 2 | navigateToUrl("https://gacsalem7.ac.in/") | 26.296s | PASSED |
| | Navigate to 'https://gacsalem7.ac.in/' successfully | | |
| | | | |

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 3 | click(findTestObject("Object Repository/Assessment2-GovtArtsCollgeSalem/Page_Government Arts College Salem-7 Gover_1e4a3a/a_Home")) | 0.902s | FAILED |
| | Unable to click on object 'Object Repository/Assessment2-GovtArtsCollgeSalem/Page_Government Arts College Salem-7 Gover_1e4a3a/a_Home' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on | | |
| | object 'Object Repository/Assessment2-GovtArtsCollgeSalem/Page_Government Arts College Salem-7 Gover_1e4a3a/a_Home' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) | | |
| | at GovtArtsCollegeSalem.run(GovtArtsCollegeSalem:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:150) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) | | |
| | at TempTestSuite1718358049869.run(TempTestSuite1718358049869.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not | | |
| | interactable | | |

interactable

(Session info: chrome=125.0.6422.142)

```
Description
                                                                                             Elapsed
                                                                                                               Status
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'RUSALAB14', ip: '20.23.0.34', os.name: 'Windows 11', os.arch: 'amd64',
os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:61542}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: a8acc3b97de4e825a0cd80f2591d8fc0
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.iava:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openga.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
```

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke

Method)

Description Elapsed Status

(NativeMethodAccessorImpl.java:77)

 $at\ java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke$

(DelegatingMethodAccessorImpl.java:43)

 $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.$

doCall(ClickKeyword.groovy:67)

 $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call\ (ClickKeyword.groovy)$

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$

groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

(WebUiBuiltInKeywords.groovy:659)

at Script1718357198103.run(Script1718357198103.groovy:24)

... 18 more





Information

ID Test Cases/AssessmentTest2-GovtArtsCollegeSalem/GovtArtsCollegeSalem

Description

Tag

Start 14-06-2024 15:12:44 End 14-06-2024 15:12:59

Elapsed 15.199s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("") | 2.489s | PASSED |
| | Browser is opened with url: " | | |
| | | | |
| 2 | navigateToUrl("https://gacsalem7.ac.in/") | 11.783s | PASSED |
| | Navigate to 'https://gacsalem7.ac.in/' successfully | | |
| | | | |

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 3 | click(findTestObject("Object Repository/Assessment2-GovtArtsCollgeSalem/Page_Government Arts College Salem-7 Gover_1e4a3a/a_Home")) | 0.889s | FAILED |
| | Unable to click on object 'Object Repository/Assessment2-GovtArtsCollgeSalem/Page_Government Arts College Salem-7 Gover_1e4a3a/a_Home' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on | | |
| | object 'Object Repository/Assessment2-GovtArtsCollgeSalem/Page_Government Arts College Salem-7 Gover_1e4a3a/a_Home' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) | | |
| | at GovtArtsCollegeSalem.run(GovtArtsCollegeSalem:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| | (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:150) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) | | |
| | at TempTestSuite1718358049869.run(TempTestSuite1718358049869.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not | | |
| | interactable | | |

interactable

(Session info: chrome=125.0.6422.142)

```
Description
                                                                                             Elapsed
                                                                                                               Status
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'RUSALAB14', ip: '20.23.0.34', os.name: 'Windows 11', os.arch: 'amd64',
os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:61856}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 7a5198461cfd15eaea3aef00033fc8ea
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.iava:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openga.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
```

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke

Method)

Description Elapsed Status

(NativeMethodAccessorImpl.java:77)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(DelegatingMethodAccessorImpl.java:43)

 $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.$

doCall(ClickKeyword.groovy:67)

 $at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call\ (ClickKeyword.groovy)$

 $at\ com. kms. katalon. core. webui. keyword. internal. WebUIKeyword Main. run Keyword (WebUIKeyword Main. groovy: 20)$

groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

(WebUiBuiltInKeywords.groovy:659)

at Script1718357198103.run(Script1718357198103.groovy:24)

... 18 more



