

$$-^M \sum kx \dots \leftarrow \sin x p x s k o^2$$

$$P(x=k) = \binom{n}{k} p^k q^{n-k} \quad (t = \cos x)$$

$$\frac{1}{12\alpha} \lim_B s = x^2$$

$\int$ $\sum$ $x=0$ A B C $E(x) = \sum_{x=y} ne^{x-p(x^2-p)}$ $\sin(\alpha)$ $\sin^2 = 39$ $x = 2m^2$ $\int \frac{dx}{\cos^2 x}$ $\frac{A^2 x q^2 + B^2}{EMC}$

$\lim_{x \rightarrow 2} \frac{\sqrt{x} \cos 1 - \sqrt{x-4}}{3 \cos 3 + \sqrt{4-x}}$
 $\left(\frac{1}{2}\right)^{-x} = 1$
 $12\pi^3 = \sin x$
 $\frac{a^n}{b^k} \} x^2$
 $2\pi x$
 $x^2 + 3 = x^2$
 x^3
 a^2
 a^2
 $\vdots$
 S_1

$V = c \sqrt{5x^2} \tan$
 $\log \frac{x}{y} = \log_2$
 $(\cos x) = \cos(2)$
 $x = \ln 3$

$$\int_0^1 \frac{\cos x \, dx}{2 - \sin^2 x} = \int \frac{dt - \frac{1}{2} e^{2t}}{1 + 2x} = \lim_{x \rightarrow 1} \left[\frac{1}{2} \ln(1 + 2x) - \frac{1}{2} e^{2x} \right] = \frac{1}{2} \ln 3 - \frac{1}{2} e^2$$

$\sqrt{\frac{3}{2}}x = \cos i + \tan xy \frac{2}{4} q$
 $(n+1) \sum_{x=0}^{x-1} \left(\begin{matrix} x=2 \\ L \end{matrix} \right) \Delta S$
 $y < \frac{\sqrt{x} + \sqrt{x}}{\sqrt{x} - \sqrt{x}}$
 $y = \cos x^2$
 $\lim \alpha$
 $\sin^2$
 ΔS
 $\alpha^0 = 1$
 $\sin$
 $\frac{2}{4} q$
 $y = x + 0$
 $np \times 1 = \alpha$
 ΔS
 $x = \alpha$
 $\sqrt{6+3^2}$
 $\frac{\sqrt{6}}{\sqrt{5}}$
 $\left(\frac{\pi}{10} - \frac{1}{3} = g \right)^2$
 ΔS
 $2\pi x$
 Σ^3, c^2
 h^2
 $x^3 \cos \alpha$
 α
 c
 $\sqrt{6}$
 $\sqrt{5}$
 α
 dx
 z
 0
 A'
 B
 A

$x^3(3+3)10^{1.2+3}$
 $\frac{\cos n}{\sin A} > B^2 \frac{\pi}{2\sqrt{3}}$
 $Y = \frac{x}{3} R$
 $a^0 = 1$
 $\lim \sqrt{2x}$
 $\Delta S = (S + C^3) \frac{\pi}{2+3}$
 $[CD = \lim \Delta a \rightarrow 0] - 40 + 4$

$$\begin{aligned} & \text{--- } Q \quad K = \sqrt{qR^2} = \sqrt{qP^3} \\ & \rightarrow X \quad e = VR^2 \quad P = 6 \quad \cos = 2D' \frac{1}{2} m' \\ & [0, 1, 2, \dots] \quad G = 1,7 \left(\frac{S_0 R_0^3}{R_0 + P} + \frac{3 S_0 R_0 + H}{R_0 + P n^2} \right)^2 a^\circ \\ & \sum_{k=1}^2 kx \binom{P}{n} S_s \sin^{P+R^2} \cos(x) N_P \times 1 = nP \quad \frac{1}{g} \sum_{\alpha} (c = Tq^2) \end{aligned}$$

[illegible]