
Model6_diagnostic_plots.pdf Document Contents


- -Calibration Site Maps for User-Selected Attributes
- -Model Estimation Performance Diagnostics
- -Model Simulation Performance Diagnostics
- -Maps of Model Residuals and Observed to Predicted Ratios for the Calibration Sites

Calibration Site Maps for User-Selected Attributes


Mean Annual Load at Calibration Sites




Mean Annual Yield at Calibration Sites



Mean Annual Flow-Weighted Concentration at Calibration Sites



Percent Error in Mean Annual Load at Calibration Sites





Model Estimation Performance Diagnostics


Diagnostics are based on the use of conditioned (monitoring-adjusted) predictions. These predictions provide the most accurate reach predictions for use in calibrating the model. The associated residuals and observed to predicted ratios shown in the following section provide the most relevant measures of the accuracy of the model fit to observed loads.

The diagnostic plots include:


- -Four-plot panel for observed vs. predicted for loads and yields, and log residuals vs. predicted loads and yields
- -Four-plot panel for boxplots of residuals and observed/predicted ratios, normal quantile plot of standardized residuals, and plot of squared residuals vs. predicted loads
- -Plot of conditioned prediction loads vs. unconditioned (simulated) prediction loads
- -Plots of the observed to predicted ratio vs. the area-weighted mean values of the user-selected explanatory variables for the incremental areas between calibration sites (output only if control setting if_corrExplanVars<-'yes' selected and a value of 1 entered for 'parmCorrGroup' column in the 'parameters.csv' file)
- -Boxplots of the observed to predicted loads vs. the decile classes of the total drainage area for the calibration sites
- -Boxplots of the observed to predicted loads vs. the contiguous spatial classes specified by users in the 'classvar' control setting (e.g., HUC-4)
- -Boxplots of the observed to predicted loads vs. the deciles of the land-use class variable specified by users in the 'class_landuse' control setting, with the land-use classes expressed as a percentage of the incremental drainage area extending from the calibration site to the nearest upstream site locations.
- -Four-plot panels reported separately for each of the contiguous spatial classes specified for the first variable entry for the 'classvar[1]' control setting. The panels include: observed vs. predicted loads, observed vs. predicted yields, log residuals vs. predicted loads, and log residuals vs. predicted yields








RATIO OBSERVED TO PREDICTED




AREA-WEIGHTED EXPLANATORY VARIABLE (MANC_N)


RATIO OBSERVED TO PREDICTED





RATIO OBSERVED TO PREDICTED


Observed to Predicted Ratio vs Area–Weighted Explanatory Variable For Incremental Areas between Calibration Sites; Variable Name = Idrainden 15 RATIO OBSERVED TO PREDICTED 10 2 0 0 -4 -3 -2 -1 AREA-WEIGHTED EXPLANATORY VARIABLE (Idrainden)














15

RATIO OBSERVED TO PREDICTED


10


2


0

1e-07


Ratio Observed to Predicted by Deciles




















Ratio Observed to Predicted by Deciles








Ratio Observed to Predicted by Deciles





Ratio Observed to Predicted by Deciles













Model Simulation Performance Diagnostics


Diagnostics are based on the use of unconditioned predictions (i.e., predictions that are not adjusted for monitoring loads). These predictions (and the associated residuals and observed to predicted ratios shown in the following section) provide the best measure of the predictive skill of the estimated model in simulation mode. The simulated predictions are computed using mean coefficients from the NLLS model estimated with monitoring-adjusted (conditioned) predictions.

The diagnostic plots include:

- -Four-plot panel for observed vs. predicted for loads and yields, and log residuals vs. predicted loads and yields
- -Four-plot panel for boxplots of residuals and observed/predicted ratios, normal quantile plot of standardized residuals, and plot of squared residuals vs. predicted loads
- -Plot of conditioned prediction loads vs. unconditioned (simulated) prediction loads
- -Plots of the observed to predicted ratio vs. the area-weighted mean values of the user-selected explanatory variables for the incremental areas between calibration sites (output only if control setting if_corrExplanVars<-'yes' selected and a value of 1 entered for 'parmCorrGroup' column in the 'parameters.csv' file)
- -Boxplots of the observed to predicted loads vs. the decile classes of the total drainage area for the calibration sites
- -Boxplots of the observed to predicted loads vs. the contiguous spatial classes specified by users in the 'classvar' control setting (e.g., HUC-4)
- -Boxplots of the observed to predicted loads vs. the deciles of the land-use class variable specified by users in the 'class_landuse' control setting, with the land-use classes expressed as a percentage of the incremental drainage area extending from the calibration site to the nearest upstream site locations.
- -Four-plot panels reported separately for each of the contiguous spatial classes specified for the first variable entry for the 'classvar[1]' control setting. The panels include: observed vs. predicted loads, observed vs. predicted yields, log residuals vs. predicted loads, and log residuals vs. predicted yields









AREA-WEIGHTED EXPLANATORY VARIABLE (ndep)


RATIO OBSERVED TO PREDICTED








RATIO OBSERVED TO PREDICTED


Observed to Predicted Ratio vs Area–Weighted Explanatory Variable For Incremental Areas between Calibration Sites; Variable Name = Idrainden 15 RATIO OBSERVED TO PREDICTED 10 2 0 -5 -4 -3 -2 -1 AREA-WEIGHTED EXPLANATORY VARIABLE (Idrainden)

















Observed to Predicted Ratio vs Area–Weighted Explanatory Variable For Incremental Areas between Calibration Sites; Variable Name = iresload 15 RATIO OBSERVED TO PREDICTED 10 2 0 1e-07 1e-05 1e-03 1e-01 AREA-WEIGHTED EXPLANATORY VARIABLE (iresload)


Ratio Observed to Predicted by Deciles



















Ratio Observed to Predicted by Deciles








Ratio Observed to Predicted by Deciles





Ratio Observed to Predicted by Deciles













Maps of Model Residuals and Observed to Predicted Ratios for the Calibration Sites

The maps include:


- -Log residuals, based on monitoring conditioned predictions (i.e., model estimation residuals)
- -Log residuals, based on the unconditioned predictions (i.e., model simulation residuals)
- -Standardized residuals based on the monitoring conditioned predictions
- -Ratio of observed to predicted loads for the conditioned predictions (i.e., model estimation ratio)
- -Ratio of observed to predicted load for the unconditioned predictions (i.e., model simulation ratio)

Model Estimation Log Residuals – Over Predictions – n=393







Model Estimation Log Residuals





Model Simulation Log Residuals – Over Predictions – n=390







Model Simulation Log Residuals










Model Estimation Standardized Residuals









Model Estimation Obs/Pred Ratio







Model Simulation Obs/Pred Ratio

