

4

3

2

1

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	04/22/19	IZ AND JS
	B	UPDATED FORMATTING	4/29/2019	
	C	MOVE LOCATING PINS AND ADD Ø 1.00 mm THRU FOR VENTING	5/6/2019	

B

B

A

A

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETER TOLERANCES: ONE PLACE DECIMAL ±0.1 TWO PLACE DECIMAL ±0.01	 <div>MATERIAL 6061-T6 (SS) FINISH ANODIZATION: TYPE III WEIGHT (REF) DO NOT SCALE DRAWING</div>	DRAWN CHECKED ENG APPR. MFG APPR.	NAME RYAN MEDICK ANDREW GREENBERG	DATE 4/22/19 4/22/19	Description: -X FRAME	DWG. NO. -X_Frame		
						REV	SIZE	SCALE: 1:2
						C	B	SHEET 1 OF 4

4

3

2

1

4

3

2


1

B

B

A


A



NOTES:

1. REFERENCE frame.sldprt CONFIGURATION -X FOR MODEL BASE DEF.
2. BREAK ALL EDGES.
3. MATERIAL: 6061-T6 (SS)
4. ANODIZATION: TYPE III.
5. OVERALL PROFILE TOLERANCE $\frac{1}{2}$ 0.2 A B C TO A MINIMUM GRID OF 5MM, UNLESS OTHERWISE SPECIFIED.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETER
TOLERANCES:
ONE PLACE DECIMAL ± 0.1
TWO PLACE DECIMAL ± 0.01

	DRAWN	NAME RYAN MEDICK	DATE 4/22/19	Description: -X FRAME
	CHECKED	ANDREW GREENBERG	4/22/19	
	ENG APPR.			
	MFG APPR.			
	COMMENTS:			
MATERIAL 6061-T6 (SS)				DWG. NO. -X_Frame
FINISH ANODIZATION: TYPE III				REV C
WEIGHT (REF)				SIZE B
DO NOT SCALE DRAWING				SCALE: 1:2
				SHEET 2 OF 4

3

2

1

4

3

2





1

B

B

A

A



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETER
TOLERANCES:
ONE PLACE DECIMAL \pm 0.1
TWO PLACE DECIMAL \pm 0.01



DRAWN	NAME RYAN MEDICK	DATE 4/22/19
CHECKED	ANDREW GREENBERG	4/22/19
ENG APPR.		
MFG APPR.		

Description:
-X FRAME

DWG. NO. -X_Frame		
REV C	SIZE B	SCALE: 1:2 SHEET 3 OF 4

3

2

1

A